

Suspensions, Ceiling lamps, Wall lamps,  
Table lamps, Floor lamps, Systems, LED strip and supports,  
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,  
Accessories / Indoors, Outdoors / Minimal, Decorative,  
Architectural / **Light and design to serve people.**

Light up your 2024.

















ideal lux®





**ideal lux.**<sup>®</sup>



<b>Index</b>		Alphabetical index	004
		Typology index	008
		Company Presentation	032
<hr/>			
<b>Indoors</b>		Suspensions	050
		Ceiling lamps	246
		Wall lamps	368
		Table lamps	464
		Floor lamps	516
		Linear systems	568
		LED strip and supports	652
		Spotlights and Tracks	672
		Recessed lights	724
<hr/>			
<b>Outdoors</b>		Suspensions and ceiling	804
		Wall lamps	816
		Bollard and Table lamps	860
		Spotlights	910
		Downlights	924
<hr/>			
<b>Light bulbs</b>		Light bulbs and accessories	944
		Families' index	962
		Code index	978



# Galaxy

Pag 098

Abc	093	Basic	768	Carta	166
Acqua	900	Basic IP65	774	Carta	293
Admiral	359	Bean	414	Carta	397
Agos	878	Bento	734	Carta	484
Alfa	330	Bergen	185	Carta	545
Alfa	427	Binomio	349	Casanova	230
Alfiere	502	Binomio	441	Celine	279
Ali	399	Birds	099	Chalet	240
A-Line	121	Birds	337	Chalet	460
Alma	406	Birds	433	Chalet	508
Amadeus	222	Birds	494	Chef	648
Ampolla	110	Birds	522	Chill	797
Andromeda	847	Birillo	491	Cima	856
Angolo	344	Bistrò	186	Cima	908
Angolo	496	Bit	926	Circus	071
Angolo	526	Blanche	216	Citrus	113
Apollo	835	Blossom	144	Clara	278
Arca	570	Blues	800	Click	383
Arcadia	877	Boa	167	Clio	808
Archimede	123	Bon Bon	235	Clio	808
Argo	845	Book	421	Clio	855
Aria	150	Bow	408	Clio	906
Arizona	154	Box	379	Clip	381
Arizona	288	Breeze	129	Cloud	294
Armony	360	Bright	384	Clown	158
Atena	898	Brigitta	233	Cocktail	139
Atlas	341	Bubble	814	Coco	182
Atom	843	Bubble	854	Colonna	562
Atrium	289	Byte	706	Colossal	218
Audi-10	188	Byte Led	707	Comet	546
Audi-20	146	Caesar	211	Cometa	852
Audi-77	209	Calypso	200	Comfort	540
Audi-80	189	Calypso	454	Compo	355
Audio	527	Camerino	400	Cono	136
Aura	309	Canapa	243	Copernico	104
Aura	778	Candy	156	Corolla	295
Avenue	929	Candy	290	Corte	217
Avion	175	Candy	486	Corte	457
Axel	498	Cantina	133	Cosmo	905
Axel	553	Cantina	438	Cosmopolitan	343
Balance	382	Carlton	204	Cotton	157
Barber	426	Carlton	367	Cotton	291
Base	840	Carlton	455	Cover	376

# Alphabetical index

Craft	085	Duchessa	513	Fish	089	Glory	153	Karousel	086
Craft	386	Dynamic	740	Fisherman	133	Glory	286	Kate	512
Craft	538	Dynamite	090	Fix	378	Gocce	135	Kelly	478
Cream	490	Dynamite	320	Flam	134	Goose	412	Keope	834
Crown	064	Dynamo	413	Flash	390	Gourmet	340	Kepler	105
Cube	382	Easy	474	Flash Gesso	391	Gravity	939	Kepler	434
Cylinder	193	Easy	539	Flat	278	Gretel	187	Kid	452
Cylinder	560	Echo	388	Floor	936	Groove	776	King	200
Daddy	550	Eclissi	445	Florian	224	Gru	470	King	358
Dafne	857	Edison	115	Florian	458	Gun	811	Klimt	555
Dafne	909	Edison	428	Fluo	632	Gun	836	Komodo	419
Daisy	354	Edo	493	Flut	141	Halo	268	Konse	109
Danieli	232	Edo Outdoor	901	Fly	258	Harem	239	Kubiko	314
Deca	245	Ego	584	Focus	410	Harem	462	Kuky	137
Decor	183	Elio	822	Folk	149	Haunt	242	Kurt	885
Dedra	859	Elio	918	Forcola	564	Hermes	350	Lana	151
Deep	766	Elisir	203	Fox	690	Hilton	195	Lana	306
Delta	385	Elvis	542	Frame	072	Hilton	448	Landing	940
Desk	084	Eminent	552	Frame	254	Hilton	501	Lawyer	481
Desk	386	Empire	178	Frame	528	Hilton	563	Le Roy	514
Diamond	096	Eos	698	Frida	114	Holiday	450	Leaves	106
Diamond	483	Equinox	102	Frida	431	Holly	124	Led Panel	784
Diesis	122	Equinox	437	Funky	798	Hotel	451	Lena	151
Diesis	475	Equinox	525	Futura	476	Hub	891	Level	286
Diesis	539	Eris	132	Futura	541	Hula hoop	070	Lido	180
Disco	108	Essence	082	Galaxy	098	Ice	112	Lift	541
Display	710	Essence	402	Game	748	Igor	095	Lika	319
Djambe	870	Etere	831	Gas	825	Igor	432	Lika	786
Dna	172	Etere	902	Gas	890	Iko	841	Linea	838
Doc	114	Eva	532	Gea	453	Impero	229	Lingotto	094
Dodo	425	Evasione	209	Geko	285	Indio	928	Lingotto	345
Doge	231	Fade	145	Gemini	060	Inside	922	Lingotto	497
Doris	872	Febe	858	Gemini	282	Io	411	Link	718
Dorsale	548	Felix	849	Gemma	308	Ipotesi	893	Linus	387
Dot	316	Fiesta	815	Giada	202	Iride	353	Linus	630
Down	858	Filo	078	Gim	424	Itaca	876	Lite	417
Dream Big	174	Filo	404	Gingle	284	Jazz	798	Litio	823
Driftwood	241	Filo	404	Gioconda	228	Jedi	895	Litio	919
Driftwood	506	Filo	530	Gioconda	459	Johnny	480	Lolita	865
Driftwood	554	Firenze	236	Giove	848	Justine	237	London	499
Dubai	210	Firenze	460	Giudecca	223	Kali	503	London	557
Dubai	365	Firenze	509	Glim	329	Karma	148	Look	074
Dubai	455	Firenze	567	Glim	705	Karol	256	Look	310

# Alphabetical index

Look	393	Minor	091	Oby	426	Penta	352	Rain	364
Look	534	Mint	184	Ocean	279	Penta	443	Ray	270
Look	708	Miramare	234	Octopus	339	Perlage	100	Read	420
Lord	144	Mirror-10	408	Off	762	Perlage	334	Regol	556
Lounge	798	Mirror-20	409	Office	646	Perlage	435	Relax	280
Lucciola	088	Mix Up	126	Oil	118	Perlage	495	Retrò	409
Luce Max	160	Mix Up	300	Omega R.	820	Perlage	524	Rex-1	850
Lugano	113	Mix Up	536	Omega S.	821	Perline	099	Rex-2	851
Lumiere	176	Moby	130	One	756	Peter	461	Rex-3	851
Lumiere	346	Monet	213	Onion	111	Petit	322	Rhapsody	087
Lumiere	482	Mood	315	Opera	198	Phoenix	191	Riflesso	407
Lumiere	520	Moonlight	363	Opera	456	Piano	418	Ritz	305
Luna	807	Moris	378	Opera	511	Ping Pong	348	Rocket	942
Luna	874	Mouse	324	Opera	565	Ping Pong	440	Rocket Mini	943
Luxor	208	Mouse	422	Oracle	070	Ping Pong	488	Roma	205
Luxury	450	Mouse	704	Oracle Slim	066	Ping Pong	533	Roma	356
Luxury	500	Mr Jack	117	Oracle Slim	252	Pipe	416	Roma	454
Luxury	561	Multiflex	175	Orbit	058	Pivot	471	Roma	510
Madame	190	Multiflex	339	Origami	142	Planet	298	Room-65	799
Magnolia	365	Nabucco	206	Orion	201	Play	321	Rose	219
Make Up	407	Napoleon	226	Ovalino	155	Play	780	Royal	364
Manhattan	141	Negresco	220	Ovalino	294	Plissè	150	Rubber	168
Mapa Bianco	164	Negresco	458	Ovalino	394	Polar	853	Rubik	842
Mapa Bianco	292	Nemo	170	Oz	062	Polka	802	Rudy	326
Mapa Bianco	396	Net	107	Oz	257	Polly	544	Rudy	423
Mapa Bianco	487	Neve	362	Oz	374	Pop	089	Sally	479
Mapa Fade	162	Newton	438	Oz	468	Posta	380	Samba	794
Mapa Max	161	Newton	542	Page	415	Pouche	377	Santa	463
Mapa Plus	159	Ninfea	351	Pagoda	551	Pov	702	Sasso	875
Mapa Sat	161	Ninfea	443	Pan	192	Prato	492	Set Up	196
Maracas	331	Nitro	312	Pan	442	Pretty	400	Set Up	302
Maracas	436	Nodi	173	Park	938	Privè	401	Set Up	446
Marte	886	Nodi	332	Pashà	207	Probe	420	Set Up	504
Martinez	203	Nodino	333	Pashà	357	Profilo	328	Set Up	558
Martinez	366	Nordik	192	Pashà	454	Pulsar	899	Shell	307
Medea	853	Nordik	450	Path	889	Punto	839	Shower	439
Mercurio	887	Nordik	500	Paul	394	Pure	864	Simply	306
Metro	129	Nordik	560	Pauline	338	Quark	760	Sirio	882
Mib	814	Norma	244	Pegaso	214	Queen	514	Sky	077
Milk	138	Nova	782	Pegaso	457	Queen	566	Sky	311
Millennium	212	Oak	076	Pegaso	515	Quick	674	Sky	392
Minimal	116	Oak	318	Pegaso	566	Radio	429	Slem	330
Minimal	430	Oby	325	Peggy	377	Rain	202	Slem	427

Slot	664	Tetris-1	844	Walky	803
Smarties	■ 152	Tetris-2	845	Wally	■ 479
Smarties	■ 287	Theo	405	Wally	■ 543
Smarties	■ 397	Thor	912	Way	941
Smarties	■ 485	Tick	444	Wheel	■ 194
Smile	682	Tiepolo	221	Wheel	■ 305
Snell	507	Tifone	892	Winery	■ 323
Snif Round	832	Titano	884	Winery	■ 428
Snif Square	833	Toby	321	Wire	927
Soda	395	Toffee	867	Woody	■ 194
Soft	181	Toki	866	Woody	■ 304
Sole	■ 806	Tolomeo	147	Woody	■ 449
Sole	■ 873	Torre	904	Xeno	■ 812
Soul	801	Totem	281	Xeno	■ 826
Spark	■ 105	Tower	318	Yoko	■ 083
Spark	■ 342	Triade	125	Yoko	■ 473
Spike	317	Triplo	398	Yoko	■ 531
Spot	■ 324	Tristan	140	York	555
Spot	■ 422	Triumph	■ 092	Yurta	128
Spot	■ 704	Triumph	■ 336	Zephyr	796
Stardust	868	Triumph	■ 436	Zeus	726
Starlight	914	Tronco	■ 830	Zig Zag	389
Steel	642	Tronco	■ 896	Ziggy	296
Stick	616	Truman	480		
Strauss	■ 229	Tube	076		
Strauss	■ 459	Tudor	399		
Style	■ 828	Twin	846		
Style	■ 880	Ulex	916		
Sun	869	Ulisse	154		
Sunglasses	812	Ultrathin	080		
Sunrise	445	Umile	143		
Swan	■ 199	Universal R.	274		
Swan	■ 456	Universal S.	276		
Swing	798	Up	844		
Swipe	827	Urano	813		
Syntesi	375	Vanity	238		
Tall	120	Vega	894		
Taurus	930	Venus	899		
Techo	810	Virtus	383		
Terra	■ 824	Virus	758		
Terra	■ 920	Vision	658		
Tesi	656	V-Line	083		
Tesla	888	Vortex	106		

# Lumiere

Pag 520



# Orbit


















































Pag 058





























































# Typology index

## Indoors Suspensions

<small>new</small> 	<small>new</small> 		<small>new</small> 			
<b>Orbit 058</b>	<b>Gemini 060</b>	<b>Oz 062</b>	<b>Crown 064</b>	<b>OracleSlim 066</b>	<b>Oracle 070</b>	<b>Hulahoop 070</b>
		<small>new</small> 				<small>new</small> 
<b>Circus 071</b>	<b>Frame 072</b>	<b>Look 074</b>	<b>Tube 076</b>	<b>Oak 076</b>	<b>Sky 077</b>	<b>Filo 078</b>
<small>new</small> 						
<b>Ultrathin 080</b>	<b>Essence 082</b>	<b>Yoko 083</b>	<b>V-Line 083</b>	<b>Desk 084</b>	<b>Craft 085</b>	<b>Karousel 086</b>
						
<b>Rhapsody 087</b>	<b>Lucciola 088</b>	<b>Fish 089</b>	<b>Pop 089</b>	<b>Dynamite 090</b>	<b>Minor 091</b>	<b>Triumph 092</b>
	<small>new</small> 		<small>new</small> 	<small>new</small> 		
<b>Abc 093</b>	<b>Lingotto 094</b>	<b>Igor 095</b>	<b>Diamond 096</b>	<b>Galaxy 098</b>	<b>Birds 099</b>	<b>Perline 099</b>
<small>new</small> 	<small>new</small> 					
<b>Perlage 100</b>	<b>Equinoxe 102</b>	<b>Copernico 104</b>	<b>Kepler 105</b>	<b>Spark 105</b>	<b>Leaves 106</b>	<b>Vortex 106</b>
<small>new</small> 						
<b>Net 107</b>	<b>Disco 108</b>	<b>Konse 109</b>	<b>Ampolla 110</b>	<b>Onion 111</b>	<b>Ice 112</b>	<b>Citrus 113</b>

# Indoors

## Suspensions

			<small>new</small> 			<small>new</small> 
Lugano 113	Frida 114	Doc 114	Edison 115	Minimal 116	Mr Jack 117	Oil 118
						
Archimede 123	Holly 124	Triade 125	Mix Up 126	Yurta 128	Metro 129	Breeze 129
						
Cantina 133	Flam 134	Gocce 135	Cono 136	Kuky 137	Milk 138	Cocktail 139
						
Origami 142	Umile 143	Blossom 144	Lord 144	Fade 145	Audi-20 146	Tolomeo 147
						
Plissé 150	Lana 151	Lena 151	Smarties 152	Glory 153	Ulisse 154	Arizona 154
						<small>new</small> 
Clown 158	Mapa Plus 159	Luce Max 160	Mapa Sat 161	Mapa Max 161	Mapa Fade 162	MapaBianco 164
						<small>new</small> 
Nemo 170	Dna 172	Nodi 173	Dream Big 174	Avion 175	Multiflex 175	Lumiere 176
						
Coco 182	Decor 183	Mint 184	Bergen 185	Bistrò 186	Gretel 187	Audi-10 188



Tall 120

A-Line 121

Diesis 122



Moby 130

Eris 132

Fisherman 133



Tristan 140

Manhattan 141

Flut 141



Karma 148

Folk 149

Aria 150



Ovalino 155

Candy 156

Cotton 157



Carta 166

Boa 167

Rubber 168



new

Empire 178

Lido 180

Soft 181



Audi-80 189

Madame 190

Phoenix 191



# Cotton

Pag. 157



# Casanova

Pag 230



Pan 192



Nordik 192



Calypso 200



King 200



Nabucco 206



Pashà 207



Pegaso 214



Blanche 216



Florian 224



Napoleon 226



Miramare 234



Bon Bon 235



# Indoors

## Suspensions



Cylinder 193



Woody 194



Wheel 194



Hilton 195



Set Up 196



Opera 198



Swan 199



Orion 201



Rain 202



Giada 202



Elisir 203



Martinez 203



Carlton 204



Roma 205



Luxor 208



Evasione 209



Audi-77 209



Dubai 210



Caesar 211



Millennium 212



Monet 213



Corte 217



Colossal 218



Rose 219



Negresco 220



Tiepolo 221



Amadeus 222



Giudecca 223



Gioconda 228



Impero 229



Strauss 229



Casanova 230



Doge 231



Danieli 232



Brigitta 233



Firenze 236



Justine 237



Vanity 238



Harem 239



Chalet 240



Driftwood 241



Haunt 242



Canapa 243



























































Norma 244



Deca 245

# Indoors

## Ceiling lamps

						 <small>new</small>
Oracle Slim 252	Frame 254	Karol 256	Oz 257	Fly 258	Halo 268	Ray 270
						 <small>new</small>
Clara 278	Flat 278	Celine 279	Ocean 279	Relax 280	Totem 281	Gemini 282
				 <small>new</small>		 <small>new</small>
Glory 286	Level 286	Smarties 287	Arizona 288	Atrium 289	Candy 290	Cotton 291
		 <small>new</small>	 <small>new</small>	 <small>new</small>		
Ovalino 294	Cloud 294	Corolla 295	Ziggy 296	Planet 298	Mix Up 300	Set Up 302
						
Ritz 305	Simply 306	Lana 306	Shell 307	Gemma 308	Aura 309	Look 310
 <small>new</small>		 <small>new</small>	 <small>new</small>			
Kubiko 314	Mood 315	Dot 316	Spike 317	Oak 318	Tower 318	Lika 319
	 <small>new</small>					 <small>new</small>
Toby 321	Petit 322	Winery 323	Mouse 324	Spot 324	Oby 325	Rudy 326
					 <small>new</small>	
Alfa 330	Slem 330	Maracas 331	Nodi 332	Nodino 333	Perlage 334	Triumph 336

new



Universal R. 274

new



Universal S. 276



Gingle 284



Geko 285

new



MapaBianco 292



Carta 293



Woody 304



Wheel 305

new



Sky 311



Nitro 312



Dynamite 320



Play 321

new



Profilo 328



Glim 329



Birds 337



Pauline 338

# Gemini

Pag 282



# Armony































Pag 360





# Indoors

## Ceiling lamps

			 new		 new	
<b>Multiflex 339</b>	<b>Octopus 339</b>	<b>Gourmet 340</b>	<b>Atlas 341</b>	<b>Spark 342</b>	<b>Cosmopolitan 343</b>	<b>Angolo 344</b>
 new	 new	 new	 new	 new		 new
<b>Lingotto 345</b>	<b>Lumiere 346</b>	<b>Ping Pong 348</b>	<b>Binomio 349</b>	<b>Hermes 350</b>	<b>Ninfea 351</b>	<b>Penta 352</b>
 new						
<b>Iride 353</b>	<b>Daisy 354</b>	<b>Compo 355</b>	<b>Roma 356</b>	<b>Pashà 357</b>	<b>King 358</b>	<b>Admiral 359</b>
 new						
<b>Armony 360</b>	<b>Neve 362</b>	<b>Moonlight 363</b>	<b>Royal 364</b>	<b>Rain 364</b>	<b>Magnolia 365</b>	<b>Dubai 365</b>
						
					<b>Martinez 366</b>	<b>Carlton 367</b>

# Filo

Pag 404



Oz 374



Syntesi 375



Clip 381



Cube 382



Linus 387



Echo 388



Soda 395

new



MapaBianco 396



Privè 401



Essence 402



Retrò 409



Mirror-20 409



Lite 417



Piano 418



Gim 424































new



Dodo 425

# Indoors

## Wall lamps

						
Cover 376	Peggy 377	Pouche 377	Fix 378	Moris 378	Box 379	Posta 380
						
Balance 382	Virtus 383	Click 383	Bright 384	Delta 385	Desk 386	Craft 386
						
Zig Zag 389	Flash 390	FlashGesso 391	Sky 392	Look 393	Paul 394	Ovalino 394
						
Smarties 397	Carta 397	Tripla 398	Ali 399	Tudor 399	Camerino 400	Pretty 400
						
Filo 404	Theo 405	Alma 406	Make Up 407	Riflesso 407	Bow 408	Mirror-10 408
						
Focus 410	IO 411	Goose 412	Dynamo 413	Bean 414	Page 415	Pipe 416
						
Komodo 419	Probe 420	Read 420	Book 421	Mouse 422	Spot 422	Rudy 423
						
Oby 426	Barber 426	Alfa 427	Slem 427	Winery 428	Edison 428	Radio 429

# Indoors

## Wall lamps



Minimal 430



Frida 431



Igor 432



Birds 433



Kepler 434

new



Perlage 435



Triumph 436



Cantina 438



Newton 438



Shower 439

new



Ping Pong 440

new



Binomio 441



Pan 442

new



Penta 443



Eclissi 445



Sunrise 445



Set Up 446



Hilton 448



Woody 449



Luxury 450



Nordik 450

new



Kid 452



Gea 453



Calypso 454



Roma 454



Pashà 454



Carlton 455



Dubai 455



Corte 457



Pegaso 457



Negresco 458



Florian 458



Gioconda 459



Strauss 459



Firenze 460



Harem 462



Santa 463



Maracas 436



Equinoxe 437



Ninfea 443



Tick 444



Holiday 450



Hotel 451



Opera 456



Swan 456



Chalet 460



Peter 461

# Ping Pong

Pag 440



# Easy

















































Pag 474





# Indoors

## Table lamps

			<b>new</b> 		<b>new</b> 	
Oz 468	Gru 470	Pivot 471	Filo 472	Yoko 473	Easy 474	Diesis 475
				<b>new</b> 		
Futura 476	Kelly 478	Sally 479	Wally 479	Johnny 480	Truman 480	Lawyer 481
<b>new</b> 	<b>new</b> 	<b>new</b> 	<b>new</b> 		<b>new</b> 	<b>new</b> 
Lumiere 482	Diamond 483	Carta 484	Smarties 485	Candy 486	MapaBianco 487	Ping Pong 488
<b>new</b> 					<b>new</b> 	
Cream 490	Birillo 491	Prato 492	Edo 493	Birds 494	Perlage 495	Angolo 496
						
Lingotto 497	Axel 498	London 499	Luxury 500	Nordik 500	Hilton 501	Alfiere 502
						
Kali 503	Set Up 504	Driftwood 506	Snell 507	Chalet 508	Firenze 509	Roma 510
						
Opera 511	Kate 512	Duchessa 513	Queen 514	Le Roy 514	Pegaso 515	

# Indoors

## Floor lamps



Lumiere 520

Birds 522

Perlage 524

Equinoxe 525

Angolo 526

Audio 527

Frame 528



Easy 539

Diesis 539

Comfort 540

Lift 541

Futura 541

Newton 542

Elvis 542



Daddy 550

Pagoda 551

Eminent 552

Axel 554

Driftwood 553

York 555





Filo 530



Yoko 531



Eva 532

new



Ping Pong 533

new



Look 534

new



Mix Up 536



Craft 538



Wally 543



Polly 544

new



Carta 545

new



Comet 546



Dorsale 548



Klimt 555



Regol 556



London 557



Set Up 558



Cylinder 560



Nordik 560



Luxury 561



Colonna 562



Hilton 563



Forcola 564



Opera 565



Queen 566



Pegaso 566



Firenze 567

# Indoors

## Systems



Arca 570

new

Ego 584

new

Stick 616

Linus 630

Fluo 632



Steel 642

Office 646

new

Chef 648

## LED strip and supports



Strip 654

Tesi 656

Vision 658

Slot 664

## Spotlights and Tracks



Quick 674

Smile 682

new

Fox 690

new

Eos 698

Pov 702



Mouse 704

Spot 704

Glim 705

Byte 706

new

Byte LED 707



Look 708

Display 710

new

Link 718

## Recessed lights

new



Zeus 726



Bento 734



Dynamic 740

new



Game 748



One 756



Virus 758

new



Quark 760



Off 762



Deep 766



Basic 768

new



Basic IP65 774



Groove 776



Aura 778



Play 780



Nova 782



Led Panel 784

new



Lika 786



Samba 794



Zephyr 796

new



Chill 797



Jazz 798



Swing 798



Lounge 798



Funky 798



Room-65 799



Blues 800



Soul 801



Soul 801



Polka 802



Walky 803



# Dedra

Pag 859



## Suspensions and ceiling

new



Sole 806



Luna 807

new



Clio 808

new



Clio 808

new



Clio 808

new



Clio 808

new



Clio 808

new



Clio 808

new



Techo 810



Gun 811



Sunglasses 812



Xeno 812



Urano 813



Bubble 814



Mib 814



Fiesta 815

# Outdoors

## Wall lamps

new



Omega R. 820

Omega S. 821

Elio 822

Litio 823

Terra 824

Gas 825

Xeno 826

new

new

new

new



Swipe 827

Style 828

Tronco 830

Etere 831

Snif Round 832

Snif Square 833

Keope 834

new

new

new



Apollo 835

Gun 836

Linea 838

Punto 839

Base 840

Iko 841

Rubik 842

new

new

new

new

new



Atom 843

Up 844

Tetris-1 844

Tetris-2 845

Argo 845

Twin 846

Andromeda 847

new

new



Giove 848

Felix 849

Rex-1 850

Rex-2 851

Rex-3 851

Cometa 852

Polar 853

new

new

new



Medea 853

Bubble 854

Clio 855

Clio 855

Clio 855

Cima 856

Dafne 857

new

new
























Down 858

Febe 858

Dedra 859

# Outdoors

## Bollard and Table lamps

<small>new</small> 		<small>new</small> 	<small>new</small> 			
Pure 864	Lolita 865	Toki 866	Toffee 867	Stardust 868	Sun 869	Djambe 870
	<small>new</small> 				<small>new</small> 	<small>new</small> 
Doris 872	Sole 873	Luna 874	Sasso 875	Itaca 876	Arcadia 877	Agos 878
<small>new</small> 						<small>new</small> 
Style 880	Sirio 882	Titano 884	Kurt 885	Marte 886	Mercurio 887	Tesla 888
	<small>new</small> 					
Path 889	Gas 890	Hub 891	Tifone 892	Ipotesi 893	Vega 894	Jedi 895
						<small>new</small> 
Tronco 896	Atena 898	Pulsar 899	Venus 899	Acqua 900	Edo Outdoor 901	Etere 902
<small>new</small> 		<small>new</small> 	<small>new</small> 	<small>new</small> 		
Torre 904	Cosmo 905	Clio 906	Clio 906	Clio 906	Cima 908	Dafne 909

## Spotlights

new



Thor 912



Starlight 914



Ulex 916



Elio 918



Litio 919



Terra 920



Inside 922

## Downlights



Bit 926



Wire 927



Indio 928



Avenue 929

new



Taurus 930



Floor 936



Park 938



Gravity 939



Landing 940



Way 941



Rocket 942



RocketMini 943



# Toffee

Pag 867

"A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

**Turning on a light is a simple action, but full of meanings. This is where our story begins."**







# Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure

in a new home, ideal lux promises components **that live up to needs and dreams.**

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



# Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces**

where you create professional relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.













**Studio Impero**  
Rome, RM  
Planned out by ARCH.0





Studio Impero  
Rome, RM  
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**. For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.

Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and

making reliability one of its main principles. **The attention to people is essential.**

With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story.**

# The ordinary is extraordinary

## **One brand, many people.**

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

---

## **Making design affordable for everyone.**

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.

---

## **Know how to listen.**

We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

---

## **There is no quality without warranty.**

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

One brand,  
many people.

Know how to  
listen.

There is no quality  
without warranty.

Making design  
affordable for  
everyone.

**Customer**



# Your projects,

## Projects — Private house

---

Turin, Italy

Planned out by  
Nicoletta Carbotti

---

Products:  
Mapa Bianco, Swing.



# light up by

## Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:  
Ego.











# our products.

## Projects — Albergo Dimaro

---

Trento, Italy

Planned out by  
MEA Studio

---

Products:  
Diesis, Read, Yoko.





# Indoors

## Suspensions



### Alphabetical index

Abc	093	Citrus	113	Essence	082
A-Line	121	Clown	158	Evasione	209
Amadeus	222	Cocktail	139	Fade	145
Ampolla	110	Coco	182	Filo	078
Archimede	123	Colossal	218	Firenze	236
Aria	150	Cono	136	Fish	089
Arizona	154	Copernico	104	Fisherman	133
Audi-10	188	Corte	217	Flam	134
Audi-20	146	Cotton	157	Florian	224
Audi-77	209	Craft	085	Flut	141
Audi-80	189	Crown	064	Folk	149
Avion	175	Cylinder	193	Frame	072
Bergen	185	Danieli	232	Frida	114
Birds	099	Deca	245	Galaxy	098
Bistrò	186	Decor	183	Gemini	060
Blanche	216	Desk	084	Giada	202
Blossom	144	Diamond	096	Gioconda	228
Boa	167	Diesis	122	Giudecca	223
Bon Bon	235	Disco	108	Glory	153
Breeze	129	Dna	172	Gocce	135
Brigitta	233	Doc	114	Gretel	187
Caesar	211	Doge	231	Harem	239
Calypso	200	Dream Big	174	Haunt	242
Canapa	243	Driftwood	241	Hilton	195
Candy	156	Dubai	210	Holly	124
Cantina	133	Dynamite	090	Hulahoop	070
Carlton	204	Edison	115	Ice	112
Carta	166	Elisir	203	Igor	095
Casanova	230	Empire	178	Impero	229
Chalet	240	Equinoxe	102	Justine	237
Circus	071	Eris	132	Karma	148





## Alphabetical index

























































Karousel	086	Nordik	192	Vanity	238
Kepler	105	Norma	244	V-Line	083
King	200	Oak	076	Vortex	106
Konse	109	Oil	118	Wheel	194
Kuky	137	Onion	111	Woody	194
Lana	151	Opera	198	Yoko	083
Leaves	106	Oracle	070	Yurta	128
Lena	151	Oracle Slim	066		
Lido	180	Orbit	058		
Lingotto	094	Origami	142		
Look	074	Orion	201		
Lord	144	Ovalino	155		
Lucciola	088	Oz	62		
Luce Max	160	Pan	192		
Lugano	113	Pashà	207		
Lumiere	176	Pegaso	214		
Luxor	208	Perlage	100		
Madame	190	Perline	099		
Manhattan	141	Phoenix	191		
Mapa Bianco	164	Plisse'	150		
Mapa Fade	162	Pop	089		
Mapa Max	161	Rain	202		
Mapa Plus	159	Rhapsody	087		
Mapa Sat	161	Roma	205		
Martinez	203	Rose	219		
Metro	129	Rubber	168		
Milk	138	Set Up	196		
Millennium	212	Sky	077		
Minimal	116	Smarties	152		
Minor	091	Soft	181		
Mint	184	Spark	105		
Miramare	234	Strauss	229		
Mix Up	126	Swan	199		
Moby	130	Tall	120		
Monet	213	Tiepolo	221		
Mr Jack	117	Tolomeo	147		
Multiflex	175	Triade	125		
Nabucco	206	Tristan	140		
Napoleon	226	Triumph	092		
Negresco	220	Tube	076		
Nemo	170	Ulisse	154		
Net	107	Ultrathin	080		
Nodi	173	Umile	143		

# Diamond

Pag 096

























































# Indoors

## Typology index

 <small>new</small>	 <small>new</small>		 <small>new</small>			
<b>Orbit 058</b>	<b>Gemini 060</b>	<b>Oz 062</b>	<b>Crown 064</b>	<b>OracleSlim 066</b>	<b>Oracle 070</b>	<b>Hulahoop 070</b>
		 <small>new</small>				 <small>new</small>
<b>Circus 071</b>	<b>Frame 072</b>	<b>Look 074</b>	<b>Tube 076</b>	<b>Oak 076</b>	<b>Sky 077</b>	<b>Filo 078</b>
 <small>new</small>						
<b>Ultrathin 080</b>	<b>Essence 082</b>	<b>Yoko 083</b>	<b>V-Line 083</b>	<b>Desk 084</b>	<b>Craft 085</b>	<b>Karousel 086</b>
						
<b>Rhapsody 087</b>	<b>Lucciola 088</b>	<b>Fish 089</b>	<b>Pop 089</b>	<b>Dynamite 090</b>	<b>Minor 091</b>	<b>Triumph 092</b>
	 <small>new</small>		 <small>new</small>	 <small>new</small>		
<b>Abc 093</b>	<b>Lingotto 094</b>	<b>Igor 095</b>	<b>Diamond 096</b>	<b>Galaxy 098</b>	<b>Birds 099</b>	<b>Perline 099</b>
 <small>new</small>	 <small>new</small>					
<b>Perlage 100</b>	<b>Equinoxe 102</b>	<b>Copernico 104</b>	<b>Kepler 105</b>	<b>Spark 105</b>	<b>Leaves 106</b>	<b>Vortex 106</b>
 <small>new</small>						
<b>Net 107</b>	<b>Disco 108</b>	<b>Konse 109</b>	<b>Ampolla 110</b>	<b>Onion 111</b>	<b>Ice 112</b>	<b>Citrus 113</b>
						
<b>Lugano 113</b>	<b>Frida 114</b>	<b>Doc 114</b>	<b>Edison 115</b>	<b>Minimal 116</b>	<b>Mr Jack 117</b>	<b>Oil 118</b>

# Indoors

## Typology index

			<span style="color: red;">new</span> 			<span style="color: red;">new</span> 
Tall 120	A-Line 121	Diesis 122	Archimede 123	Holly 124	Triade 125	Mix Up 126
						
Moby 130	Eris 132	Fisherman 133	Cantina 133	Flam 134	Gocce 135	Cono 136
						
Tristan 140	Manhattan 141	Flut 141	Origami 142	Umile 143	Blossom 144	Lord 144
						
Karma 148	Folk 149	Aria 150	Plissé 150	Lana 151	Lena 151	Smarties 152
		<span style="color: red;">new</span> 				
Ovalino 155	Candy 156	Cotton 157	Clown 158	Mapa Plus 159	Luce Max 160	Mapa Sat 161
						
Carta 166	Boa 167	Rubber 168	Nemo 170	Dna 172	Nodi 173	Dream Big 174
<span style="color: red;">new</span> 						
Empire 178	Lido 180	Soft 181	Coco 182	Decor 183	Mint 184	Bergen 185
						
Audi-80 189	Madame 190	Phoenix 191	Pan 192	Nordik 192	Cylinder 193	Woody 194





Yurta 128



Metro 129



Breeze 129



Kuky 137



Milk 138



Cocktail 139



Fade 145



Audi-20 146



Tolomeo 147



Glory 153



Ulisse 154



Arizona 154



Mapa Max 161



Mapa Fade 162

new



MapaBianco 164



Avion 175



Multiflex 175

new



Lumiere 176



Bistrò 186



Gretel 187



Audi-10 188



Wheel 194



Hilton 195



Set Up 196



# Archimede

Pag 123



# Opera

Pag 198



Opera 198



Swan 199



Carlton 204



Roma 205



Millennium 212



Monet 213



Amadeus 222



Giudecca 223



Danieli 232



Brigitta 233

# Indoors

## Typology index



Calypso 200



King 200



Orion 201



Rain 202



Giada 202



Elisir 203



Martinez 203



Nabucco 206



Pashà 207



Luxor 208



Evasione 209



Audi-77 209



Dubai 210



Caesar 211



Pegaso 214



Blanche 216



Corte 217



Colossal 218



Rose 219



Negresco 220



Tiepolo 221



Florian 224



Napoleon 226



Gioconda 228



Impero 229



Strauss 229



Casanova 230



Doge 231



Miramare 234



Bon Bon 235



Firenze 236



Justine 237



Vanity 238



Harem 239



Chalet 240



Driftwood 241



Haunt 242



Canapa 243



Norma 244



Deca 245








# Orbit new

Matt varnished aluminum ceiling cap and frame. Coaxial clear PVC cables. Clear acrylic diffuser with texture obtained with laser. Finishes: white, black.

**LED** LED source 3000 K, 50.000 h life.



IP20

IP20

5,400 Kg / 0,1141 m<sup>3</sup>  
LED 61W / 9100 lm

3,200 Kg / 0,0580 m<sup>3</sup>  
LED 38W / 6200 lm

€ 800

€ 450

328003 White new 327990 White new  
314037 Black new 314013 Black new





# Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.



**LED** LED source 3000 K, 50.000 h life.





Model	Finish	Weight	Volume	Power	Light Output	Price	Dimming
303895	White	3,100 Kg	0,1134 m <sup>3</sup>	80W	10000 lm	€ 650	On-Off
307695	Black	3,100 Kg	0,1134 m <sup>3</sup>	80W	10000 lm	€ 650	On-Off
307701	Brass	3,100 Kg	0,1134 m <sup>3</sup>	80W	10000 lm	€ 650	On-Off
247274	White	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
304748	White	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
247281	Black	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
304724	Black	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
269849	Brass	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
304731	Brass	2,060 Kg	0,0774 m <sup>3</sup>	59W	7600 lm	€ 430	On-Off / 525 Dali
247250	White	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
304717	White	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
247267	Black	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
304694	Black	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
269832	Brass	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
304700	Brass	1,710 Kg	0,0462 m <sup>3</sup>	48W	6600 lm	€ 330	On-Off / 425 Dali
247229	White	1,290 Kg	0,0230 m <sup>3</sup>	38W	5100 lm	€ 240	On-Off
247236	Black	1,290 Kg	0,0230 m <sup>3</sup>	38W	5100 lm	€ 240	On-Off
247243	Brass	1,290 Kg	0,0230 m <sup>3</sup>	38W	5100 lm	€ 240	On-Off



# Oz

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

**LED** LED source 3000 K, 30.000 h life.



IP20

IP20

1,900 Kg / 0,0607 m<sup>3</sup>  
LED 55W / 6100 lm

1,500 Kg / 0,0354 m<sup>3</sup>  
LED 48W / 5300 lm

€ 390 On-Off / 500 Dali

€ 325 On-Off / 415 Dali

253664	White	On-Off
304571	White	Dali/Push
269450	Black	On-Off
304588	Black	Dali/Push
269467	Brass	On-Off
304595	Brass	Dali/Push


253671	White	On-Off
304540	White	Dali/Push
269436	Black	On-Off
304557	Black	Dali/Push
269443	Brass	On-Off
304564	Brass	Dali/Push



# Crown new

Metal ceiling cap and frame with brushed brass finish. Black PVC cable. Opal acrylic diffuser with clear acrylic decorative element with cut crystal effect.


**LED** LED source 3000 K, 30.000 h life.



# Oracle Slim Round

Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 80; LED useful life 20.000 h; IP20 protection, insulation class II.

Source	LED SMD	LED life	20.000 h
Power	32W / 89W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
Beam	115°		
CCT	3000 K / 4000 K		
CRI	≥80		



## LED SMD Driver included

Measure	Weight	Volume	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 500	1,400 Kg	0,0376 m³	32 W	On-Off	3150 lm	3000 K	White	229461	200	
						3000 K	Black	229492	200	
						3350 lm	4000 K	White	269856	200
						4000 K	Black	304380	200	
ø 700	1,100 Kg	0,0272 m³	29 W	DALI/Push	3000 lm	3000 K	White	304373	250	
						3000 K	Black	304366	250	
						4300 lm	3000 K	White	229485	245
							3000 K	Black	229515	245
ø 900	1,200 Kg	0,0534 m³	39 W	DALI/Push	4150 lm	4000 K	White	269863	245	
						4000 K	Black	304410	245	
						4500 lm	3000 K	White	304403	300
							3000 K	Black	304397	300
ø 1500	1,800 Kg	0,2212 m³	55 W	On-Off	5400 lm	3000 K	White	229478	300	
						3000 K	Black	229508	300	
						5700 lm	4000 K	White	269870	300
							4000 K	Black	304441	300
ø 1500	1,500 Kg	0,0857 m³	43 W	DALI/Push	4600 lm	3000 K	White	304434	360	
						3000 K	Black	304427	360	
						9000 lm	3000 K	White	265957	490
							3000 K	Black	285061	490
ø 1500	2,480 Kg	0,3072 m³	89 W	On-Off	9650 lm	4000 K	White	285078	490	
						4000 K	Black	304472	490	
						7050 lm	3000 K	White	304465	600
							3000 K	Black	304458	600

Cable length 2500 mm













# Oracle Slim Square


Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 80; LED useful life 20.000 h; IP20 protection, insulation class II.

Source	LED SMD	LED life	20.000 h
Power	33W / 53W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	115°		
CCT	3000 K		
CRI	≥80		



## LED SMD Driver ON/OFF included

Measure	Weight	Volume	Power	Driver	Lumen	CCT	Finish		Code	€
500x500	1,730 Kg	0,0422 m³	33 W	On-Off	3300 lm	3000 K	White		259154	210
							Black		259161	210
700x700	2,000 Kg	0,0819 m³	41 W	On-Off	4350 lm	3000 K	White		259178	255
							Black		259185	255
900x900	2,100 Kg	0,1317 m³	53 W	On-Off	5250 lm	3000 K	White		259192	310
							Black		259208	310




Cable length 2500 mm



# Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.


**LED** LED source 3000 K, 30.000 h life.



# Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

**LED** LED source 3000 K, 17.500 h life.








# Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.


**LED** LED source 3000 K, 20.000 h life.



1,130 Kg / 0,0593 m<sup>3</sup>  
LED 36W / 4250 lm

€ 290


291406 ■ Black



1,060 Kg / 0,0384 m<sup>3</sup>  
LED 33W / 3550 lm

€ 255

291376 ■ Black



0,970 Kg / 0,0221 m<sup>3</sup>  
LED 29W / 3200 lm

€ 220

291345 ■ Black







# Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.

**LED** LED source 3000 K, 30.000 h life.



IP20	IP20	IP20
<b>3,500 Kg / 0,1050 m<sup>3</sup></b> <b>LED 82W / 7300 lm</b>	<b>4,270 Kg / 0,0689 m<sup>3</sup></b> <b>LED 80W / 9100 lm</b>	<b>4,300 Kg / 0,2100 m<sup>3</sup></b> <b>LED 93W / 10700 lm</b>
<b>€ 355</b>	<b>€ 555</b>	<b>€ 550</b>
<b>269351</b> ■ White <b>269337</b> ■ Black	<b>253596</b> ■ White <b>269375</b> ■ Black	<b>253589</b> ■ White <b>269382</b> ■ Black



P. 254



P. 528




# Look new

Metal ceiling rose and diffuser with different finishes. Power cable coated with fabric adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

**LED** Bulbs LED GU10 7W and GU10 10W 3000 K included.




104935 104942 104928 141800 313894 141817 259239 141794 141855 170589




2,950 Kg / 0,0092 m<sup>3</sup>  
 GU10 max 1x 50W  
 € 132

158723 ■ Black



0,990 Kg / 0,0029 m<sup>3</sup>  
 GU10 max 1x 28W  
 € 72

104935 ■ White  
 104942 ■ Chrome  
 104928 ■ Black



0,990 Kg / 0,0029 m<sup>3</sup>  
 GU10 max 1x 28W  
 € 95

194806 ■ Clear  
 141800 ■ Silver  
 313894 ■ Nickel  
 141817 ■ Gold  
 259239 ■ Brass  
 141794 ■ Ant. Brass  
 141855 ■ Copper  
 170589 ■ Coffee

new

3000 K  
 800 lm  
 189031 € 15,00


3000 K  
 540 lm  
 123943 € 3,50

3000 K  
 540 lm  
 123943 € 3,50

# Tube

White or black powder coated aluminum ceiling cup and body. Power cable coated with fabric. Integrated LED light emission.

**LED** Led source 3000 K, 35.000 h life.




IP20

0,960 Kg / 0,0073 m<sup>3</sup>  
LED 11W / 1200 lm

€ 210

211701 White  
211718 Black



IP20

0,680 Kg / 0,0048 m<sup>3</sup>  
LED 11W / 1200 lm


€ 150

211459 White  
211466 Black



# Oak

Metal ceiling cup with matt varnish finish. Concrete diffuser. Electrical cable coated with fabric.



IP20


1,220 Kg / 0,0055 m<sup>3</sup>  
GU10 max 1x 35W

€ 85

150635 Concrete

3000 K  
410 lm

108292 € 3,00



IP20

1,720 Kg / 0,0055 m<sup>3</sup>  
GU10 max 1x 35W

€ 85


150673 Concrete

3000 K  
410 lm

108292 € 3,00



P. 318








# Sky

Plated metal ceiling cup and diffuser or with matt white or black varnish finish.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



126906 126913 259017



0,950 Kg / 0,0043 m<sup>3</sup>  
GU10 max 1x28W

€ 96

126906 White  
126913 Black  
259017 Brass

3000 K  
540 lm  
123943 € 3,50



078

# Filo *new*


Powder coated or plated metal base and bodies. Black PVC cables. Colors: white, black or satin brass. Models 300801, 300818 and 300825 available with 4 meters of cable.

**LED** Led source 3000 K, 20.000 h life.

263687

263670


263700



8,600 Kg / 0,1232 m<sup>3</sup>  
LED 25W / 3150 lm

€ 690


263441 White  
263434 Black  
263663 Brass



0,830 Kg / 0,0105 m<sup>3</sup>  
LED 4W / 160 lm

€ 180

300818 White  
300801 Black  
300825 Brass



0,530 Kg / 0,0142 m<sup>3</sup>  
LED 3,5W / 230 lm

€ 125

*new* 263687 White  
*new* 263670 Black  
*new* 263700 Brass



080

# Ultrathin new


Metal ceiling cup and diffuser plated chrome or with matt white or black varnish finish. Electrical cable coated with fabric. DALI/Push dimmable version available for the black round model.

**LED** Led source 3000 K, 20.000 h life.



142913 321783  
156699 321813


194196, 194202



0,670 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°

€ 130 On-Off / 185 Dali


- |        |        |  |
|--------|--------|--|
| 142906 | White  | On-Off   |
| 164878 | Chrome | On-Off   |
| 142913 | Black  | On-Off   |
| 321783 | Black  | Dali/Push <span style="color: #e67e22;">new</span> |



0,860 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°

€ 190


- |        |       |  |
|--------|-------|--|
| 194172 | White |  |
| 194196 | Black |  |



0,460 Kg / 0,0036 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°

€ 98 On-Off / 160 Dali

- |        |        |  |
|--------|--------|--|
| 156682 | White  | On-Off   |
| 187662 | Chrome | On-Off   |
| 156699 | Black  | On-Off   |
| 321813 | Black  | Dali/Push <span style="color: #e67e22;">new</span> |



0,450 Kg / 0,0019 m<sup>3</sup>  
LED 11,5W / 1150 lm / 51°

€ 155

- |        |       |  |
|--------|-------|--|
| 194189 | White |  |
| 194202 | Black |  |







# Essence

Powder coated aluminum ceiling rose and body. Opal color acrylic diffuser. PVC cables. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,900 Kg / 0,0165 m<sup>3</sup>  
LED 20W / 2650 lm

€ 275

285085 ■ White  
285092 ■ Black




P. 402

# Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuser. Clear PVC electrical cable. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,700 Kg / 0,0383 m<sup>3</sup>  
LED 16W / 1450 lm

€ 130

258898 White  
258928 Black



P. 473


P. 531



# V-Line

Powder coated or plated aluminum body. Opal color silicone diffuser. Steel cables with chrome supports. PVC electrical wire. Colors: white, black or brushed brass.

**LED** LED source 3000 K, 20.000 h life.



IP20

1,050 Kg / 0,0058 m<sup>3</sup>  
LED 20W / 1800 lm

€ 215

275369 White  
275376 Black  
275383 Brass





# Desk

Aluminum ceiling cup and body finished with matt white or black powder coating. Suspension models provided with electrical wires adjustable in length.


**LED** LED source 3000 K, 30.000 h life.



**138237**



**173245**



IP20

**1,860 Kg / 0,0140 m<sup>3</sup>**  
**LED 32W / 2100 lm**

**€ 290**

**138237** ■ White  
**173245** ■ Black






## Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

**LED** LED source 3000 K, 20.000 h life.



 IP20

3,400 Kg / 0,0238 m<sup>3</sup>  
LED 37W / 4600 lm

€ 360

284460  Wood



P. 386




P. 538



# Karousel

Metal frame with satin brass finish.  
White overlay acid-etched blown glass diffuser.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**








## Rhapsody

Metal frame with satin brass finished ceiling rose and matt black arms. PVC cables. White acid-etched blown glass diffusers.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20

5,020 Kg / 0,2040 m<sup>3</sup>  
G9 max 16 x 15W

€ 750

236964 ■ Black

3000 K  
510 lm

305486 € 6,00

IP20

3,510 Kg / 0,1400 m<sup>3</sup>  
G9 max 12 x 15W

€ 550

236957 ■ Black

3000 K  
510 lm

305486 € 6,00




# Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

**LED** LED source 3000 K, 20.000 h life.



284002 284019



IP20

2,500 Kg / 0,0165 m<sup>3</sup>  
LED 16W / 1300 lm


€ 500

284002 ■ Black  
284019 ■ Brass

# Fish

Black varnished metal ceiling rose, pole and diffuser. Steel cable with chromed metal support. Integrated LED with opal color screen.

**LED** LED source 3000 K, 20.000 h life.



IP20

6,790 Kg / 0,0377 m<sup>3</sup>

LED 37W / 2800 lm


€ 670

196992 ■ Black



# Pop

Metal ceiling cup, frame and bulb socket cover with black matt varnish finish. Cables adjustable in length.



IP20

2,920 Kg / 0,0147 m<sup>3</sup>


E27 max 10 x 60W

€ 300

158860 ■ Black

3000 K  
900 lm

123899 € 6,00



IP20

1,670 Kg / 0,0096 m<sup>3</sup>

E27 max 6 x 60W

€ 200

158815 ■ Black

3000 K  
900 lm

123899 € 6,00






# Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. **123943**



**2,700 Kg / 0,0360 m³**  
**GU10 max 6 x 28W**

**€ 350**

231433 **White**  
 231396 **Black**  
 244648 **Brass**

**3000 K**  
**540 lm**

123943 **€ 3,50**



**2,310 Kg / 0,0243 m³**  
**GU10 max 4 x 28W**

**€ 275**

231372 **White**  
 231341 **Black**  
 244624 **Brass**

**3000 K**  
**540 lm**

123943 **€ 3,50**



231433

231396

244648




P. 320



# Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936




3,440 Kg / 0,1200 m<sup>3</sup>  
GX53 max 8 x 15W

€ 480

235547 ■ Black

3000 K  
910 lm

123936 € 5,50



2,250 Kg / 0,0564 m<sup>3</sup>  
GX53 max 5 x 15W

€ 325

235516 ■ Black

3000 K  
910 lm

123936 € 5,50



2,210 Kg / 0,0203 m<sup>3</sup>  
GX53 max 6 x 15W

€ 325

235486 ■ Black

3000 K  
910 lm

123936 € 5,50



1,650 Kg / 0,0135 m<sup>3</sup>  
GX53 max 4 x 15W

€ 247

235455 ■ Black

3000 K  
910 lm

123936 € 5,50







# Triumph


Metal base, arms and bulb socket cover with matt black or antiqued brass finishes.



242347



160269



IP20

3,640 Kg / 0,0470 m<sup>3</sup>  
E27 max 8 x 60W

€ 550

242347 ■ Black  
160269 ■ Brass

2200 K  
370 lm

151687 € 4,60




P. 336 P. 436



# Abc

Total metal ceiling rose, bulb socket covers and decorative structure with satin brass finish. Power cable coated with black fabric.




IP20

0,590 Kg / 0,0117 m<sup>3</sup>  
E27 max 1x70W

€ 120

207834 Brass

2200 K  
440 lm  
151694 € 6,00




IP20

0,570 Kg / 0,0100 m<sup>3</sup>  
E27 max 1x70W

€ 120

207841 Brass

2200 K  
330 lm  
151700 € 4,60



IP20

0,610 Kg / 0,0100 m<sup>3</sup>  
E27 max 1x70W

€ 120

207858 Brass

2200 K  
500 lm  
151717 € 8,00




# Lingotto new

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

**LED**

Bulbs LED G9 4W 3000 K included in models: **327846**, **251110**, **327839** and **251103**. Cod. **209043**



IP20

4,530 Kg / 0,0564 m<sup>3</sup>

E14 max 3 x 28W

€ 290

304144 ■ Black new  
198125 ■ Brass

3000 K  
420 lm

101217

€ 2,50

IP20

2,260 Kg / 0,0442 m<sup>3</sup>

G9 max 3 x 28W

€ 240

327846 ■ Black new  
251110 ■ Brass

3000 K  
510 lm

305486

€ 6,00

IP20

0,660 Kg / 0,0105 m<sup>3</sup>

G9 max 1 x 28W

€ 90

327839 ■ Black new  
251103 ■ Brass

3000 K  
510 lm

305486

€ 6,00



P. 345




P. 497





# Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.




IP20

8,810 Kg / 0,0941m<sup>3</sup>  
E27 max 4 x 60W

€ 390

092942 ■ Black

2200 K  
440 lm  
151694 € 6,00




IP20

7,100 Kg / 0,0682m<sup>3</sup>  
E27 max 3 x 60W

€ 300

092881 ■ Black

2200 K  
440 lm  
151694 € 6,00



IP20


2,600 Kg / 0,0281m<sup>3</sup>  
E27 max 1 x 60W

€ 150

092850 ■ Black

2200 K  
440 lm  
151694 € 6,00







# Diamond **new**

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

**LED** LED source 3000 K, 30.000 h life.




IP20	IP20	IP20
<b>2,730 Kg / 0,0276 m<sup>3</sup></b> <b>LED 27W / 2750 lm</b>	<b>1,860 Kg / 0,0181 m<sup>3</sup></b> <b>LED 15W / 1750 lm</b>	<b>0,560 Kg / 0,0044 m<sup>3</sup></b> <b>LED 6,5W / 650 lm</b>
<b>€ 350</b>	<b>€ 210</b>	<b>€ 85</b>
<b>305325</b> Clear <b>new</b>	<b>305295</b> Clear <b>new</b>	<b>305288</b> Clear <b>new</b>



## Galaxy **new**

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.

**LED** LED source 3000 K, 30.000 h life.



IP20

**5,500 Kg / 0,0540 m<sup>3</sup>**  
**LED 56W / 5750 lm**


**€ 650**

**321172** **White** **new**

# Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20

**2,750 Kg / 0,1353 m<sup>3</sup>**  
**G9 max 5 x 15W**

**€ 283**

**273648 ■ Black**

**3000 K**  
**510 lm**

**305486 € 6,00**




**P. 337 P. 433 P. 494 P. 522**



# Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20

**1,600 Kg / 0,0584 m<sup>3</sup>**  
**G9 max 3 x 40W**

**€ 215**

**307008 ■ Black**  
**282114 ■ Brass**

**3000 K**  
**510 lm**

**305486 € 6,00**

IP20

**1,200 Kg / 0,0546 m<sup>3</sup>**  
**G9 max 2 x 40W**

**€ 155**

**306995 ■ Black**  
**282107 ■ Brass**

**3000 K**  
**510 lm**

**305486 € 6,00**



**306995**

**282107**





P. 334 P. 435 P. 495 P. 524

# Perlage **new**

Metal frame with round section linear structure or squared section round structure. Blown glass diffusers. Rubber-coated steel cables. PVC Electrical wire. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



283821



271422



317793

8,920 Kg / 0,2722 m <sup>3</sup> G9 max 30 x 15W	3,910 Kg / 0,0924 m <sup>3</sup> G9 max 14 x 15W	3,100 Kg / 0,0736 m <sup>3</sup> G9 max 11 x 15W	2,200 Kg / 0,0617 m <sup>3</sup> G9 max 10 x 15W	1,300 Kg / 0,0317 m <sup>3</sup> G9 max 6 x 15W
€ 1400	€ 620	€ 530	€ 390	€ 260
296746 White 296753 Smok. Gra. 322780 Amber <b>new</b>	283814 White 271385 Smok. Gra. 322797 Amber <b>new</b>	283807 White 271392 Smok. Gra. 322773 Amber <b>new</b>	283791 White 271408 Smok. Gra. 322766 Amber <b>new</b>	283821 White 271422 Smok. Gra. 317793 Amber <b>new</b>
3000 K 510 lm 305486 € 6,00	3000 K 510 lm 305486 € 6,00	3000 K 510 lm 305486 € 6,00	3000 K 510 lm 305486 € 6,00	3000 K 510 lm 305486 € 6,00





# Equinoxe new

Metal frame with chrome or antiqued brass finish. Transparent blown glass diffusers.


**LED** Bulbs LED G4 2W 3000 K included.  
Cod. 222257



200118




200125



5,540 Kg / 0,1304 m<sup>3</sup>  
G4 max 12 x 2W

€ 950


200118 Chrome  
200125 Brass



4,460 Kg / 0,1427 m<sup>3</sup>  
G4 max 8 x 2W

€ 750


275178 Chrome  
275215 Brass



5,200 Kg / 0,1274 m<sup>3</sup>  
G4 max 6 x 2W

€ 650


317250 Chrome new  
317243 Brass



0,850 Kg / 0,0326 m<sup>3</sup>  
G4 max 1 x 2W

€ 180


306551 Chrome new  
277394 Brass



0,700 Kg / 0,0211 m<sup>3</sup>  
G4 max 1 x 2W

€ 140

306544 Chrome  
277387 Brass



0,640 Kg / 0,0170 m<sup>3</sup>  
G4 max 1 x 2W

€ 120

306537 Chrome  
277370 Brass

3000 K  
200 lm  
222257 € 4,00

3000 K  
200 lm  
222257 € 4,00

3000 K  
200 lm  
222257 € 4,00

3000 K  
200 lm  
222257 € 4,00

3000 K  
200 lm  
222257 € 4,00

3000 K  
200 lm  
222257 € 4,00



# Copernico

Matt white or black varnished metal frame with brass details. White overlay acid-etched blown glass diffuser.




Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**197302**



**197319**




**10,270 Kg / 0,1340 m³**  
**G9 max 20 x 40W**

**€ 1050**

**197326** ■ White  
**197333** ■ Black

**3000 K**  
**510 lm**  
**305486**    **€ 6,00**



**6,870 Kg / 0,0970 m³**  
**G9 max 12 x 40W**

**€ 650**


**197302** ■ White  
**197319** ■ Black

**3000 K**  
**510 lm**  
**305486**    **€ 6,00**



# Kepler

Matt black varnished metal chain and frame. Amber transparent blown glass diffusers.



IP20

5,300 Kg / 0,1789 m<sup>3</sup>  
E27 max 18 x 40W

€ 400

162478 ■ Black

3000 K  
430 lm  
101279 € 2,60

IP20

3,630 Kg / 0,0990 m<sup>3</sup>  
E27 max 12 x 40W

€ 300

162201 ■ Black

3000 K  
430 lm  
101279 € 2,60




P. 434



# Spark

Matt black varnished metal ceiling rose and frame and plated bulb holders. Power cable coated with fabric.



IP20

3,000 Kg / 0,0885 m<sup>3</sup>  
E27 max 24 x 25W

€ 500

238241 ■ Black

3000 K  
1120 lm  
101323 € 7,00




P. 342



# Leaves

White metal frame. White hand-shaped blown glass decorative elements. Steel cables adjustable in length.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**5,800 Kg / 0,1123 m³**  
G9 max 12 x 40W

€ 880

112268 White

305486 3000 K  
510 lm

€ 6,00



**3,700 Kg / 0,0702 m³**  
G9 max 8 x 40W

€ 580

111957 White


305486 3000 K  
510 lm

€ 6,00



# Vortex

Matt white painted metal frame. Hand shaped and hand painted with gold or silver enamel decorative metal elements.



**2,500 Kg / 0,2344 m³**  
E14 max 6 x 40W

€ 250

101613 Silver  
101606 Gold

101200 3000 K  
480 lm

€ 2,50



101613



101606









# Net new

Matt varnished metal ceiling cap.  
PVC cable. Matt varnished metal  
net diffuser. Finishes: white, black,  
gold.




0,950 Kg / 0,0518 m<sup>3</sup>  
E27 max 1x42W

€ 65



0,750 Kg / 0,0342 m<sup>3</sup>  
E27 max 1x42W

€ 55



0,750 Kg / 0,0281 m<sup>3</sup>  
E27 max 1x42W

€ 55



328102



313788



313771

- |        |       |   |        |       |   |        |       |   |
|--------|-------|---|--------|-------|---|--------|-------|---|
| 328133 | White | <span style="color: orange;">new</span> | 328102 | White | <span style="color: orange;">new</span> | 317274 | White | <span style="color: orange;">new</span> |
| 328126 | Black | <span style="color: orange;">new</span> | 313788 | Black | <span style="color: orange;">new</span> | 328119 | Black | <span style="color: orange;">new</span> |
| 317281 | Gold  | <span style="color: orange;">new</span> | 313771 | Gold  | <span style="color: orange;">new</span> | 317267 | Gold  | <span style="color: orange;">new</span> |

3000 K  
900 lm  
123899 € 6,00

3000 K  
900 lm  
123899 € 6,00

3000 K  
900 lm  
123899 € 6,00



# Disco

Rotating circular decorative elements adjustable at will. Available in metal with white or matt black finish and in natural wood.



138275



103723



114262



IP20


1,240 Kg / 0,0447 m<sup>3</sup>  
E27 max 1x 60W

€ 220

138275 ■ Wood

3000 K  
950 lm

101330 € 7,50



IP20

2,660 Kg / 0,0365 m<sup>3</sup>  
E27 max 1x 60W

€ 260

103723 ■ White  
114262 ■ Black

3000 K  
950 lm

101330 € 7,50



# Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.

IP20	IP20	IP20
<b>4,600 Kg / 0,7203 m³</b> <b>E27 max 7 x 60W</b>	<b>3,510 Kg / 0,1201 m³</b> <b>E27 max 6 x 60W</b>	<b>1,930 Kg / 0,1175 m³</b> <b>E27 max 1 x 60W</b>
<b>€ 650</b>	<b>€ 450</b>	<b>€ 225</b>
<b>156033</b> ■ Gold	<b>156026</b> ■ Gold	<b>155968</b> ■ Gold
<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>
<b>119571</b> <b>€ 6,00</b>	<b>119571</b> <b>€ 6,00</b>	<b>119571</b> <b>€ 6,00</b>





# Ampolla


Metal ceiling rose, bulb socket and decorative structure with white or black finishes. Power cable adjustable in length.



200903



167497




0,950 Kg / 0,0709 m<sup>3</sup>  
E27 max 1x60W

€ 120

194295 White  
148502 Black

2200 K  
500 lm

151717 € 8,00




0,590 Kg / 0,0480 m<sup>3</sup>  
E27 max 1x60W

€ 110

200880 White  
148151 Black

2200 K  
370 lm

151687 € 4,60




0,720 Kg / 0,0480 m<sup>3</sup>  
E27 max 1x60W

€ 198

200897 White  
148175 Black

2200 K  
440 lm

151694 € 6,00



1,470 Kg / 0,0709 m<sup>3</sup>  
E27 max 1x60W

€ 214

200903 White  
167497 Black

2200 K  
440 lm

151694 € 6,00



# Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.



IP20


5,050 Kg / 0,2383 m³  
E27 max 1x60W

€ 400

205311 Coffee

2200 K  
480 lm

151724 € 8,00



IP20

3,520 Kg / 0,1325 m³  
E27 max 1x60W

€ 270

205304 Coffee

2200 K  
480 lm

151724 € 8,00



IP20

2,380 Kg / 0,0705 m³  
E27 max 1x60W

€ 180

205298 Coffee

2200 K  
500 lm

151717 € 8,00



IP20

1,260 Kg / 0,0169 m³  
E27 max 1x60W

€ 95

205281 Coffee

2200 K  
500 lm


151717 € 8,00





# Ice

Matt white or black varnished metal ceiling rose and frame. Metal bulb socket cover with satin brass finish. PVC power cable.



IP20

2,920 Kg / 0,0345 m<sup>3</sup>  
E27 max 5 x 60W

€ 230

237671 White  
237664 Black

3000 K  
340 lm

101286 € 2,60




237671



237664

# Citrus

Body with painted multilevel wood elements. Power cable coated with black fabric.




0,660 Kg / 0,0173 m³

E27 max 1x60W

€ 152

159843 Wood



119571 € 6,00




0,720 Kg / 0,0242 m³


E27 max 1x60W

€ 160

159850 Wood



119571 € 6,00




0,510 Kg / 0,0148 m³

E27 max 1x60W

€ 135

159867 Wood




119571 € 6,00



# Lugano

Matt varnished metal ceiling cup. Power cable coated with fabric with antique brass metal bulb socket cover. Ceramic diffuser.




2,950 Kg / 0,0618 m³


E27 max 3x60W

€ 385

206875 White



123899 € 6,00




0,850 Kg / 0,0090 m³


E27 max 1x60W

€ 138

206806 White



123899 € 6,00




0,860 Kg / 0,0068 m³

E27 max 1x60W

€ 138

206820 White




123899 € 6,00



# Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



0,320 Kg / 0,0015 m<sup>3</sup>  
E27 max 1x 60W

€ 40

- 139432  Chrome
- 139425  Black
- 122106  Copper
- 122083  Ant. Brass

2200 K  
500 lm


151717 € 8,00 [P. 431](#)



# Doc

Metal ceiling cup and bulb socket cover with various finishes. Power cable coated with black fabric. Switcher integrated to the bulb socket.

Lamp with integrated switch.



0,220 Kg / 0,0015 m<sup>3</sup>  
E27 max 1x 60W

€ 55

- 163123  Copper
- 163154  Brass
- 163109  Ant. Brass
- 163161  Lead

2200 K  
330 lm

223933 € 8,00








# Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.

**LED**

Bulbs LED E27 8W Globo D125 trasparente 3000 K included.  
Cod. **101347**



**0,320 Kg / 0,0098 m<sup>3</sup>**  
**E27 max 1x 60W**

€ **67**

113302 **White**  
113319 **Black**

**3000 K**  
**1020 lm**

**101347** € **8,00**




P. 428



# Minimal

Metal frame with colored varnish finish. Power cable with fabric coating. SP1 version supplied with two-meters long cable.

**LED** Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**



IP20

**0,900 Kg / 0,0171 m<sup>3</sup>**  
**E27 max 2 x 60W**

€ 127

112718 White  
112671 Black

**3000 K**  
**1020 lm**

101347 € 8,00

IP20

**0,470 Kg / 0,0099 m<sup>3</sup>**  
**E27 max 1 x 70W**

€ 66

009360 White  
009407 Black

**3000 K**  
**1020 lm**

101347 € 8,00



P. 430






# Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

**LED** Bulbs LED GU10 7W 3000 K included. Cod. 123943




0,890 Kg / 0,0090 m<sup>3</sup>  
GU10 max 1x28W

€ 80

231273 ■ White  
116464 ■ Chrome  
231297 ■ Black

3000 K  
540 lm

123943 € 3,50



0,520 Kg / 0,0040 m<sup>3</sup>  
GU10 max 1x28W

€ 70

231228 ■ White  
116457 ■ Chrome  
231259 ■ Black


3000 K  
540 lm

123943 € 3,50



# Oil


Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.




1,780 Kg / 0,0130 m<sup>3</sup>  
E27 max 1x 15W

€ 116

110417 Concrete




101279 € 2,60




1,180 Kg / 0,0119 m<sup>3</sup>  
E27 max 1x 15W

€ 116

110424 Concrete




101279 € 2,60




1,810 Kg / 0,0130 m<sup>3</sup>  
E27 max 1x 15W

€ 116

110431 Concrete




101279 € 2,60



1,650 Kg / 0,0165 m<sup>3</sup>  
E27 max 1x 15W

€ 116

129082 Concrete



101279 € 2,60




1,760 Kg / 0,0236 m<sup>3</sup>  
E27 max 1x 15W

€ 116

129099 Concrete




101279 € 2,60



1,490 Kg / 0,0111 m<sup>3</sup>  
GU10 max 1x 15W

€ 138

110462 Concrete




108292 € 3,00



# Tall

Matt white or black varnished metal diffuser and details. Over 5 meters length cable coated with fabric and supplied with three fastening hooks.



IP20

0,550 Kg / 0,0036 m<sup>3</sup>  
E27 max 1x 42W

€ 135

196770 ■ White  
196787 ■ Black

3000 K  
340 lm

101286 € 2,60



196770



196787



# A-Line

Powder coated metal ceiling cup.  
 Matt white or black varnished metal  
 diffuser white inside. Power cable  
 coated with fabric.


**LED** Bulbs LED GU10 7W 3000 K included in  
 models: **232690** and **232713**.  
 Code **123943**



**232690**



**232713**



IP20


**1,080 Kg / 0,0491 m<sup>3</sup>**  
**E27 max 1x60W**

€ 75

**232720** ■ White  
**232744** ■ Black

**3000 K**  
**900 lm**

**123899** € 6,00



IP20

**0,330 Kg / 0,0114 m<sup>3</sup>**  
**GU10 max 1x28W**

€ 53

**232690** ■ White  
**232713** ■ Black

**3000 K**  
**540 lm**

**123943** € 3,50






# Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.

**LED** LED source 3000 K, 20.000 h life.



IP20

0,450 Kg / 0,0054 m<sup>3</sup>  
LED 7W / 580 lm

€ 96

285122 ■ Nickel  
279770 ■ Black  
279794 ■ Brass



# Archimede <sup>new</sup>

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.

**LED** LED source 3000 K, 50.000 h life.

IP20	IP20	IP20
0,150 Kg / 0,0019 m <sup>3</sup> LED 3,5W / 230 lm	0,140 Kg / 0,0019 m <sup>3</sup> LED 3,5W / 230 lm	0,160 Kg / 0,0019 m <sup>3</sup> LED 3,5W / 230 lm
€ 60	€ 70	€ 70
310589 <b>White</b> 328331 <b>Black</b>	<b>new</b> 310596 <b>White</b> <b>new</b> 328348 <b>Black</b>	<b>new</b> 310602 <b>White</b> <b>new</b> 328355 <b>Black</b>



310589



310596




310602





# Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.



IP20

2,740 Kg / 0,0254 m<sup>3</sup>  
E27 max 3 x 60W

€ 190

231587 White  
231594 Black  
231600 Brass

IP20

0,780 Kg / 0,0064 m<sup>3</sup>  
E27 max 1 x 60W

€ 75

231556 White  
231563 Black  
231570 Brass

3000 K  
900 lm  
123899 € 6,00

3000 K  
900 lm  
123899 € 6,00



231556



231563




231570



# Triade

Powder coated metal ceiling rose and diffuser, white inside. Golden spherical decorative element.



IP20


2,630 Kg / 0,0797 m<sup>3</sup>  
E27 max 3 x 42W

€ 250

194677 ■ Dark Grey

3000 K  
900 lm

123899 € 6,00



IP20


0,960 Kg / 0,0169 m<sup>3</sup>  
E27 max 1 x 42W

€ 75

221489 ■ Dark Grey

3000 K  
900 lm

123899 € 6,00



IP20


0,750 Kg / 0,0090 m<sup>3</sup>  
E27 max 1 x 42W

€ 75

221496 ■ Dark Grey

3000 K  
900 lm

123899 € 6,00



IP20

1,020 Kg / 0,0105 m<sup>3</sup>  
E27 max 1 x 42W

€ 75

194684 ■ Dark Grey

3000 K  
900 lm

123899 € 6,00









P. 300 P. 536



# Mix Up

Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.



IP20

0,460 Kg / 0,0018 m<sup>3</sup>  
E27 max 1x60W

€ 55

288406 ■ White  
288390 ■ Black

2,000 Kg / 0,0676 m<sup>3</sup>

€ 85

288437 ■ White  
288420 ■ Black

1,100 Kg / 0,0446 m<sup>3</sup>

€ 55

307404 ■ White  
288475 ■ Black

0,800 Kg / 0,0147 m<sup>3</sup>

€ 40

307411 ■ White  
288444 ■ Black

0,500 Kg / 0,0174 m<sup>3</sup>

€ 35

307428 ■ White  
288451 ■ Black

0,340 Kg / 0,0008 m<sup>3</sup>

€ 20

307435 ■ White  
288482 ■ Black

3000 K  
900 lm  
123899 € 6,00



# Yurta


Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



285146



281568



IP20

1,760 Kg / 0,0687 m<sup>3</sup>  
E27 max 1x60W

€ 110

285160 White  
281582 Black

3000 K  
900 lm

123899 € 6,00



IP20

1,000 Kg / 0,0277 m<sup>3</sup>  
E27 max 1x60W

€ 80

285153 White  
285139 Black

3000 K  
340 lm

101286 € 2,60



IP20

0,740 Kg / 0,0138 m<sup>3</sup>  
E27 max 1x60W

€ 70


285146 White  
281568 Black

3000 K  
340 lm

101286 € 2,60

# Metro

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




0,970 Kg / 0,0261 m³

E27 max 1x60W

€ 70

139098 ■ Dark Grey



101354 € 8,00



# Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.




3,490 Kg / 0,0707 m³


E27 max 1x60W

€ 195

232041 ■ Dark Grey



101354 € 8,00




0,790 Kg / 0,0206 m³

E27 max 1x60W

€ 65

137681 ■ Dark Grey



101330 € 7,50





# Moby


Metal frame and diffuser white inside. Available finishes: white, black or copper.



1,200 Kg / 0,0356 m<sup>3</sup>  
E27 max 1x 42W

€ 127

102047 ■ White  
093659 ■ Black  
093697 ■ Copper

 3000 K  
950 lm  
101330 € 7,50





# Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056



IP20

0,630 Kg / 0,0102 m<sup>3</sup>  
E27 max 1x60W

€ 75

238104 White  
249056 Black

3000 K  
340 lm

101286 € 2,60



IP20

1,080 Kg / 0,0257 m<sup>3</sup>  
E27 max 1x60W

€ 86

238135 White  
249063 Black

3000 K  
950 lm

101330 € 7,50



IP20


0,740 Kg / 0,0126 m<sup>3</sup>  
E27 max 1x60W

€ 75

238173 White  
249070 Black

3000 K  
340 lm

101286 € 2,60



IP20

0,960 Kg / 0,0231 m<sup>3</sup>  
E27 max 1x60W

€ 86


238210 White  
249087 Black

3000 K  
340 lm

101286 € 2,60

# Fisherman

Totally metal body with copper or matt black enamel finish. White silkscreen-printed glass diffuser.



IP20

5,040 Kg / 0,0899 m<sup>3</sup>

E27 max 1x60W

€ 400

125831 ■ Black  
134871 ■ Copper

3000 K  
1120 lm

101323 € 7,00



125831




134871



# Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



IP20

0,810 Kg / 0,0189 m<sup>3</sup>

E27 max 1x60W

€ 95

112732 ■ Copper  
112701 ■ Ant. Brass

3000 K  
910 lm


119571 € 6,00



112732



112701




P. 438



# Flam

Chrome metal frame. Clear Pyrex glass diffuser, frosted in the central part.



IP20


1,330 Kg / 0,0164 m<sup>3</sup>  
E27 max 1x 60W

€ 68

027364 White

3000 K  
910 lm

119571 € 6,00



IP20

0,810 Kg / 0,0115 m<sup>3</sup>  
E27 max 1x 60W

€ 62

027357 White

3000 K  
910 lm


119571 € 6,00



# Gocce

Chrome metal frame. Tubular Pyrex glass diffuser. Octagonal decorative elements and cut crystal drops. Power cables adjustable in length.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



1,140 Kg / 0,0123 m<sup>3</sup>  
GU10 max 1x28W

€ 130

089669 Chrome

3000 K  
540 lm

123943


€ 3,50





# Cono

Chrome metal frame and lamp sockets. Hand-blown glass diffuser. Chrome version with totally clear glass.



IP20


4,110 Kg / 0,0763 m<sup>3</sup>  
E14 max 3 x 40W

€ 300

112367 Chrome

3000 K  
300 lm

101255 € 3,70



IP20

1,420 Kg / 0,0243 m<sup>3</sup>  
E14 max 1 x 40W

€ 120

017440 Chrome

3000 K  
300 lm


101255 € 3,70





# Kuky

Chrome metal frame. Available with sanded frosted Pyrex glass in the central part.




IP20

4,580 Kg / 0,0766 m<sup>3</sup>  
E27 max 4 x 60W

€ 240

023038 Clear

3000 K  
910 lm  
119571 € 6,00




IP20

2,510 Kg / 0,0464 m<sup>3</sup>  
E27 max 3 x 60W

€ 170

033952 Clear

3000 K  
910 lm  
119571 € 6,00



IP20

0,980 Kg / 0,0165 m<sup>3</sup>  
E27 max 1 x 60W

€ 58

023021 Clear

3000 K  
910 lm  
119571 € 6,00



# Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



IP20


4,220 Kg / 0,1024 m<sup>3</sup>  
E27 max 3 x 60W

€ 265

030326 White

3000 K  
900 lm

123899 € 6,00



IP20

1,270 Kg / 0,0354 m<sup>3</sup>  
E27 max 1 x 60W

€ 105

026787 White


3000 K  
900 lm

123899 € 6,00



# Cocktail

Blown overlay acid-etched glass diffuser. White inside and colored outside. Suspension models supplied with cables adjustable in length.




IP20

3,740 Kg / 0,0708 m<sup>3</sup>  
E14 max 3x40W

€ 265

074245 White



IP20

3,200 Kg / 0,1259 m<sup>3</sup>  
E27 max 1x60W

€ 305

074313 White



IP20

1,180 Kg / 0,0257 m<sup>3</sup>  
E14 max 1x40W

€ 105

074337 White  
074344 Black



074337

074344

3000 K  
420 lm  
101217 € 2,50

3000 K  
900 lm  
123899 € 6,00

3000 K  
420 lm  
101217 € 2,50



# Tristan

Powder coated metal ceiling rose and body. Striped clear acrylic shade. Satin polycarbonate diffuser. PVC electrical cable. Available in white, black or metallic gold finish.


**LED** LED source 3000 K, 20.000 h life.



256429

256436

256443



IP20


0,430 Kg / 0,0099 m<sup>3</sup>  
LED 5W / 540 lm

€ 85

256429  White  
256436  Black  
256443  Gold

# Manhattan


Metal ceiling rose and diffuser with matt white or black varnish finish and natural wood detail. Power cable coated with fabric.



0,560 Kg / 0,0061 m<sup>3</sup>  
E14 max 1x 40W

€ 75

110745 White  
110752 Black




101200 € 2,50



# Flut


Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.




1,570 Kg / 0,0422 m<sup>3</sup>  
E27 max 1x 60W

€ 140

035666 White  
035680 Black




123899 € 6,00



0,930 Kg / 0,0179 m<sup>3</sup>  
E14 max 1x 40W

€ 75

035697 White  
035710 Black



101217 € 2,50








# Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.



IP20

3,740 Kg / 0,0642 m<sup>3</sup>  
E27 max 3 x 60W

€ 280

198095 White

3000 K  
900 lm


123899 € 6,00



# Umile

Metal ceiling rose and decorative elements with satin gold finish. White acid-etched blown glass diffusers. Integrated LED.

**LED** LED source 3000 K, 20.000 h life.



IP20


8,600 Kg / 0,2150 m<sup>3</sup>  
LED 60,2W / 5300 lm

€ 415

224541 White

# Blossom

Chrome metal frame and ceiling cup.  
Clear blown glass diffuser with amber  
or smoky finish. Clear PVC power  
cable.



IP20

1,890 Kg / 0,0705 m<sup>3</sup>  
E27 max 1x 60W

€ 175

241517 Smoky Grey  
241524 Amber

3000 K  
900 lm

101354

€ 8,00



241517




241524



# Lord

Powder coated metal ceiling rose  
and frame with black finish. Black  
PVC electrical cable. Blown glass  
diffuser with decorations in relief.  
Glass available in amber, clear or  
smoky color.



IP20

1,430 Kg / 0,0389 m<sup>3</sup>  
E27 max 1x 60W

€ 105

263632 Clear  
263649 Smoky Grey  
263656 Amber

3000 K  
910 lm

119571

€ 6,00







# Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance, chrome or copper.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20 INDUS

1,900 Kg / 0,0370 m<sup>3</sup>  
G9 max 1x 15W

€ 200

271293 Chrome  
271316 Amber  
271309 Copper

3000 K  
510 lm  
305486 € 6,00




# Audi-20

Chrome metal central bulb holder.  
Blown clear glass diffuser. Steel  
wire adjustable in length with  
automatic blocking mechanisms.



Bulbs LED E27 8W Globo D125 3000 K  
included. Cod. **101347**



**4,370 Kg / 0,1017 m³**  
**E27 max 1x 60W**

**€ 298**

**016931** Clear

**3000 K**  
**900 lm**

**101354 € 8,00**





# Tolomeo

Hand decorated and coated blown glass diffuser. Steel cables adjustable in length with automatic devices.



IP20

3,390 Kg / 0,0871 m<sup>3</sup>  
E27 max 1x 60W

€ 280


001814 ■ White  
001821 ■ Grey

3000 K  
900 lm  
101354 € 8,00



# Karma

Chrome metal frame. White coated and acid-etched blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.



IP20


4,310 Kg / 0,1185 m<sup>3</sup>  
E27 max 1x 60W

€ 200

132365 White

3000 K  
900 lm

101354 € 8,00



IP20

3,700 Kg / 0,0693 m<sup>3</sup>  
E27 max 1x 60W

€ 200

132389 White


3000 K  
900 lm

101354 € 8,00



# Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.




IP20

2,190 Kg / 0,0255 m<sup>3</sup>  
E27 max 3 x 60W

€ 245

174235 ■ Coffee

3000 K  
340 lm  
101286 € 2,60




IP20

3,070 Kg / 0,0843 m<sup>3</sup>  
E27 max 1 x 60W

€ 290

174228 ■ Coffee

3000 K  
900 lm  
101354 € 8,00




IP20

1,980 Kg / 0,0420 m<sup>3</sup>  
E27 max 1 x 60W

€ 160

174211 ■ Coffee

3000 K  
950 lm  
101330 € 7,50



IP20

0,530 Kg / 0,0072 m<sup>3</sup>  
E27 max 1 x 60W


€ 85

174204 ■ Coffee

3000 K  
900 lm  
123899 € 6,00

# Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.



4,080 Kg / 0,0847 m<sup>3</sup>  
E27 max 1x 60W

€ 285

059679 White


3000 K  
950 lm

101330 € 7,50



# Plissé

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.



3,300 Kg / 0,1208 m<sup>3</sup>  
E27 max 1x 60W

€ 250

264523 Chrome  
285191 Brass

3000 K  
900 lm

123899 € 6,00



2,060 Kg / 0,0705 m<sup>3</sup>  
E27 max 1x 60W

€ 185

285184 Chrome  
264547 Brass


3000 K  
900 lm

123899 € 6,00



# Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



2,720 Kg / 0,0533 m³

E27 max 1x60W

€ 116

068169 White

3000 K  
950 lm



101330


€ 7,50

P. 306



# Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.



8,310 Kg / 0,1785 m³

E27 max 3x60W

€ 390

052786 White

3000 K  
340 lm

101286

€ 2,60



6,600 Kg / 0,1304 m³

E27 max 3x60W

€ 335

035727 White

3000 K  
340 lm

101286

€ 2,60







# Smarties

White varnished metal frame.  
White blown glass diffuser. Steel  
cables adjustable in length with  
automatic blocking mechanism.

IP20	IP20	IP20
5,280 Kg / 0,1479 m <sup>3</sup> E27 max 5 x 60W	3,740 Kg / 0,1009 m <sup>3</sup> E27 max 3 x 60W	2,930 Kg / 0,0645 m <sup>3</sup> E27 max 3 x 60W
€ 290	€ 200	€ 175
031996 White	032009 White	032016 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,60	101286 € 2,60	101286 € 2,60



P. 287



P. 397




P. 485




# Glory

Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.



# Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



5,010 Kg / 0,1177 m<sup>3</sup>  
E27 max 3 x 60W



3,110 Kg / 0,0720 m<sup>3</sup>  
E27 max 3 x 60W

€ 295

€ 225

098616 White

095226 White



119571 € 6,00


119571 € 6,00



# Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936



6,190 Kg / 0,1288 m<sup>3</sup>  
GX53 max 5 x 15W


3,260 Kg / 0,0740 m<sup>3</sup>  
GX53 max 3 x 15W

€ 520

€ 395

214481 White

214474 White



123936 € 5,50

123936 € 5,50




P. 288





## Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20

6,700 Kg / 0,1448 m<sup>3</sup>  
E27 max 8 x 60W

€ 325

090481 White

3000 K  
900 lm

123899 € 6,00

IP20

4,810 Kg / 0,1184 m<sup>3</sup>  
E27 max 5 x 60W

€ 255

074139 White

3000 K  
900 lm

123899 € 6,00



P. 294




P. 394



# Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.



P. 290



P. 486






# Cotton new

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.

**LED** Bulbs LED G9 4W 3000 K included in **297781** model. Cod. **209043**




IP20

2,600 Kg / 0,0810 m<sup>3</sup>  
E27 max 1x42W

€ 200

327884 White




IP20

1,640 Kg / 0,0207 m<sup>3</sup>  
E27 max 1x42W

€ 135

new 297767 White



IP20 INCLUDE

0,540 Kg / 0,0204 m<sup>3</sup>  
G9 max 1x4W

€ 70

new 297781 White new



P. 291



P. 485

3000 K  
900 lm

123899 € 6,00

3000 K  
900 lm

123899 € 6,00

3000 K  
510 lm

305486 € 6,00



# Clown

Metal frame with blown hand-shaped glass diffusers. Available with chrome frame and multicolor glass balloons and also with white frame and white balloons.


**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



100944



100883



IP20


6,000 Kg / 0,1860 m<sup>3</sup>  
G9 max 12 x 28W

€ 750

100951 Color

3000 K  
510 lm

305486 € 6,00



IP20


5,700 Kg / 0,1442 m<sup>3</sup>  
G9 max 8 x 28W

€ 545

100944 Color  
100883 White

3000 K  
510 lm

305486 € 6,00



IP20

5,000 Kg / 0,1283 m<sup>3</sup>  
G9 max 7 x 28W

€ 493

100937 Color

3000 K  
510 lm

305486 € 6,00





# Mapa Plus


White metal frame. White blown acid-etched spherical glass diffusers. Steel cables adjustable in length.

IP20	IP20
<b>10,800 Kg / 0,1976 m³</b> <b>E14 max 22 x 40W</b>	<b>5,520 Kg / 0,1205 m³</b> <b>E14 max 11 x 40W</b>
<b>€ 670</b>	<b>€ 400</b>
<b>140230</b> White	<b>131924</b> White
<b>3000 K</b> <b>420 lm</b>	<b>3000 K</b> <b>420 lm</b>
<b>101217</b> <b>€ 2,50</b>	<b>101217</b> <b>€ 2,50</b>



## Luce Max

Chrome frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic devices.



IP20


2,150 Kg / 0,0458 m<sup>3</sup>  
E27 max 3 x 60W

€ 200

081762 Clear

3000 K  
910 lm

119571 € 6,00



IP20


2,460 Kg / 0,0732 m<sup>3</sup>  
E27 max 1 x 60W

€ 120

033662 Clear

3000 K  
910 lm

119571 € 6,00



IP20

1,500 Kg / 0,0334 m<sup>3</sup>  
E27 max 1 x 60W

€ 84


033679 Clear

3000 K  
910 lm

119571 € 6,00

# Mapa Sat

Metal frame with nickel or brass finish. Clear blown glass diffuser with internal aluminum threads decoration.



IP20

6,550 Kg / 0,1862 m<sup>3</sup>  
E27 max 7x60W

€ 520

176062 Nickel  
176000 Brass

3000 K  
910 lm

119571 € 6,00



IP20

2,700 Kg / 0,1210 m<sup>3</sup>  
E27 max 3x60W

€ 295

176031 Nickel  
175973 Brass

3000 K  
910 lm

119571 € 6,00


176031

175973



# Mapa Max

Chrome metal frame. Clear blown glass diffuser with decorative aluminum thread inside.  
Suspension lamps with steel cables adjustable in length with automatic device.



IP20


8,700 Kg / 0,2456 m<sup>3</sup>  
E27 max 5x60W

€ 540

091112 Chrome

3000 K  
910 lm

119571 € 6,00



IP20


3,450 Kg / 0,1370 m<sup>3</sup>  
E27 max 1x60W

€ 166

045122 Chrome

3000 K  
910 lm

119571 € 6,00



IP20

1,370 Kg / 0,0527 m<sup>3</sup>  
E27 max 1x60W

€ 118

045115 Chrome

3000 K  
910 lm

119571 € 6,00








# Mapa Fade

Chrome metal ceiling rose and frame. Clear blown spherical glass diffuser with downward faded shade finish. Clear PVC cable. Color: chrome.



IP20


8,700 Kg / 0,2470 m<sup>3</sup>  
E27 max 5x60W

€ 640

140759 FadeChrome

3000 K  
910 lm

119571 € 6,00



IP20


5,390 Kg / 0,2254 m<sup>3</sup>  
E27 max 1x60W

€ 480

161327 FadeChrome

3000 K  
910 lm

119571 € 6,00



IP20


3,620 Kg / 0,1215 m<sup>3</sup>  
E27 max 1x60W

€ 270

161334 FadeChrome

3000 K  
910 lm

119571 € 6,00



IP20


1,920 Kg / 0,0630 m<sup>3</sup>  
E27 max 1x60W

€ 165

140728 FadeChrome

3000 K  
910 lm

119571 € 6,00



IP20

1,130 Kg / 0,0272 m<sup>3</sup>  
E27 max 1x60W

€ 95

140711 FadeChrome

3000 K  
910 lm


119571 € 6,00



# Mapa Bianco <sup>new</sup>

White metal frame. White spherical shape acid-etched blown glass diffuser. Steel cables adjustable in length.

**LED** Bulbs LED G9 4W 3000 K included in **310800** model. Cod. **209043**



IP20


8,700 Kg / 0,2470 m<sup>3</sup>  
E27 max 5x60W

€ 530

043562 White

3000 K  
910 lm

119571 € 6,00



IP20


5,390 Kg / 0,2254 m<sup>3</sup>  
E27 max 1x60W

€ 303

032122 White

3000 K  
910 lm

119571 € 6,00



IP20


3,620 Kg / 0,1215 m<sup>3</sup>  
E27 max 1x60W

€ 145

032139 White

3000 K  
910 lm

119571 € 6,00



IP20

1,920 Kg / 0,0630 m<sup>3</sup>  
E27 max 1x60W

€ 78

009087 White

3000 K  
910 lm

119571 € 6,00



IP20


1,130 Kg / 0,0272 m<sup>3</sup>  
E27 max 1x60W

€ 52

009148 White

3000 K  
910 lm

119571 € 6,00



IP20

0,041 Kg / 0,0027 m<sup>3</sup>  
G9 max 1x15W

€ 50

310800 White <sup>new</sup>


3000 K  
510 lm

305486 € 6,00



# Carta

Matt white painted metal frame.  
Polycarbonate diffuser with paper effect covering. Power cable coated with fabric.



IP20


2,750 Kg / 0,2746 m<sup>3</sup>  
E27 max 1x 60W

€ 475

272139 White

3000 K  
2180 lm

151786 € 7,50



IP20


1,780 Kg / 0,1662 m<sup>3</sup>  
E27 max 1x 25W

€ 360

226040 White

3000 K  
950 lm

101330 € 7,50



IP20


1,460 Kg / 0,0911 m<sup>3</sup>  
E27 max 1x 25W

€ 225

226033 White

3000 K  
950 lm

101330 € 7,50



IP20

0,860 Kg / 0,0428 m<sup>3</sup>  
E27 max 1x 25W

€ 110

226026 White

3000 K  
950 lm

101330 € 7,50

P. 293 P. 397 P. 484 P. 545






## Boa

Matt white or black varnished metal frame. Power cable coated with fabric of 12 meter length with 6 cable holders. Blown acid-etched white glass diffuser.



160863

160856



IP20

2,900 Kg / 0,0726 m<sup>3</sup>  
E27 max 1x 60W

€ 155

160863 ■ White  
160856 ■ Black

3000 K  
900 lm

123899 € 6,00



# Rubber new

Matt varnished metal ceiling cap.  
Clear PVC cable. Matt clear silicon  
glass holder element. Blown glass  
diffuser. Ceiling cap available  
finishes: white, black. Glass  
available finishes: amber, smoky,  
satin, clear.


**LED** LED source 3000 K, 50.000 h life.



327365




327372



0,300 Kg / 0,0114 m<sup>3</sup>

€ 70


- 289786 ■ Clear new
- 289939 ■ White new
- 289908 ■ Smok.Gra new
- 289915 ■ Amber new



0,250 Kg / 0,0054 m<sup>3</sup>

€ 45

- 289861 ■ Clear new
- 327433 ■ White new
- 327457 ■ Smok.Gra new
- 327419 ■ Amber new



0,200 Kg / 0,0020 m<sup>3</sup>

€ 30

- 289878 ■ Clear new
- 327426 ■ White new
- 327440 ■ Smok.Gra new
- 327402 ■ Amber new




# Nemo

Blown glass diffuser. Available with smoky, copper, clear or faded chrome finishes.



052809      149592      094236      250335      111902



IP20      IP20      IP20      IP20      IP20

8,700 Kg / 0,2424 m<sup>3</sup>      4,000 Kg / 0,2220 m<sup>3</sup>      2,700 Kg / 0,1227 m<sup>3</sup>      2,050 Kg / 0,0664 m<sup>3</sup>      1,300 Kg / 0,0241 m<sup>3</sup>  
 E27 max 5x60W      E27 max 1x60W      E27 max 1x60W      E27 max 1x60W      E27 max 1x60W

€ 650      € 450      € 250      € 165      € 80

138305 FadeChrome      094137 SmokyGrey      052816 Clear      052809 Clear      149585 FadeChrome  
 250359 FadeChrome      149592 FadeChrome      250311 SmokyGrey      149592 FadeChrome      250311 SmokyGrey  
 094229 SmokyGrey      094236 SmokyGrey      250304 Chrome      094236 SmokyGrey      250304 Chrome  
 250342 Chrome      250335 Chrome      250328 Copper      250335 Chrome      250328 Copper  
 111919 Copper      111902 Copper

3000 K 910 lm      3000 K 1020 lm      3000 K 1020 lm      3000 K 1120 lm      3000 K 1120 lm  
 119571 € 6,00      101347 € 8,00      101347 € 8,00      101323 € 7,00      101323 € 7,00






# Dna

Golden metal ceiling rose and frame. White overlay, acid-etched blown glass diffusers. Adjustable steel cables.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**4,930 Kg / 0,2034 m³**  
**G9 max 25 x 15W**

**€ 1100**

**208398 White**

**3000 K**  
**510 lm**

**305486 € 6,00**



# Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




082073



241012



200491



8,000 Kg / 0,3063 m<sup>3</sup>  
E14 max 15 x 28W

€ 630

082073 White  
241012 Brass



8,000 Kg / 0,4651 m<sup>3</sup>  
E14 max 15 x 28W

€ 800

200491 Chrome



5,300 Kg / 0,1480 m<sup>3</sup>  
E14 max 9 x 28W

€ 430

082059 White  
241036 Brass

3000 K  
480 lm  
101200 € 2,50

3000 K  
480 lm  
101200 € 2,50


3000 K  
480 lm  
101200 € 2,50





# Dream Big

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.



IP20


3,830 Kg / 0,1676 m<sup>3</sup>  
E27 max 1x 42W

€ 265

261195 White

3000 K  
900 lm

123899 € 6,00



IP20

2,420 Kg / 0,1013 m<sup>3</sup>  
E27 max 1x 42W

€ 155


179858 White

3000 K  
900 lm

123899 € 6,00

# Avion

Matt painted wooden body and ceiling cup. Chrome metal details. Blown and acid-etched white glass diffusers.



IP20

2,440 Kg / 0,0618 m<sup>3</sup>  
E14 max 3x 28W

€ 190

136325 ■ Blue  
136318 ■ Red


3000 K  
420 lm

101217 € 2,50



# Multiflex

Metal structure finished with matt paint. Flexible arms covered with rubber. Steel wire adjustable in length with automatic blocking mechanism.



IP20

4,440 Kg / 0,0656 m<sup>3</sup>  
E14 max 8x 40W

€ 400

141893 ■ White  
141909 ■ Color

3000 K  
420 lm

101217 € 2,50



141893



141909



P. 339

175







# Lumiere **new**

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

**LED** LED source 3000 K, 25.000 h life.





IP20	IP20	IP20
<b>3,380 Kg / 0,0705 m³</b> <b>LED 27W / 3050 lm</b>	<b>3,900 Kg / 0,0664 m³</b> <b>LED 34W / 3350 lm</b>	<b>3,330 Kg / 0,0044 m³</b> <b>LED 39W / 4550 lm</b>
<b>€ 270</b>	<b>€ 300</b>	<b>€ 300</b>
<b>314143</b> White <span style="color: red;">new</span>	<b>314167</b> White <span style="color: red;">new</span>	<b>314174</b> White <span style="color: red;">new</span>



# Empire new

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




0,600 Kg / 0,0194 m<sup>3</sup>  
G9 max 1x28W

€ 100

309798 Fade Chr.new

3000 K  
510 lm  
305486 € 6,00




0,600 Kg / 0,0168 m<sup>3</sup>  
G9 max 1x28W

€ 100

309804 Fade Chr.new

3000 K  
510 lm  
305486 € 6,00



0,600 Kg / 0,0206 m<sup>3</sup>  
G9 max 1x28W

€ 100

309811 Fade Chr.new


3000 K  
510 lm  
305486 € 6,00



# Lido

Chrome metal frame. Power cable coated with fabric. Smoky clear acid-etched blown glass diffusers.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




0,790 Kg / 0,0180 m<sup>3</sup>  
G9 max 1x15W

€ 78

168326 ■ Smoky Grey

3000 K  
510 lm

305486 € 6,00




0,790 Kg / 0,0156 m<sup>3</sup>  
G9 max 1x15W

€ 78

168357 ■ Smoky Grey

3000 K  
510 lm

305486 € 6,00



0,660 Kg / 0,0243 m<sup>3</sup>  
G9 max 1x15W

€ 88

168364 ■ Smoky Grey

3000 K  
510 lm

305486 € 6,00



# Soft


Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818



111841



IP20


6,400 Kg / 0,1138 m<sup>3</sup>  
E14 max 6 x 40W

€ 390

087818 White  
111841 SmokyGrey

3000 K  
420 lm

101217 € 2,50



IP20

3,000 Kg / 0,0657 m<sup>3</sup>  
E14 max 3 x 40W

€ 220

111858 White  
111865 SmokyGrey

3000 K  
420 lm

101217 € 2,50






# Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.

**LED** LED source 3000 K, 20.000 h life.





## Decor

Metal frame and ceiling rose with satin brass finish. Clear acrylic diffuser decorated with frosted crystal effect. Black PVC cable.

**LED** LED source 3000 K, 20.000 h life.




IP20

0,700 Kg / 0,0078 m<sup>3</sup>  
LED 7W / 850 lm

€ 110

292076 Clear




IP20

0,900 Kg / 0,0101 m<sup>3</sup>  
LED 10W / 1300 lm

€ 125

292083 Clear




IP20

1,100 Kg / 0,0123 m<sup>3</sup>  
LED 14W / 1750 lm

€ 145

292090 Clear



IP20

1,400 Kg / 0,0173 m<sup>3</sup>  
LED 20W / 2600 lm

€ 180

292113 Clear



# Mint


Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510



237497



IP20

1,350 Kg / 0,0147 m<sup>3</sup>  
E27 max 1x 60W

€ 105

237442 Smoky Grey  
248554 Green

3000 K  
910 lm

119571 € 6,00

IP20

1,560 Kg / 0,0532 m<sup>3</sup>  
E27 max 1x 60W

€ 127

237398 Smoky Grey  
237428 Green

3000 K  
910 lm

119571 € 6,00

IP20

1,80 Kg / 0,0269 m<sup>3</sup>  
E27 max 1x 60W

€ 138

237510 Smoky Grey  
237497 Green

3000 K  
910 lm



119571 € 6,00





# Bergen

Black powder coated metal ceiling cup. Natural wood frame. Clear blown glass diffuser with motif in relief and smoky finish. Power cable coated with fabric.



IP20

1,570 Kg / 0,0331 m<sup>3</sup>  
E27 max 1x60W

€ 186

238838 ■ Smoky Grey

3000 K  
910 lm  
119571 € 6,00




IP20

1,840 Kg / 0,0439 m<sup>3</sup>  
E27 max 1x60W

€ 186

238920 ■ Smoky Grey

3000 K  
910 lm  
119571 € 6,00



IP20

1,430 Kg / 0,0378 m<sup>3</sup>  
E27 max 1x60W

€ 186

238746 ■ Smoky Grey

3000 K  
910 lm  
119571 € 6,00



# Bistrò


Black enamel coated metal frame.  
Handcrafted blown clear or smoky glass diffuser.



112305



112312



IP20


2,190 Kg / 0,0806 m<sup>3</sup>  
E27 max 1x60W

€ 213

120898 Clear  
120904 Smoky Grey

3000 K  
910 lm

119571 € 6,00



IP20


1,840 Kg / 0,0427 m<sup>3</sup>  
E27 max 1x60W

€ 145

112305 Clear  
112312 Smoky Grey

3000 K  
910 lm

119571 € 6,00



IP20

1,200 Kg / 0,0274 m<sup>3</sup>  
E27 max 1x60W

€ 113

112336 Clear  
112343 Smoky Grey

3000 K  
910 lm

119571 € 6,00





# Gretel

Metal frame with matt black varnish finish with natural wood applications. Blown clear glass diffusers. Power cables covered with black fabric.




IP20

5,960 Kg / 0,1419 m<sup>3</sup>  
E27 max 5 x 60W

€ 500

103174 ■ Black

3000 K  
910 lm  
119571 € 6,00



IP20

4,090 Kg / 0,0983 m<sup>3</sup>  
E27 max 4 x 60W

€ 415

122557 ■ Black

3000 K  
910 lm  
119571 € 6,00



IP20

0,950 Kg / 0,0243 m<sup>3</sup>  
E27 max 1 x 60W

€ 105

122564 ■ Black

3000 K  
910 lm  
119571 € 6,00



# Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.




Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



016863



103983



5,520 Kg / 0,1044 m<sup>3</sup>  
E27 max 5 x 60W

€ 425

016863 Clear  
103983 Smoky Grey

3000 K  
950 lm

101330 € 7,50



# Audi-80


Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.



031743



197661



9,560 Kg / 0,1289 m<sup>3</sup>  
G9 max 8 x 40W

€ 620

031750 Clear  
197654 SmokyGrey

3000 K  
510 lm

305486 € 6,00



5,890 Kg / 0,0876 m<sup>3</sup>  
G9 max 5 x 40W

€ 445

031743 Clear  
197661 SmokyGrey

3000 K  
510 lm

305486 € 6,00




Bulbs LED G9 4W 3000 K included.  
Cod. 209043





# Madame

Matt varnished metal ceiling cup.  
 Power cable coated with fabric.  
 Metal frame diffuser covered with  
 white, canvas or black satin ribbon.



IP20

2,560 Kg / 0,2012 m<sup>3</sup>  
 E27 max 1x60W

€ 385

174396 ■ White  
 219875 ■ Ivory  
 174402 ■ Black

3000 K  
 900 lm

101354 € 8,00



174396



219875



174402



# Phoenix


Chrome metal frame. Fabric coated shade with metal frame. Decorative elements composed of cut crystal octagons. Suspension versions supplied with steel cables adjustable in length with automatic devices.



099101



101163



IP20

8,400 Kg / 0,1030 m<sup>3</sup>  
E27 max 5 x 60W

€ 850

099101 ■ White  
101163 ■ Black


3000 K  
900 lm

123899 € 6,00



# Pan

Metal frame. Diffusers made of decorative elements with metal tube shape of different length. Steel cables adjustable in length.



13,920 Kg / 0,1355 m³  
E27 max 5 x 60W

€ 830

208817 ■ Gold

3000 K  
910 lm

119571

€ 6,00



P. 442



# Nordik

Matt black varnished metal frame.  
Golden PVC foil shade covered with black fabric.



1,760 Kg / 0,1694 m³  
E27 max 6 x 60W


€ 280

161662 ■ Black

3000 K  
910 lm

119571

€ 6,00



1,500 Kg / 0,1064 m³  
E27 max 4 x 60W

€ 210

161648 ■ Black

3000 K  
910 lm

119571

€ 6,00



P. 450



P. 500




P. 560





# Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.



IP20

4,040 Kg / 0,0729 m<sup>3</sup>  
E27 max 1x60W

€ 235

025438 White

3000 K  
900 lm



101354 € 8,00



P. 560

# Woody

Chrome metal frame. PVC or fabric shade closed at the bottom with acid-etched glass. Pendant lamps provided with steel cables adjustable in length.



6,150 Kg / 0,1352 m<sup>3</sup>  
E27 max 5 x 60W


4,000 Kg / 0,0832 m<sup>3</sup>  
E27 max 4 x 60W

€ 250


€ 210

103242 White  
105628 Black  
087719 Wood

122236 White  
122243 Black  
087702 Wood



123899 € 6,00



123899 € 6,00



P. 304




P. 449



# Wheel

Enameled metal circular frame. PVC foil shade, covered with fabric. Steel cables adjustable in length with automatic devices.



2,810 Kg / 0,1412 m<sup>3</sup>  
E27 max 5 x 60W


2,020 Kg / 0,0614 m<sup>3</sup>  
E27 max 3 x 60W

€ 255


€ 135

009698 White

009681 White



123899 € 6,00



123899 € 6,00



P. 305






# Hilton

Chrome metal frame. PVC foil shade covered with fabric. Transparent, sandblasted bottom glass diffuser. Pendant lamps provided with cables adjustable in length.

**LED** Bulbs LED G9 4W  
3000 K included in **075495** model.  
Cod. **209043**



**2,850 Kg / 0,0374 m<sup>3</sup>**  
**G9 max 4x40W**

**€ 225**

**075495 White**



**5,980 Kg / 0,1183 m<sup>3</sup>**  
**E27 max 6x60W**

**€ 270**

**075518 White**



**3,480 Kg / 0,0817 m<sup>3</sup>**  
**E27 max 4x60W**

**€ 195**

**075501 White**



P. 448



P. 501



P. 563

**3000 K**  
**510 lm**

**305486 € 6,00**

**3000 K**  
**900 lm**

**123899 € 6,00**

**3000 K**  
**900 lm**

**123899 € 6,00**





P. 302 P. 446 P. 504 P. 558

# Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.




IP20

0,350 Kg / 0,0019 m<sup>3</sup>  
E27 max 1x60W

€ 29


- 260013 White
- 260044 Nickel
- 260020 Black
- 260051 Brass



1,260 Kg / 0,2131 m<sup>3</sup>

€ 116


- 260471 White
- 304632 Dove Grey
- 270029 Black
- 260488 Beige



0,047 Kg / 0,0221 m<sup>3</sup>

€ 85


- 260457 White
- 304625 Dove Grey
- 270012 Black
- 260464 Beige



0,700 Kg / 0,0259 m<sup>3</sup>

€ 50

- 270050 Clear



0,280 Kg / 0,0108 m<sup>3</sup>

€ 30


- 270043 Clear

3000 K  
900 lm  
123899 € 6,00



# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.




IP20

7,340 Kg / 0,3322 m³  
E27 max 10 x 60W

€ 850

165011 White




IP20

4,889 Kg / 0,1652 m³  
E27 max 6 x 60W

€ 500

068299 White



IP20

3,166 Kg / 0,0646 m³  
E27 max 4 x 60W

€ 370

182179 White

3000 K  
900 lm

123899 € 6,00

3000 K  
900 lm

123899 € 6,00

3000 K  
900 lm

123899 € 6,00



P. 456



P. 511




P. 565





# Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade. Velvet chain cover.



IP20

6,420 Kg / 0,2708 m<sup>3</sup>  
E14 max 6x 40W

€ 570

035826 White

3000 K  
420 lm

101217 € 2,50

IP20

4,770 Kg / 0,1632 m<sup>3</sup>  
E14 max 3x 40W

€ 400

035840 White

3000 K  
420 lm

101217 € 2,50






# Calypso

Chrome metal frame. Cut crystal decorative elements. Suspension lamps with steel wires adjustable in length with automatic devices.

**LED** Bulbs LED G9 4W 3000 K included in model **044187**. Cod. **209043**




P. 454



# King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside. Steel cables adjustable in length with automatic devices.

**LED** Bulbs LED G9 4W 3000 K included. Cod. **209043**




P. 358





# Orion

Diffuser composed of chrome metal rings with octagonal crystals set inside. Steel cables adjustable with automatic device.



IP20

6,800 Kg / 0,1476 m<sup>3</sup>  
E14 max 8 x 40W

€ 600

066387 Chrome

3000 K  
480 lm

101200 € 2,50

IP20

4,600 Kg / 0,0875 m<sup>3</sup>  
E14 max 6 x 40W

€ 440


059181 Chrome

3000 K  
480 lm

101200 € 2,50

# Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops. Suspension versions provided with steel cables adjustable in length.



**3,320 Kg / 0,0351 m³**  
**E14 max 5x40W**

€ 350

008363 Chrome

**3000 K**  
**470 lm**


101224 € 2,50 [P. 364](#)



# Giada

Chrome metal frame. Cut crystal pendants with octagonal elements and final icicles. Suspension lamps provided with steel cables adjustable in length.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**5,500 Kg / 0,0297 m³**  
**G9 max 7x40W**

€ 570

098739 Clear

**3000 K**  
**510 lm**

305486 € 6,00



**4,000 Kg / 0,0217 m³**  
**G9 max 5x40W**

€ 425

098722 Clear

**3000 K**  
**510 lm**

305486 € 6,00






# Elisir

Metal frame. Cut crystals prisms decorative elements amber.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



8,380 Kg / 0,0408 m<sup>3</sup>

6,370 Kg / 0,0325 m<sup>3</sup>

G9 max 8 x 40W



G9 max 6 x 40W

€ 650

€ 570

200071 Brass

200064 Brass




305486 € 6,00

305486 € 6,00



# Martinez

Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



17,600 Kg / 0,1129 m<sup>3</sup>

14,490 Kg / 0,0723 m<sup>3</sup>

E14 max 8 x 40W



E14 max 6 x 40W

€ 745

€ 632

166360 Chrome  
213583 Gold

166322 Chrome



101224 € 2,50

101224 € 2,50



P. 366







# Carlton


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521




IP20

12,800 Kg / 0,1614 m<sup>3</sup>  
E14 max 12 x 40W

€ 660

166247 Chrome  
213521 Gold

101224 3000K 470lm  
€ 2,50



IP20

10,000 Kg / 0,1136 m<sup>3</sup>  
E14 max 8 x 40W

€ 550

117737 Chrome

101224 3000K 470lm  
€ 2,50



P. 367




P. 455



# Roma

Chrome metal frame and details.  
 Square-shaped crystal elements on  
 sides and sandblasted bottom glass  
 sheet. Suspension models supplied  
 with cables adjustable in length.

**LED** Bulbs LED G9 4W 3000 K included.  
 Cod. **209043**



**10,00 Kg / 0,1202 m³**  
**G9 max 12 x 40W**

**€ 800**

**093062 Chrome**



**7,100 Kg / 0,0890 m³**  
**G9 max 9 x 40W**

**€ 650**

**093048 Chrome**

**3000 K**  
**510 lm**

**305486 € 6,00**

**3000 K**  
**510 lm**


**305486 € 6,00**

 **P. 356**  **P. 454**  **P. 510**



# Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.



IP20

18,730 Kg / 0,2127 m³  
E14 max 16 x 40W

€ 880

237800 Gold

3000 K  
480 lm

101200 € 2,50

IP20

13,810 Kg / 0,1383 m³  
E14 max 12 x 40W

€ 770

237794 Gold

3000 K  
480 lm

101200 € 2,50



# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.




164977



164984



P. 357 P. 454



13,000 Kg / 0,1777 m<sup>3</sup>  
E14 max 14 x 40W

€ 1210

164977 Chrome  
164984 Gold

3000 K  
480 lm

101200 € 2,50



8,500 Kg / 0,1134 m<sup>3</sup>  
E14 max 10 x 40W

€ 950

082196 Chrome  
082257 Gold

3000 K  
480 lm

101200 € 2,50



5,350 Kg / 0,0573 m<sup>3</sup>  
E14 max 6 x 40W

€ 750

082158 Chrome  
082172 Gold

3000 K  
480 lm

101200 € 2,50





# Luxor

Chrome metal frame. Diffuser made of cut crystal octagons and rectangular drops.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



12,250 Kg / 0,3097 m<sup>3</sup>  
G9 max 12 x 40W

€ 1320

116235 Chrome

3000 K  
510 lm  
305486 € 6,00




8,780 Kg / 0,2054 m<sup>3</sup>  
G9 max 8 x 40W

€ 940

116228 Chrome

3000 K  
510 lm  
305486 € 6,00



8,340 Kg / 0,1260 m<sup>3</sup>  
G9 max 6 x 40W

€ 720



092911 Chrome

3000 K  
510 lm  
305486 € 6,00

# Evasione

Cut crystal pendants. Steel cables adjustable in length with automatic device.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**7,100 Kg / 0,1082 m³**  
**G9 max 10 x 40W**



**5,900 Kg / 0,0706 m³**  
**G9 max 8 x 40W**

€ 570

€ 470

044767 Chrome

044774 Chrome



305486 € 6,00


305486 € 6,00



# Audi-77

Octagonal and round cut crystal pendants. Pendant lamps with wires adjustable in length with an automatic device.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**6,550 Kg / 0,1347 m³**  
**G9 max 8 x 40W**


**5,230 Kg / 0,1044 m³**  
**G9 max 6 x 40W**

€ 560

€ 500

020556 Chrome

019499 Chrome



305486 € 6,00

305486 € 6,00







# Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



243597




243528



P. 365



P. 455



IP20


20,000 Kg / 0,8284 m<sup>3</sup>  
E14 max 24 x 28W

€ 1650

243597 Chrome  
243528 Brass

3000 K  
470 lm

101224 € 2,50



IP20

9,170 Kg / 0,2859 m<sup>3</sup>  
E14 max 10 x 28W

€ 1050

215969 Chrome  
207216 Brass

3000 K  
470 lm

101224 € 2,50



# Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.


**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



114279



114743



9,600 Kg / 0,2965 m<sup>3</sup>  
G9 max 12 x 40W

€ 1230

114279 Chrome  
114743 Gold

3000 K  
510 lm

305486 € 6,00



6,700 Kg / 0,1936 m<sup>3</sup>  
G9 max 9 x 40W

€ 950

041827 Chrome  
114736 Gold

3000 K  
510 lm

305486 € 6,00



5,100 Kg / 0,1175 m<sup>3</sup>  
G9 max 6 x 40W

€ 780

033532 Chrome  
114729 Gold

3000 K  
510 lm


305486 € 6,00





# Millennium

Metal frame and details with rust effect paint finish. Central decorative elements made of natural wood with antiqued effect.



IP20


8,330 Kg / 1,0291 m<sup>3</sup>  
E14 max 8 x 40W

€ 750

129709 Wood

3000 K  
470 lm

101224 € 2,50



IP20

2,670 Kg / 0,2695 m<sup>3</sup>  
E14 max 5 x 40W

€ 350

129921 Wood

3000 K  
470 lm

101224 € 2,50



# Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.



IP20


6,700 Kg / 0,0534 m<sup>3</sup>  
E14 max 6 x 40W

€ 520

162751 White

3000 K  
420 lm

101217 € 2,50



IP20

5,300 Kg / 0,0387 m<sup>3</sup>  
E14 max 5 x 40W

€ 415

162737 White

3000 K  
420 lm

101217 € 2,50





# Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.



059242



197739



8,100 Kg / 0,3349 m<sup>3</sup>  
E14 max 12 x 28W

€ 840

066431 White  
197746 Brass



7,900 Kg / 0,2138 m<sup>3</sup>  
E14 max 8 x 28W

€ 490

059242 White  
197739 Brass



5,600 Kg / 0,1445 m<sup>3</sup>  
E14 max 5 x 28W

€ 460

066448 White  
197722 Brass



3,050 Kg / 0,0758 m<sup>3</sup>  
E14 max 3 x 28W

€ 230

059235 White  
197715 Brass

3000 K  
370 lm

101231 € 2,50

3000 K  
370 lm

101231 € 2,50

3000 K  
370 lm

101231 € 2,50

3000 K  
370 lm

101231 € 2,50





# Blanche


Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



035581



111872



IP20

6,820 Kg / 0,1975 m<sup>3</sup>  
E14 max 8 x 40W

€ 560

035574 White  
111896 Black

3000 K  
370 lm

101231 € 2,50

IP20

4,800 Kg / 0,1451 m<sup>3</sup>  
E14 max 6 x 40W

€ 450

035581 White  
111872 Black

3000 K  
370 lm

101231 € 2,50



# Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187



P. 457



IP20


7,100 Kg / 0,6840 m<sup>3</sup>  
E14 max 12 x 40W

€ 380

097664 White  
097671 Rust

3000 K  
470 lm

101224 € 2,50



IP20


5,220 Kg / 0,3169 m<sup>3</sup>  
E14 max 8 x 40W

€ 260

005898 White  
057194 Rust

3000 K  
470 lm

101224 € 2,50



IP20

3,180 Kg / 0,1500 m<sup>3</sup>  
E14 max 5 x 40W

€ 175

005881 White  
057187 Rust


3000 K  
470 lm

101224 € 2,50



# Colossal

Chrome metal frame and details.  
Blown clear glass arms with smoky grey or ivory white inner side.  
Transparent glass and cut crystal pendants and decorative elements.  
Velvet chain cover.



114170



081564




081526





## Rose

Blown glass chandelier with chrome metal details. Cut-crystals octagons and drops. Velvet chain cover.



IP20

7,630 Kg / 0,1321 m<sup>3</sup>  
E14 max 8 x 40W

€ 560

166889 Amber

3000 K  
430 lm

101248 € 2,50





# Negresco


Metal frame with chrome or golden finish. Golden version with blown and gilded inside glass arms. Main structure composed of cut crystal blocks. Clear glass and cut crystal decorative elements. Velvet chain cover.



141060



087771



IP20


14,400 Kg / 0,1687 m<sup>3</sup>  
E14 max 10 x 28W

€ 1000

141060 Clear  
087771 Gold

3000 K  
430 lm

101248 € 2,50



IP20

11,300 Kg / 0,1461 m<sup>3</sup>  
E14 max 8 x 28W

€ 850

141053 Clear  
087764 Gold

3000 K  
430 lm

101248 € 2,50





# Tiepolo

Blown and hand finished glass chandelier with chrome metal details. Crystal pendants composed of octagons and drops. Velvet chain cover.


IP20	IP20	IP20
7,220 Kg / 0,1080 m <sup>3</sup> E14 max 8 x 40W	5,120 Kg / 0,0791 m <sup>3</sup> E14 max 5 x 40W	3,650 Kg / 0,0370 m <sup>3</sup> E14 max 3 x 40W
€ 600	€ 500	€ 330
034720 Clear	034713 Clear	034706 Clear
3000 K 370 lm	3000 K 370 lm	3000 K 370 lm
101231 € 2,50	101231 € 2,50	101231 € 2,50





# Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.



IP20


8,200 Kg / 0,1574 m<sup>3</sup>  
E14 max 8 x 40W

€ 568

168777 Clear

3000 K  
470 lm

101224 € 2,50



IP20

6,700 Kg / 0,1202 m<sup>3</sup>  
E14 max 6 x 40W

€ 480

168753 Clear


3000 K  
470 lm

101224 € 2,50



## Giudecca

Blown and hand finished glass chandelier with chrome details. Crystal pendants composed of octagons and drops. Velvet chain cover. Available finishes: clear, black and red.



IP20

5,770 Kg / 0,1041 m<sup>3</sup>  
E14 max 6 x 40W

€ 460

027821 ■ Clear  
032504 ■ Black  
027418 ■ Red

3000 K  
430 lm

101248 € 2,50



027821




032504



027418





# Florian


Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



035604



035611



IP20

17,200 Kg / 0,3482 m<sup>3</sup>  
E14 max 18 x 40W

€ 1000

075150 Chrome  
075181 Gold

IP20

9,760 Kg / 0,2187 m<sup>3</sup>  
E14 max 12 x 40W

€ 650

035604 Chrome  
035611 Gold

IP20

6,380 Kg / 0,1368 m<sup>3</sup>  
E14 max 6 x 40W

€ 510

035628 Chrome  
035635 Gold



3000 K  
470 lm

101224

€ 2,50



3000 K  
470 lm

101224

€ 2,50



3000 K  
470 lm

101224

€ 2,50







# Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244



167398


<p>IP20</p> <p>17,920 Kg / 0,4424 m<sup>3</sup> E14 max 18 x 40W</p> <p>€ 1000</p> <p>167268 Chrome 167411 Gold</p>	<p>IP20</p> <p>11,260 Kg / 0,2633 m<sup>3</sup> E14 max 12 x 40W</p> <p>€ 635</p> <p>167251 Chrome 167404 Gold</p>	<p>IP20</p> <p>9,070 Kg / 0,2156 m<sup>3</sup> E14 max 8 x 40W</p> <p>€ 600</p> <p>167244 Chrome 167398 Gold</p>
<p>3000 K 470 lm</p> <p>101224 € 2,50</p>	<p>3000 K 470 lm</p> <p>101224 € 2,50</p>	<p>3000 K 470 lm</p> <p>101224 € 2,50</p>





# Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953




164960



P. 459

# Impero

Cast metal frame with silver antique-like finish. Cut crystal decorative elements. Velvet chain cover.



IP20

7,500 Kg / 0,0454 m<sup>3</sup>  
E14 max 8 x 40W

€ 850

014395 Silver

3000 K  
470 lm

101224 € 2,50

IP20

5,000 Kg / 0,0340 m<sup>3</sup>  
E14 max 6 x 40W

€ 550

002408 Silver


3000 K  
470 lm

101224 € 2,50



# Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.



IP20


20,700 Kg / 0,4508 m<sup>3</sup>  
E14 max 18 x 40W

€ 1400

140629 Gold

3000 K  
430 lm

101248 € 2,50



IP20


14,930 Kg / 0,3414 m<sup>3</sup>  
E14 max 12 x 40W

€ 1050

140612 Gold

3000 K  
430 lm

101248 € 2,50



IP20

7,410 Kg / 0,1420 m<sup>3</sup>  
E14 max 6 x 40W

€ 575

140605 Gold

3000 K  
430 lm

101248 € 2,50



P. 459





# Casanova

Blown and hand finished glass chandelier with chrome metal socket covers and details. Available in clear or smoky grey. Velvet chain cover.




044255



095615

230



IP20

9,210 Kg / 0,1592 m<sup>3</sup>  
E14 max 8 x 40W

€ 750

044255 Clear  
095615 Smoky Grey

3000 K  
480 lm  
101200 € 2,50




# Doge

Hand-shaped blown clear or white glass chandelier. Chrome metal frame and details.



044422

113678







# Danieli


Chrome or gold metal frame.  
Amber or transparent blown glass  
decorative elements. Velvet chain  
cover.



159980



159973



IP20

7,510 Kg / 0,2048 m<sup>3</sup>  
E14 max 8 x 40W

€ 650

159980 Clear  
159973 Amber

3000 K  
480 lm

101200 € 2,50

IP20

3,840 Kg / 0,1759 m<sup>3</sup>  
E14 max 6 x 40W

€ 600

159959 Clear  
159942 Amber

3000 K  
480 lm

101200 € 2,50



# Brigitta


Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.



199382



199412



IP20

12,500 Kg / 0,2380 m<sup>3</sup>  
E14 max 12 x 40W

€ 1000

199375 Clear  
199405 Amber

3000 K  
480 lm

101200 € 2,50

IP20


7,700 Kg / 0,1797 m<sup>3</sup>  
E14 max 8 x 40W

€ 750

199382 Clear  
199412 Amber


3000 K  
480 lm

101200 € 2,50



# Miramare


Blown and hand finished clear and white glass chandelier. Chrome metal bulb socket covers and details. Velvet chain cover.





# Bon Bon

Matt white or black varnished frame with die-cast metal arms. Blown glass candle cups for the white model, metal cups for the black one. Velvet chain cover.



IP20

IP20

11,710 Kg / 0,1953 m<sup>3</sup>  
E14 max 8 x 28W

8,110 Kg / 0,1547 m<sup>3</sup>  
E14 max 6 x 28W

€ 900

€ 630

094007 White

093994 White

140339 Black

3000 K  
420 lm

3000 K  
420 lm

101217 € 2,50

101217 € 2,50



093994



140339





# Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839



IP20


6,440 Kg / 0,0842 m<sup>3</sup>  
E14 max 8 x 40W

€ 510

012872 White  
020839 Gold

3000 K  
430 lm

101248 € 2,50



IP20

4,360 Kg / 0,0609 m<sup>3</sup>  
E14 max 5 x 40W

€ 400

012865 White  
020822 Gold


3000 K  
430 lm

101248 € 2,50



## Justine

Metal ceiling rose and frame with casted arms. White matt varnish finish. Velvet chain cover.



IP20

4,550 Kg / 0,3281 m<sup>3</sup>  
E14 max 8 x 40W

€ 495

197524 White

3000 K  
430 lm

101248 € 2,50

IP20

3,440 Kg / 0,2592 m<sup>3</sup>  
E14 max 6 x 40W

€ 390

197500 White


3000 K  
430 lm

101248 € 2,50



## Vanity

Golden metal frame with matt black details. Cut crystals decorative elements. Velvet chain cover.



IP20

8,850 Kg / 0,2878 m<sup>3</sup>  
E14 max 15 x 40W

€ 680

206639 Gold

3000 K  
470 lm

101224 € 2,50

IP20

4,940 Kg / 0,1454 m<sup>3</sup>  
E14 max 8 x 40W

€ 420

206622 Gold

3000 K  
470 lm


101224 € 2,50





## Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.



IP20


8,550 Kg / 0,2571 m<sup>3</sup>  
E27 max 9x 42W

€ 1150

116006 ■ Ant. Brass

3000 K  
910 lm

119571 € 6,00



IP20

0,980 Kg / 0,0228 m<sup>3</sup>  
E27 max 1x 42W

€ 170

115979 ■ Ant. Brass

3000 K  
910 lm

119571 € 6,00




P. 462





# Chalet

Metal frame and bearing structure.  
Handcrafted and hand painted  
resin decorative elements. An  
accurate reproduction of horns and  
carved wood.




P. 460 P. 508



# Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



IP20

4,500 Kg / 0,1402 m<sup>3</sup>  
E27 max 6x 60W

€ 430

180922 Wood

2200 K  
370 lm

151687 € 4,60

IP20

1,240 Kg / 0,0599 m<sup>3</sup>  
E27 max 1x 60W

€ 315

129600 Wood

2200 K  
370 lm

151687 € 4,60





# Haunt


Matt white varnished metal ceiling cup. Power cable coated with fabric. Wicker basket diffuser natural or white varnished.



159256



159812



IP20

0,460 Kg / 0,0622 m<sup>3</sup>  
E27 max 1x60W

€ 180

159256 White  
159812 Wood


3000 K  
1020 lm

101347 € 8,00



# Canapa

Metal varnished frame. Electrical cables and diffusers covered with natural hemp rope.



IP20

2,190 Kg / 0,0944 m<sup>3</sup>  
E27 max 1x15W

€ 180

134833 Rope

3000 K  
910 lm  
119571 € 6,00




IP20

0,650 Kg / 0,0063 m<sup>3</sup>  
E27 max 2x15W

€ 60

134840 Rope

3000 K  
910 lm  
119571 € 6,00



IP20

2,410 Kg / 0,0254 m<sup>3</sup>  
E27 max 6x15W

€ 180

134826 Rope

3000 K  
910 lm  
119571 € 6,00






# Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.

094786



005911



IP20

2,620 Kg / 0,0286 m<sup>3</sup>  
E27 max 1x 60W

€ 210

094786 Chrome  
005911 Ant. Brass



3000 K  
430 lm

101279 € 2,60



# Deca

Metal frame with antique brass finish. Diffuser made of transparent glass sheets which can be opened to change the bulb.



IP20

IP20

6,720 Kg / 0,2288 m<sup>3</sup>  
E27 max 1x60W

2,580 Kg / 0,0589 m<sup>3</sup>  
E27 max 1x60W

€ 440

€ 225

168869 ■ Ant. Brass


168852 ■ Ant. Brass

2200 K  
480 lm

2200 K  
500 lm

151724 € 8,00

151717 € 8,00



# Indoors

## Ceiling lamps

### Alphabetical index

Admiral	359	Halo	268	Penta	352
Alfa	330	Hermes	350	Perlage	334
Angolo	344	Iride	353	Petit	322
Arizona	288	Karol	256	Ping Pong	348
Armony	360	King	358	Planet	298
Atlas	341	Kubiko	314	Profilo	328
Atrium	289	Lana	306	Rain	364
Aura	309	Level	286	Ray	270
Binomio	349	Lingotto	345	Relax	280
Birds	337	Look	310	Ritz	305
Candy	290	Lumiere	346	Roma	356
Carlton	367	Magnolia	365	Royal	364
Carta	293	Mapa Bianco	292	Rudy	326
Celine	279	Maracas	331	Set Up	302
Clara	278	Martinez	366	Shell	307
Cloud	294	Mix Up	300	Simply	306
Compo	355	Mood	315	Sky	311
Corolla	295	Moonlight	363	Slem	330
Cosmopolitan	343	Mouse	324	Smarties	287
Cotton	291	Multiflex	339	Spark	342
Daisy	354	Neve	362	Spike	317
Dot	316	Ninfea	351	Spot	324
Dubai	365	Nitro	312	Toby	321
Dynamite	320	Nodi	332	Totem	281
Flat	278	Nodino	333	Tower	318
Fly	258	Oak	318	Triumph	336
Frame	254	Oby	325	Univers R.	274
Geko	285	Ocean	279	Universal S.	276
Gemini	282	Octopus	339	Wheel	305
Gemma	308	Oracle Slim	252	Winery	323
Gingle	284	Ovalino	294	Woody	304
Glim	329	Oz	257	Ziggy	296
Glory	286	Pashà	357		
Gourmet	340	Pauline	338		





# Perlage

Pag 334



OracleSlim 252



Frame 254



Clara 278



Flat 278



Glory 286



Level 286



Ovalino 294



Cloud 294



Ritz 305



Simply 306

new



Kubiko 314



Mood 315

new



Toby 321



Petit 322





















































Alfa 330



Slem 330































# Indoors

## Typology index

				<small>new</small> 	<small>new</small> 	<small>new</small> 
Karol 256	Oz 257	Fly 258	Halo 268	Ray 270	Universal R. 274	Universal S. 276
				<small>new</small> 		
Celine 279	Ocean 279	Relax 280	Totem 281	Gemini 282	Gingle 284	Geko 285
		<small>new</small> 		<small>new</small> 		<small>new</small> 
Smarties 287	Arizona 288	Atrium 289	Candy 290	Cotton 291	MapaBianco 292	Carta 293
<small>new</small> 	<small>new</small> 	<small>new</small> 				
Corolla 295	Ziggy 296	Planet 298	Mix Up 300	Set Up 302	Woody 304	Wheel 305
						<small>new</small> 
Lana 306	Shell 307	Gemma 308	Aura 309	Look 310	Sky 311	Nitro 312
<small>new</small> 	<small>new</small> 					
Dot 316	Spike 317	Oak 318	Tower 318	Lika 319	Dynamite 320	Play 321
				<small>new</small> 	<small>new</small> 	
Winery 323	Mouse 324	Spot 324	Oby 325	Rudy 326	Profilo 328	Glim 329
			<small>new</small> 			
Maracas 331	Nodi 332	Nodino 333	Perlage 334	Triumph 336	Birds 337	Pauline 338

# Indoors

## Typology index

			 new		 new	
<b>Multiflex 339</b>	<b>Octopus 339</b>	<b>Gourmet 340</b>	<b>Atlas 341</b>	<b>Spark 342</b>	<b>Cosmopolitan 343</b>	<b>Angolo 344</b>
 new	 new	 new	 new	 new		 new
<b>Lingotto 345</b>	<b>Lumiere 346</b>	<b>Ping Pong 348</b>	<b>Binomio 349</b>	<b>Hermes 350</b>	<b>Ninfea 351</b>	<b>Penta 352</b>
 new						
<b>Iride 353</b>	<b>Daisy 354</b>	<b>Compo 355</b>	<b>Roma 356</b>	<b>Pashà 357</b>	<b>King 358</b>	<b>Admiral 359</b>
 new						
<b>Armony 360</b>	<b>Neve 362</b>	<b>Moonlight 363</b>	<b>Royal 364</b>	<b>Rain 364</b>	<b>Magnolia 365</b>	<b>Dubai 365</b>
						
<b>Martinez 366</b>	<b>Carlton 367</b>					



# Binomio

Pag 349






# Oracle Slim


Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 80; LED useful life 20.000 h ; IP20 protection, insulation class II.

**LED** LED source 3000 K, 20.000 h life.




■ □ IP20  
**1,700 Kg / 0,1345 m<sup>3</sup>**  
**LED 55W / 5300 lm**  
**€ 295**

266015 ■ White  
 266022 ■ Black




■ □ IP20  
**1,430 Kg / 0,0852 m<sup>3</sup>**  
**LED 38W / 4300 lm**  
**€ 240**

265995 ■ White  
 266008 ■ Black



■ □ IP20  
**1,240 Kg / 0,0455 m<sup>3</sup>**  
**LED 32W / 3150 lm**  
**€ 195**

265971 ■ White  
 265988 ■ Black







# Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

**LED** LED source 3000 K, 30.000 h life.




1,600 Kg / 0,0458 m<sup>3</sup>  
LED 41W / 5250 lm  
€ 320

255019 ■ White  
269825 ■ Black



1,430 Kg / 0,0530 m<sup>3</sup>  
LED 35W / 4950 lm  
€ 320

230702 ■ White  
270678 ■ Black



1,240 Kg / 0,0264 m<sup>3</sup>  
LED 31W / 4250 lm  
€ 290

230726 ■ White  
270661 ■ Black



P. 072



P. 528





# Karol

Matt white varnished metal body.  
Opal colour plastic diffuser.

**LED** LED source 4000 K, 50.000 h life.


760 200	650 180
■ ■ ⊕ IP20	■ ■ ⊕ IP20
3,430 Kg / 0,185 m <sup>3</sup> LED 99W / 12200 lm	2,300 Kg / 0,0901 m <sup>3</sup> LED 78W / 10500 lm
€ 515	€ 375
227832 White	227825 White



# Oz

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

**LED** LED source 3000 K, 30.000 h life.



IP20

1,500 Kg / 0,0354 m<sup>3</sup>  
LED 48W / 5200 lm

€ 320 On-Off / 395 Dali

253688	White	On-Off
304519	White	Dali/Push
269412	Black	On-Off
304526	Black	Dali/Push
269429	Brass	On-Off
304533	Brass	Dali/Push

# Fly

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the upright accessory module for the indirect light part. Integrated LED light source; available with 3000 K and 4000 K color temperatures; CRI ≥ 80; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

**PRO** High-tech product with high quality materials, intended for professional use.

**IP40** Protection degree IP40.

Source	LED SMD
Power	18W / 26W / 53W / 65W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80
UGR	<19
LED life	50.000 h
Insulation class	I
IP	40
Material	Aluminum
Warranty	5 years










# Fly




3,000 Kg/0,0160 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	2650 lm	3000 K	White	270272	315
				Black	306575	315
		2800 lm	4000 K	White	270289	315
				Black	306582	315

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



3,700 Kg/0,0250 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3700 lm	3000 K	White	254272	420
				Black	306599	420
		3900 lm	4000 K	White	270296	420
				Black	306605	420

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI/Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

## UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 35	12 W	120°	1600 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85
ø 45	12 W	120°	1600 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85


## KIT PENDANT




Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



Light beam: WIDE



m	lx	øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	øm
1	1562	1,90
2	390	3,70
3	174	5,60
4	98	7,50
5	62	9,40




CRI≥80 18W 87° 2650lm 3000K

CRI≥80 26W 87° 3700lm 3000K



# Fly




4,500 Kg/0,0423 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	7500 lm	3000 K	White	270302	610
				Black	292205	610
		8000 lm	4000 K	White	270319	610
				Black	306612	610

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



6,900 Kg/0,0903 m<sup>3</sup>

## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
65 W	87°	9400 lm	3000 K	White	270326	1180
				Black	306629	1180
		9900 lm	4000 K	White	270241	1180
				Black	306636	1180

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

## UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 60	18 W	120°	2650 lm	3000 K	270401	150
			2750 lm	4000 K	270265	150
ø 90	25 W	120°	3650 lm	3000 K	271002	225
			3850 lm	4000 K	270715	225


## KIT PENDANT




Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



Light beam: WIDE



m	lx	øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	øm
1	3991	1,90
2	998	3,90
3	443	5,80
4	249	7,80
5	160	9,70




CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K





# Fly Slim




## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	2650 lm	3000 K	White	306643	295
		2800 lm	4000 K	White	306650	295

2,700 Kg/0,0105 m<sup>3</sup>

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



## LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3700 lm	3000 K	White	292236	390
		3900 lm	4000 K	White	306667	390

3,750 Kg/0,0170 m<sup>3</sup>

## DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI/Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

## UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 35	12 W	120°	1600 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85
ø 45	12 W	120°	1600 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85


## KIT PENDANT




Required	Finish	Code	€
No	White	254289	50



Light beam: WIDE



m	lx	øm
1	1066	1,90
2	267	3,70
3	118	5,60
4	67	7,50
5	43	9,40



m	lx	øm
1	1511	1,90
2	378	3,80
3	168	5,70
4	94	7,60
5	60	9,50




CRI≥80 18W 87° 2650lm 3000K

CRI≥80 26W 87° 3700lm 3000K



# Fly Slim




LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	7500 lm	3000 K	White	292250	575
		8000 lm	4000 K	White	306674	575

5,800 Kg/0,0699 m<sup>3</sup>

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
65 W	87°	9400 lm	3000 K	White	306681	1125
		9900 lm	4000 K	White	306698	1125

13,000 Kg/0,1448 m<sup>3</sup>

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 60	18 W	120°	2650 lm	3000 K	270401	150
			2750 lm	4000 K	270265	150
ø 90	25 W	120°	3650 lm	3000 K	271002	225
			3850 lm	4000 K	270715	225


KIT PENDANT




Required	Finish	Code	€
No	White	254289	50



Light beam: WIDE



m	lx	øm
1	3000	1,90
2	750	3,80
3	333	5,70
4	187	7,60
5	120	9,50



m	lx	øm
1	3857	1,90
2	964	3,90
3	429	5,80
4	241	7,80
5	154	9,70



CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K





# Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning  $\leq 2$ -Step MacAdam; available with 3000 K and 4000 K color temperature; CRI  $\geq 80$ ; LED useful life 35.000; protection IP20, insulation class I.

Source	LED SMD	Insulation class	I
Power	26W / 32W / 46W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	$\geq 80$		
LED life	35.000 h		



Up-light included.



2,750 Kg/0,0177 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	110°	3150 lm	3000 K	White	<input type="checkbox"/> 223186	295
		3450 lm	4000 K	White	<input type="checkbox"/> 223193	295



4,430 Kg/0,0313 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	110°	4050 lm	3000 K	White	<input type="checkbox"/> 223209	395
		4200 lm	4000 K	White	<input type="checkbox"/> 223216	395



6,600 Kg/0,0566 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
46 W	110°	5950 lm	3000 K	White	<input type="checkbox"/> 223223	545
		6250 lm	4000 K	White	<input type="checkbox"/> 223230	545

## KIT PENDANT



Required	Finish	Code	€
No	White	<input type="checkbox"/> 223247	50



# Ray **new**

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19, 22). Integrated LED light source; available with temperature CRI ≥ 90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.

**IP44** Protection degree IP44.

<b>Source</b>	LED SMD
<b>Power</b>	13W / 26W / 43W
<b>Driver included</b>	On/Off
<b>Drivers available</b>	No
<b>CCT</b>	3000 K / 4000 K
<b>CRI</b>	≥ 90
<b>UGR</b>	< 19 / 22
<b>LED life</b>	50.000 h
<b>Insulation class</b>	II
<b>IP</b>	44
<b>Material</b>	Plastic
<b>Warranty</b>	5 years





# Ray



## LED SMD Driver TRIDONIC ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
13W	80°	1900 - 2000 lm	3000 - 4000 K	White	327570	185
				Black	327563	185 <span style="color: red;">new</span>


1,620 Kg/0,0067 m<sup>3</sup>



## LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
26W	80°	3850 - 4000 lm	3000 - 4000 K	White	318264	270
				Black	327600	270 <span style="color: red;">new</span>

2,160 Kg/0,0097 m<sup>3</sup>




## LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
43W	80°	6450 - 6750 lm	3000 - 4000 K	White	327693	500
				Black	327686	500 <span style="color: red;">new</span>

3,240 Kg/0,0251 m<sup>3</sup>




Light beam: WIDE



m	lx	øm
1	760	1,50
2	190	3,00
3	84	4,40
4	48	5,90
5	30	7,40




CRI≥90 13W 80° 1900lm 3000K



m	lx	øm
1	1638	1,50
2	410	3,00
3	182	4,40
4	102	5,90
5	66	7,40



CRI≥90 26W 80° 3850lm 3000K



m	lx	øm
1	2786	1,60
2	697	3,10
3	310	4,70
4	174	6,20
5	111	7,80




CRI≥90 43W 80° 6450lm 3000K



# Universal Round new


Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 17.500 h; protection IP20, insulation class II.

Source	LED SMD	Insulation class	II
Power	13,5W / 36W	IP	20
Driver included	On/Off	Material	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥80		
LED life	25.000 h		




## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
13,5 W	110°	1250 lm	3000 K	White	<input type="checkbox"/>	138596	30
			4000 K	White	<input type="checkbox"/>	321776	30 <span style="color: #e67e22;">new</span>




## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
19 W	110°	1950 lm	3000 K	White	<input type="checkbox"/>	138602	35
			4000 K	White	<input type="checkbox"/>	321752	35 <span style="color: #e67e22;">new</span>



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
25 W	110°	2600 lm	3000 K	White	<input type="checkbox"/>	138619	50
			4000 K	White	<input type="checkbox"/>	321738	50 <span style="color: #e67e22;">new</span>



## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	110°	4300 lm	3000 K	White	<input type="checkbox"/>	240367	85
			4000 K	White	<input type="checkbox"/>	321684	85 <span style="color: #e67e22;">new</span>





# Universal Square new

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 17.500 h; protection IP20, insulation class II.

Source	LED SMD	Insulation class	II
Power	13,5W / 36W	IP	20
Driver included	On/Off	Material	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥80		
LED life	25.000 h		



0,510 Kg/0,0015 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
13,5 W	110°	1250 lm	3000 K	White	138633	30
			4000 K	White	321769	30 <span style="color: #e67e22;">new</span>



0,710 Kg/0,0025 m<sup>3</sup>

## LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
19 W	110°	1950 lm	3000 K	White	138640	35
			4000 K	White	321745	35 <span style="color: #e67e22;">new</span>



1,070 Kg/0,0045 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
25 W	110°	2600 lm	3000 K	White	138657	50
			4000 K	White	321707	50 <span style="color: #e67e22;">new</span>



2,000 Kg/0,0068 m<sup>3</sup>

## LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
36 W	110°	4300 lm	3000 K	White	240374	85
			4000 K	White	321660	85 <span style="color: #e67e22;">new</span>



# Clara

Varnished metal base. Satin opal polycarbonate diffuser.

**LED** LED source 3000/4000 K, 30.000 h life.



■ ■ □ IP20

0,500 Kg / 0,0082 m<sup>3</sup>  
LED 17W / 1700/1750 lm

€ 25

300436 White 3000K  
306438 White 4000K

■ ■ □ IP20

0,670 Kg / 0,0141 m<sup>3</sup>  
LED 18W / 2000/2050 lm

€ 35




300443 White 3000K  
306445 White 4000K



# Flat

Metal frame with matt white enamel finish. Frosted transparent acrylic diffuser.

**LED** Bulbs LED GX53 9W 3000 K included. Cod. 123936



■ ■ □ IP20

■ ■ □ IP20

■ ■ □ IP20

2,480 Kg / 0,0263 m<sup>3</sup>  
GX53 max 4 x 15W

€ 228

134901 White

1,620 Kg / 0,0159 m<sup>3</sup>  
GX53 max 4 x 15W

€ 136

134895 White

0,700 Kg / 0,0088 m<sup>3</sup>  
GX53 max 1 x 15W

€ 90

134888 White

3000 K  
910 lm

123936 € 5,50

3000 K  
910 lm

123936 € 5,50


3000 K  
910 lm

123936 € 5,50



# Celine

Enameled metal frame.  
Sandblasted clear glass diffuser.  
chrome metal glass holders.



IP20


2,540 Kg / 0,0467 m<sup>3</sup>  
E27 max 4x60W

€ 105

044293 White

101286 3000 K  
340 lm

101286 € 2,60



IP20


1,740 Kg / 0,0265 m<sup>3</sup>  
E27 max 3x60W

€ 64

044286 White

101286 3000 K  
340 lm

101286 € 2,60



IP20

1,120 Kg / 0,0149 m<sup>3</sup>  
E27 max 2x60W

€ 49


044279 White

101286 3000 K  
340 lm

101286 € 2,60

# Ocean

Diffuser composed of two glass sheets: the back one with mirror edge and frosted in the middle, the front one with decorative serigraph and glass buttons.



IP20


2,930 Kg / 0,0281 m<sup>3</sup>  
E27 max 3x60W

€ 110

081441 Clear  
091013 Color

101286 3000 K  
340 lm

101286 € 2,60



IP20

1,930 Kg / 0,0160 m<sup>3</sup>  
E27 max 2x60W

€ 75

081434 Clear  
091006 Color

101286 3000 K  
340 lm

101286 € 2,60



091013



0801441






# Relax

Metal frame finished with matt white varnish. Opal polycarbonate diffusers. Double light emission: primary and lateral. Replaceable LED source. Dimmable power supply integrated.

**LED** LED source 3000 K, 17.500 h life.



8,190 Kg / 0,0740 m<sup>3</sup>  
LED 78W / 5250 lm

€ 450

255941 White



5,760 Kg / 0,0486 m<sup>3</sup>  
LED 58W / 4600 lm

€ 400

255934 White



# Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. **123936**


■ ■  IP20	■ ■  IP20	■ ■  IP20
<b>5,320 Kg / 0,0470 m<sup>3</sup></b> <b>GX53 max 6 x 15W</b>	<b>3,890 Kg / 0,0322 m<sup>3</sup></b> <b>GX53 max 4 x 15W</b>	<b>2,960 Kg / 0,0227 m<sup>3</sup></b> <b>GX53 max 3 x 15W</b>
<b>€ 280</b>	<b>€ 240</b>	<b>€ 200</b>
<b>215785</b> <b>White</b>	<b>215778</b> <b>White</b>	<b>215761</b> <b>White</b>
<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>	<b>3000 K</b> <b>910 lm</b>
<b>123936</b> <b>€ 5,50</b>	<b>123936</b> <b>€ 5,50</b>	<b>123936</b> <b>€ 5,50</b>



# Gemini new

Powder coated or plated metal frame. Opal polycarbonate diffuser.  
Available finishes: white, black or brushed brass. Control: On-Off or DALI/Push dimmable.

**LED** LED source 3000 K, 30.000 h life.




IP20

4,800 Kg / 0,0919 m<sup>3</sup>  
LED 41W / 5600 lm

€ 390 On-Off / 480 Dalı

- 328072 ■ White On-Off new
- 328973 ■ White Dalı/Push new
- 328089 ■ Black On-Off new
- 328980 ■ Black Dalı/Push new
- 328096 ■ Brass On-Off new
- 329260 ■ Brass Dalı/Push new




IP20

3,200 Kg / 0,0507 m<sup>3</sup>  
LED 27W / 3650 lm

€ 300 On-Off / 380 Dalı

- 328041 ■ White On-Off new
- 328942 ■ White Dalı/Push new
- 328058 ■ Black On-Off new
- 328959 ■ Black Dalı/Push new
- 328065 ■ Brass On-Off new
- 328966 ■ Brass Dalı/Push new



IP20

1,900 Kg / 0,0271 m<sup>3</sup>  
LED 23W / 3100 lm

€ 220

- 328010 ■ White On-Off new
- 328027 ■ Black Dalı/Push new
- 328034 ■ Brass On-Off new






# Gingle

Powder coated metal base and body. Integrated LED light source with mirrored light emission.

**LED** LED source 3000 K, 30.000 h life.




■ ■ □ IP20

1,540 Kg / 0,0233 m<sup>3</sup>  
LED 35W / 2150 lm

€ 315

196220 White




■ ■ □ IP20

1,000 Kg / 0,0139 m<sup>3</sup>  
LED 26W / 1700 lm

€ 225

196206 White



■ ■ □ IP20

0,730 Kg / 0,0153 m<sup>3</sup>  
LED 19W / 1300 lm

€ 165

196190 White




# Geko

White enameled metal frame.  
Transparent silkscreened or white  
glass diffuser. Chrome metal  
central glass screw.

<b>3,820 Kg / 0,0385 m³</b> <b>E27 max 4 x 60W</b>	<b>2,000 Kg / 0,0203 m³</b> <b>E27 max 3 x 60W</b>	<b>1,200 Kg / 0,0130 m³</b> <b>E27 max 2 x 60W</b>
<b>€ 180</b>	<b>€ 120</b>	<b>€ 85</b>
<b>116112 White</b>	<b>018508 White</b>	<b>010861 White</b>
<b>3000 K</b> <b>340 lm</b>	<b>3000 K</b> <b>340 lm</b>	<b>3000 K</b> <b>340 lm</b>
<b>101286 € 2,60</b>	<b>101286 € 2,60</b>	<b>101286 € 2,60</b>

# Glory

Metal frame with satin nickel finish.  
White acid-etched blown glass  
diffuser.




IP20

4,810 Kg / 0,1789 m<sup>3</sup>  
E27 max 5 x 60W

€ 350

019765 White

101286 3000 K  
340 lm € 2,60




IP20

3,410 Kg / 0,0744 m<sup>3</sup>  
E27 max 3 x 60W

€ 220

019758 White

101286 3000 K  
340 lm € 2,60



IP20

2,100 Kg / 0,0700 m<sup>3</sup>  
E27 max 2 x 60W

€ 195

101132 White

101286 3000 K  
340 lm € 2,60




P. 153

# Level

Powder coated metal base. White  
acid-etched blown glass  
diffuser with fastening system without  
screws. Easily replaceable  
integrated led source.

**LED** LED source 3000 K, 17.500 h life.




IP20

5,200 Kg / 0,0908 m<sup>3</sup>  
LED 37,5W / 3300 lm

€ 290

261188 White



IP20

2,100 Kg / 0,0368 m<sup>3</sup>  
LED 22,5W / 2100 lm

€ 180

261164 White





# Smarties

White varnished metal frame.  
White blown glass diffuser.

600	500	425	330
4,690 Kg / 0,1480 m <sup>3</sup> E27 max 3 x 60W	3,070 Kg / 0,1009 m <sup>3</sup> E27 max 3 x 60W	2,810 Kg / 0,0599 m <sup>3</sup> E27 max 2 x 60W	1,440 Kg / 0,0454 m <sup>3</sup> E27 max 1 x 60W
€ 280	€ 195	€ 170	€ 115
032023 White	032030 White	032047 White	009223 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,60	101286 € 2,60	101286 € 2,60	101286 € 2,60



P. 152



P. 397



P. 485






# Arizona

Metal frame with satin brass finish.  
White acid-etched blown glass  
diffuser with embossed decorative  
stripes.




Bulbs LED GX53 9W 3000 K included.  
Cod. **123936**




7,680 Kg / 0,1299 m<sup>3</sup>  
GX53 max 5 x 15W

€ 505

214511 White




123936 € 5,50




3,050 Kg / 0,0744 m<sup>3</sup>  
GX53 max 3 x 15W

€ 330

214504 White




123936 € 5,50



2,960 Kg / 0,0452 m<sup>3</sup>  
GX53 max 2 x 15W

€ 225

214498 White



123936 € 5,50




P. 154



## Atrium new

Matt white varnished metal frame.  
White acid-etched glass diffuser  
with interlocking fastening system.

**LED** LED source 3000 K, 20.000 h life.




■ ■ □ IP20

4,8 Kg / 0,1113 m<sup>3</sup>  
LED 34W / 3600 lm

€ 220

265841 White




■ ■ □ IP20

3,700 Kg / 0,0675 m<sup>3</sup>  
LED 21W / 2250 lm

€ 160

new 265827 White



■ ■ □ IP20

2,300 Kg / 0,0425 m<sup>3</sup>  
LED 12W / 1200 lm


€ 115

new 265803 White new



# Candy

Metal frame with satin nickel finish.  
White acid-etched blown glass  
diffuser.



2,500 Kg / 0,0799 m<sup>3</sup>  
E27 max 1x 60W

€ 197

086781 White

3000 K  
900 lm

123899 € 6,00



P. 156




P. 486



# Cotton new

Metal base finished with white powder paint. Acid-etched white blown glass with screw fastening.

**LED** Bulbs LED G9 4W 3000 K included in model **297750**. Cod. **209043**




■ □ IP20

**2,400 Kg / 0,0810 m<sup>3</sup>**  
**E27 max 1x42W**

€ 180

327891 White



■ □ IP20

**0,810 Kg / 0,0369 m<sup>3</sup>**  
**E27 max 1x42W**

€ 125

new 297743 White



■ □ IP20 LED G9

**0,500 Kg / 0,0049 m<sup>3</sup>**  
**G9 max 1x4W**

€ 50

new 297750 White new

3000 K  
900 lm

123899 € 6,00

3000 K  
900 lm

123899 € 6,00

3000 K  
510 lm

305486 € 6,00



P. 157




P. 485





# Mapa Bianco

White metal base and fastening system. White blown acid-etched spherical glass diffuser.



IP20

2,590 Kg / 0,1290 m<sup>3</sup>  
E27 max 1x60W

€ 188

059839 White

3000 K  
910 lm

119571 € 6,00



P. 164



P. 396




P. 487



# Carta <sup>new</sup>


Matt white painted metal frame.  
Polycarbonate diffuser with paper effect covering.



1,700 Kg / 0,0813 m<sup>3</sup>  
E27 max 1x25W

€ 225

317120 White




1,150 Kg / 0,0370 m<sup>3</sup>  
E27 max 1x25W

€ 110

317113 White <sup>new</sup>


-  P. 166
-  P. 397
-  P. 484
-  P. 545

 3000 K  
910 lm  
119571 € 6,00

 3000 K  
430 lm  
101279 € 2,60

# Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.




IP20

7,700 Kg / 0,1448 m<sup>3</sup>  
E27 max 8 x 60W

€ 320

094014 White

3000 K  
900 lm  
123899 € 6,00



IP20

5,100 Kg / 0,1202 m<sup>3</sup>  
E27 max 5 x 60W

€ 250

093963 White

3000 K  
900 lm  
123899 € 6,00


P. 155 P. 394



# Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

**LED** LED source 3000 K, 17.500 h life.




IP20

4,700 Kg / 0,0792 m<sup>3</sup>  
LED 46W / 4000 lm

€ 310

285207 White



IP20

3,200 Kg / 0,0647 m<sup>3</sup>  
LED 33W / 2900 lm

€ 210

263519 White






# Corolla <sup>new</sup>

Matt white varnished metal frame.  
Opal satin polycarbonate diffuser.

**LED** LED source 3000 K, 50.000 h life.




■ □ IP20

2,450 Kg / 0,0274 m<sup>3</sup>  
LED 24W / 2800 lm

€ 175

297149 White



■ □ IP20

2,450 Kg / 0,0304 m<sup>3</sup>  
LED 24W / 2800 lm

€ 175

297101 White <sup>new</sup>










# Ziggy new

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.

**LED** LED source 3000 K, 50.000 h life.




				
1000	800	595	450	277
110	110	110	110	83
IP20	IP20	IP20	IP20	IP20
10,350 Kg / 0,1460 m <sup>3</sup> LED 90W / 5620 lm	6,660 Kg / 0,0953 m <sup>3</sup> LED 62W / 4320 lm	4,000 Kg / 0,0553 m <sup>3</sup> LED 42W / 5500 lm	2,500 Kg / 0,0324 m <sup>3</sup> LED 30W / 3800 lm	1,350 Kg / 0,0096 m <sup>3</sup> LED 22W / 2300 lm
€ 700	€ 430	€ 300	€ 200	€ 140
321592 White new 317915 Black new	317908 White new 321615 Black new	293790 White new 307213 Black new	293783 White 307206 Black	293776 White 293769 Black



# Planet **new**

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black.


**LED** LED source 3000 K, 30.000 h life.



2,950 Kg / 0,0365 m<sup>3</sup>  
LED 33W / 3050 lm

€ 145


312378 White  
312361 Black



2,150 Kg / 0,0257 m<sup>3</sup>  
LED 28W / 2650 lm

€ 115


312354 White  
312357 Black



1,350 Kg / 0,0168 m<sup>3</sup>  
LED 23W / 2100 lm

€ 95

312347 White  
312330 Black




0,820 Kg / 0,0097 m<sup>3</sup>  
LED 17W / 1600 lm

€ 75

312323 White  
312340 Black










P. 126 P. 536

# Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.



0,270 Kg / 0,005 m<sup>3</sup>  
E27 max 1x60W

€ 35

292847 White  
292830 Black

2,000 Kg / 0,0676 m<sup>3</sup>

€ 85

288437 White  
288420 Black

1,100 Kg / 0,0446 m<sup>3</sup>

€ 55

307404 White  
288475 Black

0,800 Kg / 0,0147 m<sup>3</sup>

€ 40

307411 White  
288444 Black

0,500 Kg / 0,0174 m<sup>3</sup>

€ 35

307428 White  
288451 Black

0,340 Kg / 0,0008 m<sup>3</sup>

€ 20

307435 White  
288482 Black

3000 K  
900 lm

123899 € 6,00




P. 196 P. 446 P. 504 P. 558

# Set Up

Powder coated frames.  
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white or black.



260457      304625      270012      260464




IP20

0,300 Kg / 0,0010 m<sup>3</sup>  
E27 max 1x60W

€ 35


277288    White



1,260 Kg / 0,2131 m<sup>3</sup>

€ 116

260471    White  
304632    Dove Grey  
270029    Black  
260488    Beige



0,047 Kg / 0,0210 m<sup>3</sup>

€ 85


260457    White  
304625    Dove Grey  
270012    Black  
260464    Beige



0,023 Kg / 0,0238 m<sup>3</sup>

€ 55


260433    White  
304618    Dove Grey  
270005    Black  
260440    Beige



0,700 Kg / 0,0259 m<sup>3</sup>

€ 50

270050    Clear



0,280 Kg / 0,0108 m<sup>3</sup>

€ 30

270043    Clear

3000 K  
900 lm  
123899    € 6,00





122205

122212

090863

## Woody

Chrome metal frame. PVC or fabric shade closed at the bottom with acid-etched glass.



6,000 Kg / 0,1352 m<sup>3</sup>  
E27 max 5 x 60W

€ 250

122205 White  
122212 Black  
090863 Wood

3000 K  
900 lm

123899 € 6,00



3,800 Kg / 0,0908 m<sup>3</sup>  
E27 max 4 x 60W

€ 185

103266 White  
103273 Black  
090900 Wood

3000 K  
900 lm

123899 € 6,00




P. 194



P. 449

# Wheel

Enamelled metal base and structure. Fireproof PVC foil shade, coated with fabric.



3,890 Kg / 0,1270 m<sup>3</sup>  
E27 max 5 x 60W

€ 255

036021 White

3000 K  
900 lm  
123899 € 6,00



2,280 Kg / 0,0758 m<sup>3</sup>  
E27 max 3 x 60W

€ 130

036014 White

3000 K  
900 lm  
123899 € 6,00




P. 194



# Ritz

Enameled metal base. PVC foil shade and lower diffuser panel covered with fabric.




1,710 Kg / 0,0968 m<sup>3</sup>  
E27 max 4 x 42W

€ 250

152912 White

3000 K  
900 lm  
123899 € 6,00




1,480 Kg / 0,0700 m<sup>3</sup>  
E27 max 4 x 42W

€ 200

152899 White

3000 K  
900 lm  
123899 € 6,00



1,110 Kg / 0,0444 m<sup>3</sup>  
E27 max 4 x 42W

€ 155


152875 White

3000 K  
900 lm  
123899 € 6,00



# Simply

Transparent frosted glass diffuser.  
Chrome metal glass holders with  
cast-on cast-off mechanism.




3,190 Kg / 0,0511 m<sup>3</sup>  
E27 max 4 x 60W

€ 85

007991 White

3000 K  
340 lm

101286 € 2,60




1,670 Kg / 0,0284 m<sup>3</sup>  
E27 max 3 x 60W

€ 54

007984 White

3000 K  
340 lm

101286 € 2,60




1,010 Kg / 0,0107 m<sup>3</sup>  
E27 max 2 x 60W

€ 37

007977 White

3000 K  
340 lm

101286 € 2,60



0,670 Kg / 0,0060 m<sup>3</sup>  
E27 max 1 x 60W

€ 28


007960 White

3000 K  
340 lm

101286 € 2,60

# Lana

Transparent glass diffuser with  
silkscreen decorations inside and  
sandblasted outside. Chrome metal  
glass holders.




1,500 Kg / 0,0279 m<sup>3</sup>  
E27 max 3 x 60W

€ 68

068145 White

3000 K  
340 lm

101286 € 2,60



0,800 Kg / 0,0168 m<sup>3</sup>  
E27 max 2 x 60W

€ 46

068138 White

3000 K  
340 lm

101286 € 2,60



P. 151





# Shell


Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.



008622



140193




8,850 Kg / 0,0943 m<sup>3</sup>  
E27 max 6 x 60W

€ 290

008622 Clear  
140193 Amber

3000 K  
430 lm

101279 € 2,60




6,150 Kg / 0,0647 m<sup>3</sup>  
E27 max 4 x 60W

€ 210

008615 Clear  
140186 Amber

3000 K  
430 lm

101279 € 2,60



3,940 Kg / 0,0381 m<sup>3</sup>  
E27 max 3 x 60W

€ 140

008608 Clear  
140179 Amber

3000 K  
430 lm

101279 € 2,60





# Gemma

Plastic base with different finishes.  
 Matt white polycarbonate diffuser.  
 Quick fastening system.


**LED** LED source 3000 K, 20.000 h life.



252612



252629




■ ■ □ IP20

0,760 Kg / 0,0275 m<sup>3</sup>  
 LED 24W / 2880 lm

€ 40

252612 ■ White  
 252629 ■ Black



■ ■ □ IP20

0,430 Kg / 0,0164 m<sup>3</sup>  
 LED 12W / 1440 lm

€ 30


252599 ■ White  
 252605 ■ Black



# Aura


Matt plastic body and diffuser.  
Lighting fitting suitable for both  
surface or recessed installation.  
Available finishes: white or black.

**LED** LED source 3000/4000 K, 30.000 h  
life.



0,350 Kg / 0,0018 m<sup>3</sup>  
LED 20W / 2050/2100 lm  
€ 35

290799	White	3000K
306346	White	4000K
290775	Black	3000K
306360	Black	4000K



0,400 Kg / 0,0018 m<sup>3</sup>  
LED 20W / 2200/2250 lm  
€ 40

290836	White	3000K
306384	White	4000K
290812	Black	3000K
306407	Black	4000K




P. 778



# Look

Turned aluminum fixing base.  
White, black or satin brass powder coated metal cylindrical diffuser.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



**3,070 Kg / 0,0061 m³**  
GU10 max 1x28W

€ 86

259260 **White**  
259277 **Black**



**3000 K**  
**540 lm**

123943 € 3,50



**1,380 Kg / 0,0037 m³**  
GU10 max 1x28W


€ 60

233352 **White**  
233321 **Black**



**3000 K**  
**540 lm**

123943 € 3,50



**0,740 Kg / 0,0025 m³**  
GU10 max 1x28W


€ 48

233215 **White**  
233192 **Black**



**3000 K**  
**540 lm**

123943 € 3,50



**0,400 Kg / 0,0013 m³**  
GU10 max 1x28W

€ 38

233079 **White**  
233062 **Black**  
285214 **Brass**



**3000 K**  
**540 lm**

123943 € 3,50



P. 074 P. 393 P. 534 P. 708



# Sky

White, black powder coated metal diffuser and body. Fastening system without visible screws.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**

<p><b>1,940 Kg / 0,0047 m<sup>3</sup></b> <b>GU10 max 1x28W</b></p>	<p><b>1,090 Kg / 0,0027 m<sup>3</sup></b> <b>GU10 max 1x28W</b></p>	<p><b>0,600 Kg / 0,0016 m<sup>3</sup></b> <b>GU10 max 1x28W</b></p>
<p>€ <b>70</b></p>	<p>€ <b>65</b></p>	<p>€ <b>47</b></p>
<p><b>234007</b> White <b>233970</b> Black</p>	<p><b>233833</b> White <b>233826</b> Black</p>	<p><b>233772</b> White <b>233765</b> Black</p>
<p><b>3000 K</b> <b>540 lm</b></p>	<p><b>3000 K</b> <b>540 lm</b></p>	<p><b>3000 K</b> <b>540 lm</b></p>
<p><b>123943</b> € <b>3,50</b></p>	<p><b>123943</b> € <b>3,50</b></p>	<p><b>123943</b> € <b>3,50</b></p>

P. 077 P. 392






# Nitro new

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

**LED** LED source 3000 K, 50.000 h life.




IP20

0,860 Kg / 0,0018 m<sup>3</sup>  
LED 25W / 2350 lm

€ 115

319568 White new 205977 White  
322711 Black new 205984 Black




IP20

0,910 Kg / 0,0030 m<sup>3</sup>  
LED 15W / 1350 lm

€ 90

205977 White new 205984 Black




IP20

0,390 Kg / 0,0013 m<sup>3</sup>  
LED 10W / 1100 lm

€ 65

205991 White  
206004 Black



IP20

0,700 Kg / 0,0016 m<sup>3</sup>  
LED 25W / 2350 lm

€ 115

319575 White new 206011 White  
319582 Black new 206028 Black




IP20

0,400 Kg / 0,0013 m<sup>3</sup>  
LED 15W / 1350 lm

€ 90

206011 White new 206028 Black



IP20

0,230 Kg / 0,0005 m<sup>3</sup>  
LED 10W / 1100 lm

€ 65


206035 White  
206042 Black



# Kubiko new

Powder coated aluminum body.  
 Shiny opal polycarbonate diffuser.  
 Magnetic fastening system.  
 Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.



IP20

0,660 Kg / 0,0020 m<sup>3</sup>  
 LED 10W / 1100 lm

€ 80

303321 ■ White new  
 303314 ■ Black new



303321



303314



# Mood


Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.

**LED** Bulbs GU10 7W and GU10 10W 3000 K included.



140841

243924




1,210 Kg / 0,0061 m<sup>3</sup>  
GU10 max 1x 50W

€ 97

140872 White  
243450 Black

3000 K  
800 lm

189031 € 15,00




0,400 Kg / 0,0022 m<sup>3</sup>  
GU10 max 1x 28W

€ 64

140841 White  
243924 Black

3000 K  
540 lm

123943 € 3,50




1,420 Kg / 0,0068 m<sup>3</sup>  
GU10 max 1x 50W

€ 97

140933 White  
243931 Black

3000 K  
800 lm

189031 € 15,00



0,460 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x 28W

€ 64

140902 White  
243948 Black

3000 K  
540 lm

123943 € 3,50





## Dot new

Powder-coated aluminium base, body and ring. Clear satin acrylic diffuser. Lighting fitting for surface installation. Available finishes: white or black.




**LED** LED source 3000/4000 K, 50.000 h life.



319797



319803




IP20

0,600 Kg / 0,0004 m<sup>3</sup>  
LED 4W / 320/370 lm

€ 45

299419	White	3000K
306513	White	4000K
299402	Black	3000K
306520	Black	4000K



IP20

0,100 Kg / 0,0004 m<sup>3</sup>  
LED 4W / 370 lm

€ 67

319797	White	3000K	<span style="color: red;">new</span>
319803	Black	3000K	<span style="color: red;">new</span>



# Spike new

Powder coated or plated turned aluminum body and base.  
Replaceable LED source. Colors: white, chrome, nickel, black or satin brass or antique brass copper.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936



285238




310893



328799




328805



IP20

0,240 Kg / 0,0017 m<sup>3</sup>  
GX53 max 1x15W

€ 80



IP20

0,220 Kg / 0,0014 m<sup>3</sup>  
GX53 max 1x15W

€ 85

- |        |        |     |        |        |     |
|--------|--------|-----|--------|--------|-----|
| 277417 | White  |     | 317489 | White  | new |
| 310886 | Chrome | new | 328799 | Chrome | new |
| 314303 | Nickel | new | 328805 | Nickel | new |
| 278704 | Black  |     | 317496 | Black  | new |
| 285238 | Brass  |     | 317502 | Brass  | new |
| 310893 | Copper | new | 328812 | Copper | new |

3000 K  
910 lm

123936

€ 5,50

3000 K  
910 lm

123936


€ 5,50

# Oak

Gypsum or concrete body.  
Adjustable central bulb holder  
made of varnished metal.



Item suitable for painting and varnishing.



1,730 Kg / 0,0082 m<sup>3</sup>  
GU10 max 1x 35W

2,210 Kg / 0,0078 m<sup>3</sup>  
GU10 max 1x 35W

€ 76

€ 76

150420 White  
150437 Concrete

150468 White  
150475 Concrete



3000 K  
410 lm



3000 K  
410 lm

108292 € 3,00

108292 € 3,00



P. 076




# Tower

Plastic installing base with bayonet system. Total gypsum body. It fits replaceable GU10 bulbs.



Item suitable for painting and varnishing.



0,430 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x 35W

0,620 Kg / 0,0023 m<sup>3</sup>  
GU10 max 1x 35W

€ 39

€ 39

155869 White

155791 White



3000 K  
410 lm



3000 K  
410 lm

108292 € 3,00


108292 € 3,00





# Lika

Family of recessed rectangular LED modules in die-cast aluminium, painted black or white with polycarbonate reflector. Modules available with five lenses. Specially designed to avoid glare (UGR <math><16</math>), best for installation in OFFICES and SHOPS.



IP20

0,370 Kg / 0,0011 m<sup>3</sup>  
LED 12,5W / 1200 lm

€ 90

248530 ■ White  
244884 ■ Black

**LED** LED source 3000 K, 50.000 h life.



P. 786





# Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers.



Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



0,430 Kg / 0,0037 m<sup>3</sup>  
GU10 max 1x28W

€ 98

231495 ■ White  
231471 ■ Black  
244662 ■ Brass

3000 K  
540 lm

123943 € 3,50




P. 090

# Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuser. Available with black finish or white finish with black rear cover and front inner ring.

**LED** LED source 3000 K, 30.000 h life.



0,240 Kg / 0,0010 m<sup>3</sup>  
LED 7W / 520 lm

€ 70

258287 ■ White  
268101 ■ Black




P. 780



# Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



0,220 Kg / 0,0008 m<sup>3</sup>  
GU10 max 1x 35W

€ 50

271538 ■ White  
271545 ■ Black

3000 K  
540 lm

123943 € 3,50





## Petit new

Plated or matt varnished metal body. Fastening system without visible screws. Available finishes: white, brass and black.

**LED**

Bulbs LED E27 8W Globo D95 3000 K included in models: **232966**, **232980** and **233031**. Cod. **101330**




232966



232980




233031



3,000 Kg / 0,0499 m<sup>3</sup>  
E27 max 6 x 42W

€ 130

327983 White new  
327976 Black new  
301532 Brass new




101330 € 7,50



1,570 Kg / 0,0294 m<sup>3</sup>  
E27 max 3 x 42W

€ 80

327969 White new  
327952 Black new  
301525 Brass new




101330 € 7,50



0,790 Kg / 0,0071 m<sup>3</sup>  
E27 max 1 x 42W

€ 40

232966 White new  
232980 Black new  
233031 Brass new



101330 € 7,50





# Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.




155227



155142



P. 428



IP20

0,290 Kg / 0,0004 m³  
E27 max 1x 60W

€ 24

155227 White  
155142 Black

3000 K  
1120 lm

101323 € 7,00



# Mouse


Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



1,900 Kg / 0,0157 m<sup>3</sup>  
GU10 max 4 x 50W

€ 260

073583 White  
156712 Black



108292 € 3,00



# Spot


Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



1,320 Kg / 0,0139 m<sup>3</sup>  
GU10 max 4 x 50W

€ 100

156774 White  
156781 Black



108292 € 3,00





# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

**LED** LED source 3000 K, 20.000 h life.

550	370
1,210 Kg / 0,0058 m <sup>3</sup> LED 24W / 2800 lm	0,870 Kg / 0,0038 m <sup>3</sup> LED 18W / 2100 lm
€ 260	€ 185
196718 White	196701 White





# Rudy new


White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



229089 229065

294827 294810



1,230 Kg / 0,0057 m <sup>3</sup> GU10 max 4 x 35W € 185	1,080 Kg / 0,0041 m <sup>3</sup> GU10 max 3 x 35W € 127	1,230 Kg / 0,0057 m <sup>3</sup> GU10 max 3 x 35W € 195	1,080 Kg / 0,0041 m <sup>3</sup> GU10 max 3 x 35W € 150
---	---	---	---

229089 White 229072 Black	229065 White 229058 Black	294827 White 321523 Black	294810 White 321516 Black
------------------------------	------------------------------	------------------------------	------------------------------

3000 K 540 lm 123943 € 3,50	3000 K 540 lm 123943 € 3,50	3000 K 540 lm 123943 € 3,50	3000 K 540 lm 123943 € 3,50
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------





## Profilo new

Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.


**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



314716



314723



1,900 Kg / 0,0151 m<sup>3</sup>  
GU10 max 4 x 28W

€ 155

328188 White  
328195 Black

3000 K  
540 lm

123943 € 3,50

0,940 Kg / 0,0078 m<sup>3</sup>  
GU10 max 2 x 28W

€ 75

new 314716 White new  
new 314723 Black new

3000 K  
540 lm

123943 € 3,50



# Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.

**LED** Bulbs LED GU10 10W 3000 K included.  
Cod. **189031**



200194



200231




P. 705

<b>1,270 Kg / 0,0202 m<sup>3</sup></b> <b>GU10 max 4 x 50W</b>	<b>0,890 Kg / 0,0074 m<sup>3</sup></b> <b>GU10 max 2 x 50W</b>	<b>0,480 Kg / 0,0034 m<sup>3</sup></b> <b>GU10 max 1 x 50W</b>
<b>€ 265</b>	<b>€ 145</b>	<b>€ 75</b>
<b>200217 White</b> <b>200255 Black</b>	<b>200200 White</b> <b>200248 Black</b>	<b>200194 White</b> <b>200231 Black</b>
<b>3000 K</b> <b>800 lm</b>	<b>3000 K</b> <b>800 lm</b>	<b>3000 K</b> <b>800 lm</b>
<b>189031 € 15,00</b>	<b>189031 € 15,00</b>	<b>189031 € 15,00</b>

# Alfa

Metal structure with satin white or satin nickel. Reflecting body is adjustable by rotation of the stem and inclination of the turning point.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



**1,140 Kg / 0,0196 m³**  
**GU10 max 6 x 50W**

€ 135

**122748** White  
**006338** Nickel

**1,070 Kg / 0,0158 m³**  
**GU10 max 4 x 50W**

€ 90

**122731** White  
**006321** Nickel

**3000 K**  
**540 lm**

**123943** € 3,50

**3000 K**  
**540 lm**

**123943** € 3,50




P. 427



# Slem

Metal structure with white, chrome or satin nickel. Adjustable body: rotational and axially movable stem valve.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



**1,070 Kg / 0,0152 m³**  
**GU10 max 4 x 50W**

€ 92

**142098** White  
**142067** Chrome  
**018850** Nickel

**3000 K**  
**540 lm**

**123943** € 3,50



P. 427





# Maracas


Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.

**LED** Bulbs LED G4 2W 3000 K included.  
Cod. 222257




	IP20		IP20
<b>1,280 Kg / 0,0242 m<sup>3</sup></b>	<b>G4 max 6 x 2W</b>	<b>0,960 Kg / 0,0142 m<sup>3</sup></b>	<b>G4 max 4 x 2W</b>
<b>€ 374</b>		<b>€ 269</b>	
<b>200361</b>	<b>Brass</b>	<b>200354</b>	<b>Brass</b>
	<b>3000 K</b> <b>200 lm</b>		<b>3000 K</b> <b>200 lm</b>
<b>222257</b>	<b>€ 4,00</b>	<b>222257</b>	<b>€ 4,00</b>





# Nodi


Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.



3,200 Kg / 0,1012 m<sup>3</sup>  
E14 max 5 x 28W

€ 270

200484 Chrome



3,200 Kg / 0,1012 m<sup>3</sup>  
E14 max 5 x 28W

€ 210

073712 White  
241050 Brass

101200 3000K  
480 lm € 2,50

101200 3000K  
480 lm € 2,50



P. 173




149622

133393

# Nodino

Metal frame with chrome or matt white paint finish. White acid-etched blown glass diffuser.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**3,160 Kg / 0,3975 m<sup>3</sup>**  
**G9 max 9 x 15W**

**€ 540**

149622 **White**  
133393 **Chrome**

**3000 K**  
**510 lm**  
**305486 € 6,00**



# Perlage new

Metal frame with round section linear structure or squared section round structure. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




328423



328416




328409



7,520 Kg / 0,1314 m<sup>3</sup>  
G9 max 18 x 15W

€ 740


328393 White new 328386 Smok. Gra. new 328379 Amber new



2,780 Kg / 0,0605 m<sup>3</sup>  
G9 max 10 x 15W

€ 450


328415 White new 309286 Smok. Gra. new 327808 Amber new



3,870 Kg / 0,0622 m<sup>3</sup>  
G9 max 9 x 15W

€ 380


328423 White new 328416 Smok. Gra. new 328409 Amber new



1,550 Kg / 0,0385 m<sup>3</sup>  
G9 max 6 x 15W

€ 230


309279 White new 309262 Smok. Gra. new 327822 Amber new




3000 K  
510 lm  
305486 € 6,00



3000 K  
510 lm  
305486 € 6,00



3000 K  
510 lm  
305486 € 6,00



3000 K  
510 lm  
305486 € 6,00



P. 100



P. 435



P. 495



P. 524





# Triumph


Metal base, arms and bulb socket cover with matt black or antiqued brass finishes.



242378



160313



IP20

3,270 Kg / 0,0454 m<sup>3</sup>  
E27 max 8 x 60W

€ 570

242378 ■ Black  
160313 ■ Brass

2200 K  
370 lm

151687 € 4,60




P. 092 P. 436



## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**2,800 Kg / 0,1535 m³**  
**G9 max 5 x 15W**

€ 278

273631 ■ Black

**3000 K**  
**510 lm**  
305486 € 6,00



P. 099 P. 433 P. 494 P. 522




# Pauline

Chrome metal frame. Clear blown hand-shaped and chrome glass decorative elements.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**3,500 Kg / 0,0380 m³**  
**G9 max 5 x 40W**


**€ 500**

**111117** ■ SmokyGrey

 **3000 K**  
**510 lm**  
**305486 € 6,00**

# Multiflex

Metal structure finished with matt paint. Flexible metal arms covered with rubber.



IP20

4,330 Kg / 0,0353 m<sup>3</sup>

E14 max 8 x 28W

€ 410

159010 Color

3000 K  
420 lm

101217

€ 2,50

P. 175




# Octopus

Metal base with matt finish. Flexible arms covered with white or multicolor rubber. Blown and sandblasted clear glass diffusers.

**LED**

Bulbs LED G9 4W 3000 K included.

Cod. 209043



IP20

3,000 Kg / 0,0390 m<sup>3</sup>

G9 max 6 x 28W

€ 340

174921 White

174976 Color

3000 K  
510 lm

305486

€ 6,00



174921


174976





# Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.



■ □ IP20


5,400 Kg / 0,1765 m<sup>3</sup>  
E14 max 9 x 28W

€ 615

289489 ■ Black

💡 3000 K  
420 lm

101217 € 2,50



■ □ IP20

3,670 Kg / 0,1017 m<sup>3</sup>  
E14 max 6 x 28W

€ 415

289496 ■ Black

💡 3000 K  
420 lm



101217 € 2,50



# Atlas new

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**2,400 Kg / 0,0591 m³**  
G9 max 5 x 4W

**1,500 Kg / 0,0397 m³**  
G9 max 3 x 4W

€ 250

€ 160

328225	White	new	328201	White	new
328218	Black	new	311357	Black	new
311364	Gold	new	311340	Gold	new

3000 K  
510 lm

3000 K  
510 lm

305486 € 6,00

305486 € 6,00



328201



311357




311340



# Spark

Matt black varnished metal frame and plated bulb holders.



■ □ IP20

2,730 Kg / 0,0864 m<sup>3</sup>  
E27 max 20 x 25W

€ 425

238333 ■ Black

💡 3000 K  
1120 lm

101323 € 7,00




P. 105



# Cosmopolitan new

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




**7,600 Kg / 0,1787 m<sup>3</sup>**  
G9 max 12 x 15W

€ 700

273709 ■ Black

**3000 K**  
**510 lm**  
305486 € 6,00




**6,500 Kg / 0,1397 m<sup>3</sup>**  
G9 max 10 x 15W

€ 600

273693 ■ Black

**3000 K**  
**510 lm**  
305486 € 6,00



**3,040 Kg / 0,0579 m<sup>3</sup>**  
G9 max 8 x 15W

€ 330

328485 ■ Black new

**3000 K**  
**510 lm**  
305486 € 6,00





# Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**284286**

**284330**



IP20

1,650 Kg / 0,0377 m<sup>3</sup>  
G9 max 3 x 28W

€ 185

284286 ■ Black  
284330 ■ Brass

3000 K  
510 lm  
305486 € 6,00



P. 496



P. 526



# Lingotto new

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.




IP20

5,580 Kg / 0,0540 m<sup>3</sup>  
E14 max 4 x 28W

€ 315

327860 ■ Black  
198156 ■ Brass



IP20

3,370 Kg / 0,0451 m<sup>3</sup>  
E14 max 2 x 28W

€ 210

new 304137 ■ Black  
198149 ■ Brass



IP20

1,810 Kg / 0,0183 m<sup>3</sup>  
E14 max 1 x 28W

€ 125

new 327853 ■ Black  
198132 ■ Brass

3000 K  
420 lm  
101217 € 2,50

3000 K  
420 lm  
101217 € 2,50


3000 K  
420 lm  
101217 € 2,50



# Lumiere new

Matt black varnished metal frame and details. White central tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

**LED** LED source 3000 K, 25.000 h life.



■ □ IP20

1,760 Kg / 0,0197 m<sup>3</sup>  
LED 18W / 1450 lm

€ 150

314235 White



■ □ IP20

2,070 Kg / 0,0415 m<sup>3</sup>  
LED 18W / 2350 lm

€ 170

314228 White new



P. 176



P. 482



P. 520






# Ping Pong new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. Finishes: white, black, brushed brass.



**LED** LED source 3000 K, 50.000 h life.



1,290 Kg / 0,0119 m<sup>3</sup>  
LED 18W / 1500 lm

€ 230

0,860 Kg / 0,0077 m<sup>3</sup>  
LED 11W / 1000 lm

€ 160


- |        |       |     |        |       |     |
|--------|-------|-----|--------|-------|-----|
| 328256 | White | new | 328232 | White | new |
| 313290 | Black | new | 313283 | Black | new |
| 328263 | Brass | new | 328249 | Brass | new |



# Binomio new

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



1,550 Kg / 0,0240 m³  
G9 max 3 x 4W

1,200 Kg / 0,0145 m³  
G9 max 2 x 4W

€ 115

€ 75

- |        |       |     |        |       |     |
|--------|-------|-----|--------|-------|-----|
| 328454 | White | new | 328430 | White | new |
| 310688 | Black | new | 310671 | Black | new |
| 328461 | Brass | new | 328447 | Brass | new |

3000 K  
510 lm

3000 K  
510 lm

305486 € 6,00

305486 € 6,00



P. 441







# Hermes new

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.



Bulbs LED G9 4W 3000 K included. Cod. **209043**



**2,500 Kg / 0,0296 m<sup>3</sup>**  
G9 max 5 x 28W

**2,700 Kg / 0,0209 m<sup>3</sup>**  
G9 max 3 x 28W

**1,700 Kg / 0,0252 m<sup>3</sup>**  
G9 max 5 x 28W

**2,500 Kg / 0,0209 m<sup>3</sup>**  
G9 max 3 x 28W

€ 350

€ 250

€ 320

€ 220



316680

288277

316680 White new  
288277 Brass

322674 White new  
288260 Brass

322698 White new  
316697 Brass

322667 White new  
317007 Brass new



3000 K  
510 lm  
305486 € 6,00

3000 K  
510 lm  
305486 € 6,00

3000 K  
510 lm  
305486 € 6,00

3000 K  
510 lm  
305486 € 6,00



# Ninfea


Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936



306957

293653



460



360



2,550 Kg / 0,0484 m<sup>3</sup>  
GX53 max 3 x 15W

€ 250

1,700 Kg / 0,0302 m<sup>3</sup>  
GX53 max 2 x 15W

€ 175

306964 White  
293660 Brass

306957 White  
293653 Brass

3000 K  
910 lm

123936 € 5,50

3000 K  
910 lm

123936 € 5,50








## Penta new

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



1,700 Kg / 0,0239 m<sup>3</sup>  
G9 max 3 x 4W

€ 148

314822 ■ Gold

3000 K  
510 lm

305486 € 6,00



1,020 Kg / 0,0179 m<sup>3</sup>  
G9 max 2 x 4W

€ 98

new 314815 ■ Gold new

3000 K  
510 lm

305486 € 6,00



P. 443



# Iride new

Matt varnished metal base and frame. Irregular opal polycarbonate diffuser. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.

312491



312507



IP20

IP20

3,800 Kg / 0,0352 m<sup>3</sup>  
LED 23W / 1900 lm

2,810 Kg / 0,0246 m<sup>3</sup>  
LED 17W / 1450 lm

€ 193


€ 138

328362	White	new	312491	White	new
312507	Black	new	312477	Black	new



# Daisy

Metal base with gold leaf finish.  
White acid-etched blown glass  
diffusers with stripes in relief.



■ □ IP20

12,000 Kg / 0,1711 m<sup>3</sup>  
E27 max 6 x 60W

€ 440

247779 ■ Gold

💡 3000 K  
900 lm

123899 € 6,00



# Compo

Chrome or matt white varnished metal frame. White overlay acid-etched or transparent smoky blown glass diffusing elements.



125503



172828



IP20

17,200 Kg / 0,3008 m<sup>3</sup>  
E27 max 10 x 60W

€ 1000

125510 White  
172804 SmokyGrey

3000 K  
910 lm

119571 € 6,00



IP20

9,900 Kg / 0,1918 m<sup>3</sup>  
E27 max 6 x 60W

€ 570

125503 White  
172828 SmokyGrey

3000 K  
910 lm

119571 € 6,00











# Roma

Chrome metal frame and details.  
Square-shaped crystal elements on  
sides and sandblasted bottom glass  
sheet.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



9,600 Kg / 0,1220 m<sup>3</sup>  
G9 max 12 x 40W

6,800 Kg / 0,0905 m<sup>3</sup>  
G9 max 9 x 40W

4,800 Kg / 0,0588 m<sup>3</sup>  
G9 max 6 x 40W

2,500 Kg / 0,0390 m<sup>3</sup>  
G9 max 4 x 40W

€ 640

€ 560

€ 385

€ 270

087870 Chrome

087863 Chrome

000657 Chrome

093093 Chrome



P. 205 P. 454 P. 510

3000 K  
510 lm

305486 € 6,00

3000 K  
510 lm

305486 € 6,00

3000 K  
510 lm

305486 € 6,00

3000 K  
510 lm

305486 € 6,00



# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004



P. 207 P. 454



IP20

13,000 Kg / 0,1809 m<sup>3</sup>  
E14 max 14 x 40W

€ 1145

164991 Chrome  
165004 Gold

3000 K  
480 lm

101200 € 2,50



IP20


8,800 Kg / 0,1040 m<sup>3</sup>  
E14 max 10 x 40W

€ 980

100746 Chrome  
100791 Gold

3000 K  
480 lm

101200 € 2,50



IP20

6,200 Kg / 0,0529 m<sup>3</sup>  
E14 max 6 x 40W

€ 780

100784 Chrome  
100807 Gold

3000 K  
480 lm

101200 € 2,50



# King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



073255



073262



P. 200



IP20


6,250 Kg / 0,0946 m<sup>3</sup>  
G9 max 9 x 40W

€ 665

073255 Chrome  
073262 Gold

3000 K  
510 lm

305486 € 6,00



IP20

3,200 Kg / 0,0487 m<sup>3</sup>  
G9 max 5 x 40W

€ 380

075419 Chrome  
073187 Gold

3000 K  
510 lm

305486 € 6,00



IP20

1,750 Kg / 0,0240 m<sup>3</sup>  
G9 max 3 x 40W

€ 220

075389 Chrome  
075402 Gold

3000 K  
510 lm

305486 € 6,00



# Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



510 510 145	390 390 145	300 300 145
7,050 Kg / 0,0731 m <sup>3</sup> G9 max 8 x 40W	4,580 Kg / 0,0486 m <sup>3</sup> G9 max 6 x 40W	3,000 Kg / 0,0318 m <sup>3</sup> G9 max 4 x 40W
€ 778	€ 500	€ 340
080352 Chrome	080345 Chrome	080338 Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00






# Armony **new**

Matt varnished metal frame.  
Hanging decorative elements  
in metal wire with transparent  
chromed glass beads. Finishes:  
white.

**LED** LED source 3000 K, 30.000 h life.



 IP20	 IP20	 IP20
<b>10,500 Kg / 0,0961 m<sup>3</sup></b> <b>LED 77W / 6750 lm</b>	<b>7,830 Kg / 0,0634 m<sup>3</sup></b> <b>LED 61W / 5600 lm</b>	<b>5,050 Kg / 0,0393 m<sup>3</sup></b> <b>LED 53W / 4750 lm</b>
<b>€ 600</b>	<b>€ 450</b>	<b>€ 315</b>
<b>315812</b> White <b>new</b>	<b>315805</b> White <b>new</b>	<b>328492</b> White <b>new</b>



101187





022239

# Neve

Metal frame. Decorative glass balls fixed to nylon strings. Available with chrome frame and clear glass spheres or with matt white frame and white spheres or with matt white frame and white and clear glass spheres.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



11,250 Kg / 0,1524 m<sup>3</sup>  
G9 max 15 x 40W

7,420 Kg / 0,0920 m<sup>3</sup>  
G9 max 12 x 40W

3,590 Kg / 0,0344 m<sup>3</sup>  
G9 max 8 x 40W

1,500 Kg / 0,0149 m<sup>3</sup>  
G9 max 5 x 40W

€ 760

€ 510

€ 305

€ 155

101194 White  
030784 Chrome

101187 White  
022239 Chrome

101170 White  
022222 Chrome

094687 Chrome

3000 K  
510 lm

3000 K  
510 lm

3000 K  
510 lm


3000 K  
510 lm

305486 € 6,00

305486 € 6,00

305486 € 6,00

305486 € 6,00



# Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**


IP20	IP20	IP20	IP20
11,800 Kg / 0,1524 m <sup>3</sup> G9 max 15 x 40W	6,000 Kg / 0,0933 m <sup>3</sup> G9 max 12 x 40W	2,900 Kg / 0,0398 m <sup>3</sup> G9 max 8 x 40W	1,500 Kg / 0,0144 m <sup>3</sup> G9 max 5 x 40W
€ 875	€ 605	€ 338	€ 170
077819 Chrome 082790 Gold	077802 Chrome 082783 Gold	077796 Chrome 080932 Gold	094649 Chrome 094663 Gold
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00	305486 € 6,00



# Royal

Chrome metal circular frame and bulb socket. Squared, rectangular and octagonal cut crystal pendants and final drops.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




IP20

5,900 Kg / 0,0881 m<sup>3</sup>  
G9 max 12 x 40W

€ 590

053004 Chrome

305486 3000 K  
510 lm € 6,00



IP20

2,840 Kg / 0,0379 m<sup>3</sup>  
G9 max 8 x 40W

€ 310


052991 Chrome

305486 3000 K  
510 lm € 6,00



# Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops.




IP20

3,820 Kg / 0,0225 m<sup>3</sup>  
E14 max 5 x 40W

€ 340

008455 Chrome

101224 3000 K  
470 lm € 2,50



IP20

1,800 Kg / 0,0094 m<sup>3</sup>  
E14 max 3 x 40W

€ 170

008370 Chrome

101224 3000 K  
470 lm € 2,50




P. 202



# Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20

9,780 Kg / 0,0984 m<sup>3</sup>

G9 max 7 x 15W

€ 620


241296 **Gold**

3000 K  
510 lm

305486 € 6,00

# Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



IP20


14,290 Kg / 0,3881 m<sup>3</sup>  
E14 max 24 x 28W

€ 1430

243566 **Chrome**  
243498 **Brass**

3000 K  
470 lm

101224 € 2,50



IP20


6,310 Kg / 0,1413 m<sup>3</sup>  
E14 max 6 x 28W

€ 950

207186 **Chrome**  
201016 **Brass**

3000 K  
470 lm

101224 € 2,50



IP20

3,010 Kg / 0,0392 m<sup>3</sup>  
E14 max 3 x 28W

€ 475

207162 **Chrome**  
200996 **Brass**

3000 K  
470 lm

101224 € 2,50



P. 210



P. 455



207186



201016



# Martinez


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166285



213569



IP20

17,500 Kg / 0,0807 m<sup>3</sup>  
E14 max 8 x 40W

€ 770

166285 Chrome  
213569 Gold

3000 K  
470 lm  
101224 € 2,50



P. 203





# Carlton


Chromed or golden metal frame.  
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



168937



213507



IP20


13,840 Kg / 0,1563 m<sup>3</sup>  
E14 max 12 x 40W

€ 725

168937 Chrome  
213507 Gold

3000 K  
470 lm

101224 € 2,50



IP20

10,200 Kg / 0,1066 m<sup>3</sup>  
E14 max 8 x 40W

€ 625

168920 Chrome

3000 K  
470 lm

101224 € 2,50





# Indoors

## Wall lamps

### Alphabetical index

Alfa	427	Equinoxe	437	Mirror-20	409	Roma	454
Ali	399	Essence	402	Moris	378	Rudy	423
Alma	406	Filo	404	Mouse	422	Santa	463
Balance	382	Firenze	460	Negresco	458	Set Up	446
Barber	426	Fix	378	Newton	438	Shower	439
Bean	414	Flash	390	Ninfea	443	Sky	392
Binomio	441	Flash Gesso	391	Nordik	450	Slem	427
Birds	433	Florian	458	Oby	426	Smarties	397
Book	421	Focus	410	Opera	456	Soda	395
Bow	408	Frida	431	Ovalino	394	Spot	422
Box	379	Gea	453	Oz	374	Strauss	459
Bright	384	Gim	424	Page	415	Sunrise	445
Calypso	454	Gioconda	459	Pan	442	Swan	456
Camerino	400	Goose	412	Pashà	454	Syntesi	375
Cantina	438	Harem	462	Paul	394	Theo	405
Carlton	455	Hilton	448	Pegaso	457	Tick	444
Carta	397	Holiday	450	Peggy	377	Triplo	398
Chalet	460	Hotel	451	Penta	443	Triumph	436
Click	383	Igor	432	Perlage	435	Tudor	399
Clip	381	Io	411	Peter	461	Virtus	383
Corte	457	Kepler	434	Piano	418	Winery	428
Cover	376	Kid	452	Ping Pong	440	Woody	449
Craft	386	Komodo	419	Pipe	416	Zig Zag	389
Cube	382	Linus	387	Posta	380		
Delta	385	Lite	417	Pouche	377		
Desk	386	Look	393	Pretty	400		
Dodo	425	Luxury	450	Privè	401		
Dubai	455	Make Up	407	Probe	420		
Dynamo	413	Mapa Bianco	396	Radio	429		
Echo	388	Maracas	436	Read	420		
Eclissi	445	Minimal	430	Retrò	409		
Edison	428	Mirror-10	408	Riflesso	407		

# Carta

Pag 397



370



Oz 374



Syntesi 375



Clip 381



Cube 382



Linus 387



Echo 388



Soda 395

new



MapaBianco 396



Privè 401



Essence 402



Retrò 409



Mirror-20 409



Lite 417



Piano 418



Gim 424




























new



Dodo 425

# Indoors






































## Typology index

						
Cover 376	Peggy 377	Pouche 377	Fix 378	Moris 378	Box 379	Posta 380
<i>new</i>						
Balance 382	Virtus 383	Click 383	Bright 384	Delta 385	Desk 386	Craft 386
						
Zig Zag 389	Flash 390	FlashGesso 391	Sky 392	Look 393	Paul 394	Ovalino 394
	<i>new</i>					
Smarties 397	Carta 397	Triplo 398	Ali 399	Tudor 399	Camerino 400	Pretty 400
<i>new</i>	<i>new</i>			<i>new</i>		
Filo 404	Theo 405	Alma 406	Make Up 407	Riflesso 407	Bow 408	Mirror-10 408
						
Focus 410	IO 411	Goose 412	Dynamo 413	Bean 414	Page 415	Pipe 416
						<i>new</i>
Komodo 419	Probe 420	Read 420	Book 421	Mouse 422	Spot 422	Rudy 423
						
Oby 426	Barber 426	Alfa 427	Slem 427	Winery 428	Edison 428	Radio 429



# Indoors

## Typology index

						
Minimal 430	Frida 431	Igor 432	Birds 433	Kepler 434	Perlage 435	Triumph 436
						
Cantina 438	Newton 438	Shower 439	Ping Pong 440	Binomio 441	Pan 442	Penta 443
						
Eclissi 445	Sunrise 445	Set Up 446	Hilton 448	Woody 449	Luxury 450	Nordik 450
						
Kid 452	Gea 453	Calypso 454	Roma 454	Pashà 454	Carlton 455	Dubai 455
						
Corte 457	Pegaso 457	Negresco 458	Florian 458	Gioconda 459	Strauss 459	Firenze 460
						
Harem 462	Santa 463					



Maracas 436



Equinoxe 437



Ninfea 443



Tick 444



Holiday 450



Hotel 451



Opera 456



Swan 456



Chalet 460



Peter 461



Binomio


Pag 441



# Oz

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

**LED** LED source 3000 K, 30.000 h life.



■ IP20

**0,800 Kg / 0,0087 m<sup>3</sup>**  
**LED 28W / 2500 lm**

**€ 190 On-Off / 255 Dali**


253695	White	On-Off
304489	White	Dali/Push
269399	Black	On-Off
304496	Black	Dali/Push
269405	Brass	On-Off
304502	Brass	Dali/Push



## Syntesi

Powder coated aluminum frame and body. Adjustable diffuser with knurled clear acrylic screen. Color: black.

**LED** LED source 3000 K, 30.000 h life.



■ □ IP20

1,140 Kg / 0,0696 m<sup>3</sup>  
LED 5W / 500 lm

€ 270

271897 ■ Black



■ □ IP20

0,200 Kg / 0,0047 m<sup>3</sup>  
LED 3W / 350 lm

€ 150

271880 ■ Black






## Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.


**LED** LED source 3000 K, 30.000 h life.



0,690 Kg / 0,0028 m<sup>3</sup>  
LED 11W / 1000 lm

€ 100


195711 White  
195759 Black



0,860 Kg / 0,0028 m<sup>3</sup>  
LED 11W / 1000 lm

€ 100


195735 White  
195773 Black



0,390 Kg / 0,0018 m<sup>3</sup>  
LED 9,5W / 830 lm

€ 88

195704 White  
195742 Black



0,510 Kg / 0,0018 m<sup>3</sup>  
LED 9,5W / 830 lm


€ 88

195728 White  
195766 Black

# Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

**LED** LED source 3000 K, 50.000 h life.




■ IP20

0,710 Kg / 0,0068 m<sup>3</sup>  
LED 16,5W / 1500 Lm

€ 170

257242 White



■ IP20

0,520 Kg / 0,0030 m<sup>3</sup>  
LED 10,5W / 1080 Lm

€ 110


257235 White



# Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

**LED** LED source 3000 K, 20.000 h life.




■ IP20

1,440 Kg / 0,0055 m<sup>3</sup>  
LED 14W / 1300 Lm

€ 110

259352 White



■ IP20

1,120 Kg / 0,0055 m<sup>3</sup>  
LED 14W / 1300 Lm

€ 110


259345 White



# Fix

Matt white metal frame. Light diffuser-expander made of 6 mm-thick aluminum sheet. Integrated LED sources.

**LED** LED source 3000 K, 20.000 h life.



■ □ IP20

0,390 Kg / 0,0050 m<sup>3</sup>

LED 5,5W / 440 lm

€ 95


117867 White



# Moris

Chrome metal frame. Blown glass diffuser available in white color.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. 209043



■ ⊕ IP20

0,520 Kg / 0,0071 m<sup>3</sup>

G9 max 2x40W

€ 90

034546 White

3000 K  
510 lm

305486 € 6,00





## Box

Chrome metal frame. Blown acid-etched overlay glass diffuser. White inside and colored outside.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



0,660 Kg / 0,0100 m<sup>3</sup>  
G9 max 2 x 40W

€ 80

009537 ■ White  
009513 ■ Black

 3000 K  
510 lm  
305486 € 6,00





# Posta

Metal frame available with brushed aluminum or white enamel finish. Diffuser composed of three frosted transparent glass elements.



051963



009940



620




1,560 Kg / 0,0156 m<sup>3</sup>  
E14 max 4 x 40W

€ 95

051987 White  
009957 Aluminum

3000 K  
480 lm

101200 € 2,50



500




1,270 Kg / 0,0136 m<sup>3</sup>  
E14 max 3 x 40W

€ 87

051970 White  
009933 Aluminum

3000 K  
480 lm

101200 € 2,50



360



0,950 Kg / 0,0098 m<sup>3</sup>  
E14 max 2 x 40W

€ 75

051963 White  
009940 Aluminum

3000 K  
480 lm






















101200 € 2,50



# Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.


**LED** Bulbs LED G9 4W 3000 K included in models: **049236, 091136, 049229, 091129** and **170923**. Cod. **209043**

	<b>014166</b>		
	<b>088273</b>		
	<b>031361</b>	<b>1,210 Kg / 0,0161 m<sup>3</sup></b> <b>E27 max 2 x 60W</b>	<b>0,680 Kg / 0,0035 m<sup>3</sup></b> <b>G9 max 2 x 40W</b>
	<b>088266</b>	<b>€ 107</b>	<b>€ 95</b>
	<b>187365</b>	<b>014166</b>  White <b>088273</b>  Silver <b>031361</b>  Chrome <b>088266</b>  Gold <b>187365</b>  Coffee	<b>049236</b>  White <b>091136</b>  Silver <b>049229</b>  Chrome <b>091129</b>  Gold <b>170923</b>  Coffee
		 <b>3000 K</b> <b>430 lm</b>	 <b>3000 K</b> <b>510 lm</b>
		<b>101279</b> <b>€ 2,60</b>	<b>305486</b> <b>€ 6,00</b>

# Cube

Heat sink body made of aluminum sheet of 6 mm thickness. Powder coated. Integrated LED.

**LED** LED source 3000 K, 30.000 h life.



■ IP20

1,390 Kg / 0,0055 m<sup>3</sup>  
LED 14,5W / 1900 lm

€ 195

161792 White

■ IP20

0,800 Kg / 0,0028 m<sup>3</sup>  
LED 8W / 950 lm

€ 145


161785 White



# Balance <sup>new</sup>

Powder coated aluminum frame. Adjustable diffuser with clear glass, frosted inside. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.



■ IP20

2,200 Kg / 0,0111 m<sup>3</sup>  
LED 24W / 3100 lm

€ 275

287584 White  
321561 Black

■ IP20

1,600 Kg / 0,0073 m<sup>3</sup>  
LED 17W / 2200 lm

€ 198

<sup>new</sup> 287577 White  
<sup>new</sup> 321554 Black

■ IP20

1,200 Kg / 0,0056 m<sup>3</sup>  
LED 12W / 1450 lm

€ 160


<sup>new</sup> 287560 White  
<sup>new</sup> 321547 Black



# Virtus

Powder coated metal frame. Satin acrylic diffuser. Up, down and frontal diffuse light emission. Color: white.

**LED** LED source 3000/4000 K, 15.000 h life.



IP20

0,980 Kg / 0,0035 m<sup>3</sup>

LED 17W / 1800/1900 Lm

€ 115

267760 White 3000K

255989 White 4000K



# Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

**LED** LED source 3000 K, 20.000 h life.




IP20

0,600 Kg / 0,0040 m<sup>3</sup>  
LED 10,5W / 1050 lm

€ 84

017518 White



IP20

0,400 Kg / 0,0019 m<sup>3</sup>  
LED 5,5W / 500 lm

€ 62

051444 White








# Bright

Total aluminium body with white matt varnish finish. Upward and downward-facing light beam.

**LED** LED source 3000 K, 30.000 h life.




■ □ IP20

1,660 Kg / 0,0101 m<sup>3</sup>  
LED 23W / 1650 lm

€ 215

131962 White




■ □ IP20

1,120 Kg / 0,0064 m<sup>3</sup>  
LED 15,5W / 1100 lm

€ 160

134789 White



■ □ IP20

0,930 Kg / 0,0051 m<sup>3</sup>  
LED 11W / 820 lm

€ 125

134796 White




## Delta

Powder-coated aluminium body.  
Shiny opal color polycarbonate  
diffusers. Up and down light  
emission. Available finishes: white  
or black.

**LED**

LED source 3000/4000 K, 50.000 h  
life.



IP20

2,400 Kg / 0,0102 m<sup>3</sup>  
LED 37W / 4550/4800 lm

€ 185

287607	White	3000K
307053	White	4000K
287591	Black	3000K
307060	Black	4000K




IP20

0,900 Kg / 0,0078 m<sup>3</sup>  
LED 30W / 3600/3800 lm

€ 160

287621	White	3000K
307039	White	4000K
287614	Black	3000K
307046	Black	4000K



IP20

0,950 Kg / 0,0058 m<sup>3</sup>  
LED 19,5W / 2050/2150 lm

€ 110

287645	White	3000K
307015	White	4000K
287638	Black	3000K
307022	Black	4000K



287645



287638

# Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

**LED** LED source 3000 K, 30.000 h life.




■  IP20

0,640 Kg / 0,0045 m<sup>3</sup>

LED 12,5W / 1150 lm

€ 125

138251  White

173252  Black




P. 084



# Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

**LED** LED source 3000 K, 20.000 h life.



■  IP20

1,000 Kg / 0,0083 m<sup>3</sup>

LED 18W / 2200 lm

€ 210

284491  Wood

■  IP20

0,800 Kg / 0,0057 m<sup>3</sup>

LED 13W / 1550 lm

€ 145

284477  Wood



P. 085




P. 538





# Linus

Linear aluminum lamp with direct and indirect light for wall installation. The lamp is modular and can be used individually or in a continuous line. White or black finish available. Integrated LED, starting binning  $\leq$  3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI  $\geq$  80. Dimmable power supply 1-10V integrated as standard.



1,250 Kg / 0,0158 m<sup>3</sup>  
LED 32W / 3450/3600 lm

€ 210

233840	White	3000K
268095	White	4000K
242019	Black	3000K
268071	Black	4000K

Connector  
Not included  
Optional

€ 6

233666



LED source 3000/4000 K, 50.000 h life.



Lamp with dimmer.



P. 630





273914


285283

285290

# Echo

Powder coated or plated total aluminum base and diffuser. Indirect light emission. Colors: white, black, satin brass.




**LED** LED source 3000 K, 50.000 h life.



■  IP20

0,930 Kg / 0,0051 m<sup>3</sup>  
LED 30W / 3850 lm




€ 160

273945  White  
285306  Black  
285313  Brass

■  IP20

0,640 Kg / 0,0032 m<sup>3</sup>  
LED 20W / 2250 lm

€ 140

273914  White  
285283  Black  
285290  Brass



# Zig Zag

Heat-sink body totally made of aluminium sheet of 6 mm thickness. White or black powder paint finish or plated brass or copper. Integrated LED source.

**LED** LED source 3000/4000 K, 50.000 h life.




■ IP20

1,040 Kg / 0,0047 m<sup>3</sup>  
LED 30W / 4100/4300 lm

€ 135

277219	White	3000K
277257	White	4000K
307183	Chrome	3000K
277226	Black	3000K
287072	Brass	3000K
307190	Copper	3000K




■ IP20

0,590 Kg / 0,0029 m<sup>3</sup>  
LED 23W / 2900/3050 lm

€ 103

179308	White	3000K
277240	White	4000K
282152	Chrome	3000K
179322	Black	3000K
282138	Brass	3000K
282176	Copper	3000K



■ IP20

0,450 Kg / 0,0020 m<sup>3</sup>  
LED 12,5W / 1450/1550 lm

€ 90


179292	White	3000K
277233	White	4000K
282145	Chrome	3000K
179315	Black	3000K
282121	Brass	3000K
282169	Copper	3000K



# Flash

Metal frame with white matt varnished. Upward and downward light emission.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




0,360 Kg / 0,0012 m<sup>3</sup>  
G9 max 2 x 40W

€ 62

095288 White

 3000 K  
510 lm  
305486 € 6,00



0,200 Kg / 0,0005 m<sup>3</sup>  
G9 max 1 x 40W

€ 34

095264 White

 3000 K  
510 lm  
305486 € 6,00



# Flash Gesso

Enameled metal base. Total gypsum body. Double light emission: upward and downward.




Item suitable for painting and varnishing.



214689 214672



214696



■ IP20


0,710 Kg / 0,0049 m<sup>3</sup>  
G9 max 1x 40W

€ 51

214689 White

3000 K  
510 lm

305486 € 6,00



■ IP20


0,770 Kg / 0,0024 m<sup>3</sup>  
G9 max 1x 40W

€ 49

214672 White

3000 K  
510 lm

305486 € 6,00



■ IP20

0,950 Kg / 0,0034 m<sup>3</sup>  
G9 max 1x 40W

€ 45

214696 White

3000 K  
510 lm

305486 € 6,00





# Sky

Metal base and diffuser: plated, matt varnished or decorated with gold leaf.




Bulbs LLED GU10 7W 3000 K included.  
Cod. **123943**



**126883**

**126890**

**136899**



**0,940 Kg / 0,0049 m<sup>3</sup>**  
**GU10 max 2 x 28W**

**€ 116**

**126883** ■ White  
**126890** ■ Black  
**136899** ■ Gold

**3000 K**  
**540 lm**

**123943**     **€ 3,50**



P. 077


P. 311



## Look

Metal body with copper, chrome, antique brass, matt white or black finish.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



0,500 Kg / 0,0028 m<sup>3</sup>  
GU10 max 2x 28W

€ 80

096018 White  
094182 Chrome  
095998 Black  
164847 Copper  
164823 Ant. Brass

3000 K  
540 lm

123943 € 3,50



P. 074



P. 310



P. 534





P. 708

# Paul

Metal base with matt varnish finish. Blown acid-etched and overlay glass diffuser. Available with white finish.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



0,560 Kg / 0,0064 m<sup>3</sup>  
G9 max 2x40W

0,540 Kg / 0,0056 m<sup>3</sup>  
G9 max 2x40W

€ 65

€ 65

060620 White

231129 White



3000 K  
510 lm

305486

€ 6,00




3000 K  
510 lm

305486

€ 6,00

# Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet.



1,800 Kg / 0,0563 m<sup>3</sup>  
E27 max 2x60W

€ 125

038025 White



3000 K  
340 lm

101286

€ 2,60



P. 155



P. 394



# Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.



Item suitable for painting and varnishing.

510	300
2,630 Kg / 0,0154 m <sup>3</sup>	1,100 Kg / 0,0068 m <sup>3</sup>
E14 max 2x 40W	E14 max 1x 40W
€ 100	€ 65
105727 White	105710 White
3000 K 420 lm	3000 K 420 lm
101217 € 2,50	101217 € 2,50






## Mapa Bianco new

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

**LED**

Bulbs LED G9 4W 3000 K included in models: **059808** and **310787**.  
Cod. **209043**




IP20

1,660 Kg / 0,0647 m<sup>3</sup>  
E27 max 1x 60W

€ 88

059822 White




IP20

0,900 Kg / 0,0259 m<sup>3</sup>  
E27 max 1x 60W

€ 50

059815 White




IP20

0,380 Kg / 0,0115 m<sup>3</sup>  
G9 max 1x 15W

€ 44

059808 White



IP20

0,230 Kg / 0,0025 m<sup>3</sup>  
G9 max 1x 15W

€ 35

310787 White new



P. 164



P. 292



P. 487



3000 K  
430 lm

101279

€ 2,60



3000 K  
430 lm

101279

€ 2,60



3000 K  
510 lm

305486

€ 6,00



3000 K  
510 lm

305486

€ 6,00

# Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




0,440 Kg / 0,0079 m<sup>3</sup>

G9 max 1x 15W

€ 46

014814 White



3000 K  
510 lm

305486

€ 6,00



P. 152



P. 287



P. 485




# Carta <sup>new</sup>

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.



Bulbs LED G9 4W 3000 K included in model **317090**. Cod. **209043**




0,500 Kg / 0,0127 m<sup>3</sup>

E27 max 1x 25W

€ 85


317106 White



3000 K  
430 lm

101279

€ 2,60




0,200 Kg / 0,0027 m<sup>3</sup>

G9 max 1x 15W

€ 65


new 317090 White



3000 K  
510 lm

305486

€ 6,00



P. 166

P. 293


P. 484

P. 545



# Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.




■  IP20


2,170 Kg / 0,0181m<sup>3</sup>  
E27 max 2 x 60W

€ 70

026480 White

 3000 K  
340 lm

101286 € 2,60




■  IP20

1,260 Kg / 0,0141m<sup>3</sup>  
E27 max 1 x 60W

€ 48


026473 White

 3000 K  
340 lm

101286 € 2,60

# Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.




■ □ ⊕ IP20

1,410 Kg / 0,0157 m<sup>3</sup>

E27 max 2 x 60W

€ 57

026558 White




101286 € 2,60



# Tudor

Chrome metal base. Diffuser composed of cut clear glass sheet and half tube of Pyrex glass, sandblasted in the middle.




■ ⊕ IP20

1,900 Kg / 0,0214 m<sup>3</sup>


E14 max 4 x 40W

€ 100

051864 Clear



101217 € 2,50




■ ⊕ IP20

1,130 Kg / 0,0088 m<sup>3</sup>


E14 max 2 x 40W

€ 70

051857 Clear



101217 € 2,50




■ ⊕ IP20

0,700 Kg / 0,0077 m<sup>3</sup>

E14 max 1 x 40W

€ 50

051840 Clear



101217 € 2,50














# Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.



		
650	520	370
■  IP20	■  IP20	■  IP20
1,170 Kg / 0,0157 m <sup>3</sup> E14 max 4 x 40W	0,960 Kg / 0,0123 m <sup>3</sup> E14 max 3 x 40W	0,780 Kg / 0,0097 m <sup>3</sup> E14 max 2 x 40W
€ 98	€ 88	€ 78
027104 White	027098 White	027081 White
 3000 K 420 lm	 3000 K 420 lm	 3000 K 420 lm
101217 € 2,50	101217 € 2,50	101217 € 2,50

# Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.

**LED** LED source 3000 K, 50.000 h life.

**IP54** Protection degree IP54.



		
1070	807	605
■  IP54	■  IP54	■  IP54
1,250 Kg / 0,0169 m <sup>3</sup> LED 24W / 2750 lm	1,120 Kg / 0,0137 m <sup>3</sup> LED 17W / 2200 lm	0,960 Kg / 0,0105 m <sup>3</sup> LED 11,5W / 1250 lm
€ 145	€ 125	€ 100
287768 White	287775 White	287782 White



# Privè

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.

159423



045627



159508



179681



805



⏏ IP20

1,420 Kg / 0,0143 m<sup>3</sup>  
E14 max 8x 40W

€ 128

159522 White  
045634 Chrome

⏏ IP20

1,100 Kg / 0,0095 m<sup>3</sup>  
E14 max 6x 40W

€ 100

159423 White  
045627 Chrome  
159508 Black  
179681 Brass

💡 3000 K  
420 lm  
101217 € 2,50

💡 3000 K  
420 lm  
101217 € 2,50



# Essence

Powder coated aluminum base and body. Opal color acrylic diffuser. Indirect lighting emission. Color: white or black.

**LED** LED source 3000 K, 30.000 h life.



1240	700
1,040 Kg / 0,0163 m <sup>3</sup> LED 20W / 2650 lm	0,800 Kg / 0,0205 m <sup>3</sup> LED 12,5W / 1650 lm
€ 240	€ 182
265575  White 285108  Black	285115  White 265643  Black








## Filo **new**

Powder coated or plated aluminum base and frame. Matt opal polycarbonate diffuser, 45° reclined. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 20.000 h life.

**IP44** Protection degree IP44.



IP44

0,610 Kg / 0,0138 m<sup>3</sup>  
LED 16W / 2000 lm

€ 200

IP44

0,500 Kg / 0,0093 m<sup>3</sup>  
LED 12,5W / 1450 lm

€ 180

327778	White	new	310138	White	new
310152	Black	new	310145	Black	new
327785	Brass	new	327792	Brass	new



P. 078



P. 472





P. 530



# Theo new

Powder coated aluminum base and frame. Shiny opal polycarbonate diffuser. Finishes: white, black

**LED** LED source 3000 K, 30.000 h life.



0,600 Kg / 0,0168 m<sup>3</sup>  
LED 20,5W / 1250 lm  
€ 130

0,520 Kg / 0,0112 m<sup>3</sup>  
LED 13,5W / 870 lm  
€ 115


327945   White new 311777   White new  
311784   Black new 311760   Black new



# Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

**LED** LED source 3000 K, 30.000 h life.



■ □ IP20

0,660 Kg / 0,0264 m<sup>3</sup>  
LED 18W / 2250 lm

€ 165

225029 **White**  
224992 **Chrome**  
225005 **Brass**

■ □ IP20

0,650 Kg / 0,0162 m<sup>3</sup>  
LED 12,5W / 1450 lm

€ 125

224985 **White**  
224930 **Chrome**  
224954 **Brass**

# Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

**LED** LED source 3000 K, 50.000 h life.

**IP54** Protection degree IP54.

■  IP54	■  IP54	■  IP54
<b>1,400 Kg / 0,0129 m<sup>3</sup></b> <b>LED 27W / 3400 lm</b>	<b>1,200 Kg / 0,0088 m<sup>3</sup></b> <b>LED 18W / 2300 lm</b>	<b>1,000 Kg / 0,0067 m<sup>3</sup></b> <b>LED 12W / 1250 lm</b>
<b>€ 200</b>	<b>€ 145</b>	<b>€ 120</b>
<b>287676</b> White	<b>287669</b> White	<b>287652</b> White



# Riflesso <sup>new</sup>

Metal structure with chrome or matt white or black coating. Transparent satin acrylic diffuser.

**LED** LED source 3000 K, 30.000 h life.

**IP44** Protection degree IP44.

■  IP44	■  IP44
<b>0,750 Kg / 0,0192 m<sup>3</sup></b> <b>LED 17W / 1800 lm</b>	<b>0,600 Kg / 0,0143 m<sup>3</sup></b> <b>LED 11W / 1100 lm</b>
<b>€ 190</b>	<b>€ 155</b>
<b>142289</b> White <b>142265</b> Chrome <b>302232</b> Black	<b>142296</b> White <b>142272</b> Chrome <b>302225</b> Black <sup>new</sup>



142296

142272

302225



# Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.


760	460	260
■  IP20	■  IP20	■  IP20
0,860 Kg / 0,0328 m <sup>3</sup> LED 8W / 980 lm	0,790 Kg / 0,0207 m <sup>3</sup> LED 4,5W / 570 lm	0,640 Kg / 0,0117 m <sup>3</sup> LED 2,5W / 360 lm
€ 195	€ 145	€ 125
007021  Chrome 121130  Brass 121147  Ant. Brass	007045  Chrome 121178  Brass 121161  Ant. Brass	005386  Chrome 121154  Brass 121338  Ant. Brass



# Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.

**LED** Bulbs LED G9 4W 3000 K included. Cod. 209043




■  IP20
1,090 Kg / 0,0181 m <sup>3</sup> G9 max 4 x 40W
€ 138
017303  Chrome 017297  Nickel 017310  Ant. Brass
3000 K 510 lm
305486 € 6,00



# Retrò

Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.




IP20

0,790 Kg / 0,0152 m<sup>3</sup>

E14 max 2x28W

€ 120

144917 ■ Ant. Brass



3000 K  
470 lm

101224 € 2,50




# Mirror-20

Metal frame with antique brass, chrome or brass finish. Freely adjustable diffuser.



Bulbs LED G9 4W 3000 K included.

Cod. 209043



IP20

0,550 Kg / 0,0077 m<sup>3</sup>


G9 max 2 x 40W

€ 94

017334 ■ Chrome

031507 ■ Brass

017327 ■ Ant. Brass



3000 K  
510 lm

305486 € 6,00



017334

031507

017327




# Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.




IP20

0,400 Kg / 0,0025 m<sup>3</sup>  
LED 4W / 210 lm

€ 71

097183  White  
097206  Chrome  
097190  Black



IP20

0,410 Kg / 0,0020 m<sup>3</sup>  
LED 3,5W / 280 lm

€ 75

203171  White  
203188  Chrome  
203195  Black




# IO

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



IP20

0,240 Kg / 0,0027 m<sup>3</sup>  
LED 3W / 300 lm

€ 130

285320 ■ White  
272030 ■ Black





# Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.

**LED** LED source 3000 K, 30.000 h life.


**ON/OFF** Lamp with integrated switch.



142708



142692



IP20

0,430 Kg / 0,0040 m<sup>3</sup>  
LED 3W / 200 lm

€ 145

142708 ■ White  
142692 ■ Black



## Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

**LED** LED source 4000 K, 20.000 h life.

**ON/OFF** Lamp with integrated switch.




031460



031477



121352



IP20

0,500 Kg / 0,0031 m<sup>3</sup>  
LED 3W / 200 lm

€ 88

031460 Chrome  
031477 Nickel  
121352 Ant. Brass



# Bean

Directable plated or powder coated metal base and diffuser. White, black, brass or nickel color with black switch and junction.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.



260600



260631



260617



260624




IP20

0,180 Kg / 0,0008 m<sup>3</sup>  
LED 3W / 280 lm

€ 48

260648 White  
260679 Nickel  
260655 Black  
260662 Brass



IP20

0,180 Kg / 0,0005 m<sup>3</sup>  
LED 3W / 280 lm

€ 48

260600 White  
260631 Nickel  
260617 Black  
260624 Brass





## Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.


**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

142586



142579




IP20

0,320 Kg / 0,0025 m<sup>3</sup>  
LED 3W / 145 lm

€ 100

142586 ■ White  
142579 ■ Black



IP20

0,420 Kg / 0,0023 m<sup>3</sup>  
LED 3W / 145 lm

€ 105

142258 ■ White  
142241 ■ Black





# Pipe

Powder coated aluminum body.  
Adjustable diffuser with knurled acrylic screen secured with ring.  
Integrated switch. Colors: white or black.

**LED** LED source 3000 K, 20.000 h life.


**ON OFF** Lamp with integrated switch.



280998



281001



■ □ IP20

0,400 Kg / 0,0009 m<sup>3</sup>  
LED 7W / 580 lm

€ 100

280998 ■ White  
281001 ■ Black




ONLY BOX 502

## Lite

Aluminium base and body with white, black, nickel or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

0,340 Kg / 0,0008 m<sup>3</sup>  
LED 3W / 200 lm

€ 61

250106 White  
250137 Nickel  
250113 Black  
250120 Brass




# Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



■ □ IP20

0,800 Kg / 0,0068 m<sup>3</sup>  
LED 11,5W / 1200 lm

€ 165

287317 ■ White  
287300 ■ Black







## Komodo

Powder-coated metal frame. Adjustable diffuser. Integrated switch and USB socket. Available finishes: white or black.

**LED** LED source 3000 K, 20.000 h life.

**ON/OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



IP20

0,700 Kg / 0,0060 m<sup>3</sup>  
LED 4,5W / 250 lm

€ 90

291789 ■ White  
291796 ■ Black

IP20

0,700 Kg / 0,0060 m<sup>3</sup>  
LED 4,5W / 250 lm

€ 90

306810 ■ White  
306827 ■ Black




# Probe

White or black powder coated aluminum body. Double diffuser: upper diffuser made of acrylic, lower diffuser with flexible arm.

**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



■ IP20

0,870 Kg / 0,0021 m<sup>3</sup>

LED 9W / 700 lm

€ 150

243160 ■ White

237930 ■ Black




# Read

Metal powder coated frame with white or black finish. Adjustable diffuser with integrated LED source. USB socket.

**LED** LED source 3000 K, 15.000 h life.

**ON OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



■ IP20

1,060 Kg / 0,0049 m<sup>3</sup>

LED 3W / 200 lm

€ 150

176536 ■ White

176550 ■ Black





## Book

Powder painted metal frame. Satin glass diffuser. Flexible arm coated with rubber with LED source. Double switch. USB socket.

**LED** LED source 3000 K, 15.000 h life.

**ON/OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



IP20

IP20

1,570 Kg / 0,0125 m<sup>3</sup>  
G9 max 1x 28W +  
LED 3W / 200 lm

1,570 Kg / 0,0125 m<sup>3</sup>  
G9 max 1x 28W +  
LED 3W / 200 lm

€ 180

€ 180

174792 ■ White  
174808 ■ Black


174822 ■ White  
174846 ■ Black

3000 K  
510 lm  
305486 € 6,00

3000 K  
510 lm  
305486 € 6,00

# Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,910 Kg / 0,0067 m<sup>3</sup>  
GU10 max 2x 50W



0,450 Kg / 0,0034 m<sup>3</sup>  
GU10 max 1x 50W

€ 127

€ 72

073545 White  
156705 Black

073521 White  
073569 Black



108292 € 3,00

108292 € 3,00



P. 324 P. 704





073521

073569



# Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,610 Kg / 0,0060 m<sup>3</sup>  
GU10 max 2x 50W



0,410 Kg / 0,0037 m<sup>3</sup>  
GU10 max 1x 50W

€ 52

€ 32

156736 White  
156743 Black

156729 White  
115481 Black



108292 € 3,00

108292 € 3,00



P. 324 P. 704



156729

115481







# Rudy <sup>new</sup>

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**

0,570 Kg / 0,0046 m <sup>3</sup> GU10 max 2 x 35W	0,270 Kg / 0,0017 m <sup>3</sup> GU10 max 1 x 35W	0,570 Kg / 0,0046 m <sup>3</sup> GU10 max 2 x 35W	0,270 Kg / 0,0017 m <sup>3</sup> GU10 max 1 x 35W
€ 100	€ 50	€ 105	€ 55
229041  White 229034  Black	229027  White 229010  Black	294803  White 321509  Black	<b>new</b> 294766  White <b>new</b> <b>new</b> 321530  Black <b>new</b>
3000 K 540 lm	3000 K 540 lm	3000 K 540 lm	3000 K 540 lm
123943 € 3,50	123943 € 3,50	123943 € 3,50	123943 € 3,50





# Gim

Powder painted aluminum frame.  
Rotating diffuser with satin  
acrylic screen. Integrated switch.  
Integrated LED source.

**LED** LED source 3000 K, 15.000 h life.


**ON  
OFF** Lamp with integrated switch.



167152



167121



■  IP20

0,450 Kg / 0,0034 m<sup>3</sup>  
LED 6W / 530 lm

€ 80

167152 ■ White  
167121 ■ Black



# Dodo new

Powder coated or plated metal base and body. Adjustable diffuser with replaceable LED source. Finishes: white, black, brushed brass.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. 123936


314105



314099



314129



IP20

0,930 Kg / 0,0035 m<sup>3</sup>  
GX53 max 2x 15W

€ 68

314136   White new  
327938   Black new  
327921   Brass new

3000 K  
910 lm

123936 € 5,50



IP20

0,450 Kg / 0,0015 m<sup>3</sup>  
GX53 max 1x 15W

€ 36

314105   White new  
314099   Black new  
314129   Brass new


3000 K  
910 lm

123936 € 5,50

# Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

**LED** LED source 3000 K, 20.000 h life.



IP20

0,620 Kg / 0,0030 m<sup>3</sup>  
LED 12W / 1400 lm

€ 120

196695 White



IP20

0,310 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 700 lm

€ 61

196688 White




P. 325

# Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.

**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. 123943



IP20

0,230 Kg / 0,0025 m<sup>3</sup>  
GU10 max 1x28W

€ 75

159997 Ant. Brass

3000 K  
540 lm


123943 € 3,50



# Alfa

Metal structure with antique brass, satin white or satin nickel finish. Reflecting body is adjustable by rotation of the stem and inclination of the turning point.


**LED** Bulbs LED GU10 7W 3000 K included.  
Cod. **123943**



**0,390 Kg / 0,0031 m³**  
GU10 max 2x 50W

€ 45

122717 White  
009483 Nickel



**0,170 Kg / 0,0010 m³**  
GU10 max 1x 50W

€ 23

099057 White  
009377 Nickel  
119786 Ant. Brass

3000 K  
540 lm  
123943 € 3,50

3000 K  
540 lm  
123943 € 3,50



P. 330



099057



009377




119786

# Slem

Metal structure with white, chrome or satin nickel. Adjustable body: rotational and axially movable stem valve.


**LED** Bulbs LLED GU10 7W 3000 K included.  
Cod. **123943**



**0,400 Kg / 0,0025 m³**  
GU10 max 2x 50W

€ 45

142081 White  
142050 Chrome  
018836 Nickel



**0,200 Kg / 0,0010 m³**  
GU10 max 1x 50W

€ 23

099064 White  
122984 Chrome  
018829 Nickel

3000 K  
540 lm  
123943 € 3,50

3000 K  
540 lm  
123943 € 3,50



P. 330



099064



122984



018829



# Winery

Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.



0,250 Kg / 0,0004 m<sup>3</sup>  
E27 max 1x 60W

€ 27

180298 White  
180304 Black

3000 K  
1120 lm

101323 € 7,00




P. 323



# Edison

Chrome metal frame with white or black matt enamel finish. Electrical cable coated with fabric. Adjustable diffuser.



0,410 Kg / 0,0134 m<sup>3</sup>  
E27 max 1x 60W

€ 62

138374 White  
148908 Black

3000 K  
1020 lm

101347 € 8,00



P. 115






## Radio

Metal ceiling rose and frame.  
Adjustable diffuser. Electrical  
cable coated with fabric. Available  
with chrome or matt white or black  
varnish finish.

**LED** Bulbs LED E27 8W Globo D125  
trasparente 3000 K included.  
Cod. **101347**



IP20

0,450 Kg / 0,0119 m<sup>3</sup>  
E27 max 1x60W

€ 72

119465 White  
119427 Chrome  
119502 Black

3000 K  
1020 lm

101347 € 8,00



# Minimal

Metal frame with colored varnish finish. Power cable with fabric coating.


**LED**

Bulbs LED E27 8W Globo D125 trasparente 3000 K included.  
Cod. **101347**

**045191**



**045214**



■ IP20

**0,720 Kg / 0,0164 m<sup>3</sup>**  
**E27 max 1x 60W**

**€ 77**

**045191** ■ White  
**045214** ■ Black

**3000 K**  
**1020 lm**

**101347**     **€ 8,00**



P. 116





## Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.




IP20

0,430 Kg / 0,0092 m<sup>3</sup>  
E27 max 1x 60W

€ 47

163338 ■ Copper  
163321 ■ Ant. Brass

 2200 K  
500 lm

151717 € 8,00




P. 114





# Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.




■  IP20

1,590 Kg / 0,0136 m<sup>3</sup>  
E27 max 1x60W

€ 95

092836 ■ Black

 2200 K  
440 lm

151694 € 6,00




P. 095



## Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20 INDOOR

0,670 Kg / 0,0192 m<sup>3</sup>  
G9 max 1x 15W

€ 73

273655 ■ Black

3000 K  
510 lm

305486

€ 6,00



P. 099

P. 337


P. 494

P. 522



# Kepler

Matt black varnished metal frame.  
Amber transparent blown glass  
diffusers.



■ □ IP20

0,900 Kg / 0,0428 m<sup>3</sup>  
E27 max 3 x 60W

€ 150

187006 ■ Black

■ 3000 K  
430 lm

101279 € 2,60





P. 105



## Perlage new

Metal frame. Blown glass diffusers.  
 Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 4W 3000 K included.  
 Cod. **209043**



0,800 Kg / 0,0173 m<sup>3</sup>  
 G9 max 3 x 15W

0,400 Kg / 0,0062 m<sup>3</sup>  
 G9 max 1 x 15W

€ 150

€ 65

283784 ■ White  
 271439 ■ Smok Gra.  
 322742 ■ Amber new

292410 ■ White  
 292403 ■ Smok Gra.  
 317809 ■ Amber new

3000 K  
 510 lm

3000 K  
 510 lm

305486 € 6,00

305486 € 6,00

P. 100 P. 334 P. 495 P. 524




# Triumph

Totally metal frame with black or antiqued brass finish. AP models with power cable coated with fabric with switch and plug included.



Lamp with integrated switch.



■ □ IP20

0,710 Kg / 0,0067 m<sup>3</sup>  
E27 max 2 x 60W

€ 160


242385 ■ Black  
160245 ■ Brass



2200 K  
370 lm

151687

€ 4,60



■ □ IP20

0,490 Kg / 0,0083 m<sup>3</sup>  
E27 max 1 x 60W

€ 105

242392 ■ Black  
160214 ■ Brass



2200 K  
370 lm

151687

€ 4,60



P. 092



P. 336




# Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.



Bulbs LED G4 2W 3000 K included.  
Cod. 222257



■ □ IP20

0,550 Kg / 0,0049 m<sup>3</sup>  
G4 max 2 x 2W

€ 138


200347 ■ Brass



3000 K  
200 lm

222257

€ 4,00



■ □ IP20

0,280 Kg / 0,0034 m<sup>3</sup>  
G4 max 1 x 2W

€ 72

200330 ■ Brass



3000 K  
200 lm

222257

€ 4,00



P. 331





## Equinoxe

Metal frame and electrified arms with chrome or antiqued brass finish. Transparent blown glass diffusers.


**LED** Bulbs LED G4 2W 3000 K included.  
Cod. 222257



200149



200132



IP20

0,990 Kg / 0,0243 m<sup>3</sup>  
G4 max 1x2W

€ 131

200132 Chrome  
200149 Brass

3000 K  
200 lm

222257 € 4,00




P. 102



P. 525

# Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



■  IP20

0,520 Kg / 0,0184 m<sup>3</sup>

E14 max 1x40W

€ 85

112695 ■ Copper

112626 ■ Ant. Brass



3000 K  
480 lm



101200 € 2,50 [P. 133](#)




112695

112626

# Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



■  IP20

0,600 Kg / 0,0093 m<sup>3</sup>

E27 max 1x42W

€ 62

016399 ■ Nickel

027852 ■ Black

027876 ■ Ant. Brass



3000 K  
900 lm



123899 € 6,00 [P. 542](#)



016399

027852

027876



## Shower

Black matt varnished metal frame.  
Articulated chrome element.  
Adjustable diffuser. Power cable  
coated with fabric with switch and  
plug included.



Lamp with integrated switch.



IP20

0,760 Kg / 0,0391 m<sup>3</sup>  
E27 max 1x60W

€ 130

179643 ■ Black

3000 K  
900 lm

123899 € 6,00






## Ping Pong new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. Finishes: white, black, brushed brass.



**LED** LED source 3000 K, 50.000 h life.



IP20

0,540 Kg / 0,0021m<sup>3</sup>  
LED 6W / 500 lm

€ 90

328270 ■ White new  
313252 ■ Black new  
328287 ■ Brass new


    
P. 348 P. 488 P. 533



## Binomio new

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



0,500 Kg / 0,0081 m<sup>3</sup>  
G9 max 1x 4W

€ 50

328478 White new  
310664 Black new  
311319 Brass new

 3000 K  
510 lm  
305486 € 6,00




P. 349



# Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.




■  IP20

**6,340 Kg / 0,0461 m<sup>3</sup>**  
**E14 max 2x 40W**

€ 400

208794  Gold

 **3000 K**  
**470 lm**

101224 € 2,50




P. 192



# Penta new

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20

0,600 Kg / 0,0060 m<sup>3</sup>

G9 max 1x 4W

€ 58

314334 **Gold** new

3000 K  
510 lm


305486 € 6,00 P. 352



# Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.

**LED** Bulbs LED GX53 9W 3000 K included.  
Cod. **123936**



IP20

0,800 Kg / 0,0084 m<sup>3</sup>

GX53 max 1x 15W

€ 95

306940 **White**  
293646 **Brass**

3000 K  
910 lm

123936 € 5,50 P. 351







# Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.

**LED** LED source 3000 K, 30.000 h life.




238951



238975



238944



180



0,440 Kg / 0,0029 m<sup>3</sup>  
LED 7,5W / 700 lm


€ 65

238975 ■ White  
238951 ■ Silver  
238944 ■ Gold

# Sunrise

Totally metal frame and decorative elements. Satin dark gold varnish finish.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. 209043




1,290 Kg / 0,0362 m<sup>3</sup>  
G9 max 4 x 40W

€ 225

133300 ■ Black

305486 3000 K  
510 lm € 6,00



0,850 Kg / 0,0224 m<sup>3</sup>  
G9 max 3 x 40W

€ 195

133270 ■ Black


305486 3000 K  
510 lm € 6,00



# Eclissi

Metal frame with powder coated and golden leaf finish. By changing the position of the upper diffuser, the refraction of the light can be whiter or more golden.


**LED** LED source 3000 K, 17.500 h life.



5,600 Kg / 0,0615 m<sup>3</sup>  
LED 30W / 2250 lm

€ 380


259062 ■ Gold



1,400 Kg / 0,0131 m<sup>3</sup>  
LED 11W / 950 lm

€ 115

259048 ■ Gold



259062

259048



P. 196 P. 302 P. 504 P. 558

# Set up

Powder coated or plated metal frames. Two-light wall lamp with flexible rubber-coated arm, independent switches and USB socket. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, dove grey, white or black.



**LED** LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

**ON/OFF** Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.

**USB** Lamp with integrated USB socket in models: **259819**, **259826**, **259833** and **259857**.



259765

259796

259772


259802

260068

304113

260075

260082




IP20

0,900 Kg / 0,0063 m<sup>3</sup>  
E27 max 1x60W +  
LED 3W / 200 lm

€ 115

- 259819 White
- 259833 Nickel
- 259826 Black
- 259857 Brass




IP20

0,370 Kg / 0,0032 m<sup>3</sup>  
E27 max 1x60W

€ 55


- 259765 White
- 259796 Nickel
- 259772 Black
- 259802 Brass



0,023 Kg / 0,0238 m<sup>3</sup>

€ 55


- 260433 White
- 304618 Dove Grey
- 270005 Black
- 260440 Beige



0,012 Kg / 0,0180 m<sup>3</sup>

€ 28


- 260327 White
- 304601 Dove Grey
- 269986 Black
- 260334 Beige



0,013 Kg / 0,0180 m<sup>3</sup>

€ 29

- 260068 White
- 304113 Dove Grey
- 260075 Black
- 260082 Beige



0,011 Kg / 0,0180 m<sup>3</sup>

€ 25

- 260341 White
- 293004 Dove Grey
- 270036 Black
- 260358 Beige

3000 K  
900 lm  
123899 € 6,00

3000 K  
900 lm  
123899 € 6,00






# Hilton

Chrome metal frame. PVC foil shade covered in white fabric. Close on the top with acid-etched glass.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



IP20 max 1x40W

0,700 Kg / 0,0105 m<sup>3</sup>  
G9 max 1x40W

€ 78

075471 White

3000 K  
510 lm  
305486 € 6,00



P. 195



P. 501



P. 563



# Woody

Chrome metal frame. PVC or fabric shade.


**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



**143156**



**087665**



IP20 G9 max 1x 40W

**0,460 Kg / 0,0100 m<sup>3</sup>**  
**G9 max 1x 40W**

**€ 70**

**143156** White  
**087665** Wood

**3000 K**  
**510 lm**  
**305486** **€ 6,00**



P. 194




P. 304

# Luxury

Brass finished metal frame. Matt black base. PVC shade with sides covered with fabric.

IP20



1,220 Kg / 0,0371 m<sup>3</sup>  
E27 max 1x60W

€ 247

201092 ■ Brass

3000 K  
910 lm

119571 € 6,00



P. 500



P. 561




# Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.

**LED** LED source 3000 K, 20.000 h life.

IP20



0,630 Kg / 0,0156 m<sup>3</sup>  
E14 max 1x40W +  
LED 1,5W / 100 lm

€ 110

158242 ■ Black

3000 K  
480 lm

101200 € 2,50



P. 192



P. 500



P. 560




# Holiday

Metal frame with matt varnish base and chrome structure. One single switch to control independently both lighting sources.

**LED** LED source 3000 K, 20.000 h life.

IP20



0,640 Kg / 0,0111 m<sup>3</sup>  
E14 max 1x40W +  
LED 1,5W / 55 lm

€ 115

124162 ■ White

124179 ■ Black

3000 K  
420 lm

101217 € 2,50

124162



124179







# Hotel

Fabric shade. Satin glass diffuser.  
AP2 version with external adjustable led and independent switch.

**LED** LED source 3000 K in model **215693**, **035949**, **103204**, **215709** and **035956**, 20.000 h life.

**ON OFF** Lamp with integrated switch in models: **215693**, **035949**, **103204**, **215709** and **035956**.



IP20

IP20

1,410 Kg / 0,0166 m<sup>3</sup>  
E27 max 1x60W +  
LED 1,5W / 55 lm

1,230 Kg / 0,0166 m<sup>3</sup>  
E27 max 1x60W

€ 115

€ 85


215693 Total White  
035949 White  
215709 Total Black  
035956 Black  
103204 Canvas

152851 White

3000 K  
900 lm  
123899 € 6,00

3000 K  
900 lm  
123899 € 6,00





307480      307503      307497      307473



## Kid new


Powder coated metal base. PVC diffuser with fabric. USB socket. Two lights version with flexible coated with rubber and integrated switch. Base finishes: white, black. Shade colors: beige, white, black, dove gray.



**LED** LED source 3000 K in model **321578** and **307466**, 50.000 h life.

**ON OFF** Lamp with integrated switch in models: **321578** and **307466**.

**USB** Lamp with integrated USB socket.




IP20

0,350 Kg / 0,0017 m<sup>3</sup>  
G9 max 1x28W +  
LED 3W / 160 lm

€ 75

**321578** White  
**307466** Black




IP20

0,220 Kg / 0,0008 m<sup>3</sup>  
G9 max 1x28W

€ 42

new **307459** White  
new **307442** Black



IP20

0,070 Kg / 0,0017 m<sup>3</sup>

€ 11

new **307480** White  
new **307503** Dove Grey  
**307497** Black  
**307473** Beige

305486      3000 K  
510 lm  
€ 6,00

305486      3000 K  
510 lm  
€ 6,00



## Gea

White or black powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

**LED** LED source 3000 K, 20.000 h life.

**ON/OFF** Lamp with integrated switch.

**USB** Lamp with integrated USB socket.



239576




239613



239590



239606



IP20

0,500 Kg / 0,0022 m<sup>3</sup>  
E27 max 1x60W +  
LED 3W / 200 lm

€ 125

239521 ■ White  
239545 ■ Black

3000 K  
900 lm  
123899 € 6,00



0,140 Kg / 0,0180 m<sup>3</sup>

€ 17


239576 ■ White  
239613 ■ Grey  
239590 ■ Black  
239606 ■ Canvas

# Calypso

Metal frame with chrome finish.  
Squared cut crystal decorative elements.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

IP20



1,420 Kg / 0,0125 m<sup>3</sup>  
G9 max 2x40W

€ 160

044163 Chrome

3000 K / 510 Lm  
305486 € 6,00



P. 200




# Roma

Chrome metal frame and details.  
Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

IP20



1,200 Kg / 0,0147 m<sup>3</sup>  
G9 max 2x40W

€ 160

093086 Chrome

3000 K / 510 Lm  
305486 € 6,00



P. 205



P. 356



P. 510



# Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

IP20



1,110 Kg / 0,0057 m<sup>3</sup>  
G9 max 3x40W

€ 210

082264 Chrome  
082288 Gold

3000 K / 510 Lm  
305486 € 6,00



P. 207



P. 357



082264




082288



# Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



IP20

2,570 Kg / 0,0154 m<sup>3</sup>

E14 max 3x 40W

€ 170

168913 Chrome

213491 Gold

101224 3000 K  
470 lm

€ 2,50



P. 204



P. 367



168913



213491

# Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



IP20

1,190 Kg / 0,0084 m<sup>3</sup>

E14 max 2x 28W

€ 210

207155 Chrome

201023 Brass

101224 3000 K  
470 lm

€ 2,50



P. 210



P. 365



207155



201023




# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

**LED** LED source 3000 K, 15.000 h life.

**ON/OFF** Lamp with integrated switch.



**IP20**

1,550 Kg / 0,0220 m<sup>3</sup>

E14 max 1x40W +

LED 1,5W / 55 Lm

€ 180

068268 White

3000 K  
420 Lm

101217

€ 2,50



P. 198




P. 511



P. 565

# Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade.



**IP20**

2,470 Kg / 0,0517 m<sup>3</sup>

E14 max 2x40W

€ 210

035864 White

3000 K  
420 Lm

101217

€ 2,50



P. 199



# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



IP20

1,600 Kg / 0,0302 m<sup>3</sup>

E14 max 2 x 28W

€ 165

059211 White

197708 Brass

3000 K  
370 lm

101231 € 2,50



P. 214



P. 515




P. 566



# Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



IP20

1,060 Kg / 0,0329 m<sup>3</sup>

E14 max 2 x 40W

€ 85

028460 White

057200 Rust

3000 K  
470 lm

101224 € 2,50




P. 217



# Negresco

Metal frame with chrome or golden finish. Golden version with blown and gilded inside glass arms. Main structure composed of cut crystal blocks. Clear glass and cut crystal decorative elements.



IP20

2,380 Kg / 0,0189 m<sup>3</sup>

E14 max 2x28W

€ 160

141046 Clear

087757 Gold



3000 K  
430 lm



101248 € 2,50 P. 220




141046



087757

# Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



IP20

1,430 Kg / 0,0189 m<sup>3</sup>

E14 max 2x40W

€ 155

035642 Chrome

035659 Gold



3000 K  
470 lm



101224 € 2,50 P. 224




035642



035659

# Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.



IP20

1,310 Kg / 0,0111 m<sup>3</sup>

E14 max 2 x 40W

€ 215

044910 Silver

060491 Gold



3000 K  
470 lm



101224

€ 2,50

P. 228




044910



060491

# Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.



IP20

2,080 Kg / 0,0431 m<sup>3</sup>

E14 max 2 x 40W

€ 145

140599 Gold



3000 K  
430 lm



101248


€ 2,50

P. 229



# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



■  IP20

2,050 Kg / 0,0405 m<sup>3</sup>

E14 max 2x40W

€ 158


012902 White

020846 Gold



012902

020846

 3000 K  
430 lm

101248

€ 2,50



P. 236




P. 509



P. 567

# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.




■  IP20

1,770 Kg / 0,0759 m<sup>3</sup>

E14 max 2x40W

€ 205

115511 Beige

 3000 K  
470 lm

101224

€ 2,50



P. 240




P. 508





# Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



IP20

4,160 Kg / 0,0371 m<sup>3</sup>  
E14 max 2 x 40W

€ 230

075211 Canvas


3000 K  
480 lm

101200 € 2,50



## Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.



■ □ IP20

0,900 Kg / 0,0273 m<sup>3</sup>  
E27 max 1x 42W

€ 200

115962 ■ Ant. Brass

● 3000 K  
910 lm

119571 € 6,00



P. 239





## Santa


Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368



087375



IP20


2,900 Kg / 0,0380 m<sup>3</sup>  
E14 max 1x 40W

€ 230

087368 Clear  
087375 Gold

3000 K  
470 lm

101224 € 2,50



IP20

1,200 Kg / 0,0184 m<sup>3</sup>  
E14 max 1x 40W

€ 100

013060 Clear  
013046 Gold

3000 K  
470 lm


101224 € 2,50





# Indoors

Table lamps



# Lumiere

















































Pag 482

## Alphabetical index

Alfiere	502	Nordik	500
Angolo	496	Opera	511
Axel	498	Oz	468
Birds	494	Pegaso	515
Birillo	491	Perlage	495
Candy	486	Ping Pong	488
Carta	484	Pivot	471
Chalet	508	Prato	492
Cream	490	Queen	514
Diamond	483	Roma	510
Diesis	475	Sally	479
Driftwood	506	Set Up	504
Duchessa	513	Smarties	485
Easy	474	Snell	507
Edo	493	Truman	480
Filo	472	Wally	479
Firenze	509	Yoko	473
Futura	476		
Gru	470		
Hilton	501		
Johnny	480		
Kali	503		
Kate	512		
Kelly	478		
Lawyer	481		
Le Roy	514		
Lingotto	497		
London	499		
Lumiere	482		
Luxury	500		
Mapa Bianco	487		

# Indoors

## Typology index

			<b>new</b> 		<b>new</b> 	
Oz 468	Gru 470	Pivot 471	Filo 472	Yoko 473	Easy 474	Diesis 475
				<b>new</b> 		
Futura 476	Kelly 478	Sally 479	Wally 479	Johnny 480	Truman 480	Lawyer 481
<b>new</b> 	<b>new</b> 	<b>new</b> 	<b>new</b> 		<b>new</b> 	<b>new</b> 
Lumiere 482	Diamond 483	Carta 484	Smarties 485	Candy 486	MapaBianco 487	Ping Pong 488
<b>new</b> 					<b>new</b> 	
Cream 490	Birillo 491	Prato 492	Edo 493	Birds 494	Perlage 495	Angolo 496
						
Lingotto 497	Axel 498	London 499	Luxury 500	Nordik 500	Hilton 501	Alfiere 502
						
Kali 503	Set Up 504	Driftwood 506	Snell 507	Chalet 508	Firenze 509	Roma 510
						
Opera 511	Kate 512	Duchessa 513	Queen 514	Le Roy 514	Pegaso 515	






# Oz

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

**LED** LED source 3000 K, 30.000 h life.

**ON  
OFF** Lamp with integrated switch.



IP20

0,890 Kg / 0,0096 m<sup>3</sup>  
LED 23W / 2300 lm

€ 190

269474 White  
269481 Black  
269498 Brass




# Gru

Total metal structure. Pole finished in chrome. Base and diffuser with matt white or black enamel. Swivel and adjustable in height diffuser.

**LED** LED source 3000 K, 15.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



IP20

2,220 Kg / 0,0084 m<sup>3</sup>  
LED 6,3W / 400 lm

€ 185

147642 ■ White  
147659 ■ Black



## Pivot

Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

**LED** LED source. Settable CCT: 3000, 4000, 6000 K. 25.000 h life.

**ON OFF** Lamp with integrated switch.

**+** **-** Lamp with dimmer.

**☞** Lamp with touch dimmer.



**IP20** **☞** **+** **-**

**0,700 Kg / 0,0135 m<sup>3</sup>**  
**LED 7,5W / 700 lm**

**€ 75**

**289168** **White**  
**289151** **Black**





## Filo new

Metal base, powder coated or plated aluminum body. Matt opal polycarbonate diffuser. PVC cable with switch and driver integrated in the plug. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 20.000 h life.




**ON OFF** Lamp with integrated switch.



 IP20

0,500 Kg / 0,0204 m<sup>3</sup>  
LED 10,5W / 1000 lm

€ 150

310107  White new  
310114  Black new  
310121  Brass new

    
P. 078 P. 404 P. 530




# Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.

**ON/OFF** Lamp with integrated switch.



IP20

0,860 Kg / 0,247 m<sup>3</sup>  
LED 5W / 410 lm

€ 85

258881 ■ White  
258911 ■ Black



P. 083



P. 531



## Easy new

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.

**ON OFF** Lamp with integrated switch.



295510



295534



295541



IP20

1,200 Kg / 0,0193 m<sup>3</sup>  
LED 3,5W / 230 lm

€ 90

295510 ■ White new  
295534 ■ Black new  
295541 ■ Brass new




P. 539




## Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

**LED** LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.

   
P. 122 P. 539



291093



283333






291109



 IP20  

1,700 Kg / 0,0637 m<sup>3</sup>  
LED 6,5W / 500 lm

€ 185

291093  Nickel  
283333  Black  
291109  Brass





# Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.




**LED** LED source 4000 K, 25.000 h life.

**ON/OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**Hand icon** Lamp with touch dimmer.



1,830 Kg / 0,0069 m<sup>3</sup>  
LED 12,5W / 1100 lm

€ 130

272078 ■ White  
204895 ■ Aluminum  
204888 ■ Black






# Kelly

Metal technical lamp with white or matt black finish. Jointed and spring balanced arm. Adjustable diffuser.

**ON**  
**OFF** Lamp with integrated switch.




■ □ IP20  
**1,510 Kg / 0,0065 m<sup>3</sup>**  
**E27 max 1 x 42W**  
**€ 45**  
**108117** ■ White  
**108094** ■ Black  
**3000 K**  
**340 lm**  
**101286 € 2,60**




# Sally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.


 Lamp with integrated switch.

# Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.

 Lamp with integrated switch.





 IP20  
 193946      265285      061160


2,600 Kg / 0,0132 m<sup>3</sup>  
 E27 max 1x 42W

€ 85

193946  White  
 265285  Black  
 061160  Black Copper

 3000 K  
 900 lm  
 123899      € 6,00




 IP20  
 193991      265278      061191

2,450 Kg / 0,0111 m<sup>3</sup>  
 E27 max 1x 42W

€ 85

193991  White  
 265278  Black  
 061191  Black Copper

 3000 K  
 340 lm  
 101286      € 2,60



 P. 543





313351

313344

313368



145198

145204

145211



## Johnny <sup>new</sup>

Matt varnished or plated metal frame and diffuser. Jointed arm with tightening knobs. Adjustable diffuser white inside. Black PVC cable with switch. Finishes: black, satin nickel, antique brass.



Lamp with integrated switch.



IP20


2,400 Kg / 0,0109 m<sup>3</sup>  
E14 max 1x25W

€ 110

313351 ■ Nickel <sup>new</sup>  
313344 ■ Black <sup>new</sup>  
313368 ■ Ant. Brass <sup>new</sup>

3000 K  
480 lm

101200 € 2,50



## Truman

Matt white, grey or black painted metal structure and diffuser. Adjustable jointed arm with antique brass metal joints. Diffuser white enamelled on the inner side. Cable is covered with vintage fabric in white or black colour.



Lamp with integrated switch.



IP20


2,380 Kg / 0,0283 m<sup>3</sup>  
E27 max 1x60W

€ 85

145198 ■ White  
145204 ■ Grey  
145211 ■ Black

3000 K  
430 lm

101279 € 2,60





## Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.



Lamp with integrated switch.



IP20

1,850 Kg / 0,0373 m<sup>3</sup>  
E27 max 1x60W

€ 105

045047 Chrome  
013657 Brass  
045030 Ant. Brass

3000 K  
910 lm  
119571 € 6,00





## Lumiere new

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

**LED** LED source 3000 K, 25.000 h life.

**ON OFF** Lamp with integrated switch.



  
 P. 176 P. 346 P. 520



 IP20

2,800 Kg / 0,0290 m<sup>3</sup>  
LED 18W / 2050 lm

€ 170

314204 White new





## Diamond <sup>new</sup>

Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.

**LED** LED source 3000 K, 30.000 h life.

**ON/OFF** Lamp with integrated switch.

**Hand icon** Lamp with touch dimmer.



**IP20**

**0,820 Kg / 0,0061m³**  
**LED 2,2W / 300 lm**

€ 85

305349 Clear <sup>new</sup>



P. 096





# Carta new

Matt white painted metal frame.  
Polycarbonate diffuser with paper  
effect covering.



Bulbs LED G9 4W 3000 K included in  
**317151** model. Cod. **209043**



Lamp with integrated switch.



IP20

0,950 Kg / 0,0127 m<sup>3</sup>  
E27 max 1x 25W

€ 80

317168 White



IP20

0,400 Kg / 0,0025 m<sup>3</sup>  
G9 max 1x 15W

€ 60

new 317151 White new



P. 166



P. 293



P. 397



P. 545



3000 K  
430 lm

101279

€ 2,60



3000 K  
510 Lm

305486

€ 6,00




## Smarties <sup>new</sup>

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

**LED** Bulbs LED G9 4W 3000 K included in **032078** model. Cod. **209043**

**ON/OFF** Lamp with integrated switch.




IP20

2,600 Kg / 0,0810 m<sup>3</sup>  
E27 max 1x42W

€ 190

327914 White




IP20

1,400 Kg / 0,0392 m<sup>3</sup>  
E27 max 1x42W

€ 130

new 327907 White



IP20 INCLUDE

0,470 Kg / 0,0079 m<sup>3</sup>  
G9 max 1x15W

€ 50

new 032078 White



P. 152



P. 287



P. 397



3000 K  
430 lm

101279

€ 2,60



3000 K  
430 lm

101279

€ 2,60



3000 K  
510 Lm

305486

€ 6,00





# Candy

Metal frame with satin nickel finish.  
White acid-etched blown glass  
diffuser.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**




Lamp with integrated switch.



P. 156



P. 290



1,200 Kg / 0,0287 m<sup>3</sup>  
G9 max 1x 40W

€ 102

086804 White

3000 K  
510 Lm

305486 € 6,00




## Mapa Bianco new

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

**LED** Bulbs LED G9 4W 3000 K included in **310817** model. Cod. **209043**

**ON/OFF** Lamp with integrated switch.



3,520 Kg / 0,1354 m<sup>3</sup>  
E27 max 1x 60W

€ 165

000206 White




P. 164



P. 292



P. 396



1,880 Kg / 0,0515 m<sup>3</sup>  
E27 max 1x 60W


€ 85

009131 White



119571

3000 K  
910 lm  
€ 6,00



1,050 Kg / 0,0214 m<sup>3</sup>  
E27 max 1x 60W


€ 50

009155 White



119571

3000 K  
910 lm  
€ 6,00



0,280 Kg / 0,0026 m<sup>3</sup>  
G9 max 1x 15W

€ 45

310817 White new



305486

3000 K  
510 Lm  
€ 6,00





# Ping Pong new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



IP20

1,150 Kg / 0,0232 m<sup>3</sup>  
LED 6W / 500 lm

€ 120

328294 ■ White new  
313320 ■ Black new  
328300 ■ Brass new



# Cream new

Enamelled ceramic body with low band with sand effect. White acid-etched blown glass diffuser. White PVC cable with switch and plug.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



Lamp with integrated switch.



**0,450 Kg / 0,0128 m<sup>3</sup>**  
**G9 max 1x15W**

€ 35

**305264** White



**0,550 Kg / 0,0128 m<sup>3</sup>**  
**G9 max 1x15W**

€ 35

**305271** White new

**3000 K**  
**510 lm**  
**305486** € 6,00

**3000 K**  
**510 lm**  
**305486** € 6,00



# Birillo

Table or floor lamp with chrome metal base and white blown and acid-etched or smoky grey glass diffuser.



Lamp with integrated switch.



000251




116570




2,310 Kg / 0,0442 m<sup>3</sup>  
E27 max 1x60W

€ 155

000251 White  
116587 Smoky Grey


 3000 K  
910 lm  
119571 € 6,00



1,240 Kg / 0,0248 m<sup>3</sup>  
E27 max 1x60W

€ 98

000268 White  
116570 Smoky Grey

 3000 K  
910 lm  
119571 € 6,00






# Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.



Lamp with integrated switch.



1,380 Kg / 0,0219 m<sup>3</sup>  
E27 max 1x 60W

€ 80

074702 White

3000 K  
340 lm

101286 € 2,60



0,650 Kg / 0,0099 m<sup>3</sup>  
E14 max 1x 40W

€ 51

074726 White

3000 K  
420 lm

101217 € 2,50



# Edo

Chrome metal frame inside. White acid-etched overlay blown glass diffuser.



Lamp with integrated switch.



■ □ IP20

1,150 Kg / 0,0172 m³  
E27 max 1x60W

€ 66

044590 White

💡 3000 K  
900 lm

123899 € 6,00



■ □ IP20

0,730 Kg / 0,0082 m³  
E27 max 1x60W

€ 50

044606 White

💡 3000 K  
340 lm

101286 € 2,60



# Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

**ON OFF** Lamp with integrated switch.

-  P. 099
-  P. 337
-  P. 433
-  P. 522




**IP20**  

**0,900 Kg / 0,0163 m³**  
**G9 max 1x 15W**

**€ 86**

**273679 ■ Black**

 **3000 K**  
**510 lm**  
**305486 € 6,00**





## Perlage new

Metal frame. Blown glass diffusers.  
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

**ON/OFF** Lamp with integrated switch.



**2,000 Kg / 0,0227 m<sup>3</sup>**  
G9 max 3 x 15W

**0,600 Kg / 0,0062 m<sup>3</sup>**  
G9 max 1 x 15W

€ 175

€ 75

292472 ■ White  
292465 ■ Smok Gra  
322759 ■ Amber new

292458 ■ White  
292441 ■ Smok Gra  
317823 ■ Amber new

**3000 K**  
**510 lm**  
305486 € 6,00

**3000 K**  
**510 lm**  
305486 € 6,00

P. 100 P. 334 P. 435 P. 524





# Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

**LED** Bulbs LED G9 4W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.



**284316**



**284361**



IP20  

0,600 Kg / 0,0063 m<sup>3</sup>  
G9 max 1x28W

€ 75

284316 ■ Black  
284361 ■ Brass

 3000 K  
510 lm  
305486 € 6,00



P. 344



P. 526



## Lingotto new

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

**LED**

Bulbs LED G9 4W 3000 K included in models: **304151** and **259222**.  
Cod. **209043**

**ON  
OFF**

Lamp with integrated switch.



259222



304151



185

220



120

150

IP20

1,320 Kg / 0,0199 m<sup>3</sup>  
E14 max 1x 28W

€ 125

327877 Black  
251127 Brass

IP20 INCLUDES BULB

0,750 Kg / 0,0084 m<sup>3</sup>  
G9 max 1x 28W

€ 90

new 304151 Black new  
259222 Brass

3000 K  
420 lm

101217 € 2,50

3000 K  
510 lm

305486 € 6,00



P. 094



P. 345




# Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



IP20

1,920 Kg / 0,0185 m<sup>3</sup>  
E27 max 1 x 60W

€ 140

282091 ■ White  
272238 ■ Black

3000 K  
910 lm

119571 € 6,00



P. 553



## London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.




110530



032368



110554



IP20


1,910 Kg / 0,0645 m<sup>3</sup>  
E27 max 1x60W

€ 110

110448 White  
032375 Chrome  
110455 Black

3000 K  
910 lm

119571 € 6,00



IP20

1,270 Kg / 0,0253 m<sup>3</sup>  
E27 max 1x60W

€ 80

110530 White  
032368 Chrome  
110554 Black

3000 K  
910 lm

119571 € 6,00



P. 557






## Nordik

Matt black varnished metal frame.  
Golden PVC foil shade covered with  
black fabric.



Lamp with integrated switch.



1,220 Kg / 0,0504 m<sup>3</sup>  
E27 max 1x 60W

€ 115

161686 ■ Black



3000 K  
910 lm

119571

€ 6,00



P. 192



P. 450



P. 560




## Luxury

Brass finished metal frame. Matt  
black base. PVC shade with sides  
covered with fabric.



Lamp with integrated switch.



2,890 Kg / 0,0333 m<sup>3</sup>  
E27 max 1x 60W

€ 300

201115 ■ Brass



3000 K  
910 lm

119571

€ 6,00



P. 450



P. 561




# Hilton

Chrome metal frame. PVC foil shade covered in fabric. Transparent, sandblasted glass diffuser.

**LED** Bulbs LED G9 4W 3000 K included in 075525 model. Cod. 209043

**ON/OFF** Lamp with integrated switch.



IP20

2,180 Kg / 0,0431 m<sup>3</sup>  
E14 max 2x40W

€ 165

075532 White

3000 K  
420 Lm

101217

€ 2,50



IP20

0,830 Kg / 0,0109 m<sup>3</sup>  
G9 max 1x40W

€ 110

075525 White

3000 K  
510 lm

305486

€ 6,00



P. 195 P. 448 P. 563




# Alfiere

Chrome metal base. Chrome semi-transparent fireproof PVC foil shade.



Lamp with integrated switch.



IP20

1,230 Kg / 0,0276 m<sup>3</sup>  
E27 max 1x 60W

€ 126

032436 Chrome

3000 K  
910 lm

119571 € 6,00



IP20

0,920 Kg / 0,0139 m<sup>3</sup>  
E27 max 1x 60W

€ 106

032467 Chrome

3000 K  
910 lm

119571 € 6,00



## Kali

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.



Lamp with integrated switch.




0,660 Kg / 0,0092 m<sup>3</sup>  
E14 max 1x40W

€ 28

245331 White

3000 K  
420 lm

101217 € 2,50



0,620 Kg / 0,0037 m<sup>3</sup>  
E14 max 1x40W

€ 28

245348 White

3000 K  
420 lm

101217 € 2,50



0,660 Kg / 0,0055 m<sup>3</sup>  
E14 max 1x40W

€ 28

245393 White

3000 K  
420 lm

101217 € 2,50





# Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



Lamp with integrated switch.



259918

259949

259925

259956

260068

304113

260075


260082



1,130 Kg / 0,0055 m<sup>3</sup>  
E27 max 1x60W

€ 78

259918 White  
259949 Nickel  
259925 Black  
259956 Brass



0,680 Kg / 0,0061 m<sup>3</sup>  
E27 max 1x60W

€ 61

259864 White  
259895 Nickel  
259871 Black  
259901 Brass



0,023 Kg / 0,0238 m<sup>3</sup>

€ 55

260433 White  
304618 Dove Grey  
270005 Black  
260440 Beige



0,012 Kg / 0,0180 m<sup>3</sup>

€ 28

260327 White  
304601 Dove Grey  
269986 Black  
260334 Beige



0,013 Kg / 0,0180 m<sup>3</sup>

€ 29

260068 White  
304113 Dove Grey  
260075 Black  
260082 Beige



0,011 Kg / 0,0180 m<sup>3</sup>

€ 25

260341 White  
293004 Dove Grey  
270036 Black  
260358 Beige



3000 K  
900 lm

123899 € 6,00



3000 K  
900 lm

123899 € 6,00




# Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



2,450 Kg / 0,0709 m<sup>3</sup>  
E27 max 1x60W

€ 220

129570 ■ Wood

2200 K  
370 Lm

151687 € 4,60



P. 241



P. 554




## Snell

Natural wood base. Body composed of real branches. PVC foil shade coated with fabric.



Lamp with integrated switch.



■ □ IP20


1,400 Kg / 0,0733 m<sup>3</sup>  
E27 max 1x60W

€ 250

201399 White

● 3000 K  
900 lm

123899 € 6,00



■ □ IP20

1,290 Kg / 0,0389 m<sup>3</sup>  
E27 max 1x60W

€ 225

201382 White

● 3000 K  
900 lm

123899 € 6,00






# Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



Lamp with integrated switch.



IP20

3,500 Kg / 0,1650 m<sup>3</sup>  
E27 max 1x60W

€ 280

128207 Beige

3000 K  
910 lm

119571 € 6,00



P. 240 P. 460



## Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



012889



020853



IP20

1,220 Kg / 0,0216 m<sup>3</sup>  
E14 max 1x 40W

€ 135

012889 White  
020853 Gold

3000 K  
480 lm

101200 € 2,50



P. 236



P. 460



P. 567





# Roma

Chrome metal frame and details.  
Square-shaped crystal elements on  
sides and sandblasted bottom glass  
sheet.



Bulbs LED G9 4W 3000 K included.  
Cod. **209043**



Lamp with integrated switch.



P. 205



P. 356



P. 454



**1,930 Kg / 0,0182 m³**  
**G9 max 1x 40W**

**€ 145**

**114620** **Chrome**

**3000 K**  
**510 lm**

**305486**

**€ 6,00**




# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



Lamp with integrated switch.



IP20

1,750 Kg / 0,0392 m<sup>3</sup>  
E27 max 1x60W

€ 145

068305 White

3000 K  
900 lm

123899 € 6,00



P. 198



P. 456



P. 511





# Kate

Body with clear cut crystals elements. Shades made of double layer pleated fabric.



Lamp with integrated switch.



122878



122885



IP20

2,990 Kg / 0,0605 m<sup>3</sup>  
E27 max 1x 60W

€ 275

122878 White

3000 K  
900 lm

123899 € 6,00



IP20

2,810 Kg / 0,0605 m<sup>3</sup>  
E27 max 1x 60W

€ 275

122885 White

3000 K  
900 lm

123899 € 6,00



## Duchessa

Chrome metal base and details.  
Blown and hand finished glass  
elements. Pleated organza shade.

**ON**  
**OFF** Lamp with integrated switch.



■ □ IP20

3,000 Kg / 0,0652 m<sup>3</sup>  
E27 max 1x60W

€ 155

044491 Clear

💡 3000 K  
900 lm

123899 € 6,00



■ □ IP20

1,900 Kg / 0,0610 m<sup>3</sup>  
E27 max 1x60W

€ 135

051406 Clear

💡 3000 K  
900 lm


123899 € 6,00

# Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.




Lamp with integrated switch.



2,300 Kg / 0,0886 m<sup>3</sup>  
E27 max 1x60W

€ 210


077758 ■ Gold



3000 K  
910 lm

119571


€ 6,00



1,360 Kg / 0,0460 m<sup>3</sup>  
E27 max 1x60W

€ 140


077741 ■ Gold



3000 K  
910 lm

119571


€ 6,00



0,900 Kg / 0,0137 m<sup>3</sup>  
E27 max 1x60W

€ 120

077734 ■ Gold



3000 K  
910 lm

119571

€ 6,00



P. 566




# Le Roy

Chrome metal frame and base with cut crystal decorative elements. PVC foil shade covered with fabric with quilted decoration and silver brilliants.




Lamp with integrated switch.



2,300 Kg / 0,0919 m<sup>3</sup>  
E27 max 1x60W

€ 195


073408 ■ Chrome



3000 K  
910 lm

119571


€ 6,00



1,360 Kg / 0,0456 m<sup>3</sup>  
E27 max 1x60W

€ 127


073422 ■ Chrome



3000 K  
910 lm

119571


€ 6,00



0,900 Kg / 0,0234 m<sup>3</sup>  
E27 max 1x60W

€ 110

073439 ■ Chrome



3000 K  
910 lm

119571

€ 6,00





# Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.




Lamp with integrated switch.



059266



197753



IP20


2,000 Kg / 0,0705 m<sup>3</sup>  
E27 max 1x60W

€ 215

059259 White

3000 K  
900 lm

123899



IP20

1,450 Kg / 0,0117 m<sup>3</sup>  
E14 max 1x28W

€ 110

059266 White  
197753 Brass

3000 K  
420 lm

101217

€ 2,50



P. 214



P. 457



P. 566





# Indoors

## Floor lamps

### Alphabetical index

Angolo	526	Klimt	555
Audio	527	Lift	541
Axel	553	London	557
Birds	522	Look	534
Carta	545	Lumiere	520
Colonna	562	Luxury	561
Comet	546	Mix Up	536
Comfort	540	Newton	542
Craft	538	Nordik	560
Cylinder	560	Opera	565
Daddy	550	Pagoda	551
Diesis	539	Pegaso	566
Dorsale	548	Perlage	524
Driftwood	554	Ping Pong	533
Easy	539	Polly	544
Elvis	542	Queen	566
Eminent	552	Regol	556
Equinoxe	525	Set Up	558
Eva	532	Wally	543
Filo	404	Yoko	531
Firenze	567	York	555
Forcola	564		
Frame	528		
Futura	541		
Hilton	563		



new



Lumiere 520

new



Birds 522



Perlage 524



Equinoxe 525



Angolo 526



Audio 527

new



Frame 528

new



Easy 539



Diesis 539



Comfort 540


new



Lift 541



Futura 541



Newton 542



Elvis 542



Daddy 550



Pagoda 551



Eminent 552



Axel 553



Driftwood 554



York 555



# Indoors

## Typology index



Filo 530



Yoko 531



Eva 532

new



Ping Pong 533

new



Look 534

new



Mix Up 536



Craft 538



Wally 543



Polly 544

new



Carta 545

new



Comet 546



Dorsale 548



Klimt 555



Regol 556



London 557



Set Up 558



Cylinder 560



Nordik 560



Luxury 561



Colonna 562



Hilton 563



Forcola 564



Opera 565



Queen 566



Pegaso 566



Firenze 567





# Lumiere <sup>new</sup>

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

**LED** LED source 3000 K, 25.000 h life.

**ON**  
**OFF** Lamp with integrated switch.



 IP20

10,500 Kg / 0,1515 m<sup>3</sup>  
LED 53W / 7350 lm

€ 500

314198  White <sup>new</sup>



P. 176



P. 346



P. 482




# Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

**LED** Bulbs LED G9 4W 3000 K included.  
Cod. **209043**

**ON**  
**OFF** Lamp with integrated switch.



IP20  INCLUSA

5,640 Kg / 0,1536 m<sup>3</sup>  
G9 max 5 x 15W

€ 340

273662 ■ Black

 3000 K  
510 lm  
305486 € 6,00



P. 099



P. 337



P. 433



P. 494





## Perlage new

Metal frame. Blown glass diffusers.  
 Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

**LED** Bulbs LED G9 4W 3000 K included.  
 Cod. **209043**

**ON OFF** Lamp with integrated switch.

317816

277967

306988

320  
1640  
250

IP20   
**4,800 Kg / 0,0612 m³**  
**G9 max 4 x 15W**  
**€ 285**

277967  White  
 306988  Smoky Gra.  
 317816  Amber new

**3000 K**  
**510 lm**  
**305486 € 6,00**

- P. 100
- P. 334
- P. 435
- P. 495




# Equinoxe

Metal frame and electrified arms with chrome or antiqued brass finish. Transparent blown glass diffusers.

**LED** Bulbs LED G4 2W 3000 K included.  
Cod. **222257**

**ON/OFF** Lamp with integrated switch.



   
P. 102 P. 437



  IP20  INCLUDED

**6,500 Kg / 0,0882 m³**  
**G4 max 4 x 2W**

€ 500

290959  Chrome  
290966  Brass

 **3000 K**  
**200 lm**  
**222257 € 4,00**



# Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

**LED** Bulbs LED G9 4W 3000 K included. Cod. **209043**

**ON OFF** Lamp with integrated switch.



P. 344



P. 496



IP20  

2,700 Kg / 0,1772 m<sup>3</sup>  
G9 max 5 x 28W

€ 280

284309 ■ Black  
284354 ■ Brass

 3000 K  
510 lm  
305486 € 6,00















# Audio


Powder-coated metal frame and adjustable diffusers. PVC power cable with plug and integrated switch. Available finishes: black.

**LED** Bulbs LED GU10 10W 3000 K included.  
Cod. **189031**

**ON/OFF** Lamp with integrated switch.

 1600 340x210	 1300 210x210	 190 380x190
 IP20  INCLUSA	 IP20  INCLUSA	 IP20  INCLUSA
7,400 Kg / 0,1063 m <sup>3</sup> GU10 max 2 x 50W	6,270 Kg / 0,0772 m <sup>3</sup> GU10 max 3 x 50W	2,000 Kg / 0,0213 m <sup>3</sup> GU10 max 2 x 50W
€ 350	€ 350	€ 200
293691 ■ Black	293684 ■ Black	279312 ■ Black
 3000 K 800 lm	 3000 K 800 lm	 3000 K 800 lm
189031 € 15,00	189031 € 15,00	189031 € 15,00







# Frame new

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

**LED** LED source 3000 K, 30.000 h life.

**ON  
OFF** Lamp with integrated switch.



10,300 Kg / 0,0525 m<sup>3</sup>  
LED 30W / 3000 lm

€ 450

299624   White new  
299617   Black new



P. 072




P. 254



# Filo

Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.



**LED** LED source 3000 K, 20.000 h life.

IP20

**ON OFF** Lamp with integrated switch.

1,200 Kg / 0,0124 m<sup>3</sup>  
LED 15W / 1900 lm

€ 250

301051 White  
301068 Black  
301075 Brass



P. 078 P. 404 P. 472





# Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

**LED** LED source 3000 K, 30.000 h life.


**ON/OFF** Lamp with integrated switch.



P. 083



P. 473








# Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.



Lamp with integrated switch.



IP20

8,500 Kg / 0,0680 m<sup>3</sup>  
E27 max 1x60W

€ 250

295213 ■ Black

3000 K  
1020 lm

101347 € 8,00



# Ping Pong new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.

**ON OFF** Lamp with integrated switch.



IP20

2,500 Kg / 0,0916 m<sup>3</sup>

LED 11W / 1000 lm

€ 240


328317 White new

313313 Black new

328324 Brass new

- P. 348
- P. 440
- P. 488







# Look new

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with integrated switch.



5,080 Kg / 0,0809 m<sup>3</sup>  
LED 24W / 2850 lm

€ 240

304922  White new  
304915  Black new





# Mix Up new

Powder-coated metal frame and interchangeable shades. Finishes: white or black.







Lamp with integrated switch.



288451



307428



8,500 Kg / 0,0326 m<sup>3</sup>  
E27 max 1x 42W

€ 200

328164 White  
328171 Black

2,000 Kg / 0,0676 m<sup>3</sup>

€ 85

new 288437 White  
new 288420 Black

1,100 Kg / 0,0446 m<sup>3</sup>

€ 55

307404 White  
288475 Black

0,800 Kg / 0,0147 m<sup>3</sup>

€ 40

307411 White  
288444 Black

0,500 Kg / 0,0174 m<sup>3</sup>


€ 35

307428 White  
288451 Black

0,340 Kg / 0,0008 m<sup>3</sup>

€ 20

307435 White  
288482 Black



3000 K  
900 lm

123899 € 6,00







# Craft

Matt black varnished metal base.  
Natural wood body. Satin opal color polycarbonate diffuser. Black PVC cable with dimmer and plug.



**LED** LED source 3000 K, 20.000 h life.

 Lamp with dimmer.


 Lamp with integrated switch.



P. 085



P. 386



 IP20 

**3,500 Kg / 0,0586 m<sup>3</sup>**  
**LED 26W / 2250 lm**

**€ 395**

**284484**  **Wood**



# Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

**LED** LED source 3000 K, 20.000 h life.



IP20

3,500 Kg / 0,0222 m<sup>3</sup>  
LED 4,5W / 300 lm

€ 205

285337 Nickel  
279800 Black  
285344 Brass



P. 122



P. 475

# Easy <sup>new</sup>

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

**LED** LED source 3000 K, 50.000 h life.



IP20

3,000 Kg / 0,0175 m<sup>3</sup>  
LED 3,5W / 230 lm

€ 130

295473 White <sup>new</sup>  
295497 Black <sup>new</sup>  
295503 Brass <sup>new</sup>



P. 474





# Comfort

Powder-coated aluminium frame. Anti-glare opal color polycarbonate diffuser. Upward and downward light emission. Switch with dimmer, light sensor, USB socket. PVC cable, with plug. Available finishes: white or black.

**LED** LED source 3000/4000 K, 50.000 h life.

**+** Lamp with dimmer.

**USB** Lamp with integrated USB socket.

**UGR** Product with UGR <19.



**IP20**

**12,700 Kg / 0,0326 m³**  
**LED 76W / 10300/11500 lm**

**€ 800**

296685	White	3000K
306452	White	4000K
296678	Black	3000K
306469	Black	4000K




## Lift new

Matt varnished metal frame. Adjustable in height diffuser and directable with opal polycarbonate screen. PVC cable with driver and ground switch. Finishes: white, black.



**LED** LED source 3000 K, 50.000 h life.

**ON/OFF** Lamp with integrated switch.



**IP20**

5,150 Kg / 0,0195 m<sup>3</sup>  
LED 17W / 1950 lm

€ 196

321585   White new  
305592   Black new


## Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



**LED** LED source 4000 K, 25.000 h life.

**Hand icon** Lamp with touch dimmer.



**IP20**

4,440 Kg / 0,0095 m<sup>3</sup>  
LED 12,5W / 1100 lm

€ 190

272085   White  
204956   Aluminum  
204949   Black



P. 476



015286

003528



042794

001197




## Newton

Chrome metal frame and diffuser. Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



Lamp with integrated switch.



IP20

5,270 Kg / 0,0323 m<sup>3</sup>  
E27 max 1x 42W

€ 120

015286 ■ Nickel  
003528 ■ Black

3000 K  
900 lm



123899

€ 6,00

P. 438

## Elvis

Chrome metal frame. Adjustable colored metal diffuser with chrome details outside, enameled white inside.



Lamp with integrated switch.



IP20

3,600 Kg / 0,0277 m<sup>3</sup>  
E27 max 2x 60W

€ 150

042794 ■ Silver  
001197 ■ Black

3000 K  
910 lm

119571

€ 6,00






# Wally

Powder coated metal frame with black finish, nickel-plated metal details. Adjustable articulated arm structure. Switch integrated in the head of the shade. PVC cable.



Lamp with integrated switch.



IP20

8,500 Kg / 0,0771 m³  
E27 max 1x 42W

€ 250

265292 ■ Black

3000 K  
950 lm

101330 € 7,50



P. 479





# Polly

Diffusers and base in chrome, aluminum or black enamelled metal. Chrome metal details and joints. Adjustable diffusers.



Lamp with integrated switch.



IP20

3,500 Kg / 0,0207 m<sup>3</sup>  
E27 max 2 x 60W

€ 120

061122 Chrome  
061115 Silver  
061139 Black

3000 K  
910 lm  
119571 € 6,00



# Carta new

Matt white painted metal frame.  
Polycarbonate diffuser with paper effect covering.



Lamp with integrated switch.



IP20

3,150 Kg / 0,0813 m³  
E27 max 1x25W

€ 225

317144 White new

3000 K  
910 lm

119571



IP20

1,900 Kg / 0,0370 m³  
E27 max 1x25W

€ 110

317137 White new

3000 K  
910 lm

119571

€ 6,00



P. 166



P. 293



P. 397



P. 484








# Comet new



Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.

**LED** LED source 3000 K, 20.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.

 Lamp with integrated switch.



**3,800 Kg / 0,0574 m<sup>3</sup>**  
**LED 30W / 2850 lm**

€ 295

304649 **White** new  
 304168 **Black** new







# Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.





Lamp with integrated switch.

046471



041742

046723



IP20

12,000 Kg / 0,0856 m<sup>3</sup>  
E27 max 1x60W

€ 600

286686 ■ White  
286662 ■ Chrome  
286679 ■ Black

0,430 Kg / 0,0709 m<sup>3</sup>

€ 75

046723 ■ White  
041742 ■ Chrome  
046471 ■ Black

3000 K  
1020 lm

101347 € 8,00





# Daddy

Metal frame. Available in black and matt white color with fabric coated shade.

**ON**  
**OFF** Lamp with integrated switch.



110356

110363

IP20

7,250 Kg / 0,1287 m<sup>3</sup>  
E27 max 1 x 60W

€ 340

110356 ■ White  
110363 ■ Black

3000 K  
1020 lm

101347 € 8,00




# Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.



Lamp with integrated switch.







# Eminent

White or black powder coated metal frame. Pole made of natural wood. PVC shade coated with fabric. Power cable coated with fabric with switch.



Lamp with integrated switch.



207582

207599

IP20

10,610 Kg / 0,1120 m<sup>3</sup>  
E27 max 1 x 60W

€ 525

207582 ■ White  
207599 ■ Black

3000 K  
900 lm

101354 € 8,00



# Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.




Lamp with integrated switch.



272245

282084



IP20

5,200 Kg / 0,0818 m<sup>3</sup>  
E27 max 1x 60W

€ 230

272245 ■ White  
282084 ■ Black

3000 K  
1020 lm

101347 € 8,00



P. 498





# Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



IP20

5,830 Kg / 0,3487 m<sup>3</sup>  
E27 max 1x 60W

€ 645

148939 Wood

2200 K  
370 lm

151687 € 4,60

IP20

24,000 Kg / 0,1753 m<sup>3</sup>  
E27 max 2x 60W

€ 720

180946 Wood

2200 K  
370 lm

151687 € 4,60





P. 241 P. 506



## York

Natural wooden tripod stand with metal details. PVC foil shade coated with fabric. Power cable coated with fabric. Available also with white or black shades and frame.



 Lamp with integrated switch.




 IP20

2,810 Kg / 0,0247 m<sup>3</sup>  
E27 max 1x60W

€ 230


121406  White  
121437  Black  
089805  Wood


 3000 K  
1020 lm

101347 € 8,00

## Klimt

Natural wood tripod. PVC foil shade covered with fabric, chrome metal support.

 Lamp with integrated switch.




 IP20

3,870 Kg / 0,1284 m<sup>3</sup>  
E27 max 1x60W

€ 400

137827  Wood

 3000 K  
1020 lm

101347 € 8,00





# Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.



Lamp with integrated switch.




 IP20

5,420 Kg / 0,0702 m<sup>3</sup>  
E27 max 1x60W

€ 280

014609 White

 3000 K  
1020 lm

101347 € 8,00



# London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.




Lamp with integrated switch.



110233

032382

110240



IP20

7,120 Kg / 0,1879 m<sup>3</sup>  
E27 max 1x60W

€ 300

110233   White  
032382   Chrome  
110240   Black

3000 K  
1020 lm

101347 € 8,00



P. 499





# Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



Lamp with integrated switch.



259963

259994

259970

260006

260136

304120

260235

260242



2,640 Kg / 0,0251 m<sup>3</sup>  
E27 max 1x60W

€ 145

- 259963 White
- 259994 Nickel
- 259970 Black
- 260006 Brass



0,047 Kg / 0,0221 m<sup>3</sup>

€ 85

- 260457 White
- 304625 Dove Grey
- 270012 Black
- 260464 Beige



0,046 Kg / 0,0709 m<sup>3</sup>

€ 65

- 260136 White
- 304120 Dove Grey
- 260235 Black
- 260242 Beige

3000 K  
900 lm  
123899 € 6,00






## Cylinder

Matt white varnished metal base.  
White blown overlay and acid-etched glass diffuser.



Lamp with integrated switch.



10,010 Kg / 0,1145 m<sup>3</sup>  
E27 max 2x 60W

€ 260

111452 ■ White



3000 K  
900 lm

123899

€ 6,00



P. 193




## Nordik

Matt black varnished metal frame.  
Golden PVC foil shade covered with black fabric.



Lamp with integrated switch.



3,620 Kg / 0,0897 m<sup>3</sup>  
E27 max 1x 60W

€ 240

161716 ■ Black



3000 K  
1020 lm

101347

€ 8,00



P. 192



P. 450



P. 500




## Luxury

Brass finished metal frame. Matt black base. PVC shade with sides covered with fabric.



Lamp with integrated switch.



7,440 Kg / 0,1354 m³  
E27 max 1x60W

€ 580

201122  Brass



3000 K  
1020 lm

101347

€ 8,00



P. 450



P. 500



# Colonna

Matt white or black varnished metal frame. Acrylic diffuser. Power cable coated with fabric. The lamp fits replaceable LED bulbs.



Bulbs LED GX53 9W 3000 K included.  
Cod. **123936**




Lamp with integrated switch.



**177199**



**177205**



**7,740 Kg / 0,0710 m³**  
**GX53 max 4 x 15W**

**€ 350**

**177199** ■ White  
**177205** ■ Black

● **3000 K**  
**910 lm**

**123936**     **€ 5,50**




# Hilton

Chrome metal frame. PVC foil shade covered in fabric. Transparent, sandblasted glass diffuser.



Lamp with integrated switch.



IP20

6,600 Kg / 0,0739 m<sup>3</sup>  
E14 max 2 x 40W

€ 270

075488 White

3000 K  
420 lm

101217 € 2,50



P. 195



P. 448



P. 501





# Forcola

Chrome metal frame and details.  
Hand crafted blown clear glass  
reflecting body. PVC foil diffuser  
covered with fabric.



Lamp with integrated switch.



IP20

8,480 Kg / 0,2518 m<sup>3</sup>  
E27 max 1x60W

€ 525

142616 White

3000 K  
900 lm

101354 € 8,00




# Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.



Lamp with integrated switch.



IP20

5,720 Kg / 0,0770 m<sup>3</sup>  
E27 max 1x60W

€ 315

068275 White

3000 K  
900 lm

101354

€ 8,00



P. 198



P. 456



P. 511



## Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



4,900 Kg / 0,0979 m<sup>3</sup>  
E27 max 1x60W

€ 370

077765 ■ Gold



3000 K  
1020 lm



101347

€ 8,00

P. 514




## Pegaso

Chrome metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



Lamp with integrated switch.



5,450 Kg / 0,0985 m<sup>3</sup>  
E27 max 1x60W

€ 340

059228 ■ White



3000 K  
900 Lm



101354

€ 8,00

P. 214

P. 457

P. 515



# Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



002880



020877



IP20

5,600 Kg / 0,1089 m³  
E27 max 1x 60W

€ 340

002880 ■ White  
020877 ■ Gold

3000 K  
1020 lm

101347 € 8,00



P. 236



P. 460



P. 509




























# Indoors

## Linear systems

### Alphabetical index

Arca	570
Chef	648
Ego	584
Fluo	632
Linus	630
Office	646
Steel	642
Stick	616

### Typology index

				
Arca Track <b>572</b>	Arca Accent <b>574</b>	Arca Wide <b>576</b>	Arca Pendant <b>578</b>	
				
<small>new</small> Ego Single <b>586</b>	<small>new</small> Ego Double <b>590</b>	<small>new</small> Ego Big <b>592</b>	<small>new</small> Ego Flat <b>594</b>	<small>new</small> Ego Accent <b>596</b>
				
<small>new</small> Ego Wide <b>598</b>	Ego Flexible <b>600</b>	<small>new</small> Ego Pendant <b>602</b>		
				
<small>new</small> Stick Single <b>618</b>	<small>new</small> Stick Double <b>620</b>	<small>new</small> Stick Accent <b>622</b>	<small>new</small> Stick Wide <b>624</b>	
				
Linus <b>630</b>	Fluo Accent <b>634</b>	Fluo Wide <b>636</b>	Fluo Biemission <b>638</b>	Steel <b>642</b>
				
<small>new</small> Office <b>646</b>	<small>new</small> Chef <b>648</b>			



# Arca

Extruded aluminum linear system compatible with a wide range of lighting fittings with mechanical fixing. The system is anodized and varnished. It is available in black color and for different kind of installations: ceiling, suspension, or flush in plasterboard ceilings. Modules can be assembled according to the desired arrangement. The body section for the ceiling and suspension versions is 42 mm wide and 85 mm high, while the body for recessed version is 86 mm wide and 90 mm high. Both models are available in two lengths: 1000 mm and 3000 mm. Possibility of assembly with different source modules: the WIDE diffusing module, the ACCENT module with UGR control lower than 13, the TRACK, TRACK FLAT or PENDANT modules for SPOT illumination with different emission angles. The CORNER module for angle composition. Integrated LEDs, possibility of color temperature of 3000 K or 4000 K; starting binning  $\leq 3$ -Step MacAdam; IP20 protection; insulation class III; LED useful life 50.000 h L70B50. The 48Vdc power supply gives great versatility and safety, with reversible settlement that can be modified if necessary. The system is suitable for environments where professional lighting with minimal design is required, such as OFFICES and SHOPS.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <13, <16 (Accent, Pendant).



<b>Source</b>	LED COB / SMD
<b>Driver included</b>	No
<b>Drivers available</b>	On/Off
<b>MacAdam</b>	SDCM 3
<b>CCT</b>	3000 K / 4000 K
<b>CRI</b>	$\geq 80 / \geq 90$
<b>UGR</b>	<13, <16 (Accent, Pendant)
<b>LED life</b>	50.000h
<b>Insulation class</b>	III
<b>IP</b>	20
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years







# Arca Track



0,200 Kg/0,0015 m<sup>3</sup>



## LED SMD CREE

Power	Beam	Lumen	CCT	Finish	Code	€
5W	34°	450 lm	3000 K	Black	222974	109
		490 lm	4000 K	Black	223056	109



## LENS

Required	Beam	Code	€
No	20°	223087	8



0,460 Kg/0,0030 m<sup>3</sup>



## LED COB CITIZEN

Power	Beam	Lumen	CCT	Finish	Code	€
14W	36°	1550 lm	3000 K	Black	222967	140
		1650 lm	4000 K	Black	223049	140



## LENS

Required	Beam	Code	€
No	18°	223094	8




0,330 Kg/0,0031 m<sup>3</sup>

## LED COB CITIZEN CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
9W	36°	1100 lm	3000 K	Black	290621	140




Light beam: ACCENT



m	lx	øm
1	553	0,58
2	138	1,16
3	61	1,75
4	35	2,33
5	22	2,91




CRI ≥ 80 5W 34° 450lm 3000K



m	lx	øm
1	2336	0,60
2	584	1,21
3	259	1,81
4	146	2,42
5	93	3,02



CRI ≥ 80 14W 36° 1550lm 3000K




m	lx	øm
1	2242	0,60
2	560	1,20
3	249	1,80
4	140	2,40
5	90	3,00



CRI ≥ 90 9W 36° 1100lm 3000K




# Arca Accent



LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish		Code	€
15W	35°	2000 lm	3000 K	Black	■	222929	170
		2100 lm	4000 K	Black	■	223001	170

0,440 Kg/0,0026 m<sup>3</sup>




LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish		Code	€
29W	35°	3650 lm	3000 K	Black	■	222936	300
		3950 lm	4000 K	Black	■	223018	300


0,700 Kg/0,0087 m<sup>3</sup>



Light beam: ACCENT



m	lx	Øm
1	2707	0,56
2	676	1,13
3	300	2,26
4	169	2,83
5	108	3,39




m	lx	Øm
1	4826	0,60
2	1207	1,21
3	536	1,81
4	301	2,42
5	193	3,02



CRI≥90 15W 35° 2000lm 3000K

CRI≥90 29W 35° 3650lm 3000K



**Arca Accent 300 mm**




**Arca Accent 600 mm**






# Arca Wide



## LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish		Code	€
13W	98°	1900 lm	3000 K	Black	■	222943	105
		2000 lm	4000 K	Black	■	223025	105

0,410 Kg/0,0025 m<sup>3</sup>




## LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish		Code	€
25W	98°	3800 lm	3000 K	Black	■	222950	152
		4050 lm	4000 K	Black	■	223032	152

0,700 Kg/0,0087 m<sup>3</sup>




Light beam: WIDE



m	lx	Øm
1	203	2,16
2	50	4,33
3	22	6,50
4	12	8,66
5	8	10,83



CRI≥80 13W 98° 1900lm 3000K



m	lx	Øm
1	440	2,14
2	110	4,28
3	48	6,42
4	27	8,56
5	17	10,70



CRI≥80 25W 98° 3800lm 3000K




**Arca Wide 300 mm**



**Arca Wide 600 mm**



# Arca Pendant



0,740 Kg/0,0056 m<sup>3</sup>

## LED COB CITIZEN UGR <13


Power	Beam	Lumen	CCT	Finish		Code	€
15 W	34°	1550 lm	3000 K	Black	■	222981	180
		1650 lm	4000 K	Black	■	223063	180

Cables length 350 mm



### LENS

Required	Beam	Code	€
No	18°	223285	8



1,080 Kg/0,0056 m<sup>3</sup>

## LED COB CITIZEN UGR <16

Power	Beam	Lumen	CCT	Finish		Code	€
21 W	30°	2100 lm	3000 K	Black	■	222998	200
		2150 lm	4000 K	Black	■	223070	200

Cables length 350 mm




### LENS

Required	Beam	Code	€
No	15°	223292	8




Light beam: ACCENT



m	lx	øm
1	2410	0,59
2	602	1,19
3	268	1,78
4	151	2,38
5	96	2,98



CRI≥80 15W 34° 1550lm 3000K



m	lx	øm
1	4788	0,51
2	1197	1,03
3	532	1,55
4	299	2,06
5	191	2,58





CRI≥80 21W 30° 2100lm 3000K





# Arca - Suspension



**TRACK** Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,34 Kg	0,0273 m <sup>3</sup>	Black	222745	120
3000 mm	4,02 Kg	0,0496 m <sup>3</sup>	Black	222752	325





**BLINDED CORNER RIGHT - LEFT** Optional

Weight	Volume	Finish	Code	€
0,79 Kg	0,0090 m <sup>3</sup>	Black	283180	130




	Required	Cables Length	Measure (L x H x W)	Code	€
<b>LINEAR CONNECTOR</b>	Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
<b>ELECTRIFIED END CAP</b>	Yes - 1 Kit x power source max 210 W	2150 mm	100 x 2270 x 53 mm	223131	45
<b>END CAP</b>	Yes		20 x 85 x 42 mm	223148	18
<b>SINGLE CABLE KIT</b>	Yes - 1 Kit x 1000 mm	2000 mm	ø 15 x 2000 mm	276366	14

# Arca - Surface



**TRACK** Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,34 Kg	0,0273 m <sup>3</sup>	Black	222745	120
3000 mm	4,02 Kg	0,0496 m <sup>3</sup>	Black	222752	325





**BLINDED CORNER RIGHT - LEFT** Optional

Weight	Volume	Finish	Code	€
0,79 Kg	0,0090 m <sup>3</sup>	Black	283180	130




	Required	Cables Length	Measure (L x H x W)	Code	€
<b>LINEAR CONNECTOR</b>	Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
<b>ELECTRIFIED END CAP</b>	Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124	24
<b>END CAP</b>	Yes		20 x 85 x 42 mm	223148	18
<b>KIT SURFACE</b>	Yes - 1 Kit x 1000 mm		1000 x 12 x 42 mm	222899	30

# Arca - Recessed



**TRACK** Kit for profile installation and closing cups included  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	2,90 Kg	0,0269 m <sup>3</sup>	Black	222769	187
3000 mm	8,70 Kg	0,0496 m <sup>3</sup>	Black	222882	490



**BLINDED CORNER RIGHT - LEFT** Optional

Weight	Volume	Finish	Code	€
1,12 Kg	0,0090 m <sup>3</sup>	Black	283142	170



**LINEAR CONNECTOR**

**ELECTRIFIED END CAP**

Required	Cables Length	Measure (L x H x W)	Code	€
Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124	24



# Arca - Drivers and cover

## DRIVER MEANWELL ON/OFF Required



Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
75 W	48 Vdc	⊕	17x37x62 mm	255x55x75 mm	223155	140
100 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162	185
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179	205
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275	230

## DRIVER BOX Optional



Material	Measure(LxHxW)	Color	Code	€
Metal	255x55x75 mm	White	302379	25
		Black	302362	25
	330x60x80 mm	White	302355	30
		Black	302348	30

## BLINDED COVER Optional



Material	Length	Color	Code	€
PC	990 mm	Black	222912	8



# Ego <sup>new</sup>


Linear system composed of an extruded aluminum profile and magnetically fastened lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm wide and 27 mm or 52 mm high, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the TRACK SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the ACCENT module with glare control (UGR < 19), the PENDANT TUBE module for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 3000K or 4000K; high color rendering CRI ≥ 90, IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUMS, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19 (Accent, Pendant).

<b>Source</b>	LED COB / SMD
<b>Driver included</b>	No
<b>Drivers available</b>	On/Off
<b>Control</b>	1-10V / DALI
<b>MacAdam</b>	SDCM 3
<b>CCT</b>	3000 K / 4000 K
<b>CRI</b>	≥90
<b>UGR</b>	<19 (Accent, Pendant)
<b>LED life</b>	50.000h
<b>Insulation class</b>	III
<b>IP</b>	20
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years






# Ego Track Single




## LED SMD OSRAM




Power	Beam	Control	Lumen	CCT	Finish	Code	€		
3 W	30°	On-Off	200 lm	3000 K	White	282978	85		
					Black	257617	85		
					Brass	282039	85		
			1-10V	220 lm	4000 K	Black	317977	85	new
				200 lm	3000 K	White	303673	120	
				200 lm	3000 K	Black	303666	120	
		DALI	200 lm	3000 K	White	286402	140		
					Black	286396	140		
					220 lm	4000 K	Black	321912	140

## LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish	Code	€		
8 W	30°	On-Off	850 lm	3000 K	White	282985	107		
					Black	257631	107		
					Brass	282046	107		
			1-10V	900 lm	4000 K	Black	317984	107	new
				850 lm	3000 K	White	303697	130	
				850 lm	3000 K	Black	303680	130	
		DALI	850 lm	3000 K	White	286426	160		
					Black	286419	160		
					900 lm	4000 K	Black	321936	160

## LED COB CITIZEN




Power	Beam	Control	Lumen	CCT	Finish	Code	€		
12 W	30°	On-Off	1200 lm	3000 K	White	282992	115		
					Black	257655	115		
					Brass	282053	115		
			1-10V	1250 lm	4000 K	Black	321967	115	new
				1200 lm	3000 K	White	303710	135	
				1200 lm	3000 K	Black	303703	135	
		DALI	1200 lm	3000 K	White	286440	165		
					Black	286433	165		
					1250 lm	4000 K	Black	321943	165

Model	Required	Code	€
Ego 3W	No	260853	5
Ego 8W	No	260860	5
Ego 12W	No	260860	5

## FILTER HONEYCOMB




Light beam: ACCENT



m	lx	øm
1	537	0,46
2	134	0,92
3	60	1,40
4	34	1,80
5	21	2,30




CRI≥90 3W 30° 190lm 3000K



m	lx	øm
1	2393	0,49
2	598	0,98
3	266	1,50
4	150	2,00
5	96	2,50




CRI≥90 8W 30° 730lm 3000K



m	lx	øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60




CRI≥90 12W 30° 1000lm 3000K






# Ego Track Single



## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
19 W	35°	On-Off	2200 lm	3000 K	White		307558	175
			2350 lm	4000 K	Black		305608	175
		1-10V	2200 lm	3000 K	White		307527	195
			2200 lm	3000 K	Black		307510	195
		DALI	2200 lm	3000 K	White		307541	230
			2350 lm	4000 K	Black		307534	230
			2350 lm	4000 K	Black		321974	230 <i>new</i>




## LED COB CITIZEN


Power	Beam	Control	Lumen	CCT	Finish		Code	€
26 W	35°	On-Off	3050 lm	3000 K	White		307602	180
			3150 lm	4000 K	Black		305615	180
		1-10V	3050 lm	3000 K	White		317991	200
			3050 lm	3000 K	Black		307572	200
		DALI	3050 lm	3000 K	White		307565	235
			3050 lm	3000 K	Black		307596	235
			3150 lm	4000 K	Black		307589	235
			3150 lm	4000 K	Black		322001	235 <i>new</i>



Light beam: ACCENT



m	lx	øm
1	4476	0,57
2	1119	1,10
3	497	1,70
4	280	2,30
5	179	2,90




m	lx	øm
1	6816	0,56
2	1704	1,10
3	757	1,70
4	426	2,20
5	273	2,80



CRI≥90 19W 35° 2200lm 3000K


CRI≥90 26W 35° 2950lm 3000K



# Ego Track Double




## LED SMD OSRAM




Power	Beam	Control	Lumen	CCT	Finish	Code	€	
5 W	30°	On-Off	400 lm	3000 K	White	282947	120	
					Black	257624	120	
					Brass	282008	120	
			1-10V	430 lm	4000 K	Black	321714	120 new
				400 lm	3000 K	White	303611	145
				400 lm	3000 K	Black	303604	145
		DALI	400 lm	3000 K	White	286341	170	
			400 lm	3000 K	Black	286334	170	
			430 lm	4000 K	Black	321677	170 new	

## LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish	Code	€	
16 W	30°	On-Off	1500 lm	3000 K	White	282954	160	
					Black	257648	160	
					Brass	282015	160	
			1-10V	1550 lm	4000 K	Black	321806	160 new
				1500 lm	3000 K	White	303635	190
				1500 lm	3000 K	Black	303628	190
		DALI	1500 lm	3000 K	White	286365	210	
			1500 lm	3000 K	Black	286358	210	
			1550 lm	4000 K	Black	321721	210 new	

## LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish	Code	€	
24 W	30°	On-Off	2400 lm	3000 K	White	282961	170	
					Black	257662	170	
					Brass	282022	170	
			1-10V	2500 lm	4000 K	Black	321844	170 new
				2400 lm	3000 K	White	303659	195
				2400 lm	3000 K	Black	303642	195
		DALI	2400 lm	3000 K	White	286389	220	
			2400 lm	3000 K	Black	286372	220	
			2500 lm	4000 K	Black	321899	220 new	


Model	Required	Code	€
Ego 5 W	No	260853	5
Ego 16 W	No	260860	5
Ego 24 W	No	260860	5



Light beam: ACCENT




FILTER HONEYCOMB



m	lx	øm
1	508	0,46
2	127	0,92
3	56	1,40
4	32	2,80
5	20	2,30




CRI≥90 5W 30° 3801m 3000K



m	lx	øm
1	2451	0,49
2	613	1,98
3	272	1,50
4	153	2,00
5	98	2,50



CRI≥90 16W 30° 14501m 3000K



m	lx	øm
1	3051	0,51
2	763	1,00
3	339	1,50
4	191	2,10
5	122	2,60




CRI≥90 24W 30° 20001m 3000K






# Ego Track Big



0,350 Kg/0,0035 m<sup>3</sup>

## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	38°	On-Off	1000 lm	3000 K	White		327556	140 <i>new</i>
					Black		300764	140 <i>new</i>




0,750 Kg/0,0026 m<sup>3</sup>

## LED COB CITIZEN


Power	Beam	Control	Lumen	CCT	Finish		Code	€
20 W	38°	On-Off	2000 lm	3000 K	White		327549	240 <i>new</i>
					Black		316307	240 <i>new</i>



Light beam: ACCENT



m	lx	Øm
1	1296	0,76
2	324	1,50
3	144	2,30
4	81	3,00
5	52	3,80



m	lx	Øm
1	2964	0,71
2	741	1,40
3	329	2,10
4	185	2,80
5	119	3,60




CRI≥90 10W 38° 1000lm 3000K

CRI≥90 20W 38° 2000lm 3000K



# Ego Track Flat




## LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
9W	36°	On-Off	1100 lm	3000 K	White		300504	125
					Black		290614	125
					Brass		300511	125
		1-10V	1100 lm	3000 K	White		303741	140
					Black		303727	140
					Brass		303734	140
		DALI	1100 lm	3000 K	White		300535	175
					Black		300528	175
					Brass		300542	175



Light beam: ACCENT



m	lx	øm
1	2242	0,60
2	560	1,20
3	249	1,80
4	140	2,40
5	90	3,00




CRI≥90 9W 36° 1100lm 3000K






# Ego Accent



0,140 Kg/0,0013 m<sup>3</sup>

## LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
7 W	35°	On-Off	700 lm	3000 K	White		282633	115	
					Black		257792	115	
		1-10V	700 lm	3000 K	White		303505	155	
					Black		303499	155	
			DALI	700 lm	3000 K	White		286068	170
						Black		286051	170
			730 lm	4000 K	Black		321790	170 <i>new</i>	




0,210 Kg/0,0019 m<sup>3</sup>

## LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
13 W	35°	On-Off	1300 lm	3000 K	White		282640	165	
					Black		257686	165	
		1-10V	1300 lm	3000 K	White		303529	190	
					Black		303512	190	
			DALI	1300 lm	3000 K	White		286082	230
						Black		286075	230
			1350 lm	4000 K	Black		321820	230 <i>new</i>	



Light beam: ACCENT



m	lx	øm
1	3121	0,61
2	780	1,20
3	347	1,80
4	195	2,40
5	125	3,00



CRI≥90 13W 35° 1300lm 3000K




**Ego Accent 192 mm**



**Ego Accent 284 mm**




# Ego Wide




## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
7 W	110°	On-Off	850 lm	3000 K	White		283029	85	
					Black		257709	85	
1-10V	110°	On-Off	880 lm	4000 K	Black		317960	85 <i>new</i>	
					850 lm	3000 K	White		303796
			DALI	850 lm	3000 K	Black		303789	130
						White		286501	145
880 lm	4000 K	Black		286495	145				
				322025	145 <i>new</i>				



## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
13 W	110°	On-Off	1700 lm	3000 K	White		283036	118	
					Black		257716	118	
1-10V	110°	On-Off	1750 lm	4000 K	Black		322056	118 <i>new</i>	
					1700 lm	3000 K	White		303819
			DALI	1700 lm	3000 K	Black		303802	165
						White		286525	170
1750 lm	4000 K	Black		286518	170				
				322032	170 <i>new</i>				




## LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
26 W	110°	On-Off	3400 lm	3000 K	White		283043	170	
					Black		257730	170	
1-10V	110°	On-Off	3500 lm	4000 K	Black		322070	170 <i>new</i>	
					3400 lm	3000 K	White		303833
			DALI	3400 lm	3000 K	Black		303826	200
						White		286549	215
3500 lm	4000 K	Black		286532	215				
				322063	215 <i>new</i>				



Light beam: WIDE



m	lx	Øm
1	619	2,50
2	155	4,90
3	69	7,40
4	39	9,80
5	25	12,00



CRI≥90 26W 110° 3300lm 3000K



**Ego Wide 284 mm**



**Ego Wide 560 mm**




**Ego Wide 1120 mm**






# Ego Flexible



## LED SMD OSRAM UGR <19

Power	Beam	Lumen	CCT	Control	Finish		Code	€
13 W	35°	1300 lm	3000 K	On-Off	White		282718	200
					Black		257846	200
				1-10V	White		303543	225
					Black		303536	225
				DALI	White		286105	250
					Black		286099	250



## LED SMD SAMSUNG


Power	Beam	Lumen	CCT	Control	Finish		Code	€
7 W	110°	850 lm	3000 K	On-Off	White		282725	135
					Black		257839	135
				1-10V	White		303567	165
					Black		303550	165
				DALI	White		286129	185
					Black		286112	185




Light beam: ACCENT



Light beam: WIDE



m	lx	øm
1	3112	0,61
2	778	1,20
3	346	1,80
4	194	2,40
5	124	3,00




m	lx	øm
1	231	2,90
2	58	5,80
3	26	8,60
4	14	12,00
5	9	14,00



CRI≥90 13W 35° 1300lm 3000K

CRI≥90 7W 110° 850lm 3000K




**EGO FLEXIBLE ACCENT**



**EGO FLEXIBLE WIDE**


# Ego Pendant



0,540 Kg/0,0038 m<sup>3</sup>

## LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€							
12 W	30°	On-Off	1100 lm	3000 K	White		282879	165							
					Black		257747	165							
					Brass		283852	165							
		1-10V	1100 lm	3000 K	1150 lm	4000 K	Black		321653	165 <small>new</small>					
							White		303598	200					
							Black		303574	200					
							Brass		303581	200					
							DALI	1100 lm	3000 K	1100 lm	3000 K	White		286327	215
												Black		286310	215
Brass		300498	215												
	1150 lm	4000 K	1150 lm	4000 K	Black		321837	215 <small>new</small>							



0,650 Kg/0,0125 m<sup>3</sup>

## LED COB CITIZEN


Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	-	On-Off	1100 lm	3000 K	White		327532	170 <small>new</small>
					Black		327525	170 <small>new</small>




Light beam: ACCENT



Light beam: WIDE



m	lx	Øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1000lm 3000K

CRI≥90 10W 1100lm 3000K






# Ego - Low




**TRACK LOW** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,68 Kg	0,0013 m <sup>3</sup>	White	282909	57
			Black	257877	57
2000 mm	1,36 Kg	0,0026 m <sup>3</sup>	White	282916	115
			Black	266121	115




**CONNECTOR HORIZONTAL LOW** Optional

Weight	Volume	Control	Finish	Code	€	
0,07 Kg	0,0015 m <sup>3</sup>	On-Off	White	282848	95	
			Black	257990	95	
			1-10V / DALI	White	286266	100
			Black	286259	100	



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€	
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	285993	50	
			Black	283104	50	
			1-10V / DALI	White	288338	55
			Black	289281	55	



**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€	
0,12 Kg	0,0005 m <sup>3</sup>	On-Off	White	282862	36	
			Black	265896	36	
			1-10V / DALI	White	286303	50
			Black	286297	50	

Cable length 2000 mm



**END CAP NO HOLE**



**END CAP WITH HOLE**

**SUSPENSION KIT**

**KIT SINGLE CABLE**

Required	Measure (L x H x W)	Finish	Code	€
Yes	26 x 11 x 27 mm	White	282688	6
		Black	267241	6
Yes	26 x 11 x 27 mm	White	282671	6
		Black	267258	6
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749	55
		Black	276328	55
Yes - 1 kit x 900 mm	2000 mm	White	282756	17
		Black	259376	17


# Ego - Assembly plans



PROFILE LOW




# Ego - High




**TRACK HIGH** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,80 Kg	0,0023 m <sup>3</sup>	White	282886	62
			Black	258027	62
2000 mm	1,60 Kg	0,0046 m <sup>3</sup>	White	282893	125
			Black	266145	125




**CONNECTOR HORIZONTAL HIGH** Optional

Weight	Volume	Control	Finish	Code	€
0,10 Kg	0,0015 m <sup>3</sup>	On-Off	White	282824	90
			Black	258140	90
		1-10V / DALI	White	286228	100
			Black	286211	100



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	285993	50
			Black	283104	50
		1-10V / DALI	White	288338	55
			Black	289281	55



**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m <sup>3</sup>	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50

Cable length 2000 mm



**END CAP NO HOLE**

**END CAP WITH HOLE**



**SUSPENSION KIT**

**KIT SINGLE CABLE**


**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code	€
Yes	26 x 11 x 52 mm	White	282664	6
		Black	267227	6
Yes	26 x 11 x 52 mm	White	282657	6
		Black	267234	6
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749	55
		Black	276328	55
Yes - 1 kit x 900 mm	2000 mm	White	282756	17
		Black	259376	17
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

# Ego - Assembly plans




PROFILE HIGH






# Ego - Recessed

**TRACK** Kit for assembly profile included  
Maximum length per power source: 25 meters




Length	Weight	Volume	Finish	Code	€
1000 mm	1,13 Kg	0,0039 m <sup>3</sup>	White	282923	71
			Black	258171	71
2000 mm	2,26 Kg	0,0078 m <sup>3</sup>	White	282930	150
			Black	266183	150

**CONNECTOR HORIZONTAL** Optional




Weight	Volume	Control	Finish	Code	€
0,13 Kg	0,0015 m <sup>3</sup>	On-Off	White	282787	90
			Black	258232	90
		1-10V / DALI	White	286204	125
			Black	286167	125

**LINEAR CONNECTOR** Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	286006	50
			Black	283111	50
		1-10V / DALI	White	289298	55
			Black	289304	55

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W



Cable length 2000 mm

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m <sup>3</sup>	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50



**END CAP NO HOLE**


**END CAP WITH HOLE**

**BLINDED COVER**


**INSTALLATION TOOL**

Required	Measure (L x H x W)	Finish	Code	€
Yes	36 x 4 x 52 mm	White	282701	5
		Black	267203	5
Yes	36 x 4 x 52 mm	White	282695	6
		Black	267210	6
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17
No		Black	292922	31

# Ego - Assembly plans



BLINDED COVER




RECESSED INSTALLATION TOOL




# Ego - Recessed Easy

**TRACK** No mounting kit required, direct ceiling installation  
Maximum length per power source: 25 meters




Length	Weight	Volume	Finish	Code	€
1000 mm	1,16 Kg	0,0058 m <sup>3</sup>	White	320489	85 <i>new</i>
			Black	320472	85 <i>new</i>
2000 mm	2,40 Kg	0,0122 m <sup>3</sup>	White	320502	170 <i>new</i>
			Black	320496	170 <i>new</i>

**CONNECTOR HORIZONTAL** Optional




Weight	Volume	Control	Finish	Code	€
0,30 Kg	0,0010 m <sup>3</sup>	On-Off	White	320748	115 <i>new</i>
			Black	320731	115 <i>new</i>
		1-10V / DALI	White	320724	135 <i>new</i>
			Black	320717	135 <i>new</i>

**LINEAR CONNECTOR** Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	286006	50
			Black	283111	50
		1-10V / DALI	White	289298	55
			Black	289304	55

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W



Cable length 2000 mm

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m <sup>3</sup>	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50






**END CAP NO HOLE**

**END CAP WITH HOLE**

**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code	€
Yes	83 x 52 x 30 mm	White	320564	8 <i>new</i>
		Black	320557	8 <i>new</i>
Yes	83 x 52 x 30 mm	White	320588	10 <i>new</i>
		Black	320571	10 <i>new</i>
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

# Ego - Assembly plans






# Ego - Recessed Trim




**TRACK** Kit for assembly profile included  
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,13 Kg	0,0058 m <sup>3</sup>	White	320441	85 <i>new</i>
			Black	320434	85 <i>new</i>
2000 mm	2,25 Kg	0,0122 m <sup>3</sup>	White	320465	170 <i>new</i>
			Black	320458	170 <i>new</i>




**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Control	Finish	Code	€
0,30 Kg	0,0010 m <sup>3</sup>	On-Off	White	320625	125 <i>new</i>
			Black	320618	125 <i>new</i>
		1-10V / DALI	White	320601	145 <i>new</i>
			Black	320595	145 <i>new</i>



**LINEAR CONNECTOR** Required - 1 Kit x linear connection


Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m <sup>3</sup>	On-Off	White	286006	50
			Black	283111	50
		1-10V / DALI	White	289298	55
			Black	289304	55



Cable length 2000 mm

**MAIN CONNECTOR** Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m <sup>3</sup>	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50






**END CAP NO HOLE**

**END CAP WITH HOLE**

**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code	€
Yes	38 x 52 x 17 mm	White	320526	6 <i>new</i>
		Black	320519	6 <i>new</i>
Yes	38 x 52 x 17 mm	White	320540	9 <i>new</i>
		Black	320533	9 <i>new</i>
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

# Ego - Assembly plans



# Ego - Drivers



## DRIVER MEANWELL ON/OFF Required

Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155	140
100 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162	185
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179	205
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275	230



## DRIVER BOX Optional

Material	Measure(LxHxW)	Color	Code	€
Metal	255x55x75 mm	White	302379	25
		Black	302362	25
	330x60x80 mm	White	302355	30
		Black	302348	30



## MAGNETIC DRIVER Required - Cable length 2000 mm It replaces Driver + Main connector

Power	Output	Class	Measure(LxHxW)	Code	€
100 W	48 Vdc	□	297x20x16 mm	296302	90
150 W	48 Vdc	□	268x43x16 mm	325750	95 <small>new</small>
200 W	48 Vdc	□	268x43x16 mm	325767	110 <small>new</small>

\* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.





# Stick <sup>new</sup>



Linear system composed of extruded aluminum profile and lighting elements with magnetic fixing. The system is available in matt black for ceiling (SURFACE) or recessed installation that disappears into the plasterboard (RECESSED). Small profile section of 19 mm wide and only 13.5 mm high. Available in two lengths: 1000 mm and 2000 mm. Possibility of composition with different source modules which can be combined following the desired disposition and can be modified when needed: TRACK SINGLE and DOUBLE modules for a spot illumination, ACCENT module for a localized illumination and WIDE modules for a diffused and uniform illumination. Integrated LED technology with color temperature of 3000k; high color rendering CRI 90; IP20 protection, insulation class III, 48 Vdc power source,; LED useful life 30.000 h L70B5. The system is also available with 1-10 V or DALI dimmable version. Ideal for lighting details or small spaces where great flexibility and high light quality is required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.

<b>Source</b>	LED COB / SMD
<b>Driver included</b>	No
<b>Drivers available</b>	On/Off / 1-10V
<b>Control</b>	Phase-cut
<b>CCT</b>	3000 K
<b>CRI</b>	≥90
<b>LED life</b>	30.000h
<b>Insulation class</b>	III
<b>IP</b>	20
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years





# Stick Track Single







90° 355°

0,070 Kg/0,0006 m<sup>3</sup>

## LED COB BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
3W	24°	270 lm	3000 K	Black	329505	40 <i>new</i>

90° 355°


0,110 Kg/0,0006 m<sup>3</sup>

## LED COB BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
5W	30°	470 lm	3000 K	Black	329529	45 <i>new</i>




Light beam: ACCENT



m	lx	Øm
1	514	0,62
2	128	1,20
3	57	1,90
4	32	2,50
5	21	3,10



CRI≥90 3W 24° 270lm 3000K



m	lx	Øm
1	822	0,62
2	205	1,20
3	91	1,90
4	51	2,50
5	33	3,10




CRI≥90 5W 30° 470lm 3000K






# Stick Track Double



## LED COB BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
6W	24°	550 lm	3000 K	Black	329512	65 <small>new</small>




## LED COB BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
10W	30°	950 lm	3000 K	Black	329536	70 <small>new</small>




Light beam: ACCENT



m	lx	øm
1	1028	0,62
2	257	1,20
3	114	1,90
4	64	2,50
5	41	3,10



CRI≥90 6W 24° 550lm 3000K



m	lx	øm
1	1645	0,62
2	411	1,20
3	183	1,90
4	103	2,50
5	66	3,10



CRI≥90 10W 30° 950lm 3000K



# Stick Accent



## LED SMD BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
6 W	40°	600 lm	3000 K	Black	329468	30 <small>new</small>

0,070 Kg/0,0001 m<sup>3</sup>




## LED SMD BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	40°	1200 lm	3000 K	Black	329475	60 <small>new</small>


0,150 Kg/0,0002 m<sup>3</sup>



Light beam: ACCENT



m	lx	øm
1	958	0,64
2	240	1,30
3	106	1,90
4	60	2,60
5	38	3,20




m	lx	øm
1	1917	0,64
2	479	1,30
3	213	1,90
4	120	2,60
5	77	3,20



CRI≥90 6W 40° 600lm 3000K

CRI≥90 12W 40° 1200lm 3000K



**Stick Accent 300 mm**



**Stick Accent 600 mm**





# Stick Wide



## LED SMD BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
6 W	110°	600 lm	3000 K	Black	329444	25 <small>new</small>

0,070 Kg/0,0001 m<sup>3</sup>




## LED SMD BRIDGLEUX

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	110°	1200 lm	3000 K	Black	329451	50 <small>new</small>


0,130 Kg/0,0002 m<sup>3</sup>



Light beam: WIDE



m	lx	øm
1	138	2,50
2	35	4,90
3	15	7,40
4	8,7	9,80
5	5,5	12,00



m	lx	øm
1	277	2,50
2	69	4,90
3	31	7,40
4	17	9,80
5	11	12,00



CRI≥90 6W 110° 600lm 3000K

CRI≥90 12W 110° 1200lm 3000K




**Stick Wide 300 mm**



**Stick Wide 600 mm**




# Stick Surface



**TRACK** Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code	€
1000 mm	0,350 Kg	0,0594 m <sup>3</sup>	Black	329574	30 <i>new</i>
2000 mm	0,700 Kg	0,1154 m <sup>3</sup>	Black	329581	60 <i>new</i>




**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Finish	Code	€
0,10 Kg	0,0015 m <sup>3</sup>	Black	330358	47 <i>new</i>




**BLINDED COVER**

Required	Measure (L x H x W)	Finish	Code	€
No	1000 x 3 x 16 mm	Black	329635	5 <i>new</i>
	2000 x 3 x 16 mm	Black	329642	8 <i>new</i>



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Finish	Code	€
0,03 Kg	0,0001 m <sup>3</sup>	Black	329710	18 <i>new</i>



**MAIN CONNECTOR** Required - 1 Kit x power source

Weight	Volume	Finish	Code	€
0,08 Kg	0,0003 m <sup>3</sup>	Black	329703	24 <i>new</i>

**DRIVER 1-10V** Required




Power	Output	Class	Measure(LxHxW)	Code	€
150 W	48 Vdc	<input type="checkbox"/>	350x18x30 mm	329673	115 <i>new</i>

**POWER SUPPLY LINEAR** Required  
It replaces Driver + Main connector



Power	Output	Class	Measure(LxHxW)	Code	€
120 W	48 Vdc	<input type="checkbox"/>	304x32x16 mm	329666	100 <i>new</i>

# Stick - Assembly plans




BLINDED COVER






# Stick Recessed



**TRACK** Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code	€
1000 mm	0,400 Kg	0,0816 m <sup>3</sup>	Black	329598	35 <i>new</i>
2000 mm	0,800 Kg	0,1586 m <sup>3</sup>	Black	329604	65 <i>new</i>




**CONNECTOR HORIZONTAL** Optional

Weight	Volume	Finish	Code	€
0,10 Kg	0,0015 m <sup>3</sup>	Black	330365	47 <i>new</i>




**BLINDED COVER**

Required	Measure (LxHxW)	Finish	Code	€
No	1000x3x16 mm	Black	329635	5 <i>new</i>
	2000x3x16 mm	Black	329642	8 <i>new</i>



**LINEAR CONNECTOR** Required - 1 Kit x linear connection

Weight	Volume	Finish	Code	€
0,03 Kg	0,0001 m <sup>3</sup>	Black	329710	18 <i>new</i>



**MAIN CONNECTOR** Required - 1 Kit x power source

Weight	Volume	Finish	Code	€
0,08 Kg	0,0003 m <sup>3</sup>	Black	329703	24 <i>new</i>



**DRIVER 1-10V** Required


Power	Output	Class	Measure(LxHxW)	Code	€
150 W	48 Vdc	<input type="checkbox"/>	350x18x30 mm	329673	115 <i>new</i>




**POWER SUPPLY LINEAR** Required  
It replaces Driver + Main connector

Power	Output	Class	Measure(LxHxW)	Code	€
120 W	48 Vdc	<input type="checkbox"/>	304x32x16 mm	329666	100 <i>new</i>

# Stick - Assembly plans



BLINDED COVER




# Linus



Linear aluminum lamp with direct and indirect light. The lamp is modular and can be used individually or in a continuous line. Integrated LED, starting binning ≤ 3-Step MacAdam; CRI ≥ 80; protection IP20, insulation class I. Dimmable power supply 1-10V integrated as standard.

Source	LED SMD	LED life	50.000 h
Power	32W	Insulation class	I
Driver included	1-10V	IP	20
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K/ 4000 K		
CRI	≥80		




## LED SMD Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	104°	3450 lm	3000 K	White	241968	220
				Black	241975	220
	3600 lm	4000 K	White	268231	220	
			Black	268217	220	

## UP-LIGHT INFO

Power	Beam	Lumen	CCT
32 W	104°	3450 lm	3000 K
		3600 lm	4000 K



## CORNER Optional - Up-light not included

Power	Beam	Lumen	CCT	Finish	Code	€
4 W	104°	430 lm	3000 K	White	241999	46
				Black	242002	46
	450 lm	4000 K	White	268149	46	
			Black	268118	46	




## STRUCTURE CONNECTOR

Required	Code	€
Yes - 1Kit x connection	241982	6



Light beam: **BI-EMISSION**  
**WIDE**



m	lx	Øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80



CRI≥83 32+32W 104°+104° 3600+3600lm 4000K





241968

241975

# Fluo

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in three different arrangements: the WIDE diffusing module, the BI-EMISSION module with component for indirect lighting and the ACCENT module with glare control (UGR < 13); integrated LEDs, color temperature options of 3000 K or 4000 K, starting binning  $\leq 3$ -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, available in 1-10V, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as OFFICES and SHOPS.

## PRO

High-tech product with high quality materials, intended for professional use.


## UGR

Product with UGR < 13 (Accent).



Source	LED SMD
Driver included	On/Off
Drivers available	1-10V / DALI
MacAdam	SDCM 3
Optics	Accent/Wide/Bi-Emission
CCT	3000 K / 4000 K
CRI	$\geq 80$
UGR	< 13 (Accent)
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years







# Fluo Accent




2,760 Kg/0,0183 m<sup>3</sup>  
Cable length 2150 mm

**LED SMD OSRAM** Driver TRIDONIC ON/OFF included - UGR <13

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	30°	2750 lm	3000 K	White	192611	360
				Black	192581	360
		2900 lm	4000 K	White	192543	360
				Black	192529	360

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	39 W	700 mA	280x21x30 mm	216416	145
DALI/Push	38 W	700 mA	280x21x30 mm	216270	160



3,860 Kg/0,0269 m<sup>3</sup>  
Cable length 2150 mm

**LED SMD OSRAM** Driver TRIDONIC ON/OFF included - UGR <13

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	30°	2750 lm	3000 K	White	192499	430
				Black	192475	430
		2900 lm	4000 K	White	192444	430
				Black	192420	430


**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	39 W	700 mA	280x21x30 mm	216416	145
DALI/Push	38 W	700 mA	280x21x30 mm	216270	160

**MOUNTING KIT** Required - Page 641



Light beam: ACCENT



m	Ix	Øm
1	8264	0,48
2	2066	0,96
3	918	1,45
4	516	1,93
5	330	2,42




CRI≥83 30W 30° 2900lm 4000K


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



**Fluo Accent 1200**



**Fluo Accent 1800**



The single final cup is 2.5 mm width.

# Fluo Wide



2,890 Kg/0,0183 m<sup>3</sup>  
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	105°	3750 lm	3000 K	White	192437	330
				Black	191997	330
		4050 lm	4000 K	White	192482	330
				Black	192505	330

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€	
	1-10V	28 W	500 mA	280x21x30 mm	216423	145
	DALI/Push	27 W	500 mA	280x21x30 mm	216287	160



4,420 Kg/0,0257 m<sup>3</sup>  
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	105°	5050 lm	3000 K	White	192550	425
				Black	192567	425
		5300 lm	4000 K	White	192604	425
				Black	192628	425


DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€	
	1-10V	39 W	700 mA	280x21x30 mm	216416	145
	DALI/Push	38 W	700 mA	280x21x30 mm	216270	160

MOUNTING KIT Required - Page 641



Light beam: WIDE



m	lx	øm
1	1042	2,50
2	260	5,00
3	115	7,50
4	65	10,00
5	41	12,50




CRI≥83 27W 105° 4050lm 4000K


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



**Fluo Wide 1200**



**Fluo Wide 1800**



The single final cup is 2.5 mm width.




# Fluo Bi-Emission\*



## LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



2,890 Kg/0,0183 m<sup>3</sup>  
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	105°	3250 lm	3000 K	White	192666	425
				Black	192710	425
		4050 lm	4000 K	White	192741	425
				Black	192758	425

## UP-LIGHT INFO

Power	Beam	Lumen	CCT
13 W	105°	1750 lm	3000 K
		2050 lm	4000 K

## KIT DIMMABLE DRIVER\*

	Code	€
1-10V	270692	230
DALI/Push	270876	260

## LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



4,420 Kg/0,0269 m<sup>3</sup>  
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	105°	5050 lm	3000 K	White	192703	580
				Black	192697	580
		5350 lm	4000 K	White	192673	580
				Black	192642	580

## UP-LIGHT INFO

Power	Beam	Lumen	CCT
18 W	105°	2550 lm	3000 K
		2800 lm	4000 K


## KIT DIMMABLE DRIVER\*

	Code	€
1-10V	270883	230
DALI/Push	270937	260



Light beam: **BI-EMISSION**  
**WIDE**

**MOUNTING KIT** Required - Page 641



m	lx	øm
1	512	2,10
2	128	4,21
3	56	6,32
4	32	8,43
5	20	10,54



\* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with 1-10V and Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.


**CRI≥83 27+13W 105°+105° 4050+2050lm 3000K**



**Fluo Bi-Emission 1200**




**Fluo Bi-Emission 1800**




The single final cup is 2.5 mm width.

# Fluo - Assembly plans


## FLUO SUSPENSION







## FLUO SURFACE



## FLUO RECESSED




# Fluo - Mounting kit

	Required	N° Cables	Cables Length	Finish	Code	€
 <b>KIT SUSPENSION</b>	Yes - 1 Kit x power source	1	2000 mm	White	277929	32
				Black	277912	32
		1	5000 mm	White	276342	43
				Black	276335	43
 <b>KIT SINGLE CABLE</b>	Yes - 1 Kit x 600 mm	1	2000 mm		220826	13
		1	5000 mm		243665	20
 <b>KIT RECESSED</b>	Yes - 1 Kit x 600 mm				191188	25
 <b>KIT SURFACE</b>	Yes - 1 Kit x 600 mm				191171	25

# Fluo - Optional


**CORNER** Optional - Driver ON/OFF included - Compatible with Wide versions



0,580 Kg/0,0023 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
8 W	105°	950 lm	3000 K	White	191423	120
				Black	191430	120
		1000 lm	4000 K	White	191454	120
				Black	191461	120

**BLINDED CORNER** Optional - Compatible with Accent versions



0,610 Kg/0,0023 m<sup>3</sup>

Finish	Code	€
White	191485	65
Black	191492	65

**STRUCTURE CONNECTOR** Maximum length per power source: 30 meters



Required	Code	€
Yes - 1 Kit x connection	191508	12

# Steel

Linear aluminum lamp with direct and indirect light. The indirect light can be turned on or off thanks to the switch positioned on the edge of the fitting. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA ( $UGR < 19$ ) and in ACCENT model with black reflector ( $UGR < 16$ ). Integrated LED sources, available with CCT 3000 K e 4000 K; CRI  $\geq 90$ ; lifetime 50.000 h L70B50; IP20. Suitable for offices, business premises and retail.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR  $< 16$  (Accent),  $< 19$  (Wide).



Source	LED SMD
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
Optics	Accent/Wide
CCT	3000 K / 4000 K
CRI	$\geq 90$
UGR	$< 16$ (Accent) / $< 19$ (Wide)
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years







# Steel




1,990 Kg/0,0178 m<sup>3</sup>  
Cable length 1800 mm

## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	70°	3350 lm	3000 K	White	267128	290
				Black	270197	290
	3550 lm	4000 K	White	270203	290	
			Black	267135	290	



1,980 Kg/0,0178 m<sup>3</sup>  
Cable length 1800 mm

## LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	60°	3000 lm	3000 K	White	270180	345
				Black	267142	345
	3200 lm	4000 K	White	267159	345	
			Black	270173	345	

## UP-LIGHT INFO

Beam	Lumen	CCT
110°	1100 lm	3000 K
	1150 lm	4000 K



### KIT SUSPENSION

Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1 Kit x power source	1	2000 mm	White	276311	35
			Black	276304	35



### KIT SINGLE CABLE

Yes - 1 Kit x 500 mm	1	2000 mm		271750	13
----------------------	---	---------	--	--------	----



### KIT SURFACE

Yes - 1 Kit x 1000 mm				270210	31
-----------------------	--	--	--	--------	----




### KIT CONTINUOS

Yes - 1 Kit x connection				271712	7
--------------------------	--	--	--	--------	---



Light beam: **BI-EMISSION WIDE**




m	lx	◊m
1	1173	1,50
2	293	3,10
3	130	4,60
4	73	6,20
5	47	7,70



CRI≥90 36W 70° 3550lm 4000K



Light beam: **BI-EMISSION ACCENT**



m	lx	◊m
1	2216	1,20
2	554	2,40
3	246	3,60
4	139	4,80
5	89	6,10



CRI≥90 36W 60° 3200lm 4000K



**Steel Accent**



1070

**Steel Wide**



1070


# Office



Aluminum linear lamp with direct light for suspended installation. White or black finish available with black reflectors. Integrated LED sources with glare control (UGR < 16); available with 3000 K and 4000 K color temperature; CRI ≥ 80; 30.000 h of life L70B50; protection IP20, insulation class I.

Source	LED SMD	LED life	50.000 h
Power	30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥80		
UGR	<16		

**UGR** Product with UGR <16.




**LED SMD Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	37°	2800 lm	3000 K	White	271194	188
				Black	271187	188
30 W	37°	3100 lm	4000 K	White	271217	188
				Black	271200	188



**Light beam: ACCENT**



m	lx	øm
1	6008	0,72
2	1502	1,40
3	668	2,20
4	376	2,90
5	240	3,60




**CRI≥80 30W 37° 3100lm 4000K**




271194

271187





Modular profile made of painted extruded aluminum, opal polycarbonate diffuser, SMD LED technology. Modules available in two linear lengths 260 mm and 500 mm and in a vertical corner version, which can be assembled together using quick couplings depending on the desired arrangement up to a maximum continuous length of 3 meters. On-off version available, or with dimmable control system via button or proximity sensor. Available in 3000K color temperature; CRI ≥ 80; insulation class III, 24 Vdc power supply; LED useful life 30,000 h L70B50. Suitable for installation in under cabinets, kitchens and wardrobes.




### LED SMD

Length	Power	Lumen	CCT	Finish		Code	€
257 mm	3,5 W	300 lm	3000 K	White	<input type="checkbox"/>	297163	15 <small>new</small>
500 mm	7 W	600 lm	3000 K	White	<input type="checkbox"/>	297170	25 <small>new</small>

0,060 Kg/0,0001 m<sup>3</sup>

0,130 Kg/0,0002 m<sup>3</sup>

**Cable length 1000 mm**



### VERTICAL CORNER Optional

Power	Lumen	CCT	Finish		Code	€
1 W	80 lm	3000 K	White	<input type="checkbox"/>	297187	15 <small>new</small>

0,004 Kg/0,0001 m<sup>3</sup>



INSTALLATION CLIPS



INSTALLATION CLIPS 45°



# Chef

## INPUT POWER SOURCE



### INPUT CABLE

### INPUT BUTTON SWITCH

### INPUT SENSOR SWITCH

Required	Controll	Cable length	Code	€
Yes - 1 Kit x power source	On-Off	1000 mm	297194	5 <small>new</small>
Yes - 1 Kit x power source	Dimmer touch	1000 mm	297217	15 <small>new</small>
Yes - 1 Kit x power source	Dimmer sensor	1000 mm	297200	20 <small>new</small>



### INTERCONNECTION CABLE

Required	Cable length	Code	€
Yes - 1 Kit x connection	1000 mm	297224	7 <small>new</small>

## DRIVER ON/OFF Required - Cable length 1500 mm



Power	Output	Class	Measure (LxHxW)	Code	€
12 W	24 Vdc	<input type="checkbox"/>	80x23x38 mm	297255	20 <small>new</small>
25 W	24 Vdc	<input type="checkbox"/>	135x29x45 mm	297262	30 <small>new</small>
40 W	24 Vdc	<input type="checkbox"/>	150x29x45 mm	297279	40 <small>new</small>

Required



### INSTALLATION CLIPS

### INSTALLATION CLIPS 45°

Required	Code	€
Yes - 1 Kit x profile	297231	2 <small>new</small>
Yes - 1 Kit x profile	297248	2 <small>new</small>



INPUT BUTTON SWITCH



INPUT SENSOR SWITCH





# Indoors

## LED strip and supports

### Alphabetical index

Slot	664
Strip	654
Tesi	656
Vision	658

### Typology index



Strip [654](#)



Tesi [656](#)



Vision Trimless [660](#)



Vision Trim [662](#)



Slot Recessed [666](#)




Slot Surface [668](#)



Slot Angular [670](#)


# Strip LED and Drivers

Volt 24 Vdc  
 MacAdam SDCM 3  
 CRI ≥90  
 Beam 120°  
 LED Life 35.000 h




**SMD 2835 120 LED/m**

Power	IP	Lumen	CCT	Length	Code	€
15 W/m	IP20	1400 lm/m	2700 K	5000 mm	272498	50
		1450 lm/m	3000 K	5000 mm	272481	50
		1600 lm/m	4000 K	5000 mm	272474	50
	IP65	1400 lm/m	3000 K	5000 mm	272504	65
		1480 lm/m	4000 K	5000 mm	287959	65



**SMD 2835 240 LED/m**

Power	IP	Lumen	CCT	Length	Code	€
20,5 W/m	IP20	2000 lm/m	2700 K	5000 mm	272535	80
		2050 lm/m	3000 K	5000 mm	272528	80
		2100 lm/m	4000 K	5000 mm	272511	80
	IP65	2000 lm/m	3000 K	5000 mm	272542	90
		2020 lm/m	4000 K	5000 mm	287966	90



**SMD 2835 180 LED/m**

Power	IP	Lumen	CCT	Length	Code	€
40 W/m	IP20	3370 lm/m	3000 K	3000 mm	253886	120
		3730 lm/m	4000 K	3000 mm	253893	120

Required	Code	€
No	292939	2
No	292953	2



**MAIN CONNECTOR**



**LINEAR CONNECTOR**



**DRIVER** For indoor installation only




	Power	Output	Class	Measure(LxHxW)	Code	€
On-Off	30 W	24 Vdc	□	140 x 28 x 45 mm	124070	17,50
	60 W	24 Vdc	□	186 x 33 x 50 mm	124087	30
	150 W	24 Vdc	⊕	268 x 31 x 45 mm	124117	50
1-10V/Push	36 W	24 Vdc	□	293 x 30 x 43 mm	244556	60
	100 W	24 Vdc	⊕	210 x 34 x 67 mm	244570	100
	150 W	24 Vdc	⊕	352 x 30 x 43 mm	244594	140
DALI/Push	36 W	24 Vdc	□	175 x 30 x 44 mm	244549	75
	80 W	24 Vdc	⊕	295 x 35 x 45 mm	244563	115
	150 W	24 Vdc	⊕	273 x 37 x 57 mm	244587	150

# Tesi


Flexible steel tape for wall-to-wall application, used as a support for the strip led application, it can be a light source for indirect lighting. 5 or 10 meters maximum length and its minimal section disappears inside the environment. This guarantees a result of extreme formal elegance.

Available finishes: steel, white or black.  
Ideal for environments of historical and architectural feature which already have strong personality.

## STRIP LED SUPPORT




Length	Weight	Volume	Finish	Code	€
5000 mm	0,35 Kg	0,0234 m³	Steel	258300	130
			White	302256	130
			Black	302263	130



Length	Weight	Volume	Finish	Code	€
10000 mm	0,45 Kg	0,0029 m³	Steel	302270	165
			White	302287	165
			Black	302294	165

## RECOMMENDED STRIP LED AND DRIVER

### STRIP LED SMD 2835 120 LED/m CRI≥90



Power	IP	Lumen	CCT	Length	Code	€
15 W/m	IP20	1400 lm/m	2700 K	5000 mm	272498	50
		1450 lm/m	3000 K	5000 mm	272481	50
		1600 lm/m	4000 K	5000 mm	272474	50
	IP65	1400 lm/m	3000 K	5000 mm	272504	65
		1480 lm/m	4000 K	5000 mm	287959	65

## DRIVER ON/OFF



Light beam: INDIRECT



Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
30 W	24 Vdc	□	140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17,50
60 W	24 Vdc	□	186 x 33 x 50 mm	255 x 55 x 75 mm	124087	30
150 W	24 Vdc	⊕	268 x 31 x 45 mm	330 x 60 x 80 mm	124117	50





# Vision


Extruded aluminum profile with anodized and powder coated surface, available in black and white finishes, satin PMMA diffuser. Different lengths bars are available for both the TRIM version, for recessed installation in plasterboard panels or ceilings, and for the TRIMLESS version, for wall and ceiling installation. A kit for suspended installation is available. The linear profiles are available in lengths of 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. LED strips and drivers must be added to complete the installation: power light sources available with color temperatures of 3000 K and 4000 K, CRI  $\geq 90$  and IP20 protection index. Highly flexible system, suitable for general lighting in COMMERCIAL environments and in sales areas in the RETAIL sector.

<b>Model</b>	Trim / Trimless
<b>Length</b>	2000 / 3000 mm
<b>Material</b>	Aluminum





# Vision Trimless



## PROFILE Mounting kit included

Length	Weight	Volume	Finish		Code	€
2000 mm	1,40 Kg	0,0032 m <sup>3</sup>	White		270524	65
	1,40 Kg	0,0032 m <sup>3</sup>	Black		270517	65
3000 mm	2,10 Kg	0,0048 m <sup>3</sup>	White		270548	95
	2,10 Kg	0,0048 m <sup>3</sup>	Black		270531	95



## SUSPENSION KIT

Required	N° Cables	Cables Length	Code	€
No - 1 Kit x 2000 mm	2	3000 mm	270449	16
No - 1 Kit x 2000 mm	2	5000 mm	270456	20




## STRUCTURE CONNECTOR


Yes - 1 Kit x connection			270463	5
--------------------------	--	--	--------	---

## STRIP LED AND DRIVER Recommended Strip LED<sub>max</sub> 40 W/m





# Vision Trim



## PROFILE Mounting kit included

Length	Weight	Volume	Finish		Code	€
2000 mm	1,26 Kg	0,0050 m <sup>3</sup>	White		270487	70
	1,26 Kg	0,0050 m <sup>3</sup>	Black		270470	70
3000 mm	1,89 Kg	0,0075 m <sup>3</sup>	White		270500	105
	1,89 Kg	0,0075 m <sup>3</sup>	Black		270494	105




## STRUCTURE CONNECTOR

Required	Code	€
Yes - 1 Kit x connection	271125	5

## STRIP LED AND DRIVER Recommended Strip LED max 40 W/m






# Slot


Extruded aluminum body with white anodized or powder coated surface, available in white, black, aluminum finishes, PMMA satin diffuser. Bars with different optional sections and length are available for the RECESSED version for plasterboard ceilings installation and SURFACE version for wall or ceiling installation. The ANGULAR models in the round and square version are designed with an internal angle of inclination of the light source for optimal illumination inside luminous veils and grooves. The linear modules are available in different lengths: 1000, 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. Led and driver to be combined for a correct installation. Light source available with color temperature of 2700K, 3000 K, 4000 K; CRI  $\geq 80$ ,  $\geq 85$  and  $\geq 90$ ; available with IP20 and IP65 protection.

<b>Model</b>	Recessed / Surface / Angular
<b>Width</b>	12 / 14 / 15 / 16 / 20 / 31 mm
<b>Material</b>	Aluminum






# Slot Recessed




## PROFILE 12 mm Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish		Code	€
1000 mm	0,15 Kg	0,0010 m <sup>3</sup>	White	<input type="checkbox"/>	124155	16
2000 mm	0,35 Kg	0,0020 m <sup>3</sup>	White	<input type="checkbox"/>	203102	27
3000 mm	0,54 Kg	0,0029 m <sup>3</sup>	White	<input type="checkbox"/>	204611	40



## PROFILE 14 mm

Length	Weight	Volume	Finish		Code	€
2000 mm	0,65 Kg	0,0020 m <sup>3</sup>	White	<input type="checkbox"/>	223704	62
3000 mm	0,90 Kg	0,0029 m <sup>3</sup>	White	<input type="checkbox"/>	223711	98



## PROFILE 20 mm

Length	Weight	Volume	Finish		Code	€
2000 mm	0,60 Kg	0,0020 m <sup>3</sup>	White	<input type="checkbox"/>	223728	73
3000 mm	0,90 Kg	0,0029 m <sup>3</sup>	White	<input type="checkbox"/>	223735	107

## KIT PROFILE 14 / 20 mm



KIT LINEAR



KIT RIGHT-LEFT

KIT VERTICAL-HORIZONTAL

Required	Code	€
Yes - 1 Kit x connection	223766	6
Yes - 1 Kit x connection	223759	6
Yes - 1 Kit x connection	223742	6

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m






Mounting kit PROFILE 12 mm.



223728  
223735




# Slot Surface




## PROFILE 11mm Mounting kit included

Length	Weight	Volume	Finish		Code	€
1000 mm	0,15 Kg	0,0010 m <sup>3</sup>	White		124131	13
	0,15 Kg	0,0010 m <sup>3</sup>	Aluminu.		124124	13
2000 mm	0,20 Kg	0,0020 m <sup>3</sup>	White		203089	22
	0,20 Kg	0,0020 m <sup>3</sup>	Aluminu.		203072	22
3000 mm	0,34 Kg	0,0029 m <sup>3</sup>	White		204598	32
	0,34 Kg	0,0029 m <sup>3</sup>	Aluminu.		204581	32



## PROFILE 10 mm Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish		Code	€
2000 mm	0,20 Kg	0,0015 m <sup>3</sup>	White		307145	25
			Black		296463	25



## PROFILE 13 mm Mounting kit included - Not compatible with strip LED IP65


Length	Weight	Volume	Finish		Code	€
2000 mm	0,40 Kg	0,0021 m <sup>3</sup>	White		307152	29
			Black		296456	29



COVER 16 mm

Required		Finish		Code	€
No		Black		307251	6

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m




Mounting kit PROFILE 15 mm.




Cover 16 mm.

# Slot Angular




## ROUND 16x16

Length	Weight	Volume	Finish	Code	€
1000 mm	0,15 Kg	0,0010 m <sup>3</sup>	White	126548	12
	0,15 Kg	0,0010 m <sup>3</sup>	Aluminu.	126531	12
2000 mm	0,30 Kg	0,0020 m <sup>3</sup>	White	203126	28
	0,30 Kg	0,0020 m <sup>3</sup>	Aluminu.	203119	28
3000 mm	0,44 Kg	0,0029 m <sup>3</sup>	White	204635	40
	0,44 Kg	0,0029 m <sup>3</sup>	Aluminu.	204628	40



## ROUND 18x16


Length	Weight	Volume	Finish	Code	€
2000 mm	0,30 Kg	0,0020 m <sup>3</sup>	White	267401	24
	0,30 Kg	0,0020 m <sup>3</sup>	Aluminu.	267395	24
3000 mm	0,45 Kg	0,0029 m <sup>3</sup>	White	267425	38
	0,45 Kg	0,0029 m <sup>3</sup>	Aluminu.	267418	38



## SQUARE 18x16


Length	Weight	Volume	Finish	Code	€
2000 mm	0,30 Kg	0,0020 m <sup>3</sup>	White	267449	26
	0,30 Kg	0,0020 m <sup>3</sup>	Aluminu.	267432	26
3000 mm	0,45 Kg	0,0029 m <sup>3</sup>	White	267463	38
	0,45 Kg	0,0029 m <sup>3</sup>	Aluminu.	267456	38

## STRIP LED AND DRIVER Recommended Strip LED max 15 W/m



## ROUND 31x31

Length	Weight	Volume	Finish	Code	€
2000 mm	0,70 Kg	0,0020 m <sup>3</sup>	White	267722	32
	0,70 Kg	0,0020 m <sup>3</sup>	Aluminu.	267715	32
3000 mm	1,05 Kg	0,0029 m <sup>3</sup>	White	267746	44
	1,05 Kg	0,0029 m <sup>3</sup>	Aluminu.	267739	44



## SQUARE 31x31

Length	Weight	Volume	Finish	Code	€
2000 mm	0,70 Kg	0,0020 m <sup>3</sup>	White	267487	35
	0,70 Kg	0,0020 m <sup>3</sup>	Aluminu.	267470	35
3000 mm	1,05 Kg	0,0029 m <sup>3</sup>	White	267500	50
	1,05 Kg	0,0029 m <sup>3</sup>	Aluminu.	267494	50

## STRIP LED AND DRIVER Recommended Strip LED max 20 W/m



Mounting kit PROILE 16x16 mm.






















# Indoors

## Spotlights and Tracks

### Alphabetical index

Byte	706
Byte LED	707
Display	710
Eos	698
Fox	690
Glim	705
Link	718
Look	708
Mouse	704
Pov	702
Quick	674
Smile	685
Spot	704

### Typology index

		<small>new</small> 
<b>Quick 674</b>	<b>Smile 682</b>	<b>Fox 690</b>
<small>new</small> 		
<b>Eos 698</b>	<b>Pov 702</b>	<b>Mouse 704</b>
		
<b>Spot 704</b>	<b>Glim 705</b>	<b>Byte 706</b>
<small>new</small> 		
<b>Byte LED 707</b>	<b>Look 708</b>	
		
<b>Display Accent 712</b>	<b>Display Wide 714</b>	<b>Display UGR 716</b>
<small>new</small> 		
<b>Link 718</b>		

# Quick

Extruded aluminum cylindrical tracklight suitable for installation on three-phase track. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K or 4000 K; Energy efficient LED with high color rendering, up to CRI ≥ 90; starting binning ≤3-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP20 protection; insulation class I; LED useful life 50.000 h L80B50. Ideal for installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

**PRO** High-tech product with high quality materials, intended for professional use.


Source	LED COB
Power	15W / 21W / 28W
Driver included	On/Off
Drivers available	No
Track	Three-phase (standard Eutrac)
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years



[Link - Page 718](#)



# Quick 15W



## LED COB CITIZEN

### CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1800 lm	3000 K	White	222509	145
				Black	222523	145
		1950 lm	4000 K	White	222530	145
				Black	222547	145

### CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1550 lm	3000 K	White	222554	145
				Black	222561	145
		1700 lm	4000 K	White	222578	145
				Black	222585	145



FILTER HONEYCOMB



LENS\*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222608	9
No	15°	Clear	222592	9
No	45°	Clear	253558	9
No		White	170145	27
No		Black	170152	27



Light beam: ACCENT



m	lx	øm
1	3451	0,51
2	862	1,02
3	383	1,53
4	215	2,04
5	138	2,55




CRI ≥ 80 15W 30° 1800lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.





# Quick 21W



## LED COB CITIZEN

### CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
21W	30°	2450 lm	3000 K	White	247946	155
				Black	247939	155
		2700 lm	4000 K	White	247960	155
				Black	247953	155

### CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
21W	30°	2150 lm	3000 K	White	247977	155
				Black	225364	155
		2350 lm	4000 K	White	247991	155
				Black	247984	155



FILTER HONEYCOMB

LENS\*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222608	9
No	15°	Clear	222592	9
No	45°	Clear	253558	9
No		White	170145	27
No		Black	170152	27



Light beam: ACCENT



m	lx	Øm
1	6576	0,57
2	1644	1,14
3	731	1,71
4	411	2,28
5	263	2,85




CRI ≥ 80 21W 30° 2450lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



# Quick 28W



## LED COB CITIZEN

### CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	30°	3550 lm	3000 K	White	222615	185
				Black	222622	185
		3800 lm	4000 K	White	222639	185
				Black	222646	185

### CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	30°	3100 lm	3000 K	White	222653	185
				Black	222660	185
		3300 lm	4000 K	White	222677	185
				Black	222684	185



FILTER HONEYCOMB



LENS\*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222714	10
No	18°	Clear	222691	10
No	45°	Clear	222707	10
No		White	170145	27
No		Black	170152	27



Light beam: ACCENT



m	lx	øm
1	8760	0,55
2	2190	1,11
3	973	1,67
4	547	2,22
5	350	2,78



CRI ≥ 80 28W 30° 3550lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



# Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.

Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

**UGR** Product with UGR <19.

Source	LED COB
Power	15W / 20W / 30W
Driver included	On/Off
Drivers available	No
Track	Three-phase (standard Eutrac)
CCT	3000 K / 4000 K
CRI	≥82 / ≥92
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




[Link - Page 718](#)







# Smile 15W



LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 82

Power	Beam	Lumen	CCT	Finish	Code	€
15W	24°	2050 lm	3000 K	White	189574	120
				Black	189581	120
	36°	2250 lm	4000 K	White	189611	120
				Black	189628	120
		2050 lm	3000 K	White	189758	120
				Black	189765	120
	50°	2250 lm	4000 K	White	189796	120
				Black	189802	120
		2050 lm	3000 K	White	189932	120
				Black	189949	120
		2250 lm	4000 K	White	189956	120
				Black	189963	120

CRI ≥ 92

Power	Beam	Lumen	CCT	Finish	Code	€
15W	24°	1700 lm	3000 K	White	189598	120
				Black	189604	120
	36°	1700 lm	3000 K	White	189772	120
				Black	189789	120
	50°	1700 lm	3000 K	White	189970	120
				Black	189987	120




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	189536	6
No	On/Off	White	170145	27
		Black	170152	27



Light beam: SPOT




m	lx	øm
1	4362	0,47
2	1090	0,94
3	484	1,41
4	272	1,88
5	174	2,35



CRI ≥ 82 15W 24° 2050lm 3000K



Light beam: ACCENT




m	lx	øm
1	2923	0,64
2	730	1,29
3	324	1,94
4	182	2,58
5	116	3,23



CRI ≥ 82 15W 36° 2050lm 3000K



Light beam: WIDE




m	lx	øm
1	1611	0,89
2	402	1,79
3	179	2,69
4	100	3,59
5	64	4,49



CRI ≥ 82 15W 50° 2050lm 3000K



# Smile 20W



LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 82

Power	Beam	Lumen	CCT	Finish	Code	€
20W	24°	3000 lm	3000 K	White	189635	135
				Black	189642	135
		3150 lm	4000 K	White	189673	135
				Black	189680	135
	36°	3000 lm	3000 K	White	189819	135
				Black	189826	135
		3150 lm	4000 K	White	189857	135
				Black	189864	135
	50°	3000 lm	3000 K	White	189994	135
				Black	190006	135
		3150 lm	4000 K	White	190013	135
				Black	190020	135

CRI ≥ 92

Power	Beam	Lumen	CCT	Finish	Code	€
20W	24°	2550 lm	3000 K	White	189659	135
				Black	189666	135
	36°	2550 lm	3000 K	White	189833	135
				Black	189840	135
	50°	2550 lm	3000 K	White	190037	135
				Black	190044	135




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	190181	6
No	On/Off	White	170145	27
		Black	170152	27



Light beam: SPOT




m	lx	øm
1	8787	0,42
2	2196	0,85
3	976	1,28
4	549	1,71
5	351	2,14



CRI ≥ 82 20W 24° 3000lm 3000K



Light beam: ACCENT




m	lx	øm
1	4526	0,64
2	1131	1,28
3	502	1,92
4	282	2,56
5	181	3,20



CRI ≥ 82 20W 36° 3000lm 3000K



Light beam: WIDE



m	lx	øm
1	2657	0,93
2	664	1,87
3	295	2,81
4	166	3,75
5	106	4,69




CRI ≥ 82 20W 50° 3000lm 3000K





# Smile 30W



LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 82

Power	Beam	Lumen	CCT	Finish	Code	€
30W	24°	4000lm	3000K	White	189697	150
				Black	189703	150
		4200lm	4000K	White	189734	150
				Black	189741	150
	36°	4000lm	3000K	White	189871	150
				Black	189888	150
		4200lm	4000K	White	189895	150
				Black	189901	150
	50°	4000lm	3000K	White	190051	150
				Black	190068	150
		4200lm	4000K	White	190075	150
				Black	190082	150

CRI ≥ 92

Power	Beam	Lumen	CCT	Finish	Code	€
30W	24°	3500lm	3000K	White	189710	150
				Black	189727	150
	36°	3500lm	3000K	White	189918	150
				Black	189925	150
	50°	3500lm	3000K	White	190099	150
				Black	190105	150




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	190181	6
No	On/Off	White	170145	27
		Black	170152	27



Light beam: SPOT




m	lx	øm
1	12955	0,39
2	3238	0,79
3	1439	1,19
4	809	1,59
5	518	1,99



CRI ≥ 82 30W 24° 4000lm 3000K



Light beam: ACCENT




m	lx	øm
1	6240	0,62
2	1560	1,24
3	693	1,86
4	390	2,48
5	249	3,10



CRI ≥ 82 30W 36° 4000lm 3000K



Light beam: WIDE



m	lx	øm
1	3740	0,88
2	935	1,76
3	415	2,65
4	233	3,53
5	149	4,42



CRI ≥ 82 30W 50° 4000lm 3000K



# Fox new

Cylindrical aluminum projector suitable for installation on three-phase track. White, black or satin brass powder coating, 350° rotating head and 90° adjustable, the power driver is included and is located in the cylindrical body of the projector itself. 1-10 V or DALI dimmable versions available. The light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 3-Step MacAdam; asymmetric optics with medium aperture beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 30.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, where great flexibility and color rendering is required, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

Source	LED COB
Power	8W / 15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	Three-phase (standard Eutrac)
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	30.000 h
Insulation class	On-Off I, 1-10V / DALI II
IP	20
Material	Aluminum
Warranty	5 years



[Link - Page 718](#)



### Hot Drinks

Espresso	1.30	2.00
Espresso macchiato	1.00	2.30
Americano	1.00	
Cappuccino	2.10	
Caffè latte	2.20	
Flat White	2.00	
Chai Latte	2.00	
Hot Chocolate	2.20	
Hot milk w. Honey	2.00	

### Cold Drinks

Mineral Water	0.33l	2.00
Afri Cola	0.2 l	2.00
Seesüßigkeits-Limonade	0.33l	2.40
... cherry, pear, orange		
Homemade Tamarind-Limonade	0.33l	3.00
Juice	0.2 l	2.00
... apple, melon		
Juice w. sparkling Water	0.33l	2.80

Lemonade	0.33l	2.10
Club Mate	0.33l	2.20

Homemade Gingerbeer (no alcohol)	0.35l	3.00
----------------------------------	-------	------

extra egg  
soy-milk  
whipped cream

orange juice

Red-Mango-Zinger, Honey-Vanilla-Creamsicle, Sticky-Toms, Tension-Tamer, Antioxidis Green, Black-Cherry-Berry, Apple-Cinnamon, Chai Bengal Spice

Fresh Tea 2.50  
Ginger, Mint or Lemons




# Fox 8W

LED COB BRIDGELUX Driver included

CRI ≥ 80



Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8W	41°	On-Off	1050 lm	3000 K	White	250410	49
					Black	250403	49
		1-10V	1100 lm	4000 K	White	271453	49
					Black	271446	49



CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8W	41°	On-Off	850 lm	3000 K	White	285368	49
					Black	285351	49
		1-10V	950 lm	4000 K	White	322339	49 new
					Black	322322	49 new
					White	302546	85
					Black	302539	85




LENS\*

SINGLE CONNECTION

Required	Beam	Driver	Finish	Code	€
No	23°		Clear	302744	5
No		On/Off	White	170145	27
No			Black	170152	27



Light beam: ACCENT



m	lx	Øm
1	2067	0,77
2	517	1,54
3	230	2,30
4	129	3,07
5	83	3,84



CRI ≥ 80 8W 41° 1000lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.






# Fox 15W

LED COB BRIDGELUX Driver included

CRI ≥ 80




Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15W	41°	On-Off	1700 lm	3000 K	White	250434	55
					Black	250427	55
		1-10V/DALI	1750 lm	4000 K	White	267784	55
					Black	267777	55



CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
15W	41°	On-Off	1550 lm	3000 K	White	285382	55	
					Black	285375	55	
			1-10V	1600 lm	4000 K	White	322360	55 new
						Black	322346	55 new
				1550 lm	3000 K	White	302560	90
						Black	302553	90
		DALI	1550 lm	3000 K	White	302584	110	
					Black	302577	110	




LENS\*

SINGLE CONNECTION

Required	Beam	Driver	Finish	Code	€
No	15°		Clear	302751	5
No		On/Off	White	170145	27
No			Black	170152	27



Light beam: ACCENT



m	lx	Øm
1	3204	0,80
2	801	1,60
3	356	2,40
4	200	3,20
5	128	4,00



CRI ≥ 80 15W 41° 1700lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



# Fox 25W

LED COB BRIDGELUX Driver included



CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25 W	35°	On-Off	2950 lm	3000 K	White	250458	60
					Black	250441	60
		1-10V/DALI	3050 lm	4000 K	White	267807	60
					Black	267791	60
					Brass	283944	60
					White	267807	60

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
25 W	35°	On-Off	2550 lm	3000 K	White	285405	60	
					Black	285399	60	
			1-10V	2700 lm	4000 K	White	322391	60 new
						Black	322377	60 new
				2550 lm	3000 K	White	302607	100
						Black	302591	100
		DALI	2550 lm	3000 K	White	302621	115	
					Black	302614	115	

Required	Beam	Driver	Finish	Code	€
No	15°		Clear	302768	5
No		On/Off	White	170145	27
No			Black	170152	27



0,540 Kg/0,0027 m<sup>3</sup>




LENS\*



SINGLE CONNECTION



Light beam: ACCENT



m	lx	Øm
1	8140	0,61
2	2035	1,22
3	904	1,82
4	509	2,43
5	326	3,04



CRI ≥ 80 25W 35° 2950lm 3000K

\* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.






# Eos new

Extruded aluminum cylindrical tracklight with symmetric optic and variable opening beam from narrow to wide (20°-55°), suitable for three-phase track installation. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Dimmable 1-10 or DALI version available. Light source with integrated COB LED technology, available with two different powers and one color temperature of 3000 K or 4000 K and chromatic index  $\geq 90$ ; starting binning  $\leq 3$ -Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

<b>Source</b>	LED COB
<b>Power</b>	15W / 25W
<b>Driver included</b>	On/Off / 1-10V / DALI
<b>Drivers available</b>	No
<b>Track</b>	Three-phase (standard Eutrac)
<b>MacAdam</b>	SDCM 3
<b>CCT</b>	3000 K / 4000 K
<b>CRI</b>	$\geq 90$
<b>LED life</b>	30.000 h
<b>Insulation class</b>	On-Off I, 1-10V / DALI II
<b>IP</b>	20
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years




[Link - Page 718](#)






## LED COB BRIDGELUX Driver included



Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15W	20-55°	On-Off	1550 lm	3000 K	White	286594	73
					Black	276182	73
			1600 lm	4000 K	White	322094	73 <i>new</i>
					Black	322087	73 <i>new</i>
		1-10V	1550 lm	3000 K	White	302959	116
					Black	302942	116
		DALI	1550 lm	3000 K	White	302997	135
					Black	302980	135



## LED COB BRIDGELUX Driver included



Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25W	20-55°	On-Off	2250 lm	3000 K	White	286600	92
					Black	276243	92
			2700 lm	4000 K	White	322124	92 <i>new</i>
					Black	322100	92 <i>new</i>
		1-10V	2250 lm	3000 K	White	302973	135
					Black	302966	135
		DALI	2250 lm	3000 K	White	303017	155
					Black	303000	155




## SINGLE CONNECTION


Required	Beam	Driver	Finish	Code	€
No		On/Off	White	170145	27
No			Black	170152	27



Light beam: from SPOT to WIDE



CRI≥90 15W 20-55° 1550lm 3000K



CRI≥90 25W 20-55° 3000lm 3000K






# Pov




Source	LED COB	CCT	3000 K
Power	22W	CRI	≥95
Driver included	On/Off	LED life	30.000 h
Drivers available	No	Insulation class	II
Track	Three-phase (standard Eutrac)	IP	20
MacAdam	SDCM 3	Material	Aluminum
		Warranty	5 years



## LED COB CREE Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	36°	2000 lm	3000 K	White	296340	135
				Black	296333	135



## LED COB CREE Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
22 W	36°	2000 lm	3000 K	White	296364	135
				Black	296357	135



[Link - Page 718](#)



Light beam: ACCENT




m	lx	Øm
1	3646	0,65
2	911	1,30
3	405	1,90
4	228	2,60
5	146	3,20




CRI≥95 22W 36° 1750lm 3000K







# Spot - Mouse Track




0,250 Kg/0,0016 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		229706	47
	Black		229720	47
	Brass		269634	47



P. 324 P. 422



0,300 Kg/0,0027 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		229768	44
	Black		229782	44



P. 324 P. 422



**SINGLE CONNECTION**


Required	Driver	Finish		Code	€
No	On/Off	White		170145	27
		Black		170152	27



Link - Page 718



## Glim Track



0,320 Kg/0,0180 m<sup>3</sup>

GU10 Bulbs LED GU10 10W 3000 K included. Code **189031**

IP20

Power	Finish	Code	€
max 50W	White	229676	75
	Black	229683	75



P. 329



**SINGLE CONNECTION**


Required	Driver	Finish	Code	€
No	On/Off	White	170145	27
		Black	170152	27



Link - Page 718



# Byte



0,200 Kg/0,0013 m<sup>3</sup>

**GU10** Bulbs LED GU10 7W 3000 K included. Code **123943**



Power	Finish		Code	€
max 28W	White		274508	36
	Black		274515	36



**SINGLE CONNECTION**


Required	Driver	Finish	Code	€
No	On/Off	White	170145	27
		Black	170152	27



Link - Page 718



# Byte Led new



0,310 Kg/0,0007 m<sup>3</sup>

**LED COB CITIZEN** Driver ON/OFF included

⊕ IP20 CRI ≥90 50.000 h

Power	Beam	Lumen	CCT	Finish	Code	€
8 W	34°	660 lm	3000 K	White	316239	80 <span style="color: orange;">new</span>
				Black	316215	80 <span style="color: orange;">new</span>




**FILTER HONEYCOMB**

Required	Driver	Finish	Code	€
No		Black	323671	4 <span style="color: orange;">new</span>



**SINGLE CONNECTION**

No	On/Off	White	170145	27
		Black	170152	27



0,560 Kg/0,0024 m<sup>3</sup>

**LED COB CITIZEN** Driver ON/OFF included


⊕ IP20 CRI ≥90 50.000 h

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	30°	1850 lm	3000 K	White	316192	125 <span style="color: orange;">new</span>
				Black	316208	125 <span style="color: orange;">new</span>



Link - Page 718







**GU10** Bulbs LED GU10 7W 3000 K included. Code **123943**

Power	Finish	Code	€
max 28W	White	 <b>231662</b>	<b>83</b>
	Black	 <b>231631</b>	<b>83</b>

0,930 Kg/0,0037 m<sup>3</sup>



**SINGLE CONNECTION**

Required	Driver	Finish	Code	€
No	On/Off	White	 <b>170145</b>	<b>27</b>
		Black	 <b>170152</b>	<b>27</b>



[Link - Page 718](#)



# Display

Aluminum linear projector suitable for installation on three-phase track (Eutrac standard), available in three different lengths and with powder coating with white or black finish. The integrated power driver is located inside the track to minimize the volume of the visible product. Available models: WIDE with satin PMMA flat and diffusing optics; UGR with microprismatic PMMA diffuser for glare control and ACCENT with black reflectors (UGR <16). Integrated LED sources; available in CCT 3000 K and 4000 K; CRI ≥ 80; LED useful life 50,000 h L70B50; tool-free assembly and disassembly. Suitable for lighting OFFICES, COMMERCIAL spaces and EXHIBITION areas, it is ideal combined with other track spotlights with focused light.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <16 (Accent), <22 (UGR).

Source	LED SMD
Power	14W / 40W
Driver included	On/Off
Drivers available	No
Track	Three-phase (standard Eutrac)
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80
UGR	<16 (Accent) / <22 (UGR)
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




[Link - Page 718](#)








# Display Accent



0,400 Kg/0,0064 m<sup>3</sup>

LED SMD SAMSUNG Driver ON/OFF included - UGR <16


Power	Beam	Lumen	CCT	Finish	Code	€
14 W	60°	1800 lm	3000 K	White	283593	210
				Black	283609	210
		1900 lm	4000 K	White	283616	210
				Black	283623	210



1,120 Kg/0,0112 m<sup>3</sup>

LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	60°	3500 lm	3000 K	White	283524	330
				Black	276267	330
		3700 lm	4000 K	White	283531	330
				Black	283548	330




1,570 Kg/0,0173 m<sup>3</sup>

LED SMD SAMSUNG Driver ON/OFF included - UGR <16


Power	Beam	Lumen	CCT	Finish	Code	€
40 W	60°	5300 lm	3000 K	White	283555	455
				Black	283562	455
		5600 lm	4000 K	White	283579	455
				Black	283586	455




Light beam: ACCENT



m	lx	øm
1	1330	1,20
2	332	2,40
3	148	3,50
4	83	4,70
5	53	5,90



m	lx	øm
1	2453	1,30
2	613	2,50
3	273	3,80
4	153	5,00
5	96	6,30



m	lx	øm
1	3598	1,30
2	900	2,50
3	400	3,80
4	225	5,00
5	144	6,30



CRI≥80 14W 60° 1800lm 3000K

CRI≥80 28W 60° 3500lm 3000K

CRI≥80 40W 60° 5300lm 3000K





**Display Accent 535 mm**




**Display Accent 1065 mm**



**Display Accent 1595 mm**




# Display Wide



0,420 Kg/0,0067 m<sup>3</sup>

## LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
21W	125°	2700 lm	3000 K	White		283753	175
				Black		283760	175
		2850 lm	4000 K	White		276274	175
				Black		283777	175




0,770 Kg/0,0124 m<sup>3</sup>

## LED SMD SAMSUNG Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
40W	125°	5700 lm	3000 K	White		283722	265
				Black		283050	265
		5850 lm	4000 K	White		283739	265
				Black		283746	265



Light beam: WIDE



m	lx	øm
1	473	5,20
2	118	6,50
3	53	9,70
4	30	13,00
5	19	16,00



m	lx	øm
1	897	3,10
2	224	6,10
3	100	9,20
4	56	12,00
5	36	15,00



CRI≥80 21W 125° 2700lm 3000K

CRI≥80 40W 125° 5700lm 3000K




**Display Wide 565 mm**



**Display Wide 1125 mm**




# Display UGR



0,400 Kg/0,0064 m<sup>3</sup>

## LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code	€
14 W	70°	2000 lm	3000 K	White	283685	185
				Black	283692	185
		2100 lm	4000 K	White	283708	185
				Black	283715	185



1,120 Kg/0,0112 m<sup>3</sup>

## LED SMD SAMSUNG Driver ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	70°	4000 lm	3000 K	White	283647	290
				Black	283630	290
		4300 lm	4000 K	White	276281	290
				Black	283258	290




1,570 Kg/0,0173 m<sup>3</sup>

## LED SMD SAMSUNG Driver ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	70°	6050 lm	3000 K	White	283654	410
				Black	283067	410
		6450 lm	4000 K	White	283661	410
				Black	283678	410




Light beam: WIDE



m	lx	øm
1	854	1,40
2	213	2,80
3	95	4,20
4	53	5,70
5	34	7,10




CRI≥80 14W 70° 2000lm 3000K



m	lx	øm
1	1636	1,40
2	409	2,80
3	182	4,20
4	102	5,70
5	65	7,10




CRI≥80 27W 70° 4000lm 3000K



m	lx	øm
1	2419	1,40
2	605	2,80
3	269	4,20
4	151	5,70
5	97	7,10



CRI≥80 40W 70° 6050lm 3000K



**Display UGR 535 mm**



**Display UGR 1065 mm**



**Display UGR 1595 mm**





# Link **new**



Extruded aluminum body for three-phase electrified tracks; powder coating in white or black, optimized for standard Eutrac tracklights. Available in ceiling-mounted, suspension-mounted or flush-mounted in plasterboard ceilings; suitable for continuous linear system installation, standard modules of 2000 mm or 3000 mm. Ideal for installation in big rooms, where great flexibility is required, such as MUSEUM, COMMERCIAL and RETAIL spaces. 5 years warranty.

Insulation class	I
IP	20





# Link Trimless On/Off



## TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,94 Kg	0,0016 m <sup>3</sup>	White	243269	35
			Black	243252	35
2000 mm	1,93 Kg	0,0032 m <sup>3</sup>	White	187976	65
			Black	187983	65
3000 mm	2,87 Kg	0,0048 m <sup>3</sup>	White	187990	105
			Black	188003	105



### KIT SURFACE



### SUSPENSION KIT



### END CAP


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1Kitx1000 mm			White	169972	7
			Black	169989	7
Yes - 1Kitx1000 mm	1	3000 mm	White	242705	16
			Black	243283	16
	1	5000 mm	White	243245	18
			Black	243238	18
Yes			White	169613	4
			Black	169620	4



### MAIN CONNECTOR END

0,060 Kg/0,0002 m<sup>3</sup>


169583	L	€ 16
169576	L	€ 16
169590	R	€ 16
169606	R	€ 16



### MAIN CONNECTOR MIDDLE

0,120 Kg/0,0004 m<sup>3</sup>


227580	€ 26
227597	€ 26



### MAIN CONNECTOR CORNER

0,110 Kg/0,0005 m<sup>3</sup>


169705	L	€ 27
169712	L	€ 27
169736	R	€ 27
169729	R	€ 27



### MAIN CONNECTOR T

0,190 Kg/0,0005 m<sup>3</sup>


324289	L	€ 45 <sup>new</sup>
324272	L	€ 45 <sup>new</sup>
324302	R	€ 45 <sup>new</sup>
324296	R	€ 45 <sup>new</sup>



### ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m<sup>3</sup>

169637	€ 8
169644	€ 8




### TRACK ADAPTOR

0,080 Kg/0,0002 m<sup>3</sup>

194257	€ 12
194301	€ 12

# Link Trimless DALI - 1-10V



## TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,94 Kg	0,0016 m³	White	246468	38
			Black	246451	38
2000 mm	1,93 Kg	0,0032 m³	White	247007	75
			Black	246901	75
3000 mm	2,87 Kg	0,0048 m³	White	247625	115
			Black	247618	115



**KIT SURFACE**




**SUSPENSION KIT**



**END CAP**


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1Kitx1000mm			White	169972	7
			Black	169989	7
Yes - 1Kitx1000mm	1	3000 mm	White	242705	16
			Black	243283	16
	1	5000 mm	White	243245	18
			Black	243238	18
Yes			White	169613	4
			Black	169620	4



**MAIN CONNECTOR END**

0,079 Kg/0,0002 m³


- 246529 L € 19
- 246512 L € 19
- 246543 R € 19
- 246536 R € 19



**MAIN CONNECTOR MIDDLE**

0,129 Kg/0,0004 m³


- 246581 L € 31
- 246574 R € 31



**MAIN CONNECTOR CORNER**

0,130 Kg/0,0006 m³


- 246604 L € 33
- 246598 L € 33
- 246628 R € 33
- 246611 R € 33



**MAIN CONNECTOR T**

0,200 Kg/0,0007 m³


- 324326 L € 60 new
- 324319 L € 60 new
- 324340 R € 60 new
- 324333 R € 60 new



**ELECTRIFIED CONNECTOR**

0,050 Kg/0,0001 m³

- 246567 L € 12
- 246550 R € 12





**TRACK ADAPTOR**

0,063 Kg/0,0003 m³

- 246505 L € 20
- 246499 R € 20

# Link Trim On/Off




## TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	1,92 Kg	0,0132 m <sup>3</sup>	White	188010	68
			Black	188027	68



**KIT RECESSED**  
**END CAP**


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	6
Yes	White	169613	4
	Black	169620	4



**MAIN CONNECTOR END**

0,070 Kg/0,0002 m<sup>3</sup>


188072 L € 18  
188089 L € 18  
188058 R € 18  
188065 R € 18



**MAIN CONNECTOR MIDDLE**

0,130 Kg/0,0004 m<sup>3</sup>

227689 € 29  
227672 € 29



**MAIN CONNECTOR CORNER**

0,120 Kg/0,0006 m<sup>3</sup>


188119 L € 30  
188126 L € 30  
188096 R € 30  
188102 R € 30



**MAIN CONNECTOR T**

0,200 Kg/0,0051 m<sup>3</sup>


324364 L € 48 new  
324357 L € 48 new  
324388 R € 48 new  
324371 R € 48 new



**ELECTRIFIED CONNECTOR**

0,030 Kg/0,0001 m<sup>3</sup>

169637 € 8  
169644 € 8





**TRACK ADAPTOR**

0,080 Kg/0,0002 m<sup>3</sup>

194257 € 12  
194301 € 12



# Link Trim DALI - 1-10V




## TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	2,11 Kg	0,0048 m <sup>3</sup>	White	246895	76
			Black	249629	76





 **KIT RECESSED END CAP**

Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	6
Yes	White	169613	4
	Black	169620	4



**MAIN CONNECTOR END**

0,089 Kg/0,0004 m<sup>3</sup>


- 256085  L € 21
- 256078  L € 21
- 256146  R € 21
- 256122  R € 21



**MAIN CONNECTOR MIDDLE**





0,150 Kg/0,0005 m<sup>3</sup>


- 256115  € 34
- 256092  € 34



**MAIN CONNECTOR CORNER**





0,150 Kg/0,0006 m<sup>3</sup>


- 256030  L € 36
- 255996  L € 36
- 256061  R € 36
- 256047  R € 36



**MAIN CONNECTOR T**

0,200 Kg/0,0051 m<sup>3</sup>


- 324401  L € 63 new
- 324395  L € 63 new
- 324425  R € 63 new
- 324418  R € 63 new



**ELECTRIFIED CONNECTOR**

0,050 Kg/0,0001 m<sup>3</sup>

- 246567  € 12
- 246550  € 12



**TRACK ADAPTOR**

0,063 Kg/0,0003 m<sup>3</sup>

- 246505  € 20
- 246499  € 20
































# Indoors

## Recessed lights

### Alphabetical index

Basic	768
Basic IP65	774
Bento	734
Blues	800
Chill	797
Deep	766
Dynamic	740
Funky	798
Game	748
Groove	776
Jazz	798
Led Panel	784
Lika	319
Lika	786
Lounge	798
Nova	782
Off	762
One	756
Play	321
Play	780
Polka	802
Quark	760
Room-65	799
Samba	794
Soul	801
Swing	798
Virus	758
Walky	803
Zephyr	796
Zeus	726

### Typology index

<small>new</small>				<small>new</small>		
	<b>Zeus 726</b>	<b>Bento 734</b>	<b>Dynamic 740</b>		<b>Game 748</b>	<b>One 756</b>
		<small>new</small>				
	<b>Virus 758</b>		<b>Quark 760</b>	<b>Off 762</b>	<b>Deep 766</b>	<b>Basic 768</b>
<small>new</small>						
	<b>Basic IP65 774</b>	<b>Groove 776</b>	<b>Aura 778</b>	<b>Play 780</b>	<b>Nova 782</b>	
		<small>new</small>				<small>new</small>
	<b>Led Panel 784</b>		<b>Lika 786</b>	<b>Samba 794</b>	<b>Zephyr 796</b>	
						
	<b>Chill 797</b>	<b>Swing 798</b>	<b>Lounge 798</b>	<b>Funky 798</b>	<b>Room-65 799</b>	
						
	<b>Blues 800</b>	<b>Soul 801</b>	<b>Soul 801</b>	<b>Polka 802</b>	<b>Walky 803</b>	

# Zeus <sup>new</sup>

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI  $\geq 90$ ; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.

**PRO** High-tech product with high quality materials, intended for professional use.



**UGR** Product with UGR <19.

Source	LED COB
Power	13W / 21W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	$\geq 90$
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years











LENS 20°



FILTER HONEYCOMB

Required	Model	Finish	Code	€
No	13 W	Clear	323688	4 <i>new</i>
	21 W	Clear	323985	6 <i>new</i>
No	13 W	Black	323671	4 <i>new</i>
	21 W	Black	323961	6 <i>new</i>

# Zeus - Source




0,300 Kg/0,0014 m<sup>3</sup>

### LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
13W	40°	980 lm	2700 K	Grey	324807	65 <small>new</small>
		1020 lm	3000 K	Grey	324814	65 <small>new</small>
		1050 lm	4000 K	Grey	324821	65 <small>new</small>

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	21W	350 mA	122x25x40 mm	324906	35 <small>new</small>
DALI/Push	20W	350 mA	120x29x51 mm	324913	70 <small>new</small>



0,590 Kg/0,0029 m<sup>3</sup>

### LED COB CITIZEN Required - Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
21W	40°	1850 lm	2700 K	Grey	324838	105 <small>new</small>
		1900 lm	3000 K	Grey	324845	105 <small>new</small>
		2100 lm	4000 K	Grey	324852	105 <small>new</small>

### DIMMABLE DRIVER\* Optional


	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20W	500 mA	110x22x52 mm	324920	60 <small>new</small>
DALI/Push	20W	500 mA	120x29x51 mm	324937	70 <small>new</small>



Light beam: ACCENT



m	lx	øm
1	1714	0,76
2	429	1,50
3	190	2,30
4	107	3,10
5	69	3,80



m	lx	øm
1	3174	0,81
2	794	1,60
3	353	2,40
4	198	3,20
5	127	4,00





CRI≥90 13W 40° 1020lm 3000K

CRI≥90 21W 40° 1900lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 40° included.

# Zeus Round



## REFLECTOR Required

0,030 Kg/0,0003 m<sup>3</sup>

13 W

Finish	Code	€
White	323589	8 <i>new</i>
Black	323619	8 <i>new</i>
Gold	323602	8 <i>new</i>






0,040 Kg/0,0007 m<sup>3</sup>

21 W

Finish	Code	€
White	323763	12 <i>new</i>
Black	323770	12 <i>new</i>
Gold	323794	12 <i>new</i>



## FRAME TRIM

0,100 Kg/0,0005 m<sup>3</sup>

13 W

Finish	Code	€
White	324869	15 <i>new</i>
Black	323527	15 <i>new</i>






0,130 Kg/0,0010 m<sup>3</sup>

21 W

Finish	Code	€
White	324883	18 <i>new</i>
Black	324005	18 <i>new</i>



## FRAME TRIMLESS

0,120 Kg/0,0005 m<sup>3</sup>

13 W

Finish	Code	€
White	323541	18 <i>new</i>

0,160 Kg/0,0008 m<sup>3</sup>


21 W

Finish	Code	€
White	323725	35 <i>new</i>




# Zeus Square

## REFLECTOR Required




13 W			
Finish		Code	€
White		323633	8 <i>new</i>
Black		323657	8 <i>new</i>
Gold		323640	8 <i>new</i>




21 W			
Finish		Code	€
White		323800	12 <i>new</i>
Black		323817	12 <i>new</i>
Gold		323831	12 <i>new</i>

## FRAME TRIM




13 W			
Finish		Code	€
White		324876	15 <i>new</i>
Black		323534	15 <i>new</i>




21 W			
Finish		Code	€
White		324890	18 <i>new</i>
Black		323718	18 <i>new</i>

## FRAME TRIMLESS




13 W			
Finish		Code	€
White		323558	18 <i>new</i>



21 W			
Finish		Code	€
White		323732	35 <i>new</i>





# Bento

Modular system of recessed elements consisting of an adjustable source, reflector and ring, with optional shielding lenses and accessories; black and white finish; recessed ring available in single round or square shape, or rectangular in double or triple version for the installation of multiple and independent sources; optional anti-glare band for backward movement of the source in non-adjustable mode; selection of three different emission angles. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K; Energy efficient LED with high color rendering; CRI  $\geq 90$ ; initial binning  $\leq 3$ - Step MacAdam; insulation class II; LED life 50,000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is ideal for DOMESTIC, MANAGERIAL and RETAIL indoor installations.

**PRO**

High-tech product with high quality materials, intended for professional use.


**UGR**

Product with UGR <19.

Source	LED COB
Power	9W / 13W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K
CRI	$\geq 90$
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years







**LENS**

Required	Beam	Finish	Code	€
No	18°	Clear	287942	4
	45°	Clear	279626	4
No		Black	279718	4
No		Black	279725	3
No		Black	279701	4
No		White	288147	3
		Black	279695	3



**FILTER HONEYCOMB**



**DIFFUSER**




**SNOOT**




**ANTI-GLARE RING**

# Bento - Source



with anti-glare ring




0,400 Kg/0,0003 m<sup>3</sup>

**LED COB CITIZEN** Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	36°	730 lm	3000 K	Black	279596	45

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	250 mA	122x25x40 mm	287843	58
DALI / Push	20 W	250 mA	120x29x51 mm	287850	87



0,400 Kg/0,0003 m<sup>3</sup>

**LED COB CITIZEN** Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
13 W	36°	1000 lm	3000 K	Black	279602	50

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	20 W	350 mA	108x22x52 mm	287867	75
DALI / Push	20 W	350 mA	120x29x51 mm	287874	80




Light beam: ACCENT



m	lx	øm
1	1312	0,71
2	328	1,40
3	146	2,10
4	82	2,80
5	52	3,50



CRI≥90 9W 36° 730lm 3000K



m	lx	øm
1	1846	0,65
2	461	1,30
3	205	1,90
4	115	2,60
5	74	3,20




CRI≥90 13W 36° 1000lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 36° included.




# Bento - Frame and Reflector



## ROUND - REFLECTOR Required

Finish	Code	€
White	279633	6
Black	279640	6

0,020 Kg/0,0001 m<sup>3</sup>




## ROUND - FRAME SINGLE Required

Finish	Code	€
White	287898	12
Black	287881	12

Ⓜ 68 mm


0,060 Kg/0,0001 m<sup>3</sup>



## SQUARE - REFLECTOR Required

Finish	Code	€
White	279671	8
Black	279688	8

0,020 Kg/0,0001 m<sup>3</sup>




## SQUARE - FRAME SINGLE Required

Finish	Code	€
White	287911	14
Black	287904	14

Ⓜ 68 x 68 mm

0,050 Kg/0,0002 m<sup>3</sup>




## SQUARE - FRAME TWIN Required

Finish	Code	€
White	287935	24
Black	280233	24

Ⓜ 134 x 71 mm

0,110 Kg/0,0004 m<sup>3</sup>



## SQUARE - FRAME TRIPLE Required

Finish	Code	€
White	287928	30
Black	280240	30

Ⓜ 197 x 71 mm

0,300 Kg/0,0006 m<sup>3</sup>



# Dynamic

Modular system of aluminum recessed elements consisting of source, reflector and seal, with lenses and optional screens; white, black finish; possible recess of round or square shape, three different emission angles options. Light source with integrated LED COB technology for maximum efficiency, available with a color temperature of 2700 K, 3000 K or 4000 K; Energy efficient LED with high color rendering; CRI  $\geq 90$ ; starting binning  $\leq 3$ -Step MacAdam; front protection IP54 (after installation of the product); insulation class II; LED useful life 50.000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is optimal for installation in DOMESTIC, MANAGERIAL and RETAIL indoor locations.

**PRO** High-tech product with high quality materials, intended for professional use.











**UGR** Product with UGR <19.

**IP54** Protection degree IP54.

<b>Source</b>	LED COB
<b>Power</b>	9W / 10W / 15W
<b>Driver included</b>	On/Off
<b>Drivers available</b>	1-10V / DALI / Push
<b>MacAdam</b>	SDCM 3
<b>CCT</b>	2700 K / 3000 K / 4000 K
<b>CRI</b>	$\geq 90$
<b>UGR</b>	<19
<b>LED life</b>	50.000 h
<b>Insulation class</b>	II
<b>IP</b>	54
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years






		Required	Beam	Finish		Code	€
	<b>LENS</b>	No	20°	Clear		211763	7
			55°	Clear		211770	7
	<b>FILTER HONEYCOMB</b>	No		Black		208671	7
	<b>FILTER ELLIPTICAL</b>	No		Clear		208688	7
	<b>GU10 ADAPTOR WITH LAMPHOLDER INCLUDED - IP20</b>	No		White		208640	16
				Black		208657	16




**Light beam: ACCENT**



m	lx	øm
1	1653	0,72
2	413	1,44
3	184	2,16
4	103	2,88
5	66	3,60




**CRI≥90 9W 35° 870lm 3000K**



m	lx	øm
1	1643	0,66
2	410	1,32
3	182	1,98
4	102	2,64
5	65	3,30



**CRI≥90 10W 35° 1000lm 3000K**




m	lx	øm
1	2294	0,64
2	573	1,29
3	254	1,93
4	143	2,58
5	91	3,23



**CRI≥90 15W 35° 1150lm 3000K**



# Dynamic - Source




0,180 Kg/0,0030 m<sup>3</sup>

### LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	35°	840 lm	2700 K	Black	252971	45
		870 lm	3000 K	Black	252988	45
		1000 lm	4000 K	Black	252995	45

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	200 mA	125 x 27 x 45 mm	253008	50
DALI/Push	9 W	200 mA	135 x 20 x 30 mm	253015	120




0,150 Kg/0,0030 m<sup>3</sup>

### LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	35°	970 lm	2700 K	Black	208541	65
		1000 lm	3000 K	Black	208558	65
		1100 lm	4000 K	Black	208565	65

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	10 W	250 mA	135 x 20 x 30 mm	216317	40
DALI/Push	17 W	250 mA	130 x 30 x 43 mm	216027	110



0,350 Kg/0,0030 m<sup>3</sup>

### LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included



Power	Beam	Lumen	CCT	Finish	Code	€
15 W	35°	1500 lm	2700 K	Black	208572	90
		1150 lm	3000 K	Black	208589	90
		1650 lm	4000 K	Black	208596	90

### DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	20 W	350 mA	101 x 29 x 51 mm	216324	65
DALI/Push	17 W	350 mA	130 x 30 x 43 mm	216263	115

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. \*\* Lens 35° included.

# Dynamic Round




**REFLECTOR** Required

SYMMETRICAL

0,020 Kg/0,0002 m<sup>3</sup>

Finish	Code	€
White	211787	8
Black	211794	8





**FRAME** Required

① 80 mm  
0,060 Kg/0,0004 m<sup>3</sup>

Finish	Code	€
White	208695	17
Black	208701	17



# Dynamic Square




**REFLECTOR** Required

SYMMETRICAL

Finish	Code	€
White	211817	8
Black	211824	8

0,020 Kg/0,0002 m<sup>3</sup>



**FRAME** Required

Finish	Code	€
White	208725	19
Black	208732	19

① 90 mm

0,050 Kg/0,0004 m<sup>3</sup>





# Game <sup>new</sup>

Recessed spotlight in die-cast aluminum with round or square ring, suitable for installation on plasterboard or paneled ceilings. Chrome, matt white RAL 9001, matt black RAL 9011, matt gold RAL 1032 finishes. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved front protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; IP20 protection; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions.

**UGR** Product with UGR <19.


<b>Source</b>	LED COB
<b>Power</b>	11W / 20W
<b>Driver included</b>	On/Off
<b>Drivers available</b>	1-10V/Push / DALI/Push
<b>CCT</b>	2700 K / 3000 K / 4000 K
<b>CRI</b>	≥80 / ≥90
<b>UGR</b>	<19
<b>LED life</b>	50.000 h
<b>Insulation class</b>	II
<b>IP</b>	20 / 65
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years






# Game Trim Round

LED COB CREE Driver ON/OFF included - CRI ≥80



⌀ 75 mm  
0,280 Kg/0,0011 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1000 lm	2700 K	White +	285429	47
		1100 lm	3000 K	Silver +	192284	47
				White +	192291	47
				Black +	192277	47
				Gold +	192307	47
		1250 lm	4000 K	White +	267975	47



⌀ 75 mm  
0,280 Kg/0,0011 m<sup>3</sup>


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1000 lm	2700 K	Black +	285412	47
		1100 lm	3000 K	Silver +	192321	47
				White +	192338	47
				Black +	192314	47
				Gold +	192345	47
				1250 lm	4000 K	Black +

IP65

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1100 lm	3000 K	White +	313191	75 <span style="color: red;">new</span>
				Black +	327754	75 <span style="color: red;">new</span>

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



⌀ 110 mm  
0,660 Kg/0,0033 m<sup>3</sup>

LED COB BRIDGELUX Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish	Code	€
20W	24°	2350 lm	3000 K	White +	273174	90
				Black +	273167	90




Light beam: ACCENT



Light beam: SPOT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46



m	lx	øm
1	8645	0,41
2	2161	0,83
3	961	1,20
4	540	1,70
5	346	2,10



CRI≥90 11W 36° 1100lm 3000K


CRI≥90 20W 24° 2350lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




# Game Trim Square

LED COB CREE Driver ON/OFF included - CRI ≥80



75 x 75 mm  
0,270 Kg/0,0011 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1000 lm	2700 K	White +	285443	47
		1100 lm	3000 K	White +	192376	47
				Black +	192352	47



75 x 75 mm  
0,270 Kg/0,0011 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1000 lm	2700 K	Black +	285436	47
		1100 lm	3000 K	White +	192406	47
				Black +	192383	47

IP65


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1100 lm	3000 K	White +	313207	75 <small>new</small>
				Black +	327761	75 <small>new</small>

DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



Light beam: ACCENT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46




CRI≥90 11W 36° 1100lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.





# Game Trimless




⌀ 75 mm

0,300 Kg/0,0011 m<sup>3</sup>

**LED COB CREE** Driver ON/OFF included - CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1100 lm	3000 K	White	319667	50 <i>new</i>
				Black	319650	50 <i>new</i>



75 x 75 mm

0,300 Kg/0,0011 m<sup>3</sup>

**LED COB CREE** Driver ON/OFF included - CRI ≥80


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	1100 lm	3000 K	White	319681	50 <i>new</i>
				Black	319674	50 <i>new</i>

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	60



**Light beam: ACCENT**



m	lx	Øm
1	1609	0,60
2	402	1,20
3	179	1,80
4	101	2,40
5	64	3,00




**CRI≥80 11W 36° 1100lm 3000K**

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



# One

Source	LED SMD	LED life	30.000 h
Power	2W / 3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 17 mm

0,050 Kg/0,0001 m<sup>3</sup>

LED SMD Driver ON/OFF included\*

Power	Beam	Lumen	CCT	Finish	Code	€
2W	23°	130 lm	3000 K	White	274768	31




⌀ 25 mm

0,070 Kg/0,0001 m<sup>3</sup>

LED SMD Driver ON/OFF included\*

Power	Beam	Lumen	CCT	Finish	Code	€
2W	30°	130 lm	3000 K	White	274775	37



⌀ 35 mm


0,100 Kg/0,0003 m<sup>3</sup>

LED SMD Driver ON/OFF included\*

Power	Beam	Lumen	CCT	Finish	Code	€
3W	23°	270 lm	3000 K	White	274782	41



Light beam: SPOT




m	lx	øm
1	372	0,40
2	93	0,81
3	41	1,20
4	23	1,60
5	15	2,00



CRI≥90 2W 23° 130lm 3000K



Light beam: SPOT




m	lx	øm
1	307	0,53
2	77	1,10
3	34	1,60
4	19	2,10
5	12	2,70



CRI≥90 2W 30° 130lm 3000K



Light beam: SPOT



m	lx	øm
1	866	0,40
2	216	0,80
3	96	1,20
4	54	1,60
5	35	2,00



CRI≥90 3W 23° 270lm 3000K


\* Measure L 38,3 x H 16,5 x W 19,3 mm





# Virus

Source	LED SMD	LED life	50.000 h
Power	3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 30 mm  
0,070 Kg/0,0003 m<sup>3</sup>

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3W	20°	210 lm	3000 K	White	+	244808	32
				Gold	+	244822	32
				Black	+	244846	32
				Gold	+	244853	32



Light beam: SPOT



m	lx	øm
1	1374	0,30
2	344	0,60
3	153	0,91
4	86	1,20
5	55	1,50



CRI≥90 3W 20° 210lm 3000K



244808



244822



244846



244853




# Quark new

Source	LED COB / SMD	LED life	30.000 h
Power	2W / 3W / 5W / 8W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




## LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
2W	30°	180 lm	3000 K	White	327471	35 <small>new</small>
				Black	305844	35 <small>new</small>




## LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
3W	25°	250 lm	3000 K	White	327488	40 <small>new</small>
				Black	305851	40 <small>new</small>



## LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
5W	30°	320 lm	3000 K	White	307756	50 <small>new</small>
				Black	327495	50 <small>new</small>




## LED COB CITIZEN Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
8W	30°	720 lm	3000 K	White	258478	57
				Black	258461	57



Light beam: ACCENT



m	lx	Øm
1	1446	0,54
2	362	1,10
3	161	1,60
4	90	2,20
5	56	2,70



CRI≥80 8W 30° 720lm 3000K



# Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

**PRO** High-tech product with high quality materials, intended for professional use.

**UGR** Product with UGR <19.

**IP54** Protection degree IP54.


Source	LED COB
Power	15W / 28W / 42W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years







# Off




⌀ 100 mm

0,460 Kg/0,0021 m<sup>3</sup>

## LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	50°	1350 lm	3000 K	White	266497	86
				Black	266558	86
		1450 lm	4000 K	White	266503	86
				Black	266565	86




⌀ 150 mm

0,990 Kg/0,0045 m<sup>3</sup>

## LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	60°	2900 lm	3000 K	White	266510	128
				Black	266572	128
		3150 lm	4000 K	White	266527	128
				Black	266589	128



⌀ 205 mm

1,850 Kg/0,0094 m<sup>3</sup>

## LED COB CITIZEN Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
42 W	60°	4150 lm	3000 K	White	266534	180
				Black	266596	180
		4500 lm	4000 K	White	266541	180
				Black	266602	180

## DIMMABLE DRIVER\* Optional


Model	Control	Power	Output	Measure (LxHxW)	Code	€
Off 15 W	1-10V/Push	20 W	350 mA	105 x 20 x 50 mm	266657	70
	DALI	20 W	350 mA	120 x 29 x 51 mm	266701	70
Off 28 W	1-10V/Push	22 W	700 mA	100 x 20 x 65 mm	266671	95
	DALI	32 W	700 mA	108 x 30 x 44 mm	266725	95
Off 42 W	1-10V	42 W	1050 mA	120 x 20 x 75 mm	266688	115
	DALI/Push	45 W	1050 mA	150 x 30 x 43 mm	266732	110




Light beam: WIDE



m	lx	øm
1	1688	0,93
2	422	1,90
3	188	2,80
4	105	3,70
5	68	4,60



m	lx	øm
1	2457	1,30
2	614	2,50
3	273	3,80
4	154	5,10
5	98	6,40



m	lx	øm
1	3496	1,20
2	874	2,40
3	388	3,60
4	218	4,80
5	140	6,00



CRI≥90 15W 50° 1350lm 3000K

CRI≥90 28W 60° 2900lm 3000K

CRI≥90 42W 60° 4150lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



# Deep

Source	LED SMD	LED life	50.000 h
Power	10W / 20W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥80		




① 90 mm

0,160 Kg/0,0014 m<sup>3</sup>

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	70°	1350 lm	3000 K	White	249018	28
		1450 lm	4000 K	White	249025	28




① 145 mm

0,360 Kg/0,0037 m<sup>3</sup>

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	77°	2750 lm	3000 K	White	249032	62
		2950 lm	4000 K	White	249049	62



① 200 mm

0,650 Kg/0,0053 m<sup>3</sup>

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
30 W	77°	4150 lm	3000 K	White	248783	84
		4350 lm	4000 K	White	248790	84

DIMMABLE DRIVER\* Optional


Model	Control	Power	Output	Measure (LxHxW)	Code	€
Deep 10 W	1-10V	10 W	300 mA	135 x 20 x 30 mm	248950	57
	DALI/Push	12 W	300 mA	135 x 20 x 30 mm	248967	57
Deep 20 W	1-10V/Push	35 W	500 mA	124 x 22 x 79 mm	248974	98
	DALI/Push	35 W	500 mA	167 x 32 x 41 mm	248981	98
Deep 30 W	1-10V/Push	54 W	750 mA	167 x 32 x 41 mm	248998	105
	DALI/Push	45 W	700 mA	167 x 30 x 39 mm	249001	105




Light beam: WIDE



m	lx	øm
1	625	1,43
2	156	2,86
3	69	4,30
4	39	5,73
5	25	7,16



m	lx	øm
1	1056	1,60
2	264	3,20
3	117	4,81
4	66	6,41
5	42	8,01



m	lx	øm
1	1644	1,60
2	411	3,20
3	183	4,81
4	103	6,41
5	66	8,01



CRI≥80 10W 70° 1350lm 3000K

CRI≥80 20W 77° 2750lm 3000K

CRI≥80 30W 77° 4150lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.





# Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and 4000 K and with three different optics; CRI  $\geq 80$ ; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.


**IP44** Protection degree IP44.

<b>Source</b>	LED COB / SMD
<b>Power</b>	10W / 15W / 20W / 30W
<b>Driver included</b>	On/Off
<b>Drivers available</b>	1-10V / DALI / Push
<b>MacAdam</b>	SDCM $\leq 3$
<b>CCT</b>	3000 K / 4000 K
<b>CRI</b>	$\geq 80$
<b>LED life</b>	30.000 h
<b>Insulation class</b>	II
<b>IP</b>	44
<b>Material</b>	Aluminum
<b>Warranty</b>	5 years






# Basic Accent



① 90 mm  
0,400 Kg/0,0017 m<sup>3</sup>

LED COB PHILIPS Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
10 W	45°	1050 lm	3000 K	White	193458	68
		1200 lm	4000 K	White	193359	68



① 125 mm  
0,660 Kg/0,0027 m<sup>3</sup>

LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	52°	1500 lm	3000 K	White	193465	85
		1550 lm	4000 K	White	193366	85
20 W		1950 lm	3000 K	White	193472	90
		2050 lm	4000 K	White	193373	90



① 160 mm  
1,250 Kg/0,0056 m<sup>3</sup>

LED COB PHILIPS Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
30 W	46°	2500 lm	3000 K	White	193489	145
		2550 lm	4000 K	White	193380	145

DIMMABLE DRIVER\* Optional


Model	Control	Power	Output	Measure (LxHxW)	Code	€
Basic 10 W	1-10V	12 W	300 mA	150 x 29 x 43 mm	218823	40
	DALI/Push	10 W	300 mA	130 x 30 x 43 mm	220772	125
Basic 15 W	1-10V	15 W	450 mA	150 x 29 x 43 mm	218830	45
	DALI/Push	17 W	450 mA	130 x 30 x 43 mm	220796	134
Basic 20 W	DALI/Push	25 W	700 mA	130 x 30 x 43 mm	220789	146
Basic 30 W	1-10V	31 W	900 mA	150 x 29 x 43 mm	218854	50
	DALI/Push	45 W	900 mA	150 x 30 x 43 mm	220802	158




Light beam: ACCENT



m	lx	øm
1	533	0,81
2	133	1,62
3	59	2,44
4	33	3,25
5	21	4,07



m	lx	øm
1	719	0,98
2	179	1,96
3	79	2,95
4	44	3,93
5	28	4,92



m	lx	øm
1	1250	0,92
2	312	1,84
3	138	2,76
4	78	3,69
5	50	4,61



CRI≥80 10W 45° 1050lm 3000K


CRI≥80 15W 52° 1500lm 3000K

CRI≥80 30W 46° 2500lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




# Basic Wide



① 90 mm  
0,370 Kg/0,0017 m<sup>3</sup>

**LED SMD SAMSUNG** Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
10 W	85°	1150 lm	3000 K	White	193519	65
		1200 lm	4000 K	White	193403	65



① 125 mm  
0,630 Kg/0,0027 m<sup>3</sup>

**LED SMD SAMSUNG** Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	87°	1750 lm	3000 K	White	193526	80
		1800 lm	4000 K	White	193410	80
20 W		2400 lm	3000 K	White	193533	85
		2500 lm	4000 K	White	193427	85



① 160 mm  
1,130 Kg/0,0056 m<sup>3</sup>

**LED SMD SAMSUNG** Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
30 W	90°	3050 lm	3000 K	White	193540	140
		3150 lm	4000 K	White	193434	140

**DIMMABLE DRIVER\*** Optional


Model	Control	Power	Output	Measure (LxHxW)	Code	€
Basic 10 W	1-10V	12 W	300 mA	150 x 29 x 43 mm	218823	40
	DALI/Push	10 W	300 mA	130 x 30 x 43 mm	220772	125
Basic 15 W	1-10V	15 W	450 mA	150 x 29 x 43 mm	218830	45
	DALI/Push	17 W	450 mA	130 x 30 x 43 mm	220796	134
Basic 20 W	DALI/Push	25 W	700 mA	130 x 30 x 43 mm	220789	146
Basic 30 W	1-10V	31 W	900 mA	150 x 29 x 43 mm	218854	50
	DALI/Push	45 W	900 mA	150 x 30 x 43 mm	220802	158




Light beam: **WIDE**



m	lx	øm
1	188	1,84
2	47	3,69
3	20	5,54
4	11	7,39
5	7	9,24



m	lx	øm
1	318	1,72
2	79	3,44
3	35	5,17
4	19	6,89
5	12	8,61



m	lx	øm
1	591	1,84
2	147	3,69
3	65	5,53
4	36	7,38
5	23	9,23



**CRI≥80 10W 85° 1150lm 3000K**

**CRI≥80 15W 87° 1750lm 3000K**

**CRI≥80 30W 90° 3050lm 3000K**

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.






# Basic IP65 new

IP65 CRI ≥90 50.000 h ALUMINUM

**IP65** Protection degree IP65.




① 155 mm

0,300 Kg/0,0036 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	105°	1550 lm	3000 K	White	312118	65 <span style="color: red;">new</span>




① 160 mm

0,450 Kg/0,0041 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	105°	2250 lm	3000 K	White	312125	75 <span style="color: red;">new</span>




① 205 mm

0,650 Kg/0,0068 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	105°	3200 lm	3000 K	White	312132	110 <span style="color: red;">new</span>




① 105 x 105 mm

0,300 Kg/0,0020 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	100°	1550 lm	3000 K	White	312156	60 <span style="color: red;">new</span>




① 145 x 145 mm

0,500 Kg/0,0037 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	100°	1850 lm	3000 K	White	312163	95 <span style="color: red;">new</span>



① 185 x 185 mm

0,700 Kg/0,0055 m<sup>3</sup>

**LED SMD OSRAM Driver ON/OFF included**

Power	Beam	Lumen	CCT	Finish	Code	€
25 W	100°	2750 lm	3000 K	White	312170	115 <span style="color: red;">new</span>




Light beam: **WIDE**



# Groove

IP20 CRI ≥80 30.000 h ALUMINUM




① 100 mm

0,220 Kg/0,0012 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1250 lm	3000 K	White	123974	29
		1350 lm	4000 K	White	147666	29




① 150 mm

0,410 Kg/0,0023 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2600 lm	3000 K	White	123998	35
		2700 lm	4000 K	White	147673	35




① 205 mm

0,660 Kg/0,0036 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3800 lm	3000 K	White	124018	46
		4050 lm	4000 K	White	147680	46




① 100 x 100 mm

0,270 Kg/0,0012 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1200 lm	3000 K	White	123981	30




① 150 x 150 mm

0,540 Kg/0,0023 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2450 lm	3000 K	White	124001	36



① 205 x 205 mm


0,850 Kg/0,0036 m<sup>3</sup>

## LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3900 lm	3000 K	White	124025	49




Light beam: WIDE





# Aura


Source	LED SMD	LED life	30.000 h
Power	20W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K/4000 K	Warranty	5 years
CRI	≥80		



⌀ min 65-max 205 mm  
0,350 Kg/0,0018 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	115°	2050 lm	3000 K	White	290799	35
				Black	290775	35
		2100 lm	4000 K	White	306346	35
				Black	306360	35




⌀ min 65-max 205 mm  
0,400 Kg/0,0018 m<sup>3</sup>

## LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	115°	2200 lm	3000 K	White	290836	40
				Black	290812	40
		2250 lm	4000 K	White	306384	40
				Black	306407	40



Light beam: WIDE



m	lx	øm
1	1470	1,79
2	367	3,59
3	163	5,38
4	92	7,18
5	59	8,97



CRI≥80 20W 115° 2050lm 3000K




P. 309



# Play

Source	LED COB	LED life	30.000 h
Power	7W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




## LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
7W	17°	520 lm	3000 K	White	258270	60
				Black	268088	60



Light beam: SPOT



m	lx	Øm
1	2632	0,31
2	658	0,63
3	292	0,94
4	164	1,30
5	105	1,60





CRI≥90 7W 17° 520lm 3000K





# Nova

Source	LED COB	LED life	50.000 h
Power	12W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		





**LED COB PHILIPS** Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	38°	1000 lm	3000 K	White	248165	75
				Black	248189	75
		1100 lm	4000 K	White	267937	75
				Black	267920	75

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	15 W	300 mA	111 x 22 x 52 mm	243993	60
DALI / Push	12 W	300 mA	132 x 20 x 30 mm	243986	60



**LED COB PHILIPS** Driver ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	38°	3000 lm	3000 K	White	248172	125
				Black	248196	125
		3250 lm	4000 K	White	267951	125
				Black	267944	125

**DIMMABLE DRIVER\*** Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	36 W	750 mA	167 x 32 x 41 mm	248370	110
DALI / Push	36 W	700 mA	135 x 24 x 72 mm	248592	110




**LENS**


Model	Required	Beam	Code	€
Nova 12W	No	15°	244013	6
Nova 30W	No	15°	248608	12



Light beam: **ACCENT**



m	lx	øm
1	1768	0,66
2	442	1,32
3	196	1,97
4	111	2,63
5	71	3,29



m	lx	øm
1	4671	0,64
2	1168	1,28
3	519	1,93
4	292	2,57
5	187	3,21



**CRI≥90 12W 38° 1000lm 3000K**

**CRI≥90 30W 38° 3000lm 3000K**


\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.





# Led Panel

Source	LED SMD	UGR	<19
Power	40W	LED life	25.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥80 / ≥90	Warranty	5 years



2,200 Kg/0,0144 m<sup>3</sup>  
Purchase Qty. 2 pieces

## LED SMD Driver ON/OFF included

CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	81°	4150 lm	3000 K	White	249711	45
		4450 lm	4000 K	White	249728	45

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	81°	3550 lm	3000 K	White	246390	45
		3800 lm	4000 K	White	244181	45

## DIMMABLE DRIVER\* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	37
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	67



KIT PENDANT


KIT SURFACE

RECESSED FRAME\*\*

Required	N° Cables	Cables Length	Code	€
No	4	1000 mm	244198	6
No			244204	6
No			267692	20



Light beam: WIDE




m	lx	øm
1	1470	1,79
2	367	3,59
3	163	5,38
4	92	7,18
5	59	8,97



CRI≥80 40W 81° 4150lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

\*\*RECESSED FRAME 607 x 607 mm



# Lika **new**

Rectangular LED recessed projector in die-cast aluminum painted black or white, with shiny black polycarbonate reflector. Available in TRIM and SLIM versions with frame for installation on panels or ceilings, or TRIMLESS with hidden recessed edge for installation on plasterboard ceilings. Modules available with two, five or ten light sources. Specially designed to avoid glare (UGR<16), it finds its best location within OFFICES and COMMERCIAL spaces or in minimalist residential environments. Integrated LED light source; available in 3000K and 4000K color temperatures; high color rendering CRI  $\geq$  90; IP20 protection, insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions.

**UGR** Product with UGR <16.


Source	LED COB / SMD
Power	6W / 12W / 20W
Driver included	On/Off
Drivers available	DALI / Push
CCT	3000 K / 4000 K
CRI	$\geq$ 90
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years








# Lika Trim



68 x 37 mm  
0,130 Kg/0,0005 m<sup>3</sup>

**LED COB OSRAM** Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	29°	480 lm	3000 K	Black	+	206196	45
		520 lm	4000 K	Black	+	267869	45



140 x 37 mm  
0,320 Kg/0,0013 m<sup>3</sup>

**LED COB OSRAM** Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1200 lm	3000 K	Black	+	206219	65
		1250 lm	4000 K	Black	+	267876	65



273 x 37 mm  
0,480 Kg/0,0016 m<sup>3</sup>

**LED COB OSRAM** Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	1750 lm	3000 K	Black	+	206233	110
		1850 lm	4000 K	Black	+	267883	110

**DIMMABLE DRIVER\*** Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
Lika 6 W	DALI	10 W	700 mA	132 x 20 x 30 mm	267982	56
Lika 12 W	DALI	12 W	700 mA	135 x 24 x 72 mm	267999	56
Lika 20 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	104



Light beam: ACCENT




m	lx	øm
1	2091	0,58
2	523	1,16
3	232	1,74
4	131	2,32
5	70	2,90




CRI≥90 12W 29° 1200lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




# Lika Trimless



75 x 70 mm  
0,220 Kg/0,0006 m<sup>3</sup>

LED COB OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	29°	480 lm	3000 K	Black	■	206202	60
		520 lm	4000 K	Black	■	267890	60



145 x 70 mm  
0,390 Kg/0,0013 m<sup>3</sup>

LED COB OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1200 lm	3000 K	Black	■	206226	95
		1250 lm	4000 K	Black	■	267906	95



278 x 70 mm  
0,720 Kg/0,0023 m<sup>3</sup>

LED COB OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	1750 lm	3000 K	Black	■	206240	151
		1850 lm	4000 K	Black	■	267913	151

DIMMABLE DRIVER\* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
Lika 6 W	DALI	10 W	700 mA	132 x 20 x 30 mm	267982	56
Lika 12 W	DALI	12 W	700 mA	135 x 24 x 72 mm	267999	56
Lika 20 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	104



Light beam: ACCENT



m	lx	øm
1	2786	0,58
2	696	1,16
3	309	1,74
4	174	2,32
5	111	2,90




CRI≥90 12W 29° 1200lm 3000K

\* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




# Lika Slim



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	32°	1000 lm	3000 K	White	327501	65 <small>new</small>
				Black	305813	65 <small>new</small>

117 x 23 mm  
0,180 Kg/0,0013 m<sup>3</sup>




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
19 W	32°	2000 lm	3000 K	White	327518	110 <small>new</small>
				Black	305837	110 <small>new</small>

231 x 23 mm  
0,300 Kg/0,0022 m<sup>3</sup>



Light beam: ACCENT



m	lx	øm
1	1958	0,55
2	489	1,10
3	218	1,70
4	122	2,20
5	78	2,80




CRI≥90 12W 29° 12001m 3000K





# Samba

IP20 GYPSUM




## GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code	€
max 35W	0,360 Kg	0,0016 m <sup>3</sup>	White	230580	15

Power	Weight	Volume	Finish	Code	€
max 35W	0,240 Kg	0,0018 m <sup>3</sup>	White	150307	15

Power	Weight	Volume	Finish	Code	€
max 35W	0,450 Kg	0,0032 m <sup>3</sup>	White	150130	15

Power	Weight	Volume	Finish	Code	€
max 50W	0,420 Kg	0,0036 m <sup>3</sup>	White	139012	15



## GU10 Not included - Recommended bulb 108292


Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0016 m <sup>3</sup>	White	229997	15

Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0019 m <sup>3</sup>	White	150291	15

Power	Weight	Volume	Finish	Code	€
max 35W	0,600 Kg	0,0037 m <sup>3</sup>	White	150116	15

## Glass diffuser


Power	Weight	Volume	Finish	Code	€
max 50W	0,430 Kg	0,0023 m <sup>3</sup>	White	139029	15





# Zephyr


□ IP20
 ✎ GYPSUM



□ 123 x 123 mm  
 0,880 Kg/0,0032 m<sup>3</sup>

**GU10** Not included - Recommended bulb 108292

Power	Finish		Code	€
max 35W	White	<span style="border: 1px solid black; padding: 2px;">□</span>	150284	15




□ 207 x 207 mm  
 1,350 Kg/0,0075 m<sup>3</sup>


**GU10** Not included - Recommended bulb 108292

Power	Finish		Code	€
max 35W	White	<span style="border: 1px solid black; padding: 2px;">□</span>	155722	50



# Chill **new**





 IP20 CRI ≥80 25.000 h ALUMINUM



⌀ 68 mm

0,050 Kg/0,0003 m<sup>3</sup>

**LED SMD** Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
7 W	100°	680 lm	3000 K	White	 316772	8 <i>new</i>
				Black	 327723	8 <i>new</i>
		700 lm	4000 K	White	 327747	8 <i>new</i>
				Black	 327730	8 <i>new</i>




Light beam: **WIDE**



# Jazz

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		083117	10
	Ant. Brass		083124	10
	Chrome		083070	10
	Black		243818	10
	Nickel		083087	10

# Swing

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		083179	12
	Ant. Brass		083186	12
	Chrome		083131	12
	Black		243825	12
	Nickel		083148	12

# Lounge

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		138978	17

# Funky

IP20 IRON



GU10 Not included - Recommended bulb 108292


Power	Finish		Code	€
max 50W	Aluminum		083223	18
	White		083230	18
	Ant. Brass		083247	18
	Chrome		083193	18
	Black		243849	18



GLASS DIFFUSER

# Room-65

IP65 CRI ≥80 50.000 h ALUMINUM




① 68 mm

0,220 Kg/0,0011 m<sup>3</sup>

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
8 W	38°	800 lm	3000 K	White	252025	77
				Black	252032	77



① 68 mm

0,240 Kg/0,0011 m<sup>3</sup>

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
8 W	38°	800 lm	3000 K	White	252049	77
				Black	252056	77




Light beam: ACCENT



# Blues


IP20 GLASS



⌀ 60 mm  
 0,281 Kg/0,0031 m<sup>3</sup>  
**Purchase Qty. 3 pieces**

**GU10** Not included - Recommended bulb 108292

Power	Finish	Code	€
max 50W	Clear	083254	24
	White	113999	24
	Smoky Grey	113982	24



⌀ 60 mm  
 0,340 Kg/0,0012 m<sup>3</sup>  
**Purchase Qty. 3 pieces**


**GU10** Not included - Recommended bulb 108292

Power	Finish	Code	€
max 50W	Clear	114019	24



# Soul

 IP20 CRYSTAL




① 55 mm

0,340 Kg/0,0009 m<sup>3</sup>

G9 Not included - Recommended bulb 305486

Power	Finish	Code	€
max 40W	Clear	107691	20



① 55 mm

0,400 Kg/0,0008 m<sup>3</sup>


G9 Not included - Recommended bulb 305486

Power	Finish	Code	€
max 40W	Clear	107707	20



# Polka




□ △ IP20



① 65 mm

0,250 Kg/0,0022 m<sup>3</sup>

GU10 Not included - Recommended bulb 108292

Power	Material	Finish		Code	€
max 50W	Gypsum	White		115597	16
	Aluminum	Brass		115610	16
	Aluminum	Ant. Brass		115580	16



115597



115610




115580





# Walky


IP20 
  CRI ≥ 90 
 50.000 h GYPSUM



100 x 100mm  
 0,580 Kg/0,0009 m<sup>3</sup>

### LED SMD AND DRIVER Included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	<input type="checkbox"/> 249834	63



81 x 166 mm  
 0,580 Kg/0,0012 m<sup>3</sup>

### LED SMD AND DRIVER Included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	<input type="checkbox"/> 249827	63



Light beam: **ASYMMETRICAL**



















# Outdoors

## Suspensions and ceiling

### Alphabetical index

Bubble	814
Clio	808
Fiesta	815
Gun	811
Luna	807
Mib	814
Sole	806
Sunglasses	812
Techo	810
Urano	813
Xeno	812

### Typology index


		
<b>new</b>		
<b>Sole 806</b>	<b>Luna 807</b>	
		
<b>new</b>	<b>new</b>	<b>new</b>
<b>Clio 808</b>	<b>Clio 808</b>	<b>Clio 808</b>
		
<b>new</b>	<b>new</b>	<b>new</b>
<b>Clio 808</b>	<b>Clio 808</b>	<b>Clio 808</b>
		
<b>new</b>		
<b>Techo 810</b>	<b>Gun 811</b>	<b>Sunglasses 812</b>
		
<b>Xeno 812</b>	<b>Urano 813</b>	<b>Bubble 814</b>
		
<b>Mib 814</b>	<b>Fiesta 815</b>	





## Sole new


Plastic opal color diffuser.  
Aluminum base for the suspended model. PVC electrical wire.




2,970 Kg / 0,1327 m³  
E27 max 1x60W

€ 180

136011 White




151991 € 2,00




1,690 Kg / 0,0776 m³  
E27 max 1x60W

€ 110

136004 White




151991 € 2,00




1,360 Kg / 0,0338 m³  
E27 max 1x60W

€ 95

135991 White




151991 € 2,00



1,300 Kg / 0,0111 m³  
E27 max 1x60W

€ 90

318837 White new



151960 € 2,00




P. 873



# Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.

**LED** Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**




**1,470 Kg / 0,0120 m³**  
E27 max 1x42W

€ 115

**213194** White

4000 K  
1000 lm

151991 € 2,00



**0,400 Kg / 0,0021 m³**  
G9 max 1x5W

€ 100

**213200** White


4000 K  
530 lm

307879 € 6,00



P. 874





P. 855 P. 906

# Clio new

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.

116716



145068



145020



144252



144238







136073



144245



326801



IP44

IP44

0,200 Kg / 0,0014 m<sup>3</sup>  
E27 max 1x 42W

0,580 Kg / 0,0019 m<sup>3</sup>  
E27 max 1x 42W

0,540 Kg / 0,0171 m<sup>3</sup>

0,520 Kg / 0,0144 m<sup>3</sup>

0,610 Kg / 0,0231 m<sup>3</sup>

€ 56

€ 73

€ 35

€ 35

€ 35

- 148847 White
- 148854 Grey
- 148861 Anthracit.
- 148878 Black
- 326795 Coffee new

- 144252 White
- 144238 Grey
- 136073 Anthracit.
- 144245 Black
- 326801 Coffee new

145068 White

116716 White

145020 White

4000 K  
600 lm  
151960 € 2,00

4000 K  
600 lm  
151960 € 2,00



# Techo new


Powder coated die-cast aluminum body. Tempered frosted clear glass diffuser. Available with anthracite, white, grey, coffee or black finish.



1,700 Kg / 0,0049 m³  
GU10 max 1x20W

€ 115

- 251523 ■ White
- 326887 ■ Grey
- 251516 ■ Anthracit.
- 251530 ■ Black
- 251547 ■ Coffee




253398 € 15,00



0,600 Kg / 0,0012 m³  
GU10 max 1x20W

€ 64

- 251561 ■ White
- 326894 ■ Grey new
- 251554 ■ Anthracit.
- 251578 ■ Black
- 251592 ■ Coffee



253497 € 3,00



# Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663    092324    163642    236865    122687    163666



0,490 Kg / 0,0030 m<sup>3</sup>  
GU10 max 1x28W

€ 54

- 122663 White
- 092324 Aluminum
- 163642 Grey
- 236865 Anthracit.
- 122687 Black
- 163666 Coffee

4000 K  
430 lm

253497 € 3,00




P. 836

# Sunglasses

Anthracite or white powder painted aluminum body. Reclinable diffusers with clear glass screens.

**LED** LED source 4000 K, 30.000 h life.



■ □ IP44

1,040 Kg / 0,0040 m<sup>3</sup>

LED 14,5W / 1450 lm

€ 130

161853 ■ White

161846 ■ Anthracit.




161853

161846

# Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.



■ ⊕ IP44

0,830 Kg / 0,0044 m<sup>3</sup>

GU10 max 2 x 28W

€ 72

129495 ■ White

129518 ■ Grey

129501 ■ Black

4000 K  
430 lm



253497

€ 3,00

P. 826



129495

129518

129501





# Urano


Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



168050



168135




1,200 Kg / 0,0029 m<sup>3</sup>  
GX53 max 1x15W

€ 95

168050 ■ White  
168135 ■ Anthracit.

4000 K  
1000 lm

154008 € 5,50



0,630 Kg / 0,0016 m<sup>3</sup>  
GX53 max 1x15W

€ 70

168036 ■ White  
168111 ■ Anthracit.

4000 K  
1000 lm

154008 € 5,50

# Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



1,730 Kg / 0,0249 m<sup>3</sup>

E27 max 1x 60W

€ 125

135250 White



4000 K  
600 lm



151960 € 2,00 P. 854




# Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.



LED source 3000/4000 K, 35.000 h life.



1,620 Kg / 0,0086 m<sup>3</sup>

LED 19W / 2000/2100 lm

€ 150

269115 White 3000K  
202945 White 4000K



1,820 Kg / 0,0086 m<sup>3</sup>

LED 19W / 2100/2200 lm

€ 150


269122 White 3000K  
202921 White 4000K





# Fiesta

Black plastic electric cable, bulb socket and grapping eyelets.  
Supplied with plug for outdoor.



1,530 Kg / 0,0068 m<sup>3</sup>  
E27 max 10 x 15W

€ 100

246796 ■ Black

3000 K  
340 lm

101286 € 2,60



0,600 Kg / 0,0049 m<sup>3</sup>  
E27 max 5 x 15W

€ 65

159836 ■ Black

3000 K  
340 lm

101286 € 2,60





# Outdoors

## Wall lamps



### Alphabetical index

Andromeda	847	Rubik	842
Apollo	835	Snif Round	832
Argo	845	Snif Square	833
Atom	843	Style	828
Base	840	Swipe	827
Bubble	854	Terra	824
Cima	856	Tetris-1	844
Clio	855	Tetris-2	845
Cometa	852	Tronco	830
Dafne	857	Twin	846
Dedra	859	Up	844
Down	858	Xeno	826
Elio	822		
Etere	831		
Febe	858		
Felix	849		
Gas	825		
Giove	848		
Gun	836		
Iko	841		
Keope	834		
Linea	838		
Litio	823		
Medea	853		
Omega Round	820		
Omega Square	821		
Polar	853		
Punto	839		
Rex-1	850		
Rex-2	851		
Rex-3	851		





# Atom

Pag 843



Omega R. 820

new



Style 828

new



Linea 838











































Tetris-2 845



Rex-3 851

# Outdoors

## Typology index

				 new		 new
Omega S. 821	Elio 822	Litio 823	Terra 824	Gas 825	Xeno 826	Swipe 827
 new	 new					
Tronco 830	Etere 831	Snif Round 832	Snif Square 833	Keope 834	Apollo 835	Gun 836
 new			 new	 new	 new	 new
Punto 839	Base 840	Iko 841	Rubik 842	Atom 843	Up 844	Tetris-1 844
 new	 new		 new		 new	
Argo 845	Twin 846	Andromeda 847	Giove 848	Felix 849	Rex-1 850	Rex-2 851
				 new	 new	 new
Cometa 852	Polar 853	Medea 853	Bubble 854	Clio 855	Clio 855	Clio 855
					 new	 new
		Cima 856	Dafne 857	Down 858	Febe 858	Dedra 859



# Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.

**LED** LED source 3000/4000 K, 25.000 h life.



285474




285450



285504



285498



IP54

0,500 Kg / 0,0012 m<sup>3</sup>  
LED 7W / 610/650 lm

€ 87


285474	White	3000K
285481	White	4000K
285450	Anthracit.	3000K
285467	Anthracit.	4000K
285504	Black	4000K
285498	Coffee	4000K



## Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.

**LED** LED source 4000 K, 25.000 h life.



0,600 Kg / 0,0012 m<sup>3</sup>  
LED 7W / 650 lm

€ 87

285528 ■ White  
285511 ■ Anthracit.  
285535 ■ Black





# Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




096483

096476



Bulbs LED GU10 3,5W included.  
Settable CCT: 2700 K, 4000 K.



0,500 Kg / 0,0027 m<sup>3</sup>  
GU10 max 1x6W

€ 82

096483 ■ White  
096476 ■ Black

4000 K  
430 lm

253497 € 3,00



P. 918





# Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from  $-60^{\circ}$  to  $+90^{\circ}\text{C}$ . Adjustable diffuser.




145303



145327



145341



0,690 Kg / 0,0044 m<sup>3</sup>  
GX53 max 1x10W

€ 95

145303 ■ White  
145327 ■ Grey  
145341 ■ Black

4000 K  
1000 lm

154008 € 5,50



Bulbs LED GX53 7W included. Settable  
CCT: 3000 K, 4000 K, 6500 K.




P. 919



# Terra

Cast aluminum painted frame.  
Adjustable body. Transparent  
Pyrex glass diffuser.



■ IP65


1,140 Kg / 0,0091 m<sup>3</sup>  
E27 max 1x 42W

€ 85

046167 ■ Anthracit.

4000 K  
600 lm

151960 € 2,00



■ IP65

0,530 Kg / 0,0024 m<sup>3</sup>  
GU10 max 1x 28W

€ 45

046181 ■ Anthracit.

4000 K  
430 lm

253497 € 3,00



P. 920





## Gas <sup>new</sup>

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



091518

322407


091525

020228

213095




P. 890



0,320 Kg / 0,0020 m<sup>3</sup>  
GU10 max 1x 28W

€ 50

091518   White  
322407   Grey <sup>new</sup>  
091525   Anthracit.  
020228   Black  
213095   Coffee

 4000 K  
430 lm

253497

€ 3,00



# Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.




129488



129471



129464



IP44

0,360 Kg / 0,0014 m<sup>3</sup>  
GU10 max 1x28W

€ 35

129488 ■ White  
129471 ■ Grey  
129464 ■ Black

4000 K  
430 lm  
253497 € 3,00



P. 812








## Swipe <sup>new</sup>

Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.

**LED** LED source 3000 K, 50.000 h life.

 Lamp with presence detector included PIR (Passive InfraRed).



IP54

1,200 Kg / 0,0055 m<sup>3</sup>  
LED 20,5W / 2000 lm

€ 115

287690 White  
326863 Grey  
287683 Anthracit.  
287706 Black  
307169 Coffee

IP54

1,300 Kg / 0,0055 m<sup>3</sup>  
LED 21W / 2000 lm

€ 130

287720 White  
326870 Grey <sup>new</sup>  
287713 Anthracit.  
287737 Black  
307176 Coffee






# Style new

Powder coated aluminum body.  
Opal color plastic shade. Integrated  
LED source. AP Sensor model  
with PIR sensor. Available finishes:  
anthracite, white, coffee, grey or  
black.

**LED** LED source 3000/4000 K, 30.000 h  
life.

 Lamp with presence detector included  
PIR (Passive InfraRed).




269139

322650

246857

322636

322704




 IP54

0,390 Kg / 0,0018 m<sup>3</sup>  
LED 9W / 1050/1100 lm

€ 135

269139	White	3000K
221502	White	4000K
322650	Grey	3000K <span style="color: red;">new</span>
322643	Grey	4000K <span style="color: red;">new</span>
246857	Anthracit.	3000K



 IP54

0,400 Kg / 0,0018 m<sup>3</sup>  
LED 9,5W / 1050/1100 lm

€ 165

209845	Anthracit.	4000K	269146	White	3000K
322636	Black	3000K <span style="color: red;">new</span>	209852	White	4000K
322629	Black	4000K <span style="color: red;">new</span>	246864	Anthracit.	3000K
322704	Coffee	3000K <span style="color: red;">new</span>	221519	Anthracit.	4000K
322681	Coffee	4000K <span style="color: red;">new</span>			








## Tronco new






Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.




■  IP44

1,110 Kg / 0,0070 m<sup>3</sup>  
E27 max 1x 42W

€ 65

118659  White  
026978  Grey  
027005  Anthracit.  
004716  Black  
326962  Coffee new


 4000 K  
490 lm  
153957 € 2,60



# Etere <sup>new</sup>

Powder painted casted aluminum body. Opal color plastic diffuser. Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 25.000 h life.



IP44

0,590 Kg / 0,0027 m<sup>3</sup>  
LED 9,5W / 1150/1350 lm

€ 95

319810	White	3000K	<sup>new</sup>	172408	Anthracit.	4000K
322155	White	4000K	<sup>new</sup>	322193	Black	3000K
322179	Grey	3000K	<sup>new</sup>	322209	Black	4000K
322186	Grey	4000K	<sup>new</sup>	269153	Coffee	3000K
246925	Anthracit.	3000K		246949	Coffee	4000K





## Snif Round

Varnished die-cast aluminum body.  
Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

061467




144283



061474



061450



IP54

0,750 Kg / 0,0032 m<sup>3</sup>  
G9 max 1x40W

€ 50

144283 White  
061474 Grey  
061467 Anthracit.  
061450 Black

4000 K  
530 lm  
307879 € 6,00





## Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

121963




144276



118666



123080



IP44

0,600 Kg / 0,0027 m<sup>3</sup>  
G9 max 1x 40W

€ 50

144276 White  
118666 Grey  
121963 Anthracit.  
123080 Black

4000 K  
530 lm  
307879 € 6,00



# Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to +90°C. Transparent satin acrylic diffusers.

**LED** Bulbs LED GU10 3,5W included. Settable CCT: 2700 K, 4000 K.



**0,450 Kg / 0,0033 m³**  
**GU10 max 2 x 6W**

€ 63

147772  White  
147796  Grey  
147819  Black

**3000 K**  
**410 lm**

108292 € 3,00



**0,350 Kg / 0,0033 m³**  
**GU10 max 1 x 6W**

€ 42

147765  White

**3000 K**  
**410 lm**

108292 € 3,00



# Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

**LED** LED source 4000 K, 30.000 h life.



IP44

0,540 Kg / 0,0008 m<sup>3</sup>  
LED 6W / 800 lm

€ 90

137391 ■ Black





# Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388

033013


163628



236841

100395

163635




IP54

1,350 Kg / 0,0071 m<sup>3</sup>  
E27 max 2 x 60W

€ 72

- 092300 White
- 033020 Aluminum
- 163604 Grey
- 236858 Anthracit.
- 092317 Black
- 163611 Coffee



IP44

0,720 Kg / 0,0024 m<sup>3</sup>  
GU10 max 2 x 35W

€ 65

- 100388 White
- 033013 Aluminum
- 163628 Grey
- 236841 Anthracit.
- 100395 Black
- 163635 Coffee

4000 K  
600 lm  
151960 € 2,00

4000 K  
430 lm  
253497 € 3,00







# Linea new

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

**LED** LED source 3000 K, 30.000 h life.



1,750 Kg / 0,0049 m<sup>3</sup>  
LED 23W / 2600 lm

€ 185

1,430 Kg / 0,0036 m<sup>3</sup>  
LED 20W / 1950 lm

€ 145

328584	White	<span style="color: red;">new</span>	313474	White	<span style="color: red;">new</span>
313504	Anthracit.	<span style="color: red;">new</span>	313467	Anthracit.	<span style="color: red;">new</span>
328607	Black	<span style="color: red;">new</span>	313498	Black	<span style="color: red;">new</span>
328591	Coffee	<span style="color: red;">new</span>	313481	Coffee	<span style="color: red;">new</span>



# Punto new

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

**LED** LED source 3000 K, 30.000 h life.




313528

313511

313542


313535



2,090 Kg / 0,0135 m<sup>3</sup>

LED 16W / 1850 lm


€ 175



1,280 Kg / 0,0083 m<sup>3</sup>

LED 12W / 1400 lm

€ 145



0,820 Kg / 0,0018 m<sup>3</sup>

LED 9W / 1050 lm

€ 85

- |        |           |     |        |           |     |        |           |     |
|--------|-----------|-----|--------|-----------|-----|--------|-----------|-----|
| 328553 | White     | new | 328522 | White     | new | 313528 | White     | new |
| 313566 | Anthracit | new | 313559 | Anthracit | new | 313511 | Anthracit | new |
| 328577 | Black     | new | 328546 | Black     | new | 313542 | Black     | new |
| 328560 | Coffee    | new | 328539 | Coffee    | new | 313535 | Coffee    | new |



## Base


Die-cast aluminium reflecting body with matt white, grey or black powder coating. Double, top and bottom, clear tempered glass diffuser.



129457

129440

129433



IP44

0,610 Kg / 0,0016 m<sup>3</sup>  
GU10 max 2 x 28W

€ 40

129457 ■ White  
129440 ■ Grey  
129433 ■ Black

4000 K  
430 lm  
253497 € 3,00





# Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.



018515



092218



018522



■ IP54

0,600 Kg / 0,0040 m<sup>3</sup>  
E27 max 1x60W

€ 50

018522 ■ White  
092218 ■ Grey  
018515 ■ Anthracit.

● 4000 K  
600 lm

151960 € 2,00



# Rubik new

Cast aluminum body with powder coating. Up-and-down reflecting internal structure. Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 30.000 h life.



IP54

0,660 Kg / 0,0022 m<sup>3</sup>  
LED 8,5W / 700/730 lm

€ 135

269313	White	3000K	149738	Anthracit.	4000K
149745	White	4000K	269320	Black	3000K
326849	Grey	3000K <span style="color: red;">new</span>	142302	Black	4000K
326856	Grey	4000K <span style="color: red;">new</span>	326627	Coffee	3000K <span style="color: red;">new</span>
247083	Anthracit.	3000K	326634	Coffee	4000K <span style="color: red;">new</span>






# Atom new

Powder coated aluminum body.  
Glass diffusers. Double light beam,  
up and down with adjustable width  
and movable wings.

**LED** LED source 3000 K, 30.000 h life.



■  $\oplus$  IP54

■  $\oplus$  IP54

1,160 Kg / 0,0025 m<sup>3</sup>  
LED 23W / 2100 lm

0,660 Kg / 0,0013 m<sup>3</sup>  
LED 12W / 1050 lm

€ 135

€ 70

328652	White	new	313436	White	new
313412	Anthracit	new	313429	Anthracit	new
328676	Black	new	313450	Black	new
328669	Coffee	new	313443	Coffee	new

# Up <sup>new</sup>

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee, grey or black.



0,520 Kg / 0,0019 m<sup>3</sup>  
G9 max 2 x 15W

€ 58

115320 White  
326993 Grey <sup>new</sup>  
115337 Anthracit.  
115344 Black  
213354 Coffee



0,320 Kg / 0,0012 m<sup>3</sup>  
G9 max 1 x 15W

€ 38

115290 White  
326986 Grey <sup>new</sup>  
115306 Anthracit.  
115313 Black  
213347 Coffee




4000 K  
530 lm

307879 € 6,00




4000 K  
530 lm

307879 € 6,00



# Tetris-1 <sup>new</sup>

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



0,390 Kg / 0,0017 m<sup>3</sup>  
G9 max 1 x 15W

€ 82

114293 White  
113760 Grey  
113753 Anthracit.  
326955 Black <sup>new</sup>  
213323 Coffee




4000 K  
530 lm

307879 € 6,00



# Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.



IP44

0,520 Kg / 0,0018 m<sup>3</sup>

G9 max 2 x 15W

€ 91

269221 White

113791 Anthracit.

4000 K  
530 lm


307879 € 6,00



# Argo <sup>new</sup>

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.

**LED** LED source 3000/4000 K, 30.000 h life.



IP65

0,600 Kg / 0,0013 m<sup>3</sup>

LED 10W / 1050/1150 lm


€ 76

268309 White 3000K

268316 White 4000K

250946 Anthracit. 3000K

268293 Anthracit. 4000K



IP65

0,600 Kg / 0,0013 m<sup>3</sup>

LED 6W / 590/620 lm

€ 70

317564 White 3000K <sup>new</sup>

321691 White 4000K <sup>new</sup>

321646 Anthracit. 3000K <sup>new</sup>

317571 Anthracit. 4000K <sup>new</sup>








## Twin new

Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.



■  IP44

0,510 Kg / 0,0026 m<sup>3</sup>  
G9 max 1x28W

€ 51

- 115351 ■ White
- 326979 ■ Grey new
- 115368 ■ Anthracit.
- 115375 ■ Black
- 213330 ■ Coffee

 4000 K  
530 lm  
307879 € 6,00



## Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543




092355



100371



163550



IP55

1,630 Kg / 0,0052 m<sup>3</sup>  
E27 max 2x60W

€ 85

100364 White  
163543 Grey  
092355 Anthracit.  
100371 Black  
163550 Coffee

4000 K  
600 lm

151960 € 2,00

IP55

1,000 Kg / 0,0039 m<sup>3</sup>  
E27 max 1x60W

€ 55

066868 White  
158822 Grey  
061580 Anthracit.  
061597 Black  
163536 Coffee

4000 K  
600 lm


151960 € 2,00





## Giove new

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.




■  IP54

0,900 Kg / 0,0041 m<sup>3</sup>  
E27 max 1x 60W

€ 70

092195  White  
322605  Grey new  
092188  Anthracit.  
092201  Black  
163598  Coffee

 4000 K  
600 lm

151960 € 2,00





# Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

**LED** Bulbs LED E27 8W Goccia included in 123745 model. Settable CCT: 2700 K, 4000 K, 6500 K.




123776



123769



123783



0,520 Kg / 0,0050 m<sup>3</sup>  
E27 max 1x23W


€ 52

123745 White

4000 K  
600 lm

151960

€ 2,00



0,610 Kg / 0,0050 m<sup>3</sup>  
E27 max 1x23W

€ 35

123776 White  
123769 Grey  
123783 Black

4000 K  
600 lm


151960

€ 2,00



## Rex-1 new





Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.




■  IP44

0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x 60W

€ 42


092393  White  
322735  Grey new  
092409  Anthracit.  
322728  Black new  
213217  Coffee

 4000 K  
1000 lm

151991 € 2,00

## Rex-2


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x60W

€ 42

092416 White  
092423 Anthracit.




151991 € 2,00



## Rex-3


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m<sup>3</sup>  
E27 max 1x60W

€ 42

092430 White  
092447 Anthracit.



151991 € 2,00







# Cometa


Die-cast aluminum body, anthracite or black powder coated finish. White PVC diffuser. The direct exposure to sun rays is not recommended.



082240



082271



1,500 Kg / 0,0124 m<sup>3</sup>  
E14 max 3x28W

€ 100

082240 ■ Anthracit.  
082271 ■ Black



3000 K  
420 lm

101217 € 2,50



# Polar


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0106 m<sup>3</sup>  
E27 max 1x23W

€ 31

096667 White  
096674 Black




151991 € 2,00

0,800 Kg / 0,0106 m<sup>3</sup>  
E27 max 1x23W

€ 31

096681 White  
096698 Black



151991 € 2,00





096681

096698

# Medea


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0109 m<sup>3</sup>  
E27 max 1x23W

€ 23

096711 White  
096704 Black




151991 € 2,00

0,800 Kg / 0,0109 m<sup>3</sup>  
E27 max 1x23W

€ 23

096735 White  
096728 Black



151991 € 2,00




096735

096728



# Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



0,480 Kg / 0,0031 m<sup>3</sup>  
G9 max 2x15W

€ 72

158907 White

4000 K  
530 lm  
307879 € 6,00



P. 814



146775

146782




145228

146799

326788

## Clio new

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



0,680 Kg / 0,0039 m<sup>3</sup>  
E27 max 1x 42W

€ 71

146775 ■ White  
146782 ■ Grey  
145228 ■ Anthracit.  
146799 ■ Black  
326788 ■ Coffee new

0,540 Kg / 0,0171 m<sup>3</sup>

€ 35

145068 ■ White

0,520 Kg / 0,0144 m<sup>3</sup>

€ 35

116716 ■ White

0,610 Kg / 0,0231 m<sup>3</sup>

€ 35

145020 ■ White

 4000 K  
600 lm  
151960 € 2,00



P. 808



P. 808




P. 906



# Cima

Totally die-cast aluminum frame.  
 Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



IP43

1,840 Kg / 0,0504 m<sup>3</sup>  
 E27 max 1x 60W

€ 61

246819 ■ Anthracit.  
 024134 ■ Black  
 246826 ■ Coffee

4000 K  
 980 lm  
 153964 € 6,00





## Dafne


High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.




120423



101491



220 275



220 130



IP55



IP55

1,000 Kg / 0,0101 m<sup>3</sup>  
E27 max 1x23W

€ 33

0,600 Kg / 0,0117 m<sup>3</sup>  
E27 max 1x23W

€ 28

120423 ■ White  
101491 ■ Black

120430 ■ White  
101552 ■ Black



4000 K  
980 lm

153964

€ 6,00



4000 K  
980 lm

153964

€ 6,00




P. 909



# Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.



■ IP44

0,270 Kg / 0,0010 m<sup>3</sup>  
G9 max 1x28W

€ 30

115382 White  
122045 Anthracit.

4000 K  
530 lm

307879 € 6,00




115382

122045

# Febe <sup>new</sup>

Device for surface installation with die cast powder coated aluminum body. Clear tempered glass diffuser. Available finishes: anthracite or white.

**LED** LED source 3000/4000 K, 30.000 h life.




■ IP65

0,760 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 600/630 lm

€ 83

268347 White 3000K  
322292 White 4000K <sup>new</sup>  
250854 Anthracit. 3000K  
322285 Anthracit. 4000K <sup>new</sup>



■ IP65

0,760 Kg / 0,0020 m<sup>3</sup>  
LED 6W / 500/520 lm

€ 80

268361 White 3000K  
322315 White 4000K <sup>new</sup>  
268354 Anthracit. 3000K  
322308 Anthracit. 4000K <sup>new</sup>



268361





268354



# Dedra new

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.

**LED** LED source 3000 K, 30.000 h life.



■ □ IP65

■ □ IP65

0,200 Kg / 0,0007 m<sup>3</sup>  
LED 3W / 200 lm

0,170 Kg / 0,0007 m<sup>3</sup>  
LED 3W / 200 lm

€ 47

€ 43

- |        |           |     |        |           |     |
|--------|-----------|-----|--------|-----------|-----|
| 328638 | White     | new | 316901 | White     | new |
| 316871 | Anthracit | new | 328645 | Anthracit | new |
| 328621 | Coffee    | new | 316895 | Coffee    | new |



# Outdoors

## Bollard and Table lamps

### Alphabetical index

Acqua	900	Tesla	888
Agos	878	Tifone	892
Arcadia	877	Titano	884
Atena	898	Toffee	867
Cima	908	Toki	866
Clio	906	Torre	904
Cosmo	905	Tronco	896
Dafne	909	Vega	894
Djambe	870	Venus	899
Doris	872		
Edo Outdoor	901		
Etere	902		
Gas	890		
Hub	891		
Ipotesi	893		
Itaca	876		
Jedi	895		
Kurt	885		
Lolita	865		
Luna	874		
Marte	886		
Mercurio	887		
Path	889		
Pulsar	899		
Pure	864		
Sasso	875		
Sirio	882		
Sole	873		
Stardust	868		
Style	880		
Sun	869		

# Arcadia

Pag 877



new



Pure 864



Lolita 865

new



Toki 866

new



Toffee 867

new



Itaca 876



Arcadia 877

new



Agos 878

new



Style 880

new



Gas 890



Hub 891



Tifone 892



Ipotesi 893

new



Edo Outdoor 901




























Etere 902



# Outdoors

Typology index

						
Stardust 868	Sun 869	Djambe 870	Doris 872	Sole 873	Luna 874	Sasso 875
						
Sirio 882	Titano 884	Kurt 885	Marte 886	Mercurio 887	Tesla 888	Path 889
						
Vega 894	Jedi 895	Tronco 896	Atena 898	Pulsar 899	Venus 899	Acqua 900
						
Torre 904	Cosmo 905	Clio 906	Clio 906	Clio 906	Cima 908	Dafne 909



## Pure new

Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 6 hours.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**Hand icon** Lamp with touch dimmer.


**Battery icon** Lamp with rechargeable battery included. 7 hours life.



311708

328515

328508




**IP54**

1,580 Kg / 0,0058 m<sup>3</sup>  
LED 1,5W / 230 lm

€ 125


311708 White new 311685 White new  
328515 Black new 311678 Black new  
328508 Coffee new 311661 Coffee new



**IP54**

0,840 Kg / 0,0052 m<sup>3</sup>  
LED 1,5W / 230 lm

€ 80



# Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 14 hours autonomy. Battery charging time 7 hours.


**LED** LED source 3000 K, 25.000 h life.

**ON/OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**Hand icon** Lamp with touch dimmer.

**Battery icon** Lamp with rechargeable battery included. 14 hours life.



**IP54**

**0,550 Kg / 0,0078 m³**  
**LED 2,8W / 250 lm**

**€ 55**

- 286723** White
- 286730** Grey
- 286716** Black
- 286747** Coffee



## Toki new

Table lamp with battery. Matt varnished metal base and shade. Clear acrylic stem. Base, stem and shade joined by magnets. Sources and battery inside the shade. Finishes: white, black.

**LED** LED source 3000 K, 30.000 h life.

**ON/OFF** Lamp with integrated switch.

**⊖ ⊕** Lamp with dimmer.

**👉** Lamp with touch dimmer.


**🔋** Lamp with rechargeable battery included. 5 hours life.



**309873**



**309866**



**IP20**

**1,000 Kg / 0,0056 m<sup>3</sup>**  
**LED 3,6W / 380 lm**

**€ 100**

**309873** White new  
**309866** Black new





## Toffee new

Table lamp with battery. Matt varnished metal base, stem and shade. Acrylic diffuser. Switch on base. Finishes: white, black. Battery charging time 7 hours.

**LED** LED source 3000 K, 30.000 h life.

**ON OFF** Lamp with integrated switch.


**Hand icon** Lamp with touch dimmer.

**Battery icon** Lamp with rechargeable battery included. 8 hours life.

311715



311715



**IP54**

**0,460 Kg / 0,0050 m<sup>3</sup>**  
**LED 1,5W / 150 lm**

**€ 80**

**311715** White new  
**328614** Black new





# Stardust

Portable lantern with battery. Powder coated die-cast aluminum frame with anthracite finish and black glass elements on the upper part. Clear tempered glass diffuser. Downward light emission.




**LED** LED source 3000 K, 20.000 h life.

**ON OFF** Lamp with integrated switch.

**+** Lamp with dimmer.

**Battery icon** Lamp with rechargeable battery included. 7 hours life.




**IP54**

**2,780 Kg / 0,0191 m³**  
**LED 3W / 330 lm**

**€ 147**

**250885 ■ Anthracit.**



**IP54**

**2,630 Kg / 0,0130 m³**  
**LED 3W / 330 lm**

**€ 135**

**250878 ■ Anthracit.**



## Sun

Portable lighting fitting with battery. Powder-coated aluminium base. White blown acid-etched glass diffuser. Available finish: white. The table lamp has 7 hours autonomy. Battery charging time 4 hours.



**LED** LED source 3000 K, 30.000 h life.

**ON/OFF** Lamp with integrated switch.

**Battery** Lamp with rechargeable battery included. 7 hours life.



**IP44**

**0,400 Kg / 0,0097 m³**  
**LED 4W / 700 lm**

**€ 85**


**278148** White



# Djambe

Powder-coated metal body.  
Rough opal color plastic diffuser.  
Downward light emission. Black  
neoprene cable with plug. Available  
finishes: coffee or black.

**LED** LED source 3000 K, 30.000 h life.




IP44

6,300 Kg / 0,1884 m<sup>3</sup>  
LED 18W / 2300 lm

€ 397

293394 ■ Black  
293387 ■ Coffee



IP44

8,000 Kg / 0,1654 m<sup>3</sup>  
LED 18W / 2300 lm

€ 479


293424 ■ Black  
293417 ■ Coffee





# Doris

Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.



IP44


7,600 Kg / 0,5581 m<sup>3</sup>  
E27 max 1x60W

€ 545

195506 White

4000 K  
1000 lm

151991 € 2,00



IP44


4,050 Kg / 0,2306 m<sup>3</sup>  
E27 max 1x60W

€ 325

195490 White

4000 K  
1000 lm

151991 € 2,00



IP44


3,000 Kg / 0,1366 m<sup>3</sup>  
E27 max 1x60W

€ 215

195483 White

4000 K  
1000 lm

151991 € 2,00



IP44

1,210 Kg / 0,0318 m<sup>3</sup>  
E27 max 1x60W

€ 127

214009 White

4000 K  
1000 lm


151991 € 2,00





## Sole new

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.




IP44

4,500 Kg / 0,1460 m<sup>3</sup>  
E27 max 1x 60W

€ 225

191614 White




IP44

3,900 Kg / 0,0741 m<sup>3</sup>  
E27 max 1x 60W

€ 150

191621 White




IP44

2,700 Kg / 0,0322 m<sup>3</sup>  
E27 max 1x 60W

€ 120

191638 White



IP44

1,200 Kg / 0,0139 m<sup>3</sup>  
E27 max 1x 60W

€ 110

318820 White new



P. 806

4000 K  
1000 lm  
151991 € 2,00

4000 K  
1000 lm  
151991 € 2,00


4000 K  
1000 lm  
151991 € 2,00

4000 K  
600 lm  
151960 € 2,00



# Luna

Opal colour plastic frame-diffuser.  
 Supplied with power cable, plug  
 and picket for installation on the  
 ground.



IP44


6,700 Kg / 0,1743 m<sup>3</sup>  
 E27 max 1x60W

€ 290

191607 White

4000 K  
 1000 lm

151991 € 2,00



IP44


4,700 Kg / 0,1005 m<sup>3</sup>  
 E27 max 1x60W

€ 210

191584 White

4000 K  
 1000 lm

151991 € 2,00



IP44

2,700 Kg / 0,0356 m<sup>3</sup>  
 E27 max 1x60W

€ 150

191577 White

4000 K  
 1000 lm

151991 € 2,00




P. 807



## Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.




1,500 Kg / 0,0444 m<sup>3</sup>  
E27 max 1x 40W

€ 205

161778 White

4000 K  
1000 lm  
151991 € 2,00




0,900 Kg / 0,0209 m<sup>3</sup>  
E27 max 1x 40W

€ 145

161761 White

4000 K  
1000 lm  
151991 € 2,00



0,710 Kg / 0,0123 m<sup>3</sup>  
G9 max 1x 15W

€ 105

161754 White


4000 K  
530 lm  
307879 € 6,00





# Itaca

White powder painted metal base and bar. Plastic conical diffuser in opal color. Supplied with plug.



IP44

8,840 Kg / 0,1405 m<sup>3</sup>  
E27 max 1x60W

€ 310

180953 White


4000 K  
1000 lm

151991 € 2,00



## Arcadia new

Powder coated metal base and stem. PMMA white diffuser. Neoprene cable with plug. Finish: anthracite.



6,500 Kg / 0,0525 m<sup>3</sup>  
E27 max 1x42W


€ 145

298610 ■ Anthracit. new

4000 K  
1000 lm

151991

€ 2,00



2,940 Kg / 0,0247 m<sup>3</sup>  
E27 max 1x42W

€ 110

298597 ■ Anthracit. new

4000 K  
1000 lm

151991

€ 2,00





# Agos <sup>new</sup>

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.


**LED** LED source 3000/4000 K, 25.000 h life.



254388

326696

326689



1,100 Kg / 0,0127 m<sup>3</sup>  
LED 6,5W / 670/730 lm

0,950 Kg / 0,0096 m<sup>3</sup>  
LED 6,5W / 670/730 lm

€ 140

€ 120

254319	■ Anthracit. 3000K	254388	■ Anthracit. 3000K
268422	■ Anthracit. 4000K	268439	■ Anthracit. 4000K
326733	■ Black 3000K <sup>new</sup>	326696	■ Black 3000K <sup>new</sup>
326757	■ Black 4000K <sup>new</sup>	326719	■ Black 4000K <sup>new</sup>
326726	■ Coffee 3000K <sup>new</sup>	326689	■ Coffee 3000K <sup>new</sup>
326740	■ Coffee 4000K <sup>new</sup>	326702	■ Coffee 4000K <sup>new</sup>






# Style new

Powder coated aluminum body.  
Opal color plastic shade. Integrated  
LED source. Available finishes:  
anthracite, white, coffee, grey or  
black.

**LED** LED source 3000/4000 K, 30.000 h  
life.




IP54

1,680 Kg / 0,0239 m<sup>3</sup>  
LED 9W / 1050 / 1100 lm

€ 190

318707	White	3000K	new	209906	Anthracit.	4000K
322483	White	4000K	new	322230	Black	3000K
322384	Grey	3000K	new	322216	Black	4000K
322353	Grey	4000K	new	322452	Coffee	3000K
246871	Anthracit.	3000K		322438	Coffee	4000K



IP54

1,200 Kg / 0,0122 m<sup>3</sup>  
LED 9W / 1050 / 1100 lm

€ 145

318691	White	3000K	new	322599	Anthracit.	4000K	new
322582	White	4000K	new	322537	Black	3000K	new
322551	Grey	3000K	new	322506	Black	4000K	new
322544	Grey	4000K	new	322575	Coffee	3000K	new
322612	Anthracit.	3000K	new	322568	Coffee	4000K	new







# Sirio

Powder coated aluminum body.  
Clear Pyrex glass diffuser. Available  
finishes: anthracite, white, coffee,  
grey or black.




115085

246963

115061

115108

213262




IP44

1,880 Kg / 0,0181 m<sup>3</sup>  
G9 max 2x15W

€ 165

115085 White  
246963 Grey  
115061 Anthracit.  
115108 Black  
213262 Coffee

4000 K  
530 lm  
307879 € 6,00



IP44

1,550 Kg / 0,0136 m<sup>3</sup>  
G9 max 2x15W

€ 130

115092 White  
246970 Grey  
115078 Anthracit.  
115115 Black  
213279 Coffee

4000 K  
530 lm  
307879 € 6,00




# Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.




LED source 3000/4000 K, 50.000 h life.



9,220 Kg / 0,0540 m<sup>3</sup>  
LED 9W / 430/450 lm

€ 300

246987 ■ Granite 3000K  
187327 ■ Granite 4000K



6,800 Kg / 0,0377 m<sup>3</sup>  
LED 9W / 430/450 lm

€ 250

246994 ■ Granite 3000K  
157856 ■ Granite 4000K





# Kurt

Powder-coated aluminium base and body. Clear glass diffuser. Downward lights emission. Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 30.000 h life.




IP54

1,930 Kg / 0,0060 m<sup>3</sup>  
LED 12W / 1200 / 1250 lm

€ 125

306841	White	3000K
294049	White	4000K
306865	Grey	3000K
294032	Grey	4000K
306834	Anthracit.	3000K

294025	Anthracit.	4000K
306872	Black	3000K
293172	Black	4000K
306858	Coffee	3000K
294001	Coffee	4000K




306841    306865    306834    306872    306858



# Marte

Powder coated aluminum body with anthracite finish. White acrylic diffuser.



IP44

2,500 Kg / 0,0193 m<sup>3</sup>  
E27 max 1x25W

€ 160

092225 ■ Anthracit.


4000 K  
1000 lm

151991 € 2,00



# Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



IP44

1,540 Kg / 0,0057 m<sup>3</sup>  
G9 max 1x 15W

€ 160

114347 ■ Anthracit.

4000 K  
530 lm

307879 € 6,00





# Tesla new

Powder painted aluminum body.  
 White plastic screen diffuser.  
 Downward light emission. Available  
 finishes: anthracite, white, coffee,  
 grey or black.



IP44

IP44

3,000 Kg / 0,0379 m³  
 G9 max 4 x 15W

2,560 Kg / 0,0273 m³  
 G9 max 4 x 15W

€ 155

€ 145

153179	White	153209	White
326931	Grey	326900	Grey <span style="color: red;">new</span>
153162	Anthracit.	153193	Anthracit.
316055	Black	326917	Black <span style="color: red;">new</span>
326924	Coffee	316048	Coffee <span style="color: red;">new</span>

4000 K  
 530 lm  
 307879 € 6,00

4000 K  
 530 lm  
 307879 € 6,00



# Path

Powder coated aluminum body.  
Opal color polycarbonate diffuser.  
Colors: metallic anthracite.


**LED** LED source 3000/4000 K, 20.000 h life.



285542-250816



285559-250823




IP65

1,900 Kg / 0,0238 m<sup>3</sup>  
LED 10W / 1200/1250 lm

€ 135

285542 ■ Anthracit. 3000K  
250816 ■ Anthracit. 4000K



IP65

1,840 Kg / 0,0163 m<sup>3</sup>  
LED 10W / 1200/1250 lm

€ 135

285559 ■ Anthracit. 3000K  
250823 ■ Anthracit. 4000K





## Gas **new**

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.




319704

322414

139470

322421

213101



IP43

1,790 Kg / 0,0216 m<sup>3</sup>  
GU10 max 1x35W

€ 116

319704 **White** **new**

322414 **Grey** **new**

139470 **Anthracit.**

322421 **Black** **new**

213101 **Coffee**

4000 K  
430 lm

253497 € 3,00




P. 825



# Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.

**LED** LED source 3000 K, 30.000 h life.




IP54

0,850 Kg / 0,0057 m<sup>3</sup>  
LED 4,5W / 410 lm

€ 132

251257 ■ Anthracit.



IP54

0,720 Kg / 0,0083 m<sup>3</sup>  
LED 4,5W / 410 lm

€ 132

251226 ■ Anthracit.



Base  
Not included  
Optional

€ 32

251295 ■ Anthracit.






# Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.

**LED** LED source 3000 K, 20.000 h life.




IP65

1,250 Kg / 0,0054 m<sup>3</sup>  
LED 8,5W / 720 Lm

€ 122

250953 ■ Anthracit.



IP65

1,010 Kg / 0,0029 m<sup>3</sup>  
LED 8,5W / 720 Lm

€ 105

250977 ■ Anthracit.





## Ipotesi

Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: white or black.


**LED** LED source 3000 K, 30.000 h life.



282244



282251




IP44

5,100 Kg / 0,1041 m<sup>3</sup>  
LED 16W / 1800 Lm

€ 335

282244 ■ White  
282251 ■ Black



IP44

4,940 Kg / 0,1379 m<sup>3</sup>  
LED 16W / 1800 Lm


€ 435

300641 ■ White  
300658 ■ Black



# Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP44

1,150 Kg / 0,0092 m<sup>3</sup>  
G9 max 1x15W

€ 180

136035 White  
136042 Grey  
136028 Anthracit.  
136059 Black  
213361 Coffee

4000 K  
530 lm  
307879 € 6,00





# Jedi

Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite or black.


**LED** LED source 3000 K, 30.000 h life.



306803




293202



1,280 Kg / 0,0165 m<sup>3</sup>  
LED 25W / 2900 Lm

€ 135


306803 ■ Anthracit.  
293202 ■ Black



1,030 Kg / 0,0150 m<sup>3</sup>  
LED 19W / 2250 Lm

€ 110

306797 ■ Anthracit.  
293196 ■ Black



0,760 Kg / 0,0036 m<sup>3</sup>  
LED 12W / 1400 Lm

€ 80


306780 ■ Anthracit.  
293189 ■ Black



Base  
Not included  
Optional


€ 10

308227 ■ Anthracit.  
308234 ■ Black



# Tronco


Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



2,490 Kg / 0,0254 m<sup>3</sup>  
E27 max 1x 42W

€ 146


- 109138 White
- 026961 Grey
- 026992 Anthracit.
- 004723 Black
- 163741 Coffee



1,970 Kg / 0,0193 m<sup>3</sup>  
E27 max 1x 42W

€ 125

- 109145 White
- 026954 Grey
- 026985 Anthracit.
- 004730 Black
- 163758 Coffee



0,590 Kg / 0,0135 m<sup>3</sup>  
E27 max 1x 42W

€ 113

- 248264 White
- 248288 Grey
- 248257 Anthracit.
- 248295 Black
- 248271 Coffee



4000 K  
490 lm

153957 € 2,60



4000 K  
490 lm

153957 € 2,60



4000 K  
490 lm

153957 € 2,60



P. 830






# Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.



Bulbs LED E27 8W Goccia included.  
Settable CCT: 2700 K, 4000 K, 6500 K.



IP55

1,070 Kg / 0,0220 m<sup>3</sup>  
E27 max 1x23W

€ 83


198644 White  
198637 Grey  
198620 Black

4000 K  
1000 lm

151991 € 2,00

# Pulsar

Cast aluminum body with powder coating available in different colors: anthracite, coffee or grey. White polycarbonate diffuser.



1,900 Kg / 0,0120 m<sup>3</sup>  
E27 max 1x 42W

€ 200

135922 ■ Grey  
135908 ■ Anthracit.  
246888 ■ Coffee


4000 K  
600 lm

151960 € 2,00



# Venus

Steel foil body available with anthracite finish. Satin acrylic top-diffuser.




1,410 Kg / 0,0137 m<sup>3</sup>  
GU10 max 1x 15W

€ 105

106175 ■ Anthracit.

4000 K  
430 lm

253497 € 3,00



1,070 Kg / 0,0103 m<sup>3</sup>  
GU10 max 1x 15W

€ 95

106182 ■ Anthracit.

4000 K  
430 lm

253497 € 3,00





# Acqua


Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



135205



246918



IP44

1,500 Kg / 0,0164 m<sup>3</sup>  
G9 max 1x 15W

€ 160

135205 ■ Anthracit.  
246918 ■ Coffee

4000 K  
530 lm  
307879 € 6,00



# Edo Outdoor

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.




142999



135762



213071




IP44

1,600 Kg / 0,0240 m<sup>3</sup>  
GX53 max 1x15W

€ 132

- 135755 White
- 138510 Anthracit.
- 213071 Coffee

4000 K  
1000 lm  
154008 € 5,50



IP44

2,670 Kg / 0,0269 m<sup>3</sup>  
GX53 max 1x15W

€ 132

- 142999 White
- 135762 Anthracit.
- 213088 Coffee

4000 K  
1000 lm  
154008 € 5,50









# Etere <sup>new</sup>

Powder painted casted aluminum body. Opal color plastic diffuser.  
Available finishes: anthracite, white, coffee, grey or black.

**LED** LED source 3000/4000 K, 25.000 h life.



IP44

1,100 Kg / 0,0103 m<sup>3</sup>  
LED 9,5W / 1150/1350 lm

€ 127



319827	White	3000K <sup>new</sup>	172439	Anthracit.	4000K
322223	White	4000K <sup>new</sup>	322261	Black	3000K <sup>new</sup>
322247	Grey	3000K <sup>new</sup>	322278	Black	4000K <sup>new</sup>
322254	Grey	4000K <sup>new</sup>	269160	Coffee	3000K
246932	Anthracit.	3000K	246956	Coffee	4000K





# Torre <sup>new</sup>

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.



IP65

IP65

IP65

2,600 Kg / 0,0307 m<sup>3</sup>  
E27 max 1x 15W

2,100 Kg / 0,0224 m<sup>3</sup>  
E27 max 1x 15W

0,870 Kg / 0,0054 m<sup>3</sup>  
E27 max 1x 15W

€ 150

€ 140

€ 120



318714

321950

158891

186979

321981

321875	White	new	318721	White	new	318714	White	new
321851	Grey	new	321905	Grey	new	321950	Grey	new
321882	Anthracit.	new	162492	Anthracit.	new	158891	Anthracit.	new
321639	Black	new	186955	Black	new	186979	Black	new
321868	Coffee	new	321929	Coffee	new	321981	Coffee	new

4000 K  
600 lm  
151960 € 2,00

4000 K  
600 lm  
151960 € 2,00

4000 K  
600 lm  
151960 € 2,00



# Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.



Bulbs LED GX53 10W included.  
Settable CCT: 3000 K, 4000 K, 6500 K.



187877

187884

187891



2,150 Kg / 0,0220 m<sup>3</sup>  
GX53 max 1x 10W

€ 115

- 187877  White
- 187884  Grey
- 187891  Black

4000 K  
1000 lm

154008 € 5,50






P. 808 P. 808 P. 855

# Clio new

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



IP44

1,360 Kg / 0,0087 m<sup>3</sup>  
E27 max 1x 42W

€ 84

- 249469 White
- 249476 Grey
- 249452 Anthracit.
- 249483 Black
- 328829 Coffee new




IP44

7,250 Kg / 0,0384 m<sup>3</sup>  
E27 max 2x 42W

€ 250


- 249506 White
- 249513 Grey
- 249490 Anthracit.
- 249520 Black
- 328836 Coffee new



0,540 Kg / 0,0171 m<sup>3</sup>

€ 35


145068 White



0,520 Kg / 0,0144 m<sup>3</sup>

€ 35

116716 White



0,610 Kg / 0,0231 m<sup>3</sup>

€ 35

145020 White

4000 K  
600 lm  
151960 € 2,00

4000 K  
600 lm  
151960 € 2,00





# Cima


Totally die-cast aluminum frame.  
 Anthracite, coffee or black and gold  
 finish. Transparent acrylic diffuser.



246833

024097

246840



IP43

3,340 Kg / 0,1467 m<sup>3</sup>  
 E27 max 2 x 60W

€ 306

246833 ■ Anthracit.  
 024097 ■ Black  
 246840 ■ Coffee

4000 K  
 980 lm  
 153964 € 6,00



P. 856





# Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.

**LED** Bulbs LED E27 8W Goccia included.  
Settable CCT: 2700 K, 4000 K, 6500 K.



120454



101514



IP55

2,500 Kg / 0,0446 m<sup>3</sup>  
E27 max 1x 23W

€ 85

120454 White  
101514 Black

4000 K  
980 lm

153964 € 6,00



P. 857



# Outdoors

## Spotlights

### Alphabetical index

Elio	918
Inside	922
Litio	919
Starlight	914
Terra	920
Thor	912
Ulex	916

### Typology index

new



Thor 912



Starlight 914



Ulex 916



Elio 918



Litio 919



Terra 920



Inside 922



# Thor new

Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser.


Integrated LED source, available in two lengths (500 mm and 1000 mm). Adjustability +/- 90° from the vertical, IP65 protection index, IK06 impact resistance, 3000 K or 4000 K color temperature, 24 Vdc power supply input; LED useful life 50.000 h. Optionally available with anti-glare visor.

Source	LED SMD	LED life	50.000 h
Power	18W / 40W	Insulation class	III
Driver included	No	IP	65
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K/ 4000 K		
CRI	≥80		

**PRO**

High-tech product with high quality materials, intended for professional use.


## LED SMD OSRAM Driver not included



1,490 Kg/0,0057 m<sup>3</sup>  
Cable length 500 mm

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	28°	2300 lm	3000 K	White	318523	215 <small>new</small>
				Anthracite	261331	215
	4000 K	White	322148	215 <small>new</small>		
		Anthracite	322131	215 <small>new</small>		

## LED SMD OSRAM Driver not included



2,460 Kg/0,0108 m<sup>3</sup>  
Cable length 500 mm

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	28°	4500 lm	3000 K	White	322117	325 <small>new</small>
				Anthracite	261355	325
	4950 lm	4000 K	White	322049	325 <small>new</small>	
		Anthracite	322018	325 <small>new</small>		

## OPTIONAL Not included



Visor	Power	Finish	Code	€
	18W	White	318516	18 <small>new</small>
		Anthracite	261362	18
	40W	White	322162	29 <small>new</small>
		Anthracite	261379	29

## ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
40 W	24 Vdc	171 x 37 x 61 mm	272108	100
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210






# Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

**PRO** High-tech product with high quality materials, intended for professional use.

Source	LED COB	Insulation class	III
Power	5,5W / 10W	IP	68
Driver included	No	Material	Aluminum
Drivers available	On/Off		
CCT	3000 K / 4000 K		
CRI	≥80		
LED life	50.000 h		


## LED COB BRIDGELUX Driver not included



0,280 Kg/0,0005 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	30°	600 lm	3000 K	Dark Gray	248394	120
		670 lm	4000 K	Dark Gray	245041	120

## LED COB BRIDGELUX Driver not included



0,950 Kg/0,0014 m<sup>3</sup>

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	30°	1000 lm	3000 K	Dark Gray	248387	250
		1050 lm	4000 K	Dark Gray	245072	250

## OPTIONAL Not included



	Power	Finish	Code	€
Visor	5,5W	Dark Gray	245096	34
	10W	Dark Gray	245102	34

	Finish	Code	€
IP68 connector	Black	248615	22

	Finish	Code	€
Peg	Dark Gray	245089	17

## ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
35 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210




# Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

**PRO** High-tech product with high quality materials, intended for professional use.


Source	LED SMD	Insulation class	I
Power	8,5W / 15W	IP	65
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥80		
LED life	50.000 h		



0,660 Kg/0,0025 m<sup>3</sup>  
Cable lenght 2000 mm

## LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
8,5 W	30°	640 lm	3000 K	Anthracite	261287	145



1,190 Kg/0,0042 m<sup>3</sup>  
Cable lenght 2000 mm

## LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1280 lm	3000 K	Anthracite	261294	220

## OPTIONAL Not included



		Power	Finish	Code	€
Box	8,5 W	Anthracite	268156	32	
	15 W	Anthracite	268187	49	



		Power	Finish	Code	€
Peg	8,5 W	Anthracite	268163	14	
	15 W	Anthracite	268194	17	



		Power	Finish	Code	€
Visor	8,5 W	Anthracite	268170	17	
	15 W	Anthracite	268200	25	









# Elio


High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

**LED** Bulbs LED GU10 3,5W included.  
Settable CCT: 2700 K, 4000 K.

120218



120201




IP66  INCLUDED

0,360 Kg / 0,0027 m<sup>3</sup>  
GU10 max 1x6W

€ 82

120218  White  
120201  Black

 4000 K  
430 lm  
253497 € 3,00



## Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




145310



145334



145358



150 120

IP66



Bulbs LED GX53 10W included.  
Settable CCT: 3000 K, 4000 K, 6500 K.

0,730 Kg / 0,0044 m<sup>3</sup>  
GX53 max 1x10W

€ 90

145310 White

145334 Grey

145358 Black

4000 K  
1000 lm

154008

€ 5,50




P. 823





# Terra <sup>new</sup>

Cast aluminum painted frame.  
Adjustable body. Transparent  
Pyrex glass diffuser.




IP65

1,230 Kg / 0,0086 m<sup>3</sup>  
E27 max 1x42W

€ 90

033044 Anthracit.  
321622 Coffee <sup>new</sup>



IP65

0,520 Kg / 0,0038 m<sup>3</sup>  
GU10 max 1x28W

€ 52

106205 White  
033037 Anthracit.  
046211 Black  
163727 Coffee

4000 K  
600 lm  
151960 € 2,00

4000 K  
430 lm  
253497 € 3,00








# Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.



IP54

0,370 Kg / 0,0015 m<sup>3</sup>  
G9 max 1x 15W

€ 36

115412 ■ Anthracit.  
115429 ■ Black  
247045 ■ Coffee

4000 K  
530 lm

307879 € 6,00



# Outdoors

## Downlights

### Alphabetical index

Avenue	929
Bit	926
Floor	936
Gravity	939
Indio	928
Landing	940
Park	938
Rocket	942
Rocket Mini	943
Taurus	930
Way	941
Wire	927

### Typology index



Bit 926



Wire 927



Indio 928



Avenue Square 929



Avenue Round 929



Taurus Round 930



Taurus Square 930



Floor 936



Park Round 938



Park Square 938



Gravity Round 939



Gravity Square 939



Landing 940



Way 941



Way 941



Way 941



Rocket 942



Rocket 942



Rocket Mini 943



Rocket Mini 943




Rocket Mini 943



# Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

**LED** LED source 3000 K, 35.000 h life.



IP65

0,300 Kg / 0,0006 m<sup>3</sup>  
LED 2W / 340 lm

€ 55

269023 ■ White  
269009 ■ Anthracit.

Driver  
Not included  
Required

€ 12

276205



# Wire


Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

**LED** LED source 3000 K, 20.000 h life.



255521

268996




IP65

0,460 Kg / 0,0018 m<sup>3</sup>  
LED 4W / 200 lm

€ 56

268989 ■ White  
255514 ■ Anthracit.



IP65

0,220 Kg / 0,0009 m<sup>3</sup>  
LED 1,5W / 55 lm

€ 38

268996 ■ White  
255521 ■ Anthracit.








# Indio

Recessed body made of powder coated die-cast aluminum.  
Tempered white screen-printed glass diffuser.

**LED** LED source 3000 K, 35.000 h life.



IP65

1,090 Kg / 0,0023 m<sup>3</sup>  
LED 8W / 960 lm

€ 144

255804 White

IP65

0,540 Kg / 0,0011 m<sup>3</sup>  
LED 5W / 440 lm

€ 95

255781 White



# Avenue

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



Bulbs LED GX53 3W included. Settable CCT: 3000 K, 4000 K, 6500 K.



096575		096599		096582	
	135		115		115
	81		78		78
	95		95		95
	IP66		IP66		IP66
0,400 Kg / 0,0025 m <sup>3</sup>		0,400 Kg / 0,0025 m <sup>3</sup>		0,400 Kg / 0,0025 m <sup>3</sup>	
GX53 max 1x9W		GX53 max 1x9W		GX53 max 1x9W	
€ 37		€ 37		€ 37	
096544	White	096575	White	096551	Black
096568	Grey	096599	Grey		
096551	Black	096582	Black		
	4000 K		4000 K		
	1000 lm		1000 lm		
154008	€ 5,50	154008	€ 5,50		

# Taurus <sup>new</sup>

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, round or square ring in 316L stainless steel, glass diffuser. Integrated LED light source; available in the ACCENT versions with 1, 2 or 3 modules individually adjustable +/-30° using an external pin to widen, narrow or direct the overall light beam; or in the non-adjustable WIDE versions for diffused and uniform lighting. Walkable, protection index IP67, impact resistance IK10, color temperature 3000K CRI ≥ 80.

**S316** Item made of stainless steel 316.

Source	LED SMD
Power	6W / 21W
Driver included	On/Off
Drivers available	No
CCT	3000 K
CRI	≥80
LED life	50.000 h
Insulation class	I
IP	67
Material	Aluminum








# Taurus Accent



## LED SMD OSRAM Driver ON/OFF included


Measure	Weight	Volume	Power	Lumen	CCT	Finish		Code	€
ø 100	1,460 Kg	0,0129 m³	6 W	420 lm	3000 K	Steel		277004	210
ø 135	1,980 Kg	0,0071 m³	11 W	840 lm	3000 K	Steel		277011	320
ø 170	3,250 Kg	0,0133 m³	14 W	1300 lm	3000 K	Steel		277028	405
ø 210	3,500 Kg	0,0242 m³	20 W	1900 lm	3000 K	Steel		277035	530



## LED SMD OSRAM Driver ON/OFF included



Measure	Weight	Volume	Power	Lumen	CCT	Finish		Code	€
100	1,100 Kg	0,0067 m³	6 W	420 lm	3000 K	Steel		325620	235 <b>new</b>
135	1,700 Kg	0,0080 m³	11 W	840 lm	3000 K	Steel		325651	355 <b>new</b>
170	2,050 Kg	0,0141 m³	14 W	1300 lm	3000 K	Steel		325682	435 <b>new</b>
210	3,000 Kg	0,0168 m³	20 W	1900 lm	3000 K	Steel		325712	575 <b>new</b>








# Taurus Wide



## LED SMD BRIDGELUX Driver ON/OFF included


Measure	Weight	Volume	Power	Lumen	CCT	Finish		Code	€
ø100	1,100 Kg	0,0077 m³	6 W	620 lm	3000 K	Steel		325637	195 <small>new</small>
ø135	1,400 Kg	0,0091 m³	11 W	1250 lm	3000 K	Steel		325668	275 <small>new</small>
ø170	2,100 Kg	0,0137 m³	16 W	1750 lm	3000 K	Steel		325699	320 <small>new</small>
ø210	3,000 Kg	0,0183 m³	20 W	2700 lm	3000 K	Steel		325729	420 <small>new</small>



## LED SMD BRIDGELUX Driver ON/OFF included



Measure	Weight	Volume	Power	Lumen	CCT	Finish		Code	€
100	1,100 Kg	0,0067 m³	6 W	620 lm	3000 K	Steel		325644	205 <small>new</small>
135	1,580 Kg	0,0080 m³	11 W	1250 lm	3000 K	Steel		325675	285 <small>new</small>
170	2,380 Kg	0,0141 m³	16 W	1750 lm	3000 K	Steel		325705	340 <small>new</small>
210	3,000 Kg	0,0168 m³	20 W	2700 lm	3000 K	Steel		325736	450 <small>new</small>





















# Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.

**LED**

LED source 3000 K, 25.000 h life.

		
		
		
<b>0,960 Kg / 0,0049 m<sup>3</sup></b> <b>LED 12W / 1340 Lm</b>	<b>0,640 Kg / 0,0015 m<sup>3</sup></b> <b>LED 6W / 680 Lm</b>	<b>0,390 Kg / 0,0010 m<sup>3</sup></b> <b>LED 3W / 310 Lm</b>
<b>€ 106</b>	<b>€ 73</b>	<b>€ 55</b>
<b>255682</b>  <b>Steel</b>	<b>255668</b>  <b>Steel</b>	<b>255651</b>  <b>Steel</b>



















# Park

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass.

  105	  75	  83
 IP54	 IP67	 IP54
<b>1,210 Kg / 0,0066 m³</b> <b>E27 max 1x60W</b>	<b>0,580 Kg / 0,0032 m³</b> <b>GU10 max 1x20W</b>	<b>0,900 Kg / 0,0032 m³</b> <b>G9 max 1x15W</b>
<b>€ 80</b>	<b>€ 57</b>	<b>€ 80</b>
<b>032825</b> Steel	<b>032832</b> Steel	<b>117881</b> Steel
 <b>4000 K</b> <b>980 lm</b>	 <b>4000 K</b> <b>430 lm</b>	 <b>4000 K</b> <b>530 lm</b>
<b>153964</b> <b>€ 6,00</b>	<b>253497</b> <b>€ 3,00</b>	<b>307879</b> <b>€ 6,00</b>



# Gravity

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.

**LED** Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.

<p>IP67</p> <p>0,670 Kg / 0,0043 m<sup>3</sup> GX53 max 1x 10W</p> <p>€ 85</p> <p>120324 ■ Black</p>	<p>IP67</p> <p>0,270 Kg / 0,0019 m<sup>3</sup> GU10 max 1x 6W</p> <p>€ 58</p> <p>120249 ■ Black</p>	<p>IP67</p> <p>0,700 Kg / 0,0043 m<sup>3</sup> GX53 max 1x 10W</p> <p>€ 85</p> <p>120386 ■ Black</p>	<p>IP67</p> <p>0,270 Kg / 0,0019 m<sup>3</sup> GU10 max 1x 6W</p> <p>€ 58</p> <p>120317 ■ Black</p>
<p>4000 K 1000 lm</p> <p>154008 € 5,50</p>	<p>4000 K 430 lm</p> <p>253497 € 3,00</p>	<p>4000 K 1000 lm</p> <p>154008 € 5,50</p>	<p>4000 K 430 lm</p> <p>253497 € 3,00</p>



# Landing



High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.



120362



120287



0,740 Kg / 0,0043 m<sup>3</sup>  
GX53 max 1x 10W

€ 125

120362 ■ Black

4000 K  
1000 lm

154008 € 5,50



0,260 Kg / 0,0020 m<sup>3</sup>  
GU10 max 1x 6W

€ 85


120287 ■ Black

4000 K  
430 lm

253497 € 3,00




Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.



# Way

Walkable recessed lamp. High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Color: black.

**LED** Bulbs LED G9 2W 3000/4000 K included. Cod. **270104/270111**




IP67  INCLUDED

0,100 Kg / 0,0007 m³  
G9 max 1x1,7W

€ 31

269726 ■ B 3000K  
269733 ■ B 4000K




IP67  INCLUDED

0,080 Kg / 0,0007 m³  
G9 max 1x1,7W

€ 31

269504 ■ B 3000K  
269696 ■ B 4000K





IP67  INCLUDED


0,080 Kg / 0,0007 m³  
G9 max 1x1,7W

€ 31

269702 ■ B 3000K  
269719 ■ B 4000K

 270104 3000K  
€ 8,50  
270111 4000K  
€ 8,50

 270104 3000K  
€ 8,50  
270111 4000K  
€ 8,50

 270104 3000K  
€ 8,50  
270111 4000K  
€ 8,50






# Rocket

Walkable recessed fitting. Brushed steel body. Tempered glass diffuser.

**LED** LED source 3000/4000 K, 30.000 h life.




IP65

0,560 Kg / 0,0034 m<sup>3</sup>  
LED 3,5W / 230/270 lm

€ 135

247144 ■ Steel  
122014 ■ Steel



IP65

0,560 Kg / 0,0034 m<sup>3</sup>  
LED 3,5W / 230/270 lm

€ 135

247151 ■ Steel 3000K  
122021 ■ Steel 4000K






# Rocket Mini

Clear tempered glass diffuser.  
Walkable. Integrated LED source.  
Absence of visible screws. Available  
versions with 1 or 2 lights close to  
the ground or with a unique central  
accent light.

**LED** LED source 4000 K, 50.000 h life.

**IP68** Protection degree IP68.

**S316** Item made of stainless steel 316.




IP68

0,280 Kg / 0,0008 m<sup>3</sup>  
LED 2W / 210 lm

€ 100

212623 Steel 15°  
212647 Steel 40°




IP68

0,330 Kg / 0,0008 m<sup>3</sup>  
LED 2W / 210 lm

€ 130 / 150


222820 Steel  
222837 Steel



Driver  
Not included  
Required

€ 75 / 80

226187 20W  
226194 35W



Driver  
Not included  
Required

€ 190 / 210

226200 100W  
226217 185W



# Light bulbs\* and accessories

new



E14 946



E27 948



G4 954



G9 954



GX53 955



R7s 955



GU10 956



Kit Emergency 957

new

new



Ceiling Cups 958



Bulb Holders 960



Cables 960




Cables Holders 960


\* No further promotions can be applied to bulbs and strip led recommended prices.




# Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	480 lm	3000 K	80		25.000 h	10	101200	2,50
E14	4 W	380 lm	3000 K	80	TRIAC	15.000 h	10	188935	3,50
E14	4 W	520 lm	4000 K	80		25.000 h	10	153926	2,50
E14	4 W	420 lm	3000 K	90		25.000 h	10	271620	2,50




E14	4 W	300 lm	2200 K	80		15.000 h	10	151656	4,60
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	420 lm	3000 K	80		25.000 h	10	101217	2,50
E14	4 W	340 lm	3000 K	80	TRIAC	25.000 h	10	289229	3,50
E14	4 W	470 lm	4000 K	80		25.000 h	10	253411	2,50
E14	4 W	340 lm	3000 K	90		25.000 h	10	289212	2,50



E14	6 W	600 lm	3000 K	80		25.000 h	10	151731	2,50
E14	6 W	630 lm	4000 K	80		25.000 h	10	151946	2,50




E14	4 W	370 lm	3000 K	80		25.000 h	10	101262	3,70
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	300 lm	3000 K	80		25.000 h	10	101255	3,70
-----	-----	--------	--------	----	--	----------	----	--------	------


Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
-------------	-------	------	-----	-----	----------	------	----------	------	---



E14	4 W	430 lm	3000 K	80		25.000 h	10	101248	2,50
E14	4 W	420 lm	3000 K	80	TRIAC	15.000 h	10	188911	3,50
E14	4 W	460 lm	4000 K	80		25.000 h	10	153940	2,50



E14	4 W	400 lm	2200 K	80		15.000 h	10	151663	4,60
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	380 lm	3000 K	80		25.000 h	10	151793	2,50
-----	-----	--------	--------	----	--	----------	----	--------	------


# Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4W	450 lm	2700 K	80		25.000 h	10	270944	2,50
E14	4W	470 lm	3000 K	80		25.000 h	10	101224	2,50
E14	4W	320 lm	3000 K	80	TRIAC	15.000 h	10	188928	3,50
E14	4W	490 lm	4000 K	80		25.000 h	10	153933	2,50
E14	4W	430 lm	3000 K	90		25.000 h	10	271644	2,50




E14	4W	370 lm	2200 K	80		15.000 h	10	151649	4,60
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	370 lm	3000 K	80		25.000 h	10	101231	2,50
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	430 lm	3000 K	80		15.000 h	10	326610	4,50 <span style="color: red;">new</span>
-----	----	--------	--------	----	--	----------	----	--------	---



E14	6W	520 lm	3000 K	80		25.000 h	10	151748	2,50
E14	6W	540 lm	4000 K	80		25.000 h	10	151953	2,50



151663



151793



101224



151649



101231



326610



101200






101262





# Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	420 lm	2700 K	80		25.000 h	10	271637	2,60
		E27	4 W	430 lm	3000 K	80		25.000 h	10	101279	2,60
		E27	4 W	340 lm	3000 K	80	TRIAC	15.000 h	10	188942	3,50
		E27	4 W	490 lm	4000 K	80		25.000 h	10	153957	2,60
		E27	4 W	350 lm	3000 K	90		25.000 h	10	289236	2,60
		E27	4 W	380 lm	2200 K	80		15.000 h	10	151861	4,60
		E27	4 W	340 lm	3000 K	80		25.000 h	10	101286	2,60
		E27	6 W	600 lm	3000 K	80		25.000 h	10	151755	2,00
		E27	6 W	630 lm	4000 K	80		25.000 h	10	151960	2,00
		E27	4 W	480 lm	3000 K	80		25.000 h	10	101293	2,60
		E27	4 W	520 lm	4000 K	80		25.000 h	10	253428	2,60
		E27	8 W	930 lm	2700 K	80		25.000 h	10	270951	6,00
		E27	8 W	910 lm	3000 K	80		25.000 h	10	119571	6,00
		E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188973	7,00
		E27	8 W	980 lm	4000 K	80		25.000 h	10	153964	6,00
		E27	8 W	880 lm	3000 K	90		25.000 h	10	271613	6,00
		E27	10 W	1300 lm	3000 K	80		25.000 h	10	256528	7,00
		E27	10 W	1380 lm	4000 K	80		25.000 h	10	270920	7,00
		E27	4 W	370 lm	2200 K	80		15.000 h	10	151687	4,60
		E27	8 W	900 lm	3000 K	80		25.000 h	10	123899	6,00
		E27	8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252209	7,00
		E27	8 W	1030 lm	4000 K	80		25.000 h	10	253459	6,00
		E27	8 W	780 lm	3000 K	90		25.000 h	10	289250	7,00
		E27	10 W	1000 lm	3000 K	80		25.000 h	10	151762	2,00
		E27	10 W	1050 lm	4000 K	80		25.000 h	10	151991	2,00
		E27	8 W	920 lm	3000 K	80		25.000 h	10	305622	7,00
		E27	10 W	1200 lm	3000 K	80		25.000 h	10	305639	7,00


# Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	770 lm	3000 K	80		25.000 h	10	123882	7,00



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	20 W	2000 lm	3000 K	80		25.000 h	1	296197	5,00
E27	20 W	2050 lm	4000 K	80		25.000 h	1	306889	5,00



E27	30 W	3100 lm	3000 K	80		25.000 h	1	296210	9,50
E27	30 W	3200 lm	4000 K	80		25.000 h	1	306896	9,50



296197



296210



101279



151861




123899




305622




# Bulbs E27




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	1050 lm	3000 K	80		25.000 h	10	101323	7,00
E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188966	8,00
E27	8 W	1120 lm	4000 K	80		25.000 h	10	153971	7,00
E27	8 W	860 lm	3000 K	90		25.000 h	10	271606	7,00




E27	4 W	500 lm	2200 K	80		15.000 h	10	151717	8,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223933	8,00




E27	8 W	950 lm	3000 K	80		25.000 h	10	101330	7,50
E27	8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252186	7,50
E27	8 W	1050 lm	4000 K	80		25.000 h	10	253442	7,50
E27	8 W	770 lm	3000 K	90		25.000 h	10	289243	7,50



E27	15 W	1820 lm	3000 K	80		25.000 h	10	151779	4,60
E27	15 W	1890 lm	4000 K	80		25.000 h	10	151977	4,60



E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277790	10,00
-----	-----	--------	--------	----	-------	----------	----	--------	-------



E27	8 W	1050 lm	3000 K	80		25.000 h	10	157597	10,00
-----	-----	---------	--------	----	--	----------	----	--------	-------



E27	9 W	930 lm	3000 K	80		25.000 h	10	135526	10,00
-----	-----	--------	--------	----	--	----------	----	--------	-------



101330



277790



157597



135526

# Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	1050lm	3000 K	80		25.000 h	10	101347	8,00
E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188959	8,00
E27	8 W	1120 lm	4000 K	80		25.000 h	10	153988	8,00
E27	8 W	860 lm	3000 K	90		25.000 h	10	271590	8,00
E27	4 W	480 lm	2200 K	80		15.000 h	10	151724	8,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223926	8,00
E27	8 W	950 lm	3000 K	80		25.000 h	10	101354	8,00
E27	8 W	1050 lm	4000 K	80		25.000 h	10	253435	8,00
E27	18 W	2180 lm	3000 K	80		25.000 h	10	151786	7,50
E27	18 W	2280 lm	4000 K	80		25.000 h	10	152004	7,50
E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277813	9,50
E27	8 W	1050 lm	3000 K	80		25.000 h	10	157580	9,50



101347



151724









101354



277813



# Bulbs E27




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	4 W	330 lm	2200 K	80		15.000 h	10	151700	4,60
E27	4 W	440 lm	2200 K	80		15.000 h	10	151694	6,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223919	6,00
E27	4 W	360 lm	1800 K	80		15.000 h	10	201283	5,00
E27	4 W	360 lm	1800 K	80		15.000 h	10	201269	9,50
E27	4 W	360 lm	1800 K	80		15.000 h	10	201290	11,50
E27	4 W	360 lm	1800 K	80		15.000 h	10	201276	11,50



151700 151694 201283 201269 201290 201276



# Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	6 W	500 lm	2200 K	80		15.000 h	10	201252	9,50
E27	4 W	320 lm	2200 K	80		15.000 h	1	130170	30,00
E27	4 W	340 lm	1800 K	80		15.000 h	1	129877	33,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223940	33,00
E27	4 W	400 lm	2200 K	80		25.000 h	1	130187	25,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223834	30,00
E27	4 W	360 lm	2200 K	80		25.000 h	1	237251	22,50
E27	8 W	700 lm	2200 K	80		25.000 h	1	130163	25,00
E27	4 W	320 lm	2200 K	80		15.000 h	1	129860	30,00



201252

130170

129877

130187


237251

130163

129860




# Bulbs G4



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G4	1,5W	160lm	3000K	80		15.000 h	20	188980	4,50
G4	1,5W	150lm	3000K	90		15.000 h	20	288345	4,50
G4	2W	200lm	3000K	80		20.000 h	20	222257	4,00
G4	2W	180lm	3000K	80	Phase-cut	25.000 h	20	266282	5,00

# Bulbs G9





Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G9	2W	150lm	3000K	80		25.000 h	20	270104	8,50
G9	2W	160lm	4000K	80		25.000 h	20	270111	8,50
G9	2,5W	200lm	3000K	80		20.000 h	20	122168	3,50
G9	2,5W	210lm	4000K	80		20.000 h	20	253381	3,50
G9	3W	350lm	2700K	80		15.000 h	20	270968	3,90
G9	3W	370lm	3000K	80		15.000 h	20	209043	3,90
G9	3W	260lm	3000K	80	TRIAC	25.000 h	20	288215	5,50
G9	3W	390lm	4000K	80		15.000 h	20	209036	3,90
G9	3,5W	310lm	3000K	90		15.000 h	20	288208	3,90
G9	4W	510lm	3000K	80		15.000 h	20	305486	6,00
G9	3,5W	420lm	3000K	80	TRIAC	15.000 h	20	305431	8,50
G9	4W	530lm	4000K	80		15.000 h	20	307879	6,00
G9	4W	440lm	4000K	80	TRIAC	15.000 h	20	307886	8,50

# Bulbs GX53

101385

123936






Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€	
	GX53	7W	730 lm	3000 K	80		25.000 h	10	101385	5,50
	GX53	7W	760 lm	4000 K	80		25.000 h	10	253404	5,50
	GX53	9W	910 lm	3000 K	80		25.000 h	10	123936	5,50
	GX53	9W	890 lm	3000 K	80	TRIAC	25.000 h	10	252551	9,00
	GX53	9W	1000 lm	4000 K	80		25.000 h	10	154008	5,50
	GX53	9W	900 lm	4000 K	80	TRIAC	25.000 h	10	252568	9,00
	GX53	9W	940 lm	3000 K	90		25.000 h	10	288383	5,50

# Bulbs R7s

189109




307862



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€	
	R7s	7W	560 lm	3000 K	80		20.000 h	10	189109	13,50
	R7s	6W	450 lm	3000 K	80	TRIAC	20.000 h	10	266770	15,00
	R7s	7W	580 lm	4000 K	80		20.000 h	10	272375	13,50
	R7s	6W	480 lm	4000 K	80	TRIAC	20.000 h	10	272382	15,00
	R7s	13W	760 lm	3000 K	80		20.000 h	10	189093	17,50
	R7s	8W	580 lm	3000 K	80	TRIAC	20.000 h	10	266763	19,00
	R7s	13W	830 lm	4000 K	80		20.000 h	10	253480	17,50
	R7s	8W	640 lm	4000 K	80	TRIAC	20.000 h	10	266756	19,00
	R7s	14W	1700 lm	3000 K	80		15.000 h	10	307862	12,00
	R7s	14W	1600 lm	3000 K	80	TRIAC	15.000 h	10	307855	13,50
	R7s	14W	1750 lm	4000 K	80		15.000 h	10	296869	12,00
	R7s	14W	1650 lm	4000 K	80	TRIAC	15.000 h	10	296876	13,50



# Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€
	GU10	5W	410 lm	3000 K	90	50°		25.000 h	10	108292	3,00
	GU10	5W	430 lm	4000 K	90	50°		25.000 h	10	253497	3,00
	GU10	6W	430 lm	3000 K	90	47°	TRIAC	25.000 h	10	266251	4,50
	GU10	6W	450 lm	4000 K	90	47°	TRIAC	25.000 h	10	285566	4,50
	GU10	7W	540 lm	3000 K	90	50°		25.000 h	10	123943	3,50
	GU10	7W	460 lm	3000 K	90	50°	TRIAC	25.000 h	10	288239	5,00
	GU10	7W	620 lm	3000 K	90	108°		25.000 h	10	101378	4,50
	GU10	7W	650 lm	4000 K	90	108°		30.000 h	10	117652	4,50
	GU10	8W	580 lm	3000 K	90	50°		25.000 h	10	189062	4,50
	GU10	8W	620 lm	4000 K	90	50°		25.000 h	10	270975	4,50
	GU10	5W	380 lm	2700 K	95	50°		25.000 h	10	307619	3,00
	GU10	7W	540 lm	4000 K	90	50°		25.000 h	10	224367	3,50
	GU10	7W	600 lm	2700 K	95	108°		25.000 h	10	307626	3,50



108292



101378



189062



307619



307626

# Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€
	GU10	12 W	960 lm	3000 K	80	23°		25.000 h	10	242040	13,50
	GU10	12 W	900 lm	3000 K	80	23°	TRIAC	25.000 h	10	266305	15,00
	GU10	12 W	1190 lm	4000 K	80	23°		25.000 h	10	285573	14,00
	GU10	12 W	1120 lm	3000 K	80	46°		25.000 h	10	183794	13,50
	GU10	12 W	1240 lm	4000 K	80	46°		25.000 h	10	253466	14,00
	GU10	13 W	1300 lm	3000 K	80	46°	TRIAC	25.000 h	10	266299	18,00
	GU10	10 W	800 lm	3000 K	80	20°		15.000 h	10	189031	15,00
	GU10	10 W	820 lm	4000 K	80	20°		15.000 h	10	253398	15,00
	GU10	10 W	800 lm	3000 K	80	24°	TRIAC	15.000 h	10	288543	18,00



242040



183794



189031

## Kit emergency

Emergency kit for LED modules.  
Includes inverter and battery.  
From two to three hours autonomy and recharging time respectively of 12 and 24 hours. It operates for emergency only or as continuous light (continuous light combined with electronic power supply and dimmable electronic power supply).  
Insulation class II.

€ 135

221595 White




INVERTER



166

GROUP BATTERY



185



46



65

IP20

0,185 Kg / 0,0009 m³

⌀ 52 mm

0,305 Kg / 0,0010 m³

⌀ 65 mm


For further information please contact the technical office.






# Ceiling roses

## Magnetic Ceiling roses




1 cable

244235 € 13,00	244259 € 13,00	249315 € 15,00	249308 € 15,00	244242 € 13,00




1 cable

311265 € 14,00 <sup>new</sup>	328683 € 14,00 <sup>new</sup>	328706 € 16,00 <sup>new</sup>	328690 € 16,00 <sup>new</sup>	311272 € 14,00 <sup>new</sup>



6 cables


303390 € 20,00	303406 € 20,00	307091 € 27,00	307084 € 27,00	307077 € 20,00



8 cables


272429 € 21,00	272436 € 21,00	272443 € 27,00	272450 € 27,00	272467 € 21,00

## Standard Ceiling roses




1 cable

122823 € 10,00	122830 € 10,00	249278 € 11,00	249261 € 11,00	123295 € 10,00



3 cables

285580 € 33,00	285597 € 33,00	285627 € 50,00	285610 € 50,00	285603 € 33,00




5 cables

285634 € 60,00	285641 € 60,00	285672 € 80,00	285665 € 80,00	285658 € 60,00

# Ceiling roses


## Recessed Ceiling roses



1 cable


				
301594 € 5,00	307107 € 5,00	307138 € 5,00	307121 € 5,00	307114 € 5,00

## All in linear ceiling roses



4 cables


				
304038 € 60,00	new 328713 € 60,00	new 328744 € 80,00	new 328737 € 80,00	new 328720 € 60,00



6 cables


				
328751 € 90,00	new 304045 € 90,00	new 328782 € 135,00	new 328775 € 135,00	new 328768 € 90,00

## Standard linear ceiling roses



3 cables

				
122854 € 33,00	122861 € 33,00	249292 € 55,00	249285 € 55,00	123301 € 33,00




5 cables

				
285689 € 60,00	285696 € 60,00	285726 € 75,00	285719 € 75,00	285702 € 60,00




# Accessories

## Bulb holders



				
249186 € 13,00	249193 € 13,00	249223 € 13,00	249216 € 13,00	249209 € 13,00



				
242569 € 5,00	249230 € 5,00	249254 € 5,00	249247 € 5,00	242576 € 5,00

## Cables

2x0,75 mm<sup>2</sup>  
FEP T180°  
PVC T90°  
\*only PVC



				
301624 € 11,00	301662* € 15,00	301655 € 12,00	301648 € 12,00	301631 € 11,00

2x0,75 mm<sup>2</sup>  
FEP T180°  
PVC T90°  
\*only PVC



				
301679 € 22,00	301716* € 30,00	301709 € 24,00	301693 € 24,00	301686 € 22,00

2x0,75 mm<sup>2</sup>  
FEP T180°  
PVC T90°  
\*only PVC



				
303062 € 30,00	306421 € 30,00	303093 € 32,00	303086 € 32,00	303079 € 30,00

## Cable holders



				
143200 € 5,00	143224 € 5,00	249339 € 5,00	249322 € 5,00	143217 € 5,00



				
285887 € 5,00	285894 € 5,00	285924 € 5,00	285917 € 5,00	285900 € 5,00



























































# Look

Pag. 534





# Families' index

						
Alfa	 330	 330	 427	 427		
						
Angolo	 344	 496	 526			
						
Arizona	 154	 154	 288	 288	 288	
						
Axel	 498	 553	Binomio	 349	 349	 441
						
Birds	 099	 337	 433	 494	 522	
						
Bubble	 814	 854				
						
Calypso	 200	 200	 454			



# Families' index

Indoor, outdoor



Candy

156

156

290

486



Cantina

133

438



Carlton

204

204

367

367

455



Carta

166

166

166

166

293

293



397

397

484

484

545

545



Chalet

240

240

240

460

508



Cima

856

908



Clio

808

808

855

906

906



Corte

217

217

217

457



Cotton

157

157

157

291

291

291



Craft

085

386

386

538



Cylinder

193

560



Dafne

857

857

909

Desk

084

386



Diamond

096

096

096

483



Diesis

122

475

539



Driftwood

241

241

506





































































554

554



# Families' index

Indoor, outdoor

						
Dubai	 210	 210	 365	 365	 365	 455
						
Dynamite	 090	 090	 320	Easy	 474	 539
						
Edison	 115	 428		Elio	 822	 918
						
Equinoxe	 102	 102	 102	 102	 102	 102
						
	 437	 525				
						
Essence	 082	 402	 402			
						
Etere	 831	 902				
						
Filo	 078	 078	 404	 404	 472	 530



Firenze

236

236

460

509

567




Florian

224

224

224

458



Frame

072

072

072

254

254

254



528

Frida



114



431



Futura

476

541

Gas



825



890



Gemini

060

060

060

060

282

282



282



Gioconda

228

228

228

459





# Families' index

Indoor, outdoor



Glim 329 329 329 705



Glory 153 153 153 286 286 286



Gun 811 836 836



Harem 239 239 462



Hilton 195 195 195 448 501 501



563



Igor 095 095 095 432



Kepler 105 105 434



King

200

200

358

358

358



Lana

151

306

306



Lika

319

788

788

788

790

790



790

792

792



Lingotto

094

094

094

345

345

345



497

497



Linus

387

630

Litio

823

919



London




499

499

557

# Families' index

Indoor, outdoor





487

487

487



Maracas

331

331

436

436



Martinez

203

203

366



Minimal

116

116

430



Mix Up

126

300

536



Mouse

324

422

422

704



Multiflex

175

339




Negresco

220

220

458



Newton

438

542



# Families' index

Indoor, outdoor



Ninfea

351

351

443



Nodi

173

173

332



Nordik

192

192

450

500

560



Oak

076

076

318

318



Oby

325

325

426

426



Opera

198

198

198

456

511

565



Oracle Slim

066

066

066

066

068

068



068

252

252

252





Ovalino

155

155

294

294

394



Oz

062

062

257

374

468



Pan

192

442



Pashà

207

207

207


357

357

357



454



Pegaso

214

214

214

214

457

515



515

566



Penta

352





































































352

443



# Families' index

Indoor, outdoor

						
Perlage	 100	 100	 100	 100	 100	 334
						
	 334	 334	 334	 435	 435	 495
						
	 495	 524				
						
Ping Pong	 348	 348	 440	 488	 533	
						
	 321	 780				
Play						
Queen	 514	 514	 514	 566		
						
Rain	 202	 364	 364			
						
Roma	 205	 205	 356	 356	 356	 356



454



510




Rudy

326

326

423

423



Set Up

196

302

446

446

504

504



558



Sky

077

311

311

311

392



Slem

330

427

427



Smarties

152

152

152

287

287

287



287

397

485

485

485



# Families' index

Indoor, outdoor

Sole						
	■ 806	■ 806	■ 806	■ 806	■ 873	■ 873
	■ 873	■ 873				
Spark						
	■ 105	■ 342				
Spot	■ 324	■ 422	■ 422	■ 704		
Strauss	■ 229	■ 229	■ 229	■ 459		
Style	■ 828	■ 828	■ 880			
Swan	■ 199	■ 199	■ 456			
Terra	■ 824	■ 824	■ 920	■ 920		



Triumph

092 336 436 436



Tronco

830 896 896 896



Wally

479 543



Wheel

194 194 305 305



Winery

323 428



Woody

194 194 304 304 449



Xeno

812 826



Yoko

083 473 531







# Code index

deal lux



# Code index

SKU	Pag	016399	438	031750	189	044422	231	061160	479	080932	363
		016863	188	031996	152	044453	231	061191	479	081434	279
000206	487	016931	146	032009	152	044491	513	061450	832	081441	279
000251	491	017297	408	032016	152	044590	493	061467	832	081502	218
000268	491	017303	408	032023	287	044606	493	061474	832	081519	218
000657	356	017310	408	032030	287	044767	209	061580	847	081526	218
001197	542	017327	409	032047	287	044774	209	061597	847	081540	218
001814	147	017334	409	032078	485	044910	459	062273	551	081557	218
001821	147	017440	136	032122	164	044927	228	066387	201	081564	218
002408	229	017518	383	032139	164	044934	228	066431	214	081762	160
002880	567	018508	285	032368	499	045030	481	066448	214	082059	173
003528	542	018515	841	032375	499	045047	481	066868	847	082073	173
004716	830	018522	841	032382	557	045115	161	068138	306	082158	207
004723	896	018829	427	032436	502	045122	161	068145	306	082172	207
004730	896	018836	427	032467	502	045191	430	068169	151	082196	207
005386	408	018850	330	032504	223	045214	430	068183	234	082240	852
005881	217	019499	209	032825	938	045627	401	068190	234	082257	207
005898	217	019734	153	032832	938	045634	401	068268	456	082264	454
005911	244	019741	153	033013	836	046167	824	068275	565	082271	852
006321	330	019758	286	033020	836	046181	824	068299	198	082288	454
006338	330	019765	286	033037	920	046211	920	068305	511	082783	363
007021	408	020228	825	033044	920	046471	548	073187	358	082790	363
007045	408	020556	209	033532	211	046723	548	073255	358	083070	798
007960	306	020822	236	033662	160	049229	381	073262	358	083087	798
007977	306	020839	236	033679	160	049236	381	073408	514	083117	798
007984	306	020846	460	033952	137	051406	513	073422	514	083124	798
007991	306	020853	509	034546	378	051444	383	073439	514	083131	798
008363	202	020877	567	034706	221	051741	551	073521	422	083148	798
008370	364	022222	362	034713	221	051765	551	073545	422	083179	798
008455	364	022239	362	034720	221	051840	399	073569	422	083186	798
008608	307	023021	137	035574	216	051857	399	073583	324	083193	798
008615	307	023038	137	035581	216	051864	399	073712	332	083223	798
008622	307	024097	908	035604	224	051963	380	074139	155	083230	798
009087	164	024134	856	035611	224	051970	380	074245	139	083247	798
009131	487	025438	193	035628	224	051987	380	074313	139	083254	800
009148	164	026473	398	035635	224	052786	151	074337	139	086736	156
009155	487	026480	398	035642	458	052809	170	074344	139	086743	156
009223	287	026558	399	035659	458	052816	170	074702	492	086781	290
009360	116	026787	138	035666	141	052991	364	074726	492	086804	486
009377	427	026954	896	035680	141	053004	364	075150	224	087368	463
009407	116	026961	896	035697	141	057187	217	075181	224	087375	463
009483	427	026978	830	035710	141	057194	217	075211	461	087665	449
009513	379	026985	896	035727	151	057200	457	075389	358	087702	194
009537	379	026992	896	035826	199	059181	201	075402	358	087719	194
009681	194	027005	830	035840	199	059211	457	075419	358	087757	458
009698	194	027081	400	035864	456	059228	566	075471	448	087764	220
009933	380	027098	400	035949	451	059235	214	075488	563	087771	220
009940	380	027104	400	035956	451	059242	214	075495	195	087818	181
009957	380	027357	134	036014	305	059259	515	075501	195	087863	356
010861	285	027364	134	036021	305	059266	515	075518	195	087870	356
012865	236	027418	223	038025	394	059679	150	075525	501	087979	200
012872	236	027821	223	041742	548	059808	396	075532	501	088013	200
012889	509	027852	438	041827	211	059815	396	077734	514	088020	200
012902	460	027876	438	042794	542	059822	396	077741	514	088266	381
013046	463	028460	457	043562	164	059839	292	077758	514	088273	381
013060	463	030326	138	044163	454	060491	459	077765	566	089669	135
013657	481	030784	362	044187	200	060507	228	077796	363	089805	555
014166	381	031361	381	044200	200	060514	228	077802	363	090481	155
014395	229	031460	413	044255	230	060620	394	077819	363	090863	304
014609	556	031477	413	044279	279	061115	544	080338	359	090900	304
014814	397	031507	409	044286	279	061122	544	080345	359	091006	279
015286	542	031743	189	044293	279	061139	544	080352	359	091013	279

091112	161	096711	853	104935	074	114187	218	120324	939	124124	664
091129	381	096728	853	104942	074	114194	218	120362	940	124131	664
091136	381	096735	853	105628	194	114262	108	120386	939	124155	664
091518	825	097183	410	105710	395	114279	211	120423	857	124162	450
091525	825	097190	410	105727	395	114293	844	120430	857	124179	450
092188	848	097206	410	106175	899	114347	887	120454	909	125503	355
092195	848	097664	217	106182	899	114620	510	120898	186	125510	355
092201	848	097671	217	106205	920	114729	211	120904	186	125831	133
092218	841	098616	154	107691	801	114736	211	121130	408	126531	664
092225	886	098722	202	107707	801	114743	211	121147	408	126548	664
092300	836	098739	202	108094	478	115061	882	121154	408	126883	392
092317	836	099057	427	108117	478	115078	882	121161	408	126890	392
092324	811	099064	427	108292	956	115085	882	121178	408	126906	077
092355	847	099101	191	109138	896	115092	882	121338	408	126913	077
092393	850	100364	847	109145	896	115108	882	121352	413	128207	508
092409	850	100371	847	110233	557	115115	882	121406	555	129082	118
092416	851	100388	836	110240	557	115290	844	121437	555	129099	118
092423	851	100395	836	110356	550	115306	844	121963	833	129433	840
092430	851	100746	357	110363	550	115313	844	122014	942	129440	840
092447	851	100784	357	110417	118	115320	844	122021	942	129457	840
092836	432	100791	357	110424	118	115337	844	122045	858	129464	826
092850	095	100807	357	110431	118	115344	844	122083	114	129471	826
092881	095	100883	158	110448	499	115351	846	122106	114	129488	826
092911	208	100937	158	110455	499	115368	846	122168	954	129495	812
092942	095	100944	158	110462	118	115375	846	122205	304	129501	812
093048	205	100951	158	110530	499	115382	858	122212	304	129518	812
093062	205	101125	153	110554	499	115412	922	122236	194	129570	506
093086	454	101132	286	110745	141	115429	922	122243	194	129600	241
093093	356	101163	191	110752	141	115481	422	122557	187	129709	212
093659	130	101170	362	111117	338	115498	240	122564	187	129860	948
093697	130	101187	362	111452	560	115504	240	122663	811	129877	948
093963	294	101194	362	111841	181	115511	460	122687	811	129921	212
093994	235	101200	946	111858	181	115580	802	122717	427	130163	948
094007	235	101217	946	111865	181	115597	802	122731	330	130170	948
094014	294	101224	946	111872	216	115610	802	122748	330	130187	948
094137	170	101231	946	111896	216	115962	462	122823	958	131924	159
094182	393	101248	946	111902	170	115979	239	122830	958	131962	384
094229	170	101255	946	111919	170	116006	239	122854	958	132365	148
094236	170	101262	946	111957	106	116112	285	122861	958	132389	148
094649	363	101279	948	112268	106	116228	208	122878	512	133270	445
094663	363	101286	948	112305	186	116235	208	122885	512	133300	445
094687	362	101293	948	112312	186	116457	117	122984	427	133393	333
094786	244	101323	948	112336	186	116464	117	123080	833	134789	384
095226	154	101330	948	112343	186	116570	491	123295	958	134796	384
095264	390	101347	948	112367	136	116587	491	123301	958	134826	243
095288	390	101354	948	112626	438	116716	906	123745	849	134833	243
095615	230	101378	956	112671	116	117652	956	123769	849	134840	243
095998	393	101385	955	112695	438	117737	204	123776	849	134871	133
096018	393	101491	857	112701	133	117867	378	123783	849	134888	278
096476	822	101514	909	112718	116	117881	938	123882	948	134895	278
096483	822	101552	857	112732	133	118659	830	123899	948	134901	278
096544	929	101606	106	113302	115	118666	833	123936	955	135205	900
096551	929	101613	106	113319	115	119427	429	123943	956	135250	814
096568	929	102047	130	113678	231	119465	429	123974	776	135526	948
096575	929	103174	187	113753	844	119502	429	123981	776	135755	901
096582	929	103204	451	113760	844	119571	948	123998	776	135762	901
096599	929	103242	194	113791	845	119786	427	124001	776	135908	899
096667	853	103266	304	113975	240	120201	918	124018	776	135922	899
096674	853	103273	304	113982	800	120218	918	124025	776	135991	806
096681	853	103723	108	113999	800	120249	939	124070	654	136004	806
096698	853	103983	188	114019	800	120287	940	124087	654	136011	806
096704	853	104928	074	114170	218	120317	939	124117	654	136028	894

# Code index

SKU	Pag	142265	407	150130	794	156743	422	163604	836	170145	718
		142272	407	150284	796	156774	324	163611	836	170152	718
136035	894	142289	407	150291	794	156781	324	163628	836	170589	074
136042	894	142296	407	150307	794	157580	948	163635	836	170923	381
136059	894	142302	842	150420	318	157597	948	163642	811	172408	831
136073	808	142579	415	150437	318	157856	884	163666	811	172439	902
136318	175	142586	415	150468	318	158242	450	163727	920	172804	355
136325	175	142616	564	150475	318	158723	074	163741	896	172828	355
136899	392	142692	412	150635	076	158815	089	163758	896	173245	084
137391	835	142708	412	150673	076	158822	847	164823	393	173252	386
137681	129	142906	080	151649	946	158860	089	164847	393	174204	149
137827	555	142913	080	151656	946	158891	904	164878	080	174211	149
138237	084	142999	901	151663	946	158907	854	164953	228	174228	149
138251	386	143156	449	151687	948	159010	339	164960	228	174235	149
138275	108	143200	960	151694	948	159256	242	164977	207	174396	190
138305	170	143217	960	151700	948	159423	401	164984	207	174402	190
138374	428	143224	960	151717	948	159508	401	164991	357	174792	421
138510	901	144238	808	151724	948	159522	401	165004	357	174808	421
138596	274	144245	808	151731	946	159812	242	165011	198	174822	421
138602	274	144252	808	151748	946	159836	815	166247	204	174846	421
138619	274	144276	833	151755	948	159843	113	166285	366	174921	339
138633	276	144283	832	151762	948	159850	113	166322	203	174976	339
138640	276	144917	409	151779	948	159867	113	166360	203	175973	161
138657	276	145020	906	151786	948	159942	232	166889	219	176000	161
138978	798	145068	906	151793	946	159959	232	167121	424	176031	161
139012	794	145198	480	151861	948	159973	232	167152	424	176062	161
139029	794	145204	480	151946	946	159980	232	167244	226	176536	420
139098	129	145211	480	151953	946	159997	426	167251	226	176550	420
139425	114	145228	855	151960	948	160214	436	167268	226	177199	562
139432	114	145303	823	151977	948	160245	436	167398	226	177205	562
139470	890	145310	919	151991	948	160269	092	167404	226	179292	389
140179	307	145327	823	152004	948	160313	336	167411	226	179308	389
140186	307	145334	919	152851	451	160856	167	167497	110	179315	389
140193	307	145341	823	152875	305	160863	167	168036	813	179322	389
140230	159	145358	919	152899	305	161327	162	168050	813	179643	439
140339	235	146775	855	152912	305	161334	162	168111	813	179681	401
140599	459	146782	855	153162	888	161648	192	168135	813	179858	174
140605	229	146799	855	153179	888	161662	192	168326	180	180298	428
140612	229	147642	470	153193	888	161686	500	168357	180	180304	428
140629	229	147659	470	153209	888	161716	560	168364	180	180922	241
140711	162	147666	776	153926	946	161754	875	168753	222	180946	554
140728	162	147673	776	153933	946	161761	875	168777	222	180953	876
140759	162	147680	776	153940	946	161778	875	168852	245	182179	198
140841	315	147765	834	153957	948	161785	382	168869	245	183794	956
140872	315	147772	834	153964	948	161792	382	168906	231	186955	904
140902	315	147796	834	153971	948	161846	812	168913	455	186979	904
140933	315	147819	834	153988	948	161853	812	168920	367	187006	434
141046	458	148151	110	154008	955	162201	105	168937	367	187327	884
141053	220	148175	110	155142	323	162478	105	169576	718	187365	381
141060	220	148502	110	155227	323	162492	904	169583	718	187662	080
141794	074	148847	808	155722	796	162737	213	169590	718	187877	905
141800	074	148854	808	155791	318	162751	213	169606	718	187884	905
141817	074	148861	808	155869	318	163109	114	169613	718	187891	905
141855	074	148878	808	155968	109	163123	114	169620	718	187976	718
141893	175	148908	428	156026	109	163154	114	169637	718	187983	718
141909	175	148939	554	156033	109	163161	114	169644	718	187990	718
142050	427	149585	170	156682	080	163321	431	169705	718	188003	718
142067	330	149592	170	156699	080	163338	431	169712	718	188010	718
142081	427	149622	333	156705	422	163536	847	169729	718	188027	718
142098	330	149738	842	156712	324	163543	847	169736	718	188058	718
142241	415	149745	842	156729	422	163550	847	169972	718	188065	718
142258	415	150116	794	156736	422	163598	848	169989	718	188072	718



188089	718	190006	682	192758	632	197746	214	204628	664	209906	880
188096	718	190013	682	193359	768	197753	515	204635	664	211381	070
188102	718	190020	682	193366	768	198095	142	204888	476	211398	070
188119	718	190037	682	193373	768	198125	094	204895	476	211404	070
188126	718	190044	682	193380	768	198132	345	204949	541	211459	076
188195	718	190051	682	193403	768	198149	345	204956	541	211466	076
188911	946	190068	682	193410	768	198156	345	205281	111	211701	076
188928	946	190075	682	193427	768	198620	898	205298	111	211718	076
188935	946	190082	682	193434	768	198637	898	205304	111	211763	740
188942	948	190099	682	193458	768	198644	898	205311	111	211770	740
188959	948	190105	682	193465	768	199375	233	205977	312	211787	740
188966	948	190181	682	193472	768	199382	233	205984	312	211794	740
188973	948	191171	632	193489	768	199405	233	205991	312	211817	740
188980	954	191188	632	193519	768	199412	233	206004	312	211824	740
189031	956	191423	632	193526	768	200064	203	206011	312	212623	943
189062	956	191430	632	193533	768	200071	203	206028	312	212647	943
189093	955	191454	632	193540	768	200118	102	206035	312	213071	901
189109	955	191461	632	193946	479	200125	102	206042	312	213088	901
189536	682	191485	632	193991	479	200132	437	206196	786	213095	825
189574	682	191492	632	194172	080	200149	437	206202	786	213101	890
189581	682	191508	632	194189	080	200194	329	206219	786	213194	807
189598	682	191577	874	194196	080	200200	329	206226	786	213200	807
189604	682	191584	874	194202	080	200217	329	206233	786	213217	850
189611	682	191607	874	194257	718	200231	329	206240	786	213262	882
189628	682	191614	873	194295	110	200248	329	206387	086	213279	882
189635	682	191621	873	194301	718	200255	329	206394	086	213323	844
189642	682	191638	873	194677	125	200330	436	206622	238	213330	846
189659	682	191997	632	194684	125	200347	436	206639	238	213347	844
189666	682	192277	748	194806	074	200354	331	206806	113	213354	844
189673	682	192284	748	195483	872	200361	331	206820	113	213361	894
189680	682	192291	748	195490	872	200484	332	206875	113	213491	455
189697	682	192307	748	195506	872	200491	173	207155	455	213507	367
189703	682	192314	748	195704	376	200880	110	207162	365	213521	204
189710	682	192321	748	195711	376	200897	110	207186	365	213569	366
189727	682	192338	748	195728	376	200903	110	207216	210	213583	203
189734	682	192345	748	195735	376	200996	365	207582	552	214009	872
189741	682	192352	748	195742	376	201016	365	207599	552	214474	154
189758	682	192376	748	195759	376	201023	455	207834	093	214481	154
189765	682	192383	748	195766	376	201092	450	207841	093	214498	288
189772	682	192406	748	195773	376	201115	500	207858	093	214504	288
189789	682	192420	632	196190	284	201122	561	208398	172	214511	288
189796	682	192437	632	196206	284	201252	948	208541	740	214672	391
189802	682	192444	632	196220	284	201269	948	208558	740	214689	391
189819	682	192475	632	196688	426	201276	948	208565	740	214696	391
189826	682	192482	632	196695	426	201283	948	208572	740	215693	451
189833	682	192499	632	196701	325	201290	948	208589	740	215709	451
189840	682	192505	632	196718	325	201382	507	208596	740	215761	281
189857	682	192529	632	196770	120	201399	507	208640	740	215778	281
189864	682	192543	632	196787	120	202396	748	208657	740	215785	281
189871	682	192550	632	196992	089	202921	814	208664	740	215969	210
189888	682	192567	632	197302	104	202945	814	208671	740	216027	740
189895	682	192581	632	197319	104	203072	664	208688	740	216263	740
189901	682	192604	632	197326	104	203089	664	208695	740	216270	632
189918	682	192611	632	197333	104	203102	664	208701	740	216287	632
189925	682	192628	632	197500	237	203119	664	208725	740	216317	740
189932	682	192642	632	197524	237	203126	664	208732	740	216324	740
189949	682	192666	632	197654	189	203171	410	208794	442	216416	632
189956	682	192673	632	197661	189	203188	410	208817	192	216423	632
189963	682	192697	632	197708	457	203195	410	209036	954	217253	748
189970	682	192703	632	197715	214	204581	664	209043	954	218823	768
189987	682	192710	632	197722	214	204598	664	209845	828	218830	768
189994	682	192741	632	197739	214	204611	664	209852	828	218854	768



# Code index

SKU	Pag	223087	570	229485	066	236957	087	243566	365	246857	828
		223094	570	229492	066	236964	087	243597	210	246864	828
219875	190	223124	570	229508	066	237251	948	243665	632	246871	880
220772	768	223131	570	229515	066	237398	184	243818	798	246888	899
220789	768	223148	570	229676	705	237428	184	243825	798	246895	718
220796	768	223155	570	229683	705	237442	184	243849	798	246901	718
220802	768	223162	570	229706	704	237497	184	243924	315	246918	900
220826	632	223179	570	229720	704	237510	184	243931	315	246925	831
221489	125	223186	268	229768	704	237664	112	243948	315	246932	902
221496	125	223193	268	229782	704	237671	112	243986	782	246949	831
221502	828	223209	268	229997	794	237794	206	243993	782	246956	902
221519	828	223216	268	230580	794	237800	206	244013	782	246963	882
221595	957	223223	268	230702	254	237930	420	244181	784	246970	882
222097	070	223230	268	230726	254	238104	132	244198	784	246987	884
222103	070	223247	268	231129	394	238135	132	244204	784	246994	884
222110	070	223285	570	231228	117	238173	132	244235	958	247007	718
222257	954	223292	570	231259	117	238210	132	244242	958	247045	922
222509	674	223704	664	231273	117	238241	105	244259	958	247083	842
222523	674	223711	664	231297	117	238333	342	244549	654	247144	942
222530	674	223728	664	231341	090	238746	185	244556	654	247151	942
222547	674	223735	664	231372	090	238838	185	244563	654	247229	060
222554	674	223742	664	231396	090	238920	185	244570	654	247236	060
222561	674	223759	664	231433	090	238944	444	244587	654	247243	060
222578	674	223766	664	231471	320	238951	444	244594	654	247250	060
222585	674	223834	948	231495	320	238975	444	244624	090	247267	060
222592	674	223919	948	231556	124	239521	453	244648	090	247274	060
222608	674	223926	948	231563	124	239545	453	244662	320	247281	060
222615	674	223933	948	231570	124	239576	453	244808	758	247618	718
222622	674	223940	948	231587	124	239590	453	244822	758	247625	718
222639	674	224275	570	231594	124	239606	453	244846	758	247779	354
222646	674	224367	956	231600	124	239613	453	244853	758	247847	784
222653	674	224541	143	231631	708	240367	274	244884	319	247854	784
222660	674	224930	406	231662	708	240374	276	245041	914	247939	674
222677	674	224954	406	232041	129	241012	173	245072	914	247946	674
222684	674	224985	406	232690	121	241036	173	245089	914	247953	674
222691	674	224992	406	232713	121	241050	332	245096	914	247960	674
222707	674	225005	406	232720	121	241296	365	245102	914	247977	674
222714	674	225029	406	232744	121	241517	144	245331	503	247984	674
222745	570	225364	674	232966	322	241524	144	245348	503	247991	674
222752	570	226026	166	232980	322	241968	630	245393	503	248165	782
222769	570	226033	166	233031	322	241975	630	246390	784	248172	782
222820	943	226040	166	233062	310	241982	630	246451	718	248189	782
222837	943	226187	942	233079	310	241999	630	246468	718	248196	782
222882	570	226194	942	233192	310	242002	630	246499	718	248257	896
222899	570	226200	942	233215	310	242019	387	246505	718	248264	896
222912	570	226217	942	233321	310	242040	956	246512	718	248271	896
222929	570	227580	718	233352	310	242347	092	246529	718	248288	896
222936	570	227597	718	233666	387	242378	336	246536	718	248295	896
222943	570	227672	718	233765	311	242385	436	246543	718	248370	782
222950	570	227689	718	233772	311	242392	436	246550	718	248387	914
222967	570	227825	256	233826	311	242569	960	246567	718	248394	914
222974	570	227832	256	233833	311	242576	960	246574	718	248530	319
222981	570	229010	423	233840	387	242705	718	246581	718	248554	184
222998	570	229027	423	233970	311	243160	420	246598	718	248592	782
223001	570	229034	423	234007	311	243238	718	246604	718	248608	782
223018	570	229041	423	235455	091	243245	718	246611	718	248615	914
223025	570	229058	326	235486	091	243252	718	246628	718	248783	766
223032	570	229065	326	235516	091	243269	718	246796	815	248790	766
223049	570	229072	326	235547	091	243283	718	246819	856	248950	766
223056	570	229089	326	236841	836	243450	315	246826	856	248967	766
223063	570	229461	066	236858	836	243498	365	246833	908	248974	766
223070	570	229478	066	236865	811	243528	210	246840	908	248981	766

248998	766	250977	892	255682	936	259178	066	261188	286	266763	955
249001	766	251103	094	255781	928	259185	066	261195	174	266770	955
249018	766	251110	094	255804	928	259192	066	261287	916	267128	642
249025	766	251127	497	255934	280	259208	066	261294	916	267135	642
249032	766	251226	891	255941	280	259222	497	261331	912	267142	642
249049	766	251257	891	255989	383	259239	074	261355	912	267159	642
249056	132	251295	891	255996	718	259260	310	261362	912	267203	584
249063	132	251516	810	256030	718	259277	310	261379	912	267210	584
249070	132	251523	810	256047	718	259345	377	263434	078	267227	584
249087	132	251530	810	256061	718	259352	377	263441	078	267234	584
249186	960	251547	810	256078	718	259376	584	263519	294	267241	584
249193	960	251554	810	256085	718	259765	446	263632	144	267258	584
249209	960	251561	810	256092	718	259772	446	263649	144	267395	664
249216	960	251578	810	256115	718	259796	446	263656	144	267401	664
249223	960	251592	810	256122	718	259802	446	263663	078	267418	664
249230	960	252025	799	256146	718	259819	446	263670	078	267425	664
249247	960	252032	799	256429	140	259826	446	263687	078	267432	664
249254	960	252049	799	256436	140	259833	446	263700	078	267449	664
249261	958	252056	799	256443	140	259857	446	264523	150	267456	664
249278	958	252186	948	256528	948	259864	504	264547	150	267463	664
249285	958	252209	948	257235	377	259871	504	265278	479	267470	664
249292	958	252551	955	257242	377	259895	504	265285	479	267487	664
249308	958	252568	955	257617	584	259901	504	265292	543	267494	664
249315	958	252599	308	257624	584	259918	504	265575	402	267500	664
249322	960	252605	308	257631	584	259925	504	265643	402	267692	784
249339	960	252612	308	257648	584	259949	504	265803	289	267715	664
249452	906	252629	308	257655	584	259956	504	265827	289	267722	664
249469	906	252971	740	257662	584	259963	558	265841	289	267739	664
249476	906	252988	740	257686	584	259970	558	265896	584	267746	664
249483	906	252995	740	257709	584	259994	558	265957	066	267760	383
249490	906	253008	740	257716	584	260006	558	265971	252	267777	690
249506	906	253015	740	257730	584	260013	196	265988	252	267784	690
249513	906	253381	954	257747	584	260020	196	265995	252	267791	690
249520	906	253398	956	257792	584	260044	196	266008	252	267807	690
249629	718	253404	955	257839	584	260051	196	266015	252	267869	786
249711	784	253411	946	257846	584	260068	504	266022	252	267876	786
249728	784	253428	948	257877	584	260075	504	266121	584	267883	786
249827	803	253435	948	257990	584	260082	504	266145	584	267890	786
249834	803	253442	948	258027	584	260136	558	266183	584	267906	786
250106	417	253459	948	258140	584	260235	558	266251	956	267913	786
250113	417	253466	956	258171	584	260242	558	266282	954	267920	782
250120	417	253480	955	258232	584	260327	446	266299	956	267937	782
250137	417	253497	956	258256	584	260334	446	266305	956	267944	782
250304	170	253558	674	258270	780	260341	446	266497	762	267951	782
250311	170	253589	072	258287	321	260358	446	266503	762	267968	748
250328	170	253596	072	258300	656	260433	504	266510	762	267975	748
250335	170	253664	062	258461	760	260440	504	266527	762	267982	786
250342	170	253671	062	258478	760	260457	558	266534	762	267999	786
250359	170	253688	257	258751	070	260464	558	266541	762	268002	786
250403	690	253695	374	258768	070	260471	196	266558	762	268071	387
250410	690	253886	654	258775	070	260488	196	266565	762	268088	780
250427	690	253893	654	258874	531	260600	414	266572	762	268095	387
250434	690	254272	258	258881	473	260617	414	266589	762	268101	321
250441	690	254289	258	258898	083	260624	414	266596	762	268118	630
250458	690	254319	878	258904	531	260631	414	266602	762	268149	630
250816	889	254388	878	258911	473	260648	414	266657	762	268156	916
250823	889	254944	570	258928	083	260655	414	266671	762	268163	916
250854	858	255019	254	259017	077	260662	414	266688	762	268170	916
250878	868	255514	927	259048	445	260679	414	266701	762	268187	916
250885	868	255521	927	259062	445	260853	584	266725	762	268194	916
250946	845	255651	936	259154	066	260860	584	266732	762	268200	916
250953	892	255668	936	259161	066	261164	286	266756	955	268217	630



# Code index

SKU	Pag	270180	642	271538	321	276274	710	282145	389	283678	710
		270197	642	271545	321	276281	710	282152	389	283685	710
268231	630	270203	642	271590	948	276304	642	282169	389	283692	710
268293	845	270210	642	271606	948	276311	642	282176	389	283708	710
268309	845	270241	258	271613	948	276328	584	282244	893	283715	710
268316	845	270258	258	271620	946	276335	632	282251	893	283722	710
268347	858	270265	258	271637	948	276342	632	282633	584	283739	710
268354	858	270272	258	271644	946	276366	570	282640	584	283746	710
268361	858	270289	258	271712	642	277004	930	282657	584	283753	710
268422	878	270296	258	271750	642	277011	930	282664	584	283760	710
268439	878	270302	258	271880	375	277028	930	282671	584	283777	710
268989	927	270319	258	271897	375	277035	930	282688	584	283784	435
268996	927	270326	258	272030	411	277219	389	282695	584	283791	100
269009	926	270333	258	272078	476	277226	389	282701	584	283807	100
269023	926	270340	258	272085	541	277233	389	282718	584	283814	100
269115	814	270357	258	272108	912	277240	389	282725	584	283821	100
269122	814	270364	258	272139	166	277257	389	282749	584	283852	584
269139	828	270371	258	272238	498	277288	302	282756	584	283920	690
269146	828	270388	258	272245	553	277370	102	282770	584	283937	690
269153	831	270395	258	272375	955	277387	102	282787	584	283944	690
269160	902	270401	258	272382	955	277394	102	282824	584	284002	088
269221	845	270449	658	272429	958	277417	317	282848	584	284019	088
269313	842	270456	658	272436	958	277790	948	282862	584	284286	344
269320	842	270463	658	272443	958	277813	948	282879	584	284309	526
269337	072	270470	658	272450	958	277912	632	282886	584	284316	496
269351	072	270487	658	272467	958	277929	632	282893	584	284330	344
269375	072	270494	658	272474	654	277967	524	282909	584	284354	526
269382	072	270500	658	272481	654	278148	869	282916	584	284361	496
269399	374	270517	658	272498	654	278704	317	282923	584	284460	085
269405	374	270524	658	272504	654	279312	527	282930	584	284477	386
269412	257	270531	658	272511	654	279596	734	282947	584	284484	538
269429	257	270548	658	272528	654	279602	734	282954	584	284491	386
269436	062	270586	258	272535	654	279626	734	282961	584	285061	066
269443	062	270593	258	272542	654	279633	734	282978	584	285078	066
269450	062	270661	254	273167	748	279640	734	282985	584	285085	082
269467	062	270678	254	273174	748	279671	734	282992	584	285092	082
269474	468	270692	632	273631	337	279688	734	283029	584	285108	402
269481	468	270715	258	273648	099	279695	734	283036	584	285115	402
269498	468	270876	632	273655	433	279701	734	283043	584	285122	122
269504	941	270883	632	273662	522	279718	734	283050	710	285139	128
269634	704	270920	948	273679	494	279725	734	283067	710	285146	128
269696	941	270937	632	273693	343	279770	122	283104	584	285153	128
269702	941	270944	946	273709	343	279794	122	283111	584	285160	128
269719	941	270951	948	273914	388	279800	539	283142	570	285184	150
269726	941	270968	954	273945	388	280233	734	283180	570	285191	150
269733	941	270975	956	274508	706	280240	734	283258	710	285207	294
269825	254	271002	258	274515	706	280998	416	283333	475	285214	310
269832	060	271125	658	274768	756	281001	416	283524	710	285238	317
269849	060	271187	646	274775	756	281568	128	283531	710	285283	388
269856	066	271194	646	274782	756	281582	128	283548	710	285290	388
269863	066	271200	646	275178	102	282008	584	283555	710	285306	388
269870	066	271217	646	275215	102	282015	584	283562	710	285313	388
269986	446	271293	145	275369	083	282022	584	283579	710	285320	411
270005	504	271309	145	275376	083	282039	584	283586	710	285337	539
270012	558	271316	145	275383	083	282046	584	283593	710	285344	539
270029	196	271385	100	275543	182	282053	584	283609	710	285351	690
270036	446	271392	100	275567	182	282084	553	283616	710	285368	690
270043	196	271408	100	275581	182	282091	498	283623	710	285375	690
270050	196	271422	100	276182	698	282107	099	283630	710	285382	690
270104	954	271439	435	276205	926	282114	099	283647	710	285399	690
270111	954	271446	690	276243	698	282121	389	283654	710	285405	690
270173	642	271453	690	276267	710	282138	389	283661	710	285412	748

285429	748	286396	584	288260	350	292922	584	297255	648	302614	690
285436	748	286402	584	288277	350	292939	654	297262	648	302621	690
285443	748	286419	584	288338	584	292953	654	297279	648	302744	690
285450	820	286426	584	288345	954	293004	446	297743	291	302751	690
285467	820	286433	584	288383	955	293172	885	297750	291	302768	690
285474	820	286440	584	288390	126	293189	895	297767	157	302942	698
285481	820	286495	584	288406	126	293196	895	297781	157	302959	698
285498	820	286501	584	288420	126	293202	895	298597	877	302966	698
285504	820	286518	584	288437	126	293387	870	298610	877	302973	698
285511	821	286525	584	288444	126	293394	870	299402	316	302980	698
285528	821	286532	584	288451	126	293417	870	299419	316	302997	698
285535	821	286549	584	288475	126	293424	870	299617	528	303000	698
285542	889	286594	698	288482	126	293646	443	299624	528	303017	698
285559	889	286600	698	288543	956	293653	351	300436	278	303062	960
285566	956	286662	548	289151	471	293660	351	300443	278	303079	960
285573	956	286679	548	289168	471	293684	527	300498	584	303086	960
285580	958	286686	548	289212	946	293691	527	300504	584	303093	960
285597	958	286716	865	289229	946	293769	296	300511	584	303314	314
285603	958	286723	865	289236	948	293776	296	300528	584	303321	314
285610	958	286730	865	289243	948	293783	296	300535	584	303390	958
285627	958	286747	865	289250	948	293790	296	300542	584	303406	958
285634	958	287072	389	289281	584	294001	885	300641	893	303499	584
285641	958	287300	418	289298	584	294025	885	300658	893	303505	584
285658	958	287317	418	289304	584	294032	885	300764	584	303512	584
285665	958	287560	382	289489	340	294049	885	300801	078	303529	584
285672	958	287577	382	289496	340	294766	423	300818	078	303536	584
285689	958	287584	382	289786	168	294803	423	300825	078	303543	584
285696	958	287591	385	289861	168	294810	326	301051	530	303550	584
285702	958	287607	385	289878	168	294827	326	301068	530	303567	584
285719	958	287614	385	289908	168	295213	532	301075	530	303574	584
285726	958	287621	385	289915	168	295473	539	301525	322	303581	584
285887	960	287638	385	289939	168	295497	539	301532	322	303598	584
285894	960	287645	385	290614	584	295503	539	301594	958	303604	584
285900	960	287652	407	290621	570	295510	474	301624	960	303611	584
285917	960	287669	407	290775	309	295534	474	301631	960	303628	584
285924	960	287676	407	290799	309	295541	474	301648	960	303635	584
285993	584	287683	827	290812	309	296197	948	301655	960	303642	584
286006	584	287690	827	290836	309	296210	948	301662	960	303659	584
286051	584	287706	827	290959	525	296302	584	301679	960	303666	584
286068	584	287713	827	290966	525	296333	702	301686	960	303673	584
286075	584	287720	827	291093	475	296340	702	301693	960	303680	584
286082	584	287737	827	291109	475	296357	702	301709	960	303697	584
286099	584	287768	400	291345	071	296364	702	301716	960	303703	584
286105	584	287775	400	291376	071	296456	664	302225	407	303710	584
286112	584	287782	400	291406	071	296463	664	302232	407	303727	584
286129	584	287843	734	291789	419	296678	540	302256	656	303734	584
286167	584	287850	734	291796	419	296685	540	302263	656	303741	584
286204	584	287867	734	292076	183	296746	100	302270	656	303789	584
286211	584	287874	734	292083	183	296753	100	302287	656	303796	584
286228	584	287881	734	292090	183	296869	955	302294	656	303802	584
286259	584	287898	734	292113	183	296876	955	302348	570	303819	584
286266	584	287904	734	292205	258	297101	295	302355	570	303826	584
286297	584	287911	734	292236	258	297149	295	302362	570	303833	584
286303	584	287928	734	292250	258	297163	648	302379	570	303895	060
286310	584	287935	734	292403	435	297170	648	302539	690	304038	958
286327	584	287942	734	292410	435	297187	648	302546	690	304045	958
286334	584	287959	654	292441	495	297194	648	302553	690	304113	504
286341	584	287966	654	292458	495	297200	648	302560	690	304120	558
286358	584	288147	734	292465	495	297217	648	302577	690	304137	345
286365	584	288208	954	292472	495	297224	648	302584	690	304144	094
286372	584	288215	954	292830	300	297231	648	302591	690	304151	497
286389	584	288239	956	292847	300	297248	648	302607	690	304168	546





# Code index

SKU	Pag	306445	278	307404	126	311364	341	314198	520	318714	904
		306452	540	307411	126	311661	864	314204	482	318721	904
304366	066	306469	540	307428	126	311678	864	314228	346	318820	873
304373	066	306513	316	307435	126	311685	864	314235	346	318837	806
304380	066	306520	316	307442	452	311708	864	314303	317	319568	312
304397	066	306537	102	307459	452	311715	867	314334	443	319575	312
304403	066	306544	102	307466	452	311760	405	314716	328	319582	312
304410	066	306551	102	307473	452	311777	405	314723	328	319650	748
304427	066	306575	258	307480	452	311784	405	314815	352	319667	748
304434	066	306582	258	307497	452	312118	774	314822	352	319674	748
304441	066	306599	258	307503	452	312125	774	314921	064	319681	748
304458	066	306605	258	307510	584	312132	774	314938	064	319704	890
304465	066	306612	258	307527	584	312156	774	315805	360	319797	316
304472	066	306629	258	307534	584	312163	774	315812	360	319803	316
304489	374	306636	258	307541	584	312170	774	316048	888	319810	831
304496	374	306643	258	307558	584	312323	298	316055	888	319827	902
304502	374	306650	258	307565	584	312330	298	316192	707	320434	584
304519	257	306667	258	307572	584	312347	298	316208	707	320441	584
304526	257	306674	258	307589	584	312354	298	316215	707	320458	584
304533	257	306681	258	307596	584	312361	298	316239	707	320465	584
304540	062	306698	258	307602	584	312378	298	316307	584	320472	584
304557	062	306780	895	307619	956	312477	353	316680	350	320489	584
304564	062	306797	895	307626	956	312491	353	316697	350	320496	584
304571	062	306803	895	307695	060	312507	353	316772	797	320502	584
304588	062	306810	419	307701	060	313191	748	316871	859	320519	584
304595	062	306827	419	307756	760	313207	748	316895	859	320526	584
304601	446	306834	885	307855	955	313252	440	316901	859	320533	584
304618	504	306841	885	307862	955	313283	348	317007	350	320540	584
304625	558	306858	885	307879	954	313290	348	317090	397	320557	584
304632	196	306865	885	307886	954	313313	533	317106	397	320564	584
304649	546	306872	885	308227	895	313320	488	317113	293	320571	584
304694	060	306889	948	308234	895	313344	480	317120	293	320588	584
304700	060	306896	948	309262	334	313351	480	317137	545	320595	584
304717	060	306940	443	309279	334	313368	480	317144	545	320601	584
304724	060	306957	351	309286	334	313412	843	317151	484	320618	584
304731	060	306964	351	309798	178	313429	843	317168	484	320625	584
304748	060	306988	524	309804	178	313436	843	317243	102	320717	584
304915	534	306995	099	309811	178	313443	843	317250	102	320724	584
304922	534	307008	099	309866	866	313450	843	317267	107	320731	584
305264	490	307015	385	309873	866	313467	838	317274	107	320748	584
305271	490	307022	385	310107	472	313474	838	317281	107	321172	098
305288	096	307039	385	310114	472	313481	838	317489	317	321509	423
305295	096	307046	385	310121	472	313498	838	317496	317	321516	326
305325	096	307053	385	310138	404	313504	838	317502	317	321523	326
305349	483	307060	385	310145	404	313511	839	317564	845	321530	423
305431	954	307077	958	310152	404	313528	839	317571	845	321547	382
305486	954	307084	958	310589	123	313535	839	317793	100	321554	382
305592	541	307091	958	310596	123	313542	839	317809	435	321561	382
305608	584	307107	958	310602	123	313559	839	317816	524	321578	452
305615	584	307114	958	310664	441	313566	839	317823	495	321585	541
305622	948	307121	958	310671	349	313771	107	317908	296	321592	296
305639	948	307138	958	310688	349	313788	107	317915	296	321615	296
305813	786	307145	664	310787	396	313894	074	317953	584	321622	920
305837	786	307152	664	310800	164	314013	058	317960	584	321639	904
305844	760	307169	827	310817	487	314037	058	317977	584	321646	845
305851	760	307176	827	310886	317	314099	425	317984	584	321653	584
306346	309	307183	389	310893	317	314105	425	317991	584	321660	276
306360	309	307190	389	311265	958	314129	425	318264	270	321677	584
306384	309	307206	296	311272	958	314136	425	318516	912	321684	274
306407	309	307213	296	311319	441	314143	176	318523	912	321691	845
306421	960	307244	258	311340	341	314167	176	318691	880	321707	276
306438	278	307251	664	311357	341	314174	176	318707	880	321714	584

321721	584	322346	690	323961	726	326856	842	327969	322	328584	838
321738	274	322353	880	323985	726	326863	827	327976	322	328591	838
321745	276	322360	690	324005	726	326870	827	327983	322	328607	838
321752	274	322377	690	324272	718	326887	810	327990	058	328614	867
321769	276	322384	880	324289	718	326894	810	328003	058	328621	859
321776	274	322391	690	324296	718	326900	888	328010	282	328638	859
321783	080	322407	825	324302	718	326917	888	328027	282	328645	859
321790	584	322414	890	324319	718	326924	888	328034	282	328652	843
321806	584	322421	890	324326	718	326931	888	328041	282	328669	843
321813	080	322438	880	324333	718	326955	844	328058	282	328676	843
321820	584	322452	880	324340	718	326962	830	328065	282	328683	958
321837	584	322483	880	324357	718	326979	846	328072	282	328690	958
321844	584	322506	880	324364	718	326986	844	328089	282	328706	958
321851	904	322537	880	324371	718	326993	844	328096	282	328713	958
321868	904	322544	880	324388	718	327365	168	328102	107	328720	958
321875	904	322551	880	324395	718	327372	168	328119	107	328737	958
321882	904	322568	880	324401	718	327389	168	328126	107	328744	958
321899	584	322575	880	324418	718	327396	168	328133	107	328751	958
321905	904	322582	880	324425	718	327402	168	328140	298	328768	958
321912	584	322599	880	324807	726	327419	168	328157	298	328775	958
321929	904	322605	848	324814	726	327426	168	328164	536	328782	958
321936	584	322612	880	324821	726	327433	168	328171	536	328799	317
321943	584	322629	828	324838	726	327440	168	328188	328	328805	317
321950	904	322636	828	324845	726	327457	168	328195	328	328812	317
321967	584	322643	828	324852	726	327471	760	328201	341	328829	906
321974	584	322650	828	324869	726	327488	760	328218	341	328836	906
321981	904	322667	350	324876	726	327495	760	328225	341	328942	282
321998	584	322674	350	324883	726	327501	786	328232	348	328959	282
322001	584	322681	828	324890	726	327518	786	328249	348	328966	282
322018	912	322698	350	324906	726	327525	584	328256	348	328973	282
322025	584	322704	828	324913	726	327532	584	328263	348	328980	282
322032	584	322711	312	324920	726	327549	584	328270	440	329260	282
322049	912	322728	850	324937	726	327556	584	328287	440	329444	616
322056	584	322735	850	325620	930	327563	270	328294	488	329451	616
322063	584	322742	435	325637	930	327570	270	328300	488	329468	616
322070	584	322759	495	325644	930	327600	270	328317	533	329475	616
322087	698	322766	100	325651	930	327686	270	328324	533	329505	616
322094	698	322773	100	325668	930	327693	270	328331	123	329512	616
322100	698	322780	100	325675	930	327723	797	328348	123	329529	616
322117	912	322797	100	325682	930	327730	797	328355	123	329536	616
322124	698	323527	726	325699	930	327747	797	328362	353	329574	616
322131	912	323534	726	325705	930	327754	748	328379	334	329581	616
322148	912	323541	726	325712	930	327761	748	328386	334	329598	616
322155	831	323558	726	325729	930	327778	404	328393	334	329604	616
322162	912	323589	726	325736	930	327785	404	328409	334	329635	616
322179	831	323596	584	325750	584	327792	404	328416	334	329642	616
322186	831	323602	726	325767	584	327808	334	328423	334	329666	616
322193	831	323619	726	326610	946	327815	334	328430	349	329673	616
322209	831	323633	726	326627	842	327822	334	328447	349	329703	616
322216	880	323640	726	326634	842	327839	094	328454	349	329710	616
322223	902	323657	726	326689	878	327846	094	328461	349	330358	616
322230	880	323671	726	326696	878	327853	345	328478	441	330365	616
322247	902	323688	726	326702	878	327860	345	328485	343		
322254	902	323718	726	326719	878	327877	497	328492	360		
322261	902	323725	726	326726	878	327884	157	328508	864		
322278	902	323732	726	326733	878	327891	291	328515	864		
322285	858	323763	726	326740	878	327907	485	328522	839		
322292	858	323770	726	326757	878	327914	485	328539	839		
322308	858	323794	726	326788	855	327921	425	328546	839		
322315	858	323800	726	326795	808	327938	425	328553	839		
322322	690	323817	726	326801	808	327945	405	328560	839		
322339	690	323831	726	326849	842	327952	322	328577	839		

# List of finishes



Clear

White

Fade Chrome

Steel

Silver

Chrome

Concrete



Aluminum

Grey

Nickel

Smoky Grey

Granite

Lead

Anthracite



Black



Ivory

Amber


Alabaster

Beige

Canvas

Wood

Dove Grey



Rope

Gold

Brass

Copper

Coffee

Antique Brass

Rust

## Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

# Technical icons



Class I Electrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.



Class II Electrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.



Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.



Item not appropriate for direct or recessed installation on normally flammable surfaces.



Mark of conformity to European Community Safety regulations.

# Symbols



Bulb included.



Items with LED lights: very low consumption, highly bright and focused light, strength and durability.



Integrated switch button.



Lamp with touch switch: switching on and dimming by touching the base with a finger.



Luminaire with dimmer.



Lamp with integrated USB socket.



Up-light included.



High-tech product with high quality materials, intended for professional use.



Product with UGR.



Item suitable for painting and varnishing.



Protection degree.



Item made of stainless steel 316.



Lamp with presence detector included PIR (Passive InfraRed).



Lamp with rechargeable battery included

## Notes

**-The indicated prices are public prices VAT excluded.**

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website ([www.ideal-lux.com](http://www.ideal-lux.com)).

-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.

-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.

-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check

photometry files for the actual Lumen of the single lighting fittings. For further information and updates.

-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.

-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.



**Ideal Lux s.r.l.**

**Headquarter**

Via Taglio Destro, 32  
30035 Mirano – Venezia  
P.I. / C.F. 02420040277  
8.00 - 12.00 / 13.30 - 17.30

**Warehouse**

Via delle Industrie, 8/D  
30036 Santa Maria di Sala – Venezia  
8.00 - 12.00 / 13.00 - 17.00

E [info@ideal-lux.com](mailto:info@ideal-lux.com)

T +39 041 5790500

F +39 041 8872349

© [ideal.lux](https://www.ideal-lux.com)

f Ideal Lux

[www.ideal-lux.com](http://www.ideal-lux.com)

Community Design Pending Nr. 001996372 002194993 002621862 002943449 003734342 004558609 006083655

Copyright 2024 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati







