

















Suspensions, Ceiling lamps, Wall lamps,
Table lamps, Floor lamps, Systems, LED strip and supports,
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,
Accessories / Indoors, Outdoors / Minimal, Decorative,
Architectural / **Light and design to serve people.**

Light up your 2025.

ideal lux®

ideal lux.[®]

Index		Alphabetical index	004
		Typology index	008
		Company Presentation	032
<hr/>			
Indoors		Suspensions	050
		Ceiling lamps	236
		Wall lamps	356
		Table lamps	448
		Floor lamps	490
		Linear systems	536
		LED strip and supports	642
		Spotlights and Tracks	660
		Recessed lights	718
<hr/>			
Outdoors		Suspensions and ceiling	800
		Wall lamps	814
		Bollard and Table lamps	860
		Spotlights	912
		Downlights	928
<hr/>			
Light bulbs		Light bulbs and accessories	942
		Families' index	962
		Code index	978



Flam











































































































Pag 80

















Abc	99	Birds	473	Citrus	119
Acqua	903	Birds	497	Click	370
Admiral	347	Bistrò	184	Clio	806
Agos	882	Bit	930	Clio	856
Ali	387	Blanche	214	Clio	908
A-Line	125	Blossom	146	Clip	369
Alma	394	Blues	796	Cloud	284
Amadeus	219	Boa	171	Clown	160
Ampolla	116	Boeing	896	Cocktail	141
Andromeda	847	Bon Bon	231	Coco	181
Angolo	334	Bonne Nuit	406	Colonna	533
Angolo	476	Book	411	Colossal	216
Angolo	500	Bow	396	Comet	520
Apollo	832	Box	367	Cometa	852
Arca	612	Breeze	133	Comfort	512
Arcadia	881	Brigitta	229	Compo	343
Archimede	127	Bubble	812	Cono	138
Argo	845	Bubble	854	Copernico	110
Aria	152	Byte	696	Corolla	285
Arizona	156	Caesar	209	Corte	215
Arizona	278	Camerino	388	Corte	441
Armony	348	Canapa	235	Cosmo	907
Atena	900	Candy	158	Cosmopolitan	333
Atlas	332	Candy	280	Cotton	159
Atom	843	Candy	469	Cotton	281
Atrium	279	Cantina	137	Cover	364
Audi-10	186	Cantina	426	Craft	91
Audi-80	187	Carlton	203	Craft	374
Avion	177	Carlton	355	Craft	510
Axel	478	Carlton	439	Crown	66
Axel	526	Carta	170	Cube	370
Balance	371	Carta	282	Cute	868
Barber	415	Carta	385	Cylinder	190
Base	833	Carta	468	Cylinder	532
Basic	770	Carta	519	Daddy	524
Bean	402	Casanova	226	Dafne	857
Bento	728	Celine	270	Dafne	911
Bergen	183	Chalet	234	Daisy	342
Binomio	337	Chalet	444	Danieli	228
Binomio	429	Chalet	484	Dedra	859
Birds	105	Cima	857	Deep	768
Birds	327	Cima	910	Delta	372
Birds	421	Circus	75	Desk	90

Alphabetical index

Desk	374	Equinoxe	499	Gas	823	Jazz	794	London	479
Deva	538	Eris	135	Gas	891	Jedi	894	London	529
Diamond	102	Essence	88	Gea	436	Justine	231	Look	78
Diamond	466	Essence	390	Geko	275	Kali	481	Look	300
Diesis	126	Etere	829	Gemini	60	Karma	150	Look	381
Diesis	459	Etere	904	Gemini	272	Karol	246	Look	506
Diesis	511	Eva	504	Gim	414	Karousel	92	Look	698
Display	700	Evasione	207	Ginger	515	Kelly	462	Lord	146
Dna	174	Fade	147	Gingle	274	Keope	832	Lounge	794
Dodo	414	Febe	858	Gioconda	224	Kepler	111	Lucciola	94
Doge	227	Felix	849	Gioconda	443	Kepler	422	Luce Max	161
Doris	876	Fiesta	813	Giove	848	King	200	Lugano	119
Dorsale	522	Filo	84	Glim	321	King	346	Lumiere	178
Down	858	Filo	392	Glim	695	Klimt	527	Lumiere	341
Dream Big	176	Filo	456	Glory	155	Koala	920	Lumiere	465
Driftwood	235	Filo	502	Glory	276	Komodo	408	Lumiere	496
Driftwood	484	Firenze	230	Goose	400	Konse	115	Luna	804
Driftwood	526	Firenze	444	Gourmet	331	Kubiko	306	Luna	878
Dubai	208	Firenze	485	Gravity	937	Kuky	139	Luxor	206
Dubai	353	Firenze	535	Gretel	185	Kurt	889	Madame	188
Dubai	439	Fisherman	136	Groove	776	Lana	153	Magnolia	353
Duchessa	487	Fix	366	Gru	454	Lana	298	Make-Up	395
Dynamic	734	Flam	80	Gun	810	Landing	938	Manhattan	142
Dynamite	96	Flash	380	Gun	834	Lawyer	464	Mapa	168
Dynamite	312	Floor	933	Halo	258	Leaves	112	Mapa	282
Dynamo	401	Florian	220	Harem	233	Led Panel	782	Mapa	384
Easy	458	Florian	442	Harem	446	Lena	153	Mapa	470
Easy	511	Fluo	626	Haunt	190	Level	276	Mapa Clear	166
Echo	376	Flut	143	Hermes	338	Lift	514	Mapa Max	161
Eclissi	433	Fly	248	Holly	128	Lika	311	Mapa Mini	164
Edison	120	Focus	398	Hotel	437	Lika	784	Mapa Plus	162
Edison	416	Folk	151	Hub	891	Linea	838	Maracas	330
Edo	475	Fox	678	Hulahoop	74	Lingotto	100	Maracas	424
Edo Outdoor	901	Frame	76	Ice	118	Lingotto	335	Marte	902
Ego	494	Frame	247	Igor	101	Lingotto	477	Martinez	202
Ego	558	Frame	501	Igor	420	Link 3-Phase	708	Martinez	354
Elio	820	Frida	120	Iko	840	Link 1-Phase	714	Medea	853
Elio	926	Frida	419	Indio	931	Linus	375	Mercurio	902
Empire	179	Funky	794	Inside	927	Linus	624	Metro	133
Enya	872	Futura	460	Io	399	Lite	405	Mib	812
Eos	686	Futura	514	Ipotesi	873	Litio	821	Mignon	467
Equinoxe	108	Galaxy	104	Iride	269	Litio	926	Milk	140
Equinoxe	425	Game	742	Itaca	880	Lolita	870	Millennium	210

Alphabetical index

Minimal	418	Oak	 310	Penta	 431	Regol	528	Smarties	 154
Minor	97	Oby	 317	Perlage	 106	Relax	268	Smarties	 277
Mint	182	Oby	 415	Perlage	 324	Retrò	397	Smarties	 385
Miracle	67	Ocean	270	Perlage	 423	Rex-1	850	Smarties	 469
Mirror-10	396	Octopus	329	Perlage	 473	Rex-2	851	Smile	670
Mirror-20	397	Off	764	Perlage	 498	Rex-3	851	Snif Round	830
Mix Up	 130	Office	640	Perline	105	Rhapsody	93	Snif Square	831
Mix Up	 290	Oil	122	Peter	445	Riflesso	395	Snow	 805
Mix Up	 508	Omega R.	819	Petit	314	Rocket	941	Snow	 855
Moby	134	Omega S.	819	Piano	409	Rocket Mini	940	Soda	383
Monet	211	One	756	Ping Pong	 336	Rocket Ultra M.	941	Soft	180
Mood	307	Onion	117	Ping Pong	 428	Roma	 344	Sole	 802
Moonlight	351	Opera	 198	Ping Pong	 472	Roma	 438	Sole	 877
Moris	366	Opera	 440	Ping Pong	 505	Roma	 486	Spike	 308
Mouse	 316	Opera	 486	Pipe	404	Room-65	795	Spike	 697
Mouse	 412	Opera	 534	Pivot	455	Rose	217	Spot	 316
Mouse	 694	Oracle	74	Planet	288	Royal	352	Spot	 412
Mr Jack	121	Oracle Slim	 68	Play	 313	Rubik	842	Spot	 694
Multiflex	328	Oracle Slim	 242	Play	 778	Rudy	 318	Squish	271
Nabucco	204	Origami	144	Plissé	152	Rudy	 413	Starlight	918
Napoleon	222	Ovalino	 157	Polar	853	Sally	463	Steel	634
Negresco	 218	Ovalino	 284	Polka	797	Samba	792	Stick	598
Negresco	 442	Ovalino	 382	Polly	518	Santa	447	Strauss	 225
Nemo	172	Oz	 64	Pop	95	Sasso	879	Strauss	 443
Net	114	Oz	 244	Posta	368	Set Up	 192	Style	 826
Neve	350	Oz	 362	Pouche	365	Set Up	 292	Style	 884
Newton	 426	Oz	 452	Pov	692	Set Up	 434	Swan	 199
Newton	 516	O-Zone	 818	Prato	474	Set Up	 482	Swan	 440
Ninfea	 339	O-Zone	 916	Pretty	388	Set Up	 530	Swing	794
Ninfea	 431	Page	403	Privè	389	Set Up Slim	 194	Swipe	825
Ninfea	 471	Pagoda	525	Probe	410	Set Up Slim	 294	Tag	754
Nitro R.	302	Pan	 191	Profilo	320	Set Up Ultra Slim	 196	Tall	124
Nitro S.	304	Pan	 430	Pulsar	903	Set Up Ultra Slim	 296	Taurus	934
Nodi	 175	Park	936	Punto	836	Shell	299	Techo	808
Nodi	 322	Pashà	 205	Pure	864	Shower	427	Terra	 822
Nodino	323	Pashà	 345	Quark	760	Simply	298	Terra	 925
Nordik	 189	Pashà	 438	Queen	 488	Sirio	 841	Tesi	648
Nordik	 436	Paul	382	Queen	 534	Sirio	 886	Tesla	890
Nordik	 480	Pegaso	 212	Quick	662	Sirio	 924	Tetris-1	844
Nordik	 532	Pegaso	 441	Radio	417	Sky	 83	Tetris-2	845
Norma	232	Pegaso	 489	Rain	 201	Sky	 301	Theo	393
Nova	780	Peggy	365	Rain	 352	Sky	 381	Thor	 914
Oak	 82	Penta	 340	Ray	260	Slot	652	Thor	 932

Tick	432	Xeno	824
Tifone	892	Yoko	 89
Titano	888	Yoko	 457
Toby	313	Yoko	 503
Toffee	 837	York	527
Toffee	 866	Yurta	132
Topico	 148	Zephyr	798
Topico	 283	Zeus	720
Torre	906	Zig Zag	378
Totem	268	Ziggy	286
Tower	310		
Triade	129		
Triplo	386		
Triumph	 98		
Triumph	 326		
Triumph	 424		
Tronco	 828		
Tronco	 898		
Tube	82		
Tudor	387		
Twiggy	874		
Twin	846		
Ulex	922		
Ulisse	156		
Ultrathin	86		
Umile	145		
Universal R.	264		
Universal S.	266		
Up	844		
Urano	811		
Vanity	232		
Vega	893		
Virus	758		
V-Line	89		
Vortex	113		
Walky	799		
Wally	 463	Led Strip and lightbulbs:	
Wally	 517	Strip Led	644
Waves	58	E14	944
Way	939	E27	946
Winery	 315	G4	954
Winery	 416	G9	954
Wire	930	GX53	956
		R7s	955
		GU10	955



Ego

Pag 494




















































Waves

Pag 058

Typology index

Suspensions Indoors

<small>new</small> 	<small>new</small> 	<small>new</small> 		<small>new</small> 	<small>new</small> 	
Waves 058	Gemini 060	Oz 064	Crown 066	Miracle 067	OracleSlim 068	Oracle 074
				<small>new</small> 		
Hulahoop 074	Circus 075	Frame 076	Look 078	Flam 080	Tube 082	Oak 082
	<small>new</small> 	<small>new</small> 	<small>new</small> 			<small>new</small> 
Sky 083	Filo 084	Ultrathin 086	Essence 088	Yoko 089	V-Line 089	Desk 090
						
Craft 091	Karousel 092	Rhapsody 093	Lucciola 094	Pop 095	Dynamite 096	Minor 097
				<small>new</small> 	<small>new</small> 	
Triumph 098	Abc 099	Lingotto 100	Igor 101	Diamond 102	Galaxy 104	Birds 105
		<small>new</small> 				
Perline 105	Perlage 106	Equinoxe 108	Copernico 110	Kepler 111	Leaves 112	Vortex 113
						
Net 114	Konse 115	Ampolla 116	Onion 117	Ice 118	Citrus 119	Lugano 119

Suspensions

Indoors



Frida 120



Edison 120



Mr Jack 121



Oil 122



Tall 124



A-Line 125



Diesis 126



Mix Up 130



Yurta 132



Metro 133



Breeze 133



Moby 134



Eris 135



Fisherman 136



Milk 140



Cocktail 141



Manhattan 142



Flut 143



Origami 144



Umile 145



Blossom 146

new



Karma 150



Folk 151



Aria 152



Plissé 152



Lana 153



Lena 153



Smarties 154



Ovalino 157



Candy 158



Cotton 159



Clown 160



Mapa Max 161



Mapa Plus 162



Luce Max 161



Carta 170



Boa 171

new



Nemo 172



Dna 174



Nodi 175



Dream Big 176



Avion 177



Coco 181



Mint 182



Bergen 183



Bistrò 184



Gretel 185



Audi-10 186



Audi-80 187



Haunt 190



Pan 191



new

Set Up 192



new

SetUp Slim 194



new

SetUp Ultra Slim 196



Opera 198



Swan 199

Fade

Pag 147



Archimede 127



Holly 128



Triade 129



Cantina 137

new



Cono 138



Kuky 139



Lord 146



Fade 147

new



Topico 148



Glory 155



Ulisse 156



Arizona 156

new



Mapa Mini 164



Mapa 168

new



Mapa Clear 169



Lumiere 178



Empire 179



Soft 180



Madame 188



Nordik 189



Cylinder 190



King 200



Rain 201



Martinez 202





Casanova

Pag 226



Carlton 203



Nabucco 204



Pegaso 212



Blanche 214



Gioconda 224



Strauss 225



Vanity 232



Norma 232

Suspensions

Indoors



Pashà 205



Luxor 206



Evasione 207



Dubai 208



Caesar 209



Millennium 210



Monet 211



Corte 215



Colossal 216



Rose 217



Negresco 218



Amadeus 219



Florian 220



Napoleon 222



Casanova 226



Doge 227



Danieli 228



Brigitta 229



Firenze 230



Justine 231



Bon Bon 231



Harem 233



Chalet 234



























































Canapa 235



Driftwood 235

Ceiling lamps

Indoors

<small>new</small> 	<small>new</small> 		<small>new</small> 	<small>new</small> 		
Oracle Slim 242	Oz 244	Karol 246	Frame 247	Fly 248	Halo 258	Ray 260
					<small>new</small> 	<small>new</small> 
Relax 268	Totem 268	Iride 269	Celine 270	Ocean 270	Squish 271	Gemini 272
						
Glory 276	Level 276	Smarties 277	Arizona 278	Atrium 279	Candy 280	Cotton 281
<small>new</small> 						
Topico 283	Ovalino 284	Cloud 284	Corolla 285	Ziggy 286	Planet 288	Mix Up 290
<small>new</small> 						<small>new</small> 
SetUpUltraSlim 296	Simply 298	Lana 298	Shell 299	Look 300	Sky 301	Nitro Round 302
	<small>new</small> 					
Mood 307	Spike 308	Oak 310	Tower 310	Lika 311	Dynamite 312	Play 313
						
Winery 315	Mouse 316	Spot 316	Oby 317	Rudy 318	Profilo 320	Glim 321
						
Perlage 324	Triumph 326	Birds 327	Multiflex 328	Octopus 329	Maracas 330	Gourmet 331

new



Universal R. 264

new



Universal S. 266



Gingle 274



Geko 275



Mapa 282



Carta 282



Set Up 292

new



SetUp Slim 294



Nitro Square 304



Kubiko 306



Toby 313



Petit 314



Nodi 322



Nodino 323



Atlas 332



Cosmopolitan 333



Squish

Pag 271

Nitro

Pag 302



Ceiling lamps

Indoors



Angolo 334



Lingotto 335



Ping Pong 336



Binomio 337



Hermes 338



Ninfea 339



Penta 340



Lumiere 341



Daisy 342



Compo 343



Roma 344



Pashà 345



King 346



Admiral 347



Armony 348



Neve 350



Moonlight 351



Royal 352



Rain 352



Magnolia 353



Dubai 353



Martinez 354



Carlton 355

Bonne Nuit

Pag 406



new



Oz 362



Cover 364



Click 370



Cube 370



FlashGesso 380



Sky 381



Tripla 386



Ali 387



Alma 394



Make Up 395



Goose 400



Dynamo 401



Probe 410



Book 411



























































Winery 416



Edison 416

Wall lamps

Indoors

						
Peggy 365	Pouche 365	Fix 366	Moris 366	Box 367	Posta 368	Clip 369
	<i>new</i> 					<i>new</i> 
Balance 371	Delta 372	Desk 374	Craft 374	Linus 375	Echo 376	Zig Zag 378
						
Look 381	Paul 382	Ovalino 382	Soda 383	Mapa 384	Smarties 385	Carta 385
				<i>new</i> 		
Tudor 387	Camerino 388	Pretty 388	Privè 389	Essence 390	Filo 392	Theo 393
<i>new</i> 						
Riflesso 395	Bow 396	Mirror-10 396	Mirror-20 397	Retrò 397	Focus 398	IO 399
				<i>new</i> 		
Bean 402	Page 403	Pipe 404	Lite 405	Bonne Nuit 406	Komodo 408	Piano 409
						
Mouse 412	Spot 412	Rudy 413	Gim 414	Dodo 414	Oby 415	Barber 415
						
Radio 417	Minimal 418	Frida 419	Igor 420	Birds 421	Kepler 422	Perlage 423

Wall lamps

Indoors



Triumph 424



Maracas 424

new



Equinoxe 425



Cantina 426



Newton 426



Shower 427

new



Ping Pong 428



Penta 431

new



Ninfea 431



Tick 432



Eclissi 433



Set Up 434



Nordik 436



Gea 436



Pashà 438



Carlton 439



Dubai 439



Opera 440



Swan 440



Corte 441



Pegaso 441



Gioconda 443



Strauss 443



Firenze 444



Chalet 444



Peter 445



Harem 446



Santa 447



Binomio 429



Pan 430



Hotel 437



Roma 438



Negresco 442



Florian 442













































Ninfea

Pag 471

Table lamps

Indoors

 Oz 452	 Gru 454	 Pivot 455	 Filo 456	 Yoko 457	 Easy 458	 Diesis 459
 Futura 460	 Kelly 462	 Sally 463	 Wally 463	 Lawyer 464	 Lumiere 465	 Diamond 466
 Mignon 467	 Carta 468	 Smarties 469	 Candy 469	 Mapa 470	 Ninfea 471	 Ping Pong 472
 Birds 473	 Perlage 473	 Prato 474	 Edo 475	 Angolo 476	 Lingotto 477	 Axel 478
 London 479	 Nordik 480	 Kali 481	 Set Up 482	 Driftwood 484	 Chalet 484	 Firenze 485
	 Roma 486	 Opera 486	 Duchessa 487	 Queen 488	 Pegaso 489	

Floor lamps

Indoors

new



Ego 494



Lumiere 496



Birds 497



Perlage 498

new



Equinoxe 499



Angolo 500



Frame 501



Look 506



Mix Up 508

new



Craft 510



Easy 511



Diesis 511

new



Comfort 512



Lift 514



Polly 518



Carta 519



Comet 520



Dorsale 522



Daddy 524



Klimt 527



Regol 528



London 529



Set Up 530



Cylinder 532



Nordik 532



Colonna 533

new



Filo 502

Yoko 503

Eva 504

Ping Pong 505



Futura 514

Ginger 515

Newton 516

Wally 517



Pagoda 525

Axel 526

Driftwood 526

York 527



Opera 534

Queen 534

Firenze 535

Diesis

Pag 511



Systems

Indoors



Deva 538

Ego 558

Stick 598

Arca 612

Linus 624



Fluo 626

Steel 634

Office 640

LED strip and supports



Strip 644

Tesi 648

Slot 652

Spotlights and Tracks



Quick 662

Smile 670

Fox 678

Eos 686

Pov 692



Mouse 694

Spot 694

Glim 695

Byte 696

Spike 697





























Look 698

Display 700

Link 3-Phase 708

Link 1-Phase 714

Recessed lights

			 <small>new</small>
Zeus 720	Bento 728	Dynamic 734	Game 742
<small>new</small> 			 <small>new</small>
Tag 754	One 756	Virus 758	Quark 760
			
Off 764	Deep 768	Basic 770	Groove 776
	<small>new</small> 		 <small>new</small>
Play 778	Nova 780	Led Panel 782	Lika 784
			
Samba 792	Jazz 794	Swing 794	Lounge 794
			
Funky 794	Room-65 795	Blues 796	Polka 797
<small>new</small> 			
Zephyr 798	Walky 799		



Snow

Pag 855

Suspensions and ceiling

new



Sole 802



Luna 804

new



Snow 805



Clio 806



Clio 806



Clio 806



Clio 806



Clio 806



Clio 806

new



Techo 808



Gun 810



Urano 811



Bubble 812




















































Mib 812



Fiesta 813

Wall lamps

Outdoors

						
O-zone 818	Omega R. 819	Omega S. 819	Elio 820	Litio 821	Terra 822	Gas 823
						
Xeno 824	Swipe 825	Style 826	Tronco 828	Etere 829	Snif Round 830	Snif Square 831
						
Keope 832	Apollo 832	Base 833	Gun 834	Punto 836	Toffee 837	Linea 838
						
Iko 840	Sirio 841	Rubik 842	Atom 843	Up 844	Tetris-1 844	Tetris-2 845
						
Argo 845	Twin 846	Andromeda 847	Giove 848	Felix 849	Rex-1 850	Rex-2 851
						
Rex-3 851	Cometa 852	Polar 853	Medea 853	Bubble 854	Snow 855	Clio 856
						
Clio 856	Clio 856	Cima 857	Dafne 857	Down 858		
						
		Febe 858	Dedra 859			

Bollard and Table lamps

Outdoors



Pure 864



Toffee 866

new



Cute 868



Lolita 870

new



Enya 872



Ipotesi 873

new



Twiggy 874



Doris 876



Sole 877



Luna 878



Sasso 879



Itaca 880



Arcadia 881



Agos 882



Style 884



Sirio 886



Titano 888



Kurt 889



Tesla 890



Gas 891



Hub 891



Tifone 892



Vega 893



Jedi 894

new



Boeing 896



Tronco 898



Atena 900



Edo Outdoor 901



Marte 902



Mercurio 902



Pulsar 903



Acqua 903



Etere 904



Torre 906



Cosmo 907



Clio 908



Clio 908



Clio 908



Cima 910




Dafne 911

Spotlights



Downlights



Ipotesi

Pag 873

"A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

Turning on a light is a simple action, but full of meanings. This is where our story begins."





ideal

Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure

in a new home, ideal lux promises components **that live up to needs and dreams.**

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces**

where you create professional relations **unique** too.

However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.







ideal lux

111 112





Studio Impero
Rome, RM
Planned out by ARCH.0



Studio Impero
Rome, RM
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**. For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.

Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and

making reliability one of its main principles. **The attention to people is essential.**

With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story.**

The ordinary is extraordinary

One brand, many people.

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

Know how to listen.

We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

There is no quality without warranty.

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

**Making design
affordable for
everyone.**

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.



Customer



Your projects,

Projects — Private house

Turin, Italy

Planned out by
Nicoletta Carbotti

Products:
Mapa Bianco, Swing.



light up by

Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:
Ego.







our products.

Projects — La cassa rurale

Salò, Italy

Planned out by
ArchLight

Products:
Oracle Slim.





Suspensions

Indoors

Alphabetical index

Abc	99	Coco	181	Flut	143
A-Line	125	Colossal	216	Folk	151
Amadeus	219	Cono	138	Frame	76
Ampolla	116	Copernico	110	Frida	120
Archimede	127	Corte	215	Galaxy	104
Aria	152	Cotton	159	Gemini	60
Arizona	156	Craft	91	Gioconda	224
Audi-10	186	Crown	66	Glory	155
Audi-80	187	Cylinder	190	Gretel	185
Avion	177	Danieli	228	Harem	233
Bergen	183	Desk	90	Haunt	190
Birds	105	Diamond	102	Holly	128
Bistro'	184	Diesis	126	Hulahoop	74
Blanche	214	Dna	174	Ice	118
Blossom	146	Doge	227	Igor	101
Boa	171	Dream Big	176	Justine	231
Bon Bon	231	Driftwood	235	Karma	150
Breeze	133	Dubai	208	Karousel	92
Brigitta	229	Dynamite	96	Kepler	111
Caesar	209	Edison	120	King	200
Canapa	235	Empire	179	Konse	115
Candy	158	Equinoxe	108	Kuky	139
Cantina	137	Eris	135	Lana	153
Carlton	203	Essence	88	Leaves	112
Carta	170	Evasione	207	Lena	153
Casanova	226	Fade	147	Lingotto	100
Chalet	234	Filo	84	Look	78
Circus	75	Firenze	230	Lord	146
Citrus	119	Fisherman	136	Lucciola	94
Clown	160	Flam	80	Luce Max	161
Cocktail	141	Florian	220	Lugano	119



























































Alphabetical index

Lumiere	178	Pop	95
Luxor	206	Rain	201
Madame	188	Rhapsody	93
Manhattan	142	Rose	217
Mapa	168	Set Up	192
Mapa Clear	166	Set Up Slim	194
Mapa Max	161	Set Up Ultra Slim	196
Mapa Mini	164	Sky	83
Mapa Plus	162	Smarties	154
Martinez	202	Soft	180
Metro	133	Strauss	225
Milk	140	Swan	199
Millennium	210	Tall	124
Minor	97	Topico	148
Mint	182	Triade	129
Miracle	67	Triumph	98
Mix Up	130	Tube	82
Moby	134	Ulisse	156
Monet	211	Ultrathin	86
Mr Jack	121	Umile	145
Nabucco	204	Vanity	232
Napoleon	222	V-Line	89
Negresco	218	Vortex	113
Nemo	172	Waves	58
Net	114	Yoko	89
Nodi	175	Yurta	132
Nordik	189		
Norma	232		
Oak	82		
Oil	122		
Onion	117		
Opera	198		
Oracle	74		
Oracle Slim	68		
Origami	144		
Ovalino	157		
Oz	64		
Pan	191		
Pasha'	205		
Pegaso	212		
Perlage	106		
Perline	105		
Plisse'	152		

























































Suspensions

Typology index

						
Waves 058	Gemini 060	Oz 064	Crown 066	Miracle 067	OracleSlim 068	Oracle 074
						
Hulahoop 074	Circus 075	Frame 076	Look 078	Flam 080	Tube 082	Oak 082
						
Sky 083	Filo 084	Ultrathin 086	Essence 088	Yoko 089	V-Line 089	Desk 090
						
Craft 091	Karousel 092	Rhapsody 093	Lucciola 094	Pop 095	Dynamite 096	Minor 097
						
Triumph 098	Abc 099	Lingotto 100	Igor 101	Diamond 102	Galaxy 104	Birds 105
						
Perline 105	Perlage 106	Equinoxe 108	Copernico 110	Kepler 111	Leaves 112	Vortex 113
						
Net 114	Konse 115	Ampolla 116	Onion 117	Ice 118	Citrus 119	Lugano 119
						
Frida 120	Edison 120	Mr Jack 121	Oil 122	Tall 124	A-Line 125	Diesis 126

Suspensions

Typology index

						
Archimede 127	Holly 128	Triade 129	Mix Up 130	Yurta 132	Metro 133	Breeze 133
	<i>new</i> 					
Cantina 137	Cono 138	Kuky 139	Milk 140	Cocktail 141	Manhattan 142	Flut 143
		<i>new</i> 				
Lord 146	Fade 147	Topico 148	Karma 150	Folk 151	Aria 152	Plissé 152
						
Glory 155	Ulisse 156	Arizona 156	Ovalino 157	Candy 158	Cotton 159	Clown 160
<i>new</i> 		<i>new</i> 			<i>new</i> 	
Mapa Mini 164	Mapa 168	Mapa Clear 169	Carta 170	Boa 171	Nemo 172	Dna 174
						
Lumiere 178	Empire 179	Soft 180	Coco 181	Mint 182	Bergen 183	Bistrò 184
					<i>new</i> 	<i>new</i> 
Madame 188	Nordik 189	Cylinder 190	Haunt 190	Pan 191	Set Up 192	SetUp Slim 194
						
King 200	Rain 201	Martinez 202	Carlton 203	Nabucco 204	Pashà 205	Luxor 206



Moby 134



Eris 135



Fisherman 136



Origami 144



Umile 145

new



Blossom 146



Lana 153



Lena 153



Smarties 154



Mapa Max 161



Mapa Plus 162



Luce Max 161



Nodi 175



Dream Big 176



Avion 177



Gretel 185



Audi-10 186



Audi-80 187

new



SetUp Ultra Slim 196



Opera 198



Swan 199



Evasione 207



Dubai 208



Caesar 209



Set Up

Pag 190



Opera

Pag 198



Millennium 210



Monet 211



Florian 220



Napoleon 222



Justine 231



Bon Bon 231

Suspensions

Typology index



Pegaso 212



Blanche 214



Corte 215



Colossal 216



Rose 217



Negresco 218



Amadeus 219



Gioconda 224



Strauss 225



Casanova 226



Doge 227



Danieli 228



Brigitta 229



Firenze 230



Vanity 232



Norma 232



Harem 233



Chalet 234



Canapa 235



Driftwood 235



Waves new

Matt varnished metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Opal rubber diffuser. Colors: white, black or gold.



LED LED source 3000 K, 30.000 h life.




345239



345215



345222




- | | | | | | | | | |
|--------|-------|-----|--------|-------|-----|--------|-------|-----|
| 345291 | White | new | 345260 | White | new | 345239 | White | new |
| 345277 | Black | new | 345246 | Black | new | 345215 | Black | new |
| 345284 | Gold | new | 345253 | Gold | new | 345222 | Gold | new |

Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.


Source	LED SMD	LED life	50.000 h
Power	36W / 78W	Insulation class	I
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
Beam	130°		
CCT	2700 K / 3000 K /		
CRI	≥90		



1,450 Kg / 0,0201 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
425x425	36 W	On-Off	4000 lm	2700 K	White	341521	240 <small>new</small>
					Black	341538	240 <small>new</small>
					Brass	341545	240 <small>new</small>
			4150 lm	3000 K	White	247229	240
		Black			247236	240	
		Brass			247243	240	



On/Off 1,710 Kg / 0,0462 m³

DALI/Push 1,600 Kg / 0,0389 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
610x610	47 W	On-Off	4950 lm	2700 K	White	341552	330 <small>new</small>
					Black	341569	330 <small>new</small>
					Brass	341576	330 <small>new</small>
			5100 lm	3000 K	White	247250	330
		Black			247267	330	
		Brass			269832	330	
		DALI/Push	5100 lm	3000 K	White	304717	425
		Black			304694	425	
		Brass			304700	425	





247229




247236



247243


Gemini



On/Off 2,300 Kg / 0,0703 m³
 DALI/Push 2,300 Kg / 0,0703 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
810x810	56 W	On-Off	6200 lm	2700 K	White	341583	430 <small>new</small>
					Black	341590	430 <small>new</small>
					Brass	341606	430 <small>new</small>
	55 W	DALI/Push	6300 lm	3000 K	White	247274	430
					Black	247281	430
					Brass	269849	430
					White	304748	525
					Black	304724	525
					Brass	304731	525



4,000 Kg / 0,1145 m³

LED SMD Driver included - Cable length 2300 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
1050x995	82 W	On-Off	8500 lm	2700 K	White	341613	650 <small>new</small>
					Black	341620	650 <small>new</small>
					Brass	341637	650 <small>new</small>
	8700 lm	3000 K		White	303895	650	
				Black	307695	650	
				Brass	307701	650	






Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 K / 3000 / 4000 K, 30.000 h life.


Source	LED SMD	LED life	30.000 h
Power	47W / 55W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



1,500 Kg / 0,0354 m³

LED SMD Driver included - Cable length 2000 mm


Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 600	47 W	On-Off	5000 lm	2700 K	White	342344	250 <small>new</small>
					Black	342351	250 <small>new</small>
					Brass	342368	250 <small>new</small>
			5100 lm	3000 K	White	253671	250
					Black	269436	250
					Brass	269443	250
	5500 lm	4000 K	White	342375	250 <small>new</small>		
			Black	342382	250 <small>new</small>		
			Brass	342399	250 <small>new</small>		
48 W	DALI/Push	5100 lm	3000 K	White	304540	390	
				Black	304557	390	
				Brass	304564	390	



1,900 Kg / 0,0607 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 800	52 W	On-Off	5800 lm	2700 K	White	342405	295 <small>new</small>
					Black	342412	295 <small>new</small>
					Brass	342429	295 <small>new</small>
			6100 lm	3000 K	White	253664	295
					Black	269450	295
					Brass	269467	295
	6400 lm	4000 K	White	342436	295 <small>new</small>		
			Black	342443	295 <small>new</small>		
			Brass	342450	295 <small>new</small>		
55 W	DALI/Push	6100 lm	3000 K	White	304571	470	
				Black	304588	470	
				Brass	304595	470	






Crown

Metal ceiling cap and frame with brushed brass finish. Black PVC cable. Opal acrylic diffuser with clear acrylic decorative element with cut crystal effect.

LED LED source 3000 K, 30.000 h life.






Miracle new

Matt powder coated metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Diffuser with transparent acrylic elements decorated in relief with a crystal effect. Color: white.



LED LED source 3000 K, 30.000 h life.



IP20

1,800 Kg / 0,0723 m³
LED 45W / 6200 lm

€ 215

325835 White new

IP20

1,550 Kg / 0,0417 m³
LED 37W / 4900 lm

€ 170

325828 White new

IP20

1,200 Kg / 0,0194 m³
LED 25W / 3300 lm


€ 130

325804 White new

Oracle Slim Round new

Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 2700 K, 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 90 ; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	CRI	≥ 90
Power	29W / 83W	LED life	50.000 h
Driver included	On/Off / DALI/Push	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		



On/Off 1,400 Kg/0,0376 m³
 DALI/Push 1,170 Kg/0,0272 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 500	29 W	On-Off	2850 lm	2700 K	White	342016	180 new
					Black	342009	180 new
			3000 lm	3000 K	White	229461	180
					Black	229492	180
	29 W	DALI/Push	2850 lm	3000 K	White	304373	255
					Black	304366	255
			3100 lm	4000 K	White	342030	255 new
					Black	342023	255 new



On/Off 1,660 Kg/0,0809 m³
 DALI/Push 1,200 Kg/0,0534 m³


LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 700	37 W	On-Off	3800 lm	2700 K	White	342054	245 new
					Black	342047	245 new
			4250 lm	3000 K	White	229485	245
					Black	229515	245
	40 W	DALI/Push	4200 lm	3000 K	White	304403	305
					Black	304397	305
			4450 lm	4000 K	White	342078	305 new
					Black	342061	305 new






Oracle Slim Round



On/Off 1,800 Kg/0,2212 m³
 DALI/Push 1,500 Kg/0,0857 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 900	53 W	On-Off	5150 lm	2700 K	White	■	342115	230 <i>new</i>
					Black	■	342108	230 <i>new</i>
			5200 lm	3000 K	White	■	229478	230
					Black	■	229508	230
			5350 lm	4000 K	White	■	269870	230
					Black	■	304441	230
	43 W	DALI/Push	4500 lm	3000 K	White	■	304434	375
					Black	■	304427	375
			4600 lm	4000 K	White	■	342139	375 <i>new</i>
					Black	■	342122	375 <i>new</i>



On/Off 2,480 Kg/0,3072 m³
 DALI/Push 2,000 Kg/0,3072 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 1500	83 W	On-Off	7850 lm	2700 K	White	■	342177	490 <i>new</i>
					Black	■	342160	490 <i>new</i>
			8750 lm	3000 K	White	■	265957	490
					Black	■	285061	490
			9350 lm	4000 K	White	■	285078	490
					Black	■	304472	490
	77 W	DALI/Push	7300 lm	3000 K	White	■	304465	625
					Black	■	304458	625
			7450 lm	4000 K	White	■	342191	625 <i>new</i>
					Black	■	342184	625 <i>new</i>






Oracle Slim Square



Suspended lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	LED life	50.000 h
Power	33W / 53W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	115°		
CCT	3000 K		
CRI	≥90		



1,730 Kg/0,0422 m³



LED SMD Driver included - Cable length 2500 mm


Measure	Power	Driver	Lumen	CCT	Finish		Code	€
500x500	33 W	On-Off	3050 lm	3000 K	White		259154	205
					Black		259161	205



2,000 Kg/0,0819 m³



LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
700x700	44 W	On-Off	4350 lm	3000 K	White		259178	245
					Black		259185	245



2,100 Kg/0,1317 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
900x900	53 W	On-Off	5200 lm	3000 K	White		259192	285
					Black		259208	285



Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000 K, 30.000 h life.

2,160 Kg / 0,0353 m³ LED 35W / 4100 lm	1,870 Kg / 0,0260 m³ LED 33W / 3800 lm	1,640 Kg / 0,0169 m³ LED 28W / 3200 lm
€ 480	€ 415	€ 350
211381 White 222110 Black	211398 White 222103 Black	211404 White 222097 Black



Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.

2,700 Kg / 0,1603 m³ LED 46W / 5950 lm	1,800 Kg / 0,1060 m³ LED 39W / 4450 lm	1,400 Kg / 0,0628 m³ LED 28W / 3000 lm
€ 310	€ 280	€ 190
258751 White	258768 White	258775 White






Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.


LED LED source 3000 K, 20.000 h life.



1,130 Kg / 0,0593 m³
LED 36W / 4250 lm

€ 290


291406 ■ Black



1,060 Kg / 0,0384 m³
LED 33W / 3550 lm

€ 255

291376 ■ Black



0,970 Kg / 0,0221 m³
LED 29W / 3200 lm

€ 220



291345 ■ Black



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.

LED LED source 3000 K, 30.000 h life.



IP20	IP20	IP20
3,500 Kg / 0,1050 m³ LED 82W / 6850 lm	4,270 Kg / 0,0689 m³ LED 80W / 8550 lm	4,300 Kg / 0,2100 m³ LED 93W / 10050 lm
€ 400	€ 580	€ 600
269351 ■ White 269337 ■ Black	253596 ■ White 269375 ■ Black	253589 ■ White 269382 ■ Black






Look

Metal ceiling rose and diffuser with different finishes. Power cable coated with fabric adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.

LED Bulbs LED GU10 7W, GU10 10W and GU10 4 W3000 K included.




104935 104942 104928 141800 313894 141817 259239 141794 141855 170589



2,950 Kg / 0,0092 m³
GU10 max 1x28W

€ 140


158723 ■ Black



0,990 Kg / 0,0029 m³
GU10 max 1x28W

€ 60


104935 ■ White
104928 ■ Black
259239 ■ Brass



0,990 Kg / 0,0029 m³
GU10 max 1x28W

€ 80

194806 ■ Clear
141800 ■ Silver
141817 ■ Gold
104942 ■ Chrome
141794 ■ Ant. Brass
141855 ■ Copper
170589 ■ Coffee



0,650 Kg / 0,0019 m³
GU10 max 1x28W

€ 65

346854 ■ White **new**
346861 ■ Chrome **new**
343310 ■ Black **new**



P. 300 P. 381 P. 506 P. 698



3000 K
750 lm

189031 € 15,00



3000 K
540 lm

123943 € 3,50



3000 K
540 lm

123943 € 3,50



3000 K
340 lm

339771 € 3,00



Flam new


Powder coated metal ceiling cap and frame. Borosilicate glass diffuser. Black PVC cable. Frame color: black. Diffuser colors: clear, smoked shaded clear or smoked.

LED LED source 3000 K, 30.000 h life.

321042

321059

345512



IP20

0,820 Kg / 0,0054 m³
LED 10W / 900 lm


€ 115

- 321059 White new
- 321042 Smo. Grey new
- 345512 Shaded new

Tube

White or black powder coated aluminum ceiling cup and body. Power cable coated with fabric. Integrated LED light emission.

LED Led source 3000 K, 35.000 h life.




IP20

0,960 Kg / 0,0073 m³
LED 11W / 1050 lm

€ 210

211701 White
211718 Black




IP20

0,680 Kg / 0,0048 m³
LED 11W / 1050 lm


€ 150

211459 White
211466 Black



Oak

Metal ceiling cup with matt varnish finish. Concrete diffuser. Electrical cable coated with fabric.



IP20

1,220 Kg / 0,0055 m³
GU10 max 1x35W

€ 85

150635 Concrete

3000 K
410 lm

108292

€ 3,00



P. 310





Sky


Plated metal ceiling cup and diffuser or with matt white or black varnish finish.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



126906

126913



0,950 Kg / 0,0043 m³
GU10 max 1x 28W

€ **96**

126906 ■ White
126913 ■ Black

3000 K
540 lm

123943 € **3,50**



P. 301



P. 381



300801

Filo new

Powder coated or plated metal ceiling cap and bodies. Black PVC electric cables. Models 300801, 300818 and 300825 with 4 meters cable and switch on the ceiling cap. Colors: white, black or satin brass.


LED Led source 2700 K / 3000 K, 20.000 h life.

ON Lamp with integrated switch.
OFF Cod. **300818, 300801, 300825.**

263687

263670

263700




IP20

8,600 Kg / 0,0635 m³
LED 19W / 2050 lm / 2100 lm

€ 450

- 341088 White
- 263441 White
- 341095 Black
- 263434 Black
- 341101 Brass
- 263663 Brass




IP20

0,530 Kg / 0,0142 m³
LED 3,5W / 220 lm

€ 75

- 341057 White
- 263687 White
- 341064 Black
- 263670 Black
- 341071 Brass
- 263700 Brass



IP20

0,830 Kg / 0,0105 m³
LED 3,5W / 220 lm

€ 110

- 2700Knew 300818 White
- 3000K 300801 Black
- 2700Knew 300825 Brass



086

Ultrathin new

Matt painted or plated metal ceiling cap and body. Electrical cable coated with fabric. Colors: white, chrome, brushed brass or black.

LED Led source 3000 K, 30.000 h life.



339733, 339726




142913 321783
156699 321813



339757, 339740




194196, 194202



0,670 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 143 On-Off / 205 Dali


- | | | |
|--------|--------|---|
| 142906 | White | On-Off |
| 164878 | Chrome | On-Off |
| 142913 | Black | On-Off |
| 339733 | Brass | On-Off new |
| 321783 | Black | Dali/ Push |



0,860 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 209


- | | |
|--------|-------|
| 194172 | White |
| 194196 | Black |
| 339757 | Brass |



0,460 Kg / 0,0036 m³
LED 11,5W / 1150 lm / 51°

€ 108 On-Off / 176 Dali

- | | | |
|--------|--------|---|
| 156682 | White | On-Off |
| 187662 | Chrome | On-Off |
| 156699 | Black | On-Off new |
| 339726 | Brass | On-Off new |
| 321813 | Black | Dali/ Push |



0,450 Kg / 0,0019 m³
LED 11,5W / 1150 lm / 51°

€ 170



- | | |
|--------|--|
| 194189 | White |
| 194202 | Black |
| 339740 | Brass new |



Essence ^{new}

Powder coated aluminum ceiling rose and body. Opal color acrylic diffuser. PVC cables. Colors: white or black.

LED LED source LED 2700 K / 3000 K, 30.000 h life.



IP20

0,900 Kg / 0,0165 m³
LED 19W / 2150 / 2300 / 2350 lm

€ 275


341033	■ Black	2700K ^{new}
285085	■ White	3000K
285092	■ Black	3000K
341040	■ Black	4000K ^{new}



Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 30.000 h life.



IP20

0,700 Kg / 0,0383 m³
LED 17W / 1700 lm

€ 130

258898 White
258928 Black



P. 457


P. 503



V-Line

Powder-coated aluminum body. Opal silicone diffuser. Steel cables with chromed supports. PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 20.000 h life.



IP20

1,050 Kg / 0,0058 m³
LED 20W / 1700 lm

€ 215

275369 White
275376 Black





138237

336183 / 336206

336190 / 336176

Desk new

Powder-coated aluminum ceiling cap and body. PVC electric cable. Available with single diffused light emission, double light emission upward and downward, or double light emission: upward diffused emission and downward concentrated emission.

LED LED source 3000 K, 30.000 h life.



173245 / 336190



336176

200x60	200x60	250x55
1,800 Kg / 0,0094 m ³ LED 36W / 4000 lm	1,800 Kg / 0,0094 m ³ LED 36W / 4000 lm	1,860 Kg / 0,0140 m ³ LED 32W / 2100 lm
€ 180	€ 180	€ 180
336206 White 336190 Black	new 336183 White new 336176 Black	new 138237 White new 173245 Black






Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

LED LED source 3000 K, 20.000 h life.



IP20

3,400 Kg / 0,0238 m³
LED 32W / 2700 lm

€ 360

284460 Wood



P. 374




P. 510



Karousel

Metal frame with satin brass finish.
White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**






Rhapsody

Metal frame with satin brass finished ceiling rose and matt black arms. PVC cables. White acid-etched blown glass diffusers.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

5,020 Kg / 0,2040 m³
G9 max 16 x 15W

€ 750

236964 ■ Black

3000 K
510 lm

305486 € 6,00

IP20

3,510 Kg / 0,1400 m³
G9 max 12 x 15W

€ 550

236957 ■ Black

3000 K
510 lm

305486 € 6,00




Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

LED LED source 3000 K, 20.000 h life.



284002 284019



IP20

2,500 Kg / 0,0165 m³
LED 16W / 1300 lm


€ 550

284002 ■ Black
284019 ■ Brass



Pop

Metal ceiling cup, frame and bulb socket cover with black matt varnish finish. Cables adjustable in length.




IP20

2,920 Kg / 0,0147 m³
E27 max 10 x 60W

€ 300

158860 ■ Black

3000 K
900 lm
123899 € 3,50



IP20

1,670 Kg / 0,0096 m³
E27 max 6 x 60W

€ 200

158815 ■ Black

3000 K
900 lm
123899 € 3,50



Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.

LED Bulbs LED GU10 7W 3000 K included. Cod. **123943**




231433

231396

244648



P. 312



2,700 Kg / 0,0360 m³
GU10 max 6 x 28W

€ 350

231433 White
231396 Black
244648 Brass

3000 K
540 lm

123943 € 3,50



2,310 Kg / 0,0243 m³
GU10 max 4 x 28W

€ 275

231372 White
231341 Black
244624 Brass

3000 K
540 lm


123943 € 3,50



Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



3,440 Kg / 0,1200 m³
GX53 max 8 x 9W

€ 480

235547 ■ Black

3000 K
910 lm

123936 € 5,00



2,250 Kg / 0,0564 m³
GX53 max 5 x 9W

€ 325

235516 ■ Black

3000 K
910 lm

123936 € 5,00



2,210 Kg / 0,0203 m³
GX53 max 6 x 9W

€ 325

235486 ■ Black

3000 K
910 lm

123936 € 5,00



1,650 Kg / 0,0135 m³
GX53 max 4 x 9W

€ 247

235455 ■ Black

3000 K
910 lm


123936 € 5,00





Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,640 Kg / 0,0470 m³
E27 max 8 x 42W

€ 550

160269 Brass

2200 K
370 lm

151687 € 2,50




P. 326 P. 424



Abc

Total metal ceiling rose, bulb socket covers and decorative structure with satin brass finish. Power cable coated with black fabric.




IP20

0,590 Kg / 0,0117 m³
E27 max 1x70W

€ 120

207834 Brass

2200 K
440 lm
151694 € 4,00




IP20

0,570 Kg / 0,0100 m³
E27 max 1x70W

€ 120

207841 Brass

2200 K
330 lm
151700 € 4,00



IP20

0,610 Kg / 0,0100 m³
E27 max 1x70W

€ 120

207858 Brass

2200 K
500 lm
151717 € 6,00



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **327846**, **251110**, **327839** and **251103**. Cod. **209043**

IP20	IP20	IP20
4,530 Kg / 0,0564 m³ E14 max 3 x 28W	2,260 Kg / 0,0442 m³ G9 max 3 x 4W	0,660 Kg / 0,0105 m³ G9 max 1 x 4W
€ 290	€ 240	€ 90
304144 ■ Black 198125 ■ Brass	327846 ■ Black 251110 ■ Brass	327839 ■ Black 251103 ■ Brass
3000 K 420 lm	3000 K 510 lm	3000 K 510 lm
101217 € 2,00	305486 € 6,00	305486 € 6,00




P. 335 P. 477



Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.



⏏ IP20

8,810 Kg / 0,0941 m³
E27 max 4 x 42W

€ 390

092942 ■ Black

💡 2200 K
440 lm

151694 € 4,00




P. 420



Diamond new

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

LED LED source 3000 K, 20.000 h life.






Galaxy new

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.

LED LED source 3000 K, 20.000 h life.




IP20

5,500 Kg / 0,0540 m³
LED 58W / 5400 lm

€ 650

321172 White



IP20

3,400 Kg / 0,0304 m³
LED 29W / 2800 lm


€ 476

342993 White new

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

2,750 Kg / 0,1353 m³
G9 max 5 x 15W

€ 283

273648 ■ Black

3000 K
510 lm

305486 € 6,00


P. 327 P. 421 P. 473 P. 497



Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

1,600 Kg / 0,0584 m³
G9 max 3 x 40W

€ 215

307008 ■ Black
282114 ■ Brass

3000 K
510 lm

305486 € 6,00

IP20

1,200 Kg / 0,0546 m³
G9 max 2 x 40W

€ 155

306995 ■ Black
282107 ■ Brass

3000 K
510 lm

305486 € 6,00



306995

282107



P. 324 P. 423 P. 473 P. 498

Perlage

Metal frame with linear structure with round section or with circular structure with square section. Blown glass diffusers. PVC electrical cable. Colors: matt black frame with smoked glass, satin brass frame with etched white glass or satin brass frame with amber glass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



283821



271422



317793

8,920 Kg / 0,2722 m ³ G9 max 30 x 15W	3,910 Kg / 0,0924 m ³ G9 max 14 x 15W	3,100 Kg / 0,0736 m ³ G9 max 11 x 15W	2,200 Kg / 0,0617 m ³ G9 max 10 x 15W	1,300 Kg / 0,0317 m ³ G9 max 6 x 15W
€ 1610	€ 713	€ 610	€ 448	€ 299
296746 White 296753 Smok.Gra. 322780 Amber	283814 White 271385 Smok.Gra. 322797 Amber	283807 White 271392 Smok.Gra. 322773 Amber	283791 White 271408 Smok.Gra. 322766 Amber	283821 White 271422 Smok.Gra. 317793 Amber
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00	305486 € 6,00	305486 € 6,00



Equinoxe ^{new}

Plated metal structure. Clear borosilicate glass diffusers. Black PVC cable. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. 222257



200118




200125



345390



345383



5,540 Kg / 0,1304 m³
G4 max 12 x 2W


€ 1045

200118 Chrome
200125 Brass

345390 ShadedSm^{new}
345383 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



4,460 Kg / 0,1427 m³
G4 max 8 x 2W


€ 825

275178 Chrome
275215 Brass

345437 ShadedSm^{new}
345420 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



5,200 Kg / 0,1274 m³
G4 max 6 x 2W


€ 715

317250 Chrome
317243 Brass

345413 ShadedSm^{new}
345406 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



0,850 Kg / 0,0326 m³
G4 max 1 x 2W


€ 198

306551 Chrome
277394 Brass

345376 ShadedSm^{new}
326368 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



0,700 Kg / 0,0211 m³
G4 max 1 x 2W


€ 154

306544 Chrome
277387 Brass

345369 ShadedSm^{new}
345352 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



0,640 Kg / 0,0170 m³
G4 max 1 x 2W

€ 132

306537 Chrome
277370 Brass

326351 ShadedSm^{new}
345345 Shad. amb.^{new}

3000 K
200 lm

222257 € 4,00



Copernico


Matt varnished metal ceiling cap and structure with brass details. Pvc electric cable. Blown acid-etched overlay white glass diffuser. Color: black.



Bulbs LED G9 3W 3000 K included. Cod. **209043**



197319




10,270 Kg / 0,1340 m³
G9 max 20 x 4W

€ 1050

197333 ■ Black

3000 K
510 lm
305486 € 6,00



6,870 Kg / 0,0970 m³
G9 max 12 x 4W

€ 650


197319 ■ Black

3000 K
510 lm
305486 € 6,00



Kepler

Matt black varnished metal chain and frame. Amber transparent blown glass diffusers.



IP20

5,300 Kg / 0,1789 m³
E27 max 18 x 42W

€ 400

162478 ■ Black

3000 K
430 lm

101279 € 2,00

IP20

3,630 Kg / 0,0990 m³
E27 max 12 x 42W

€ 300

162201 ■ Black

3000 K
430 lm

101279 € 2,00



P. 422




Leaves

White metal frame. White hand-shaped blown glass decorative elements. Steel cables adjustable in length.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



5,800 Kg / 0,1123 m³
G9 max 12 x 40W

€ 880

112268 White

305486 **3000 K**
510 lm

€ 6,00



3,700 Kg / 0,0702 m³
G9 max 8 x 40W

€ 580

111957 White

305486 **3000 K**
510 lm

€ 6,00



Vortex


Matt white painted metal frame.
Hand shaped and hand painted
with gold or silver enamel
decorative metal elements.



101613



101606



IP20

2,500 Kg / 0,2344 m³
E14 max 6 x 40W

€ 250

101613 Silver
101606 Gold


3000K
480lm

101200 € 2,00



Net

Matt varnished metal ceiling cap.
PVC cable. Matt varnished metal
net diffuser. Finishes: white, black,
gold.



0,950 Kg / 0,0518 m³
E27 max 1x 42W

€ 70

328133 White
328126 Black
317281 Gold

3000 K
900 lm
123899 € 3,50




0,750 Kg / 0,0342 m³
E27 max 1x 42W

€ 60

328102 White
313788 Black
313771 Gold

3000 K
900 lm
123899 € 3,50



0,750 Kg / 0,0281 m³
E27 max 1x 42W

€ 60

317274 White
328119 Black
317267 Gold

3000 K
900 lm
123899 € 3,50



328102



313788



313771



Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.

IP20	IP20	IP20
4,600 Kg / 0,7203 m³ E27 max 7 x 60W	3,510 Kg / 0,1201 m³ E27 max 6 x 60W	1,930 Kg / 0,1175 m³ E27 max 1 x 60W
€ 650	€ 450	€ 225
156033 ■ Gold	156026 ■ Gold	155968 ■ Gold
3000 K 910 lm	3000 K 910 lm	3000 K 910 lm
119571 € 3,50	119571 € 3,50	119571 € 3,50




Ampolla

Matt varnished ceiling cap, bulb holders and decorative structure. Pvc cable. Color: black.



167497



IP20


0,950 Kg / 0,0709 m³
E27 max 1x60W

€ 120

148502 ■ Black

2200 K
500 lm

151717 € 6,00



IP20


0,590 Kg / 0,0480 m³
E27 max 1x60W

€ 110

148151 ■ Black

2200 K
370 lm

151687 € 2,50



IP20

0,720 Kg / 0,0480 m³
E27 max 1x60W

€ 198

148175 ■ Black

2200 K
440 lm

151694 € 4,00



IP20

1,470 Kg / 0,0709 m³
E27 max 1x60W

€ 214

167497 ■ Black

2200 K
440 lm

151694 € 4,00



Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.



IP20


5,050 Kg / 0,2383 m³
E27 max 1x60W

€ 400

205311 ■ Coffee

2200 K
480 lm

151724 € 6,00



IP20


3,520 Kg / 0,1325 m³
E27 max 1x60W

€ 270

205304 ■ Coffee

2200 K
480 lm

151724 € 6,00



IP20

2,380 Kg / 0,0705 m³
E27 max 1x60W

€ 180

205298 ■ Coffee

2200 K
500 lm

151717 € 6,00



IP20

1,260 Kg / 0,0169 m³
E27 max 1x60W

€ 95

205281 ■ Coffee


2200 K
500 lm

151717 € 6,00



Ice

Matt white or black varnished metal ceiling rose and frame. Metal bulb socket cover with satin brass finish. PVC power cable.



IP20

2,920 Kg / 0,0345 m³
E27 max 5 x 60W

€ 250

237671 ■ White
237664 ■ Black

3000 K
340 lm

101286 € 2,00



237671



237664

Citrus

Body with painted multilevel wood elements. Power cable coated with black fabric.



IP20

0,660 Kg / 0,0173 m³

E27 max 1x60W

€ 160

159843 Wood

3000 K
910 lm

119571 € 3,50



IP20

0,720 Kg / 0,0242 m³

E27 max 1x60W

€ 170

159850 Wood

3000 K
910 lm

119571 € 3,50



IP20

0,510 Kg / 0,0148 m³

E27 max 1x60W

€ 140

159867 Wood


3000 K
910 lm

119571 € 3,50



Lugano

Matt varnished metal ceiling cup. Power cable coated with fabric with antique brass metal bulb socket cover. Ceramic diffuser.



IP20

2,950 Kg / 0,0618 m³


E27 max 3x60W

€ 385

206875 White

3000 K
900 lm

123899 € 3,50



IP20

0,850 Kg / 0,0090 m³


E27 max 1x60W

€ 138

206806 White

3000 K
900 lm

123899 € 3,50



IP20

0,860 Kg / 0,0068 m³

E27 max 1x60W

€ 138

206820 White


3000 K
900 lm

123899 € 3,50



Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



0,320 Kg / 0,0015 m³
E27 max 1 x 60W

€ 40

- 139432 Chrome
- 139425 Black
- 122106 Copper
- 122083 Ant. Brass

2200 K
500 lm


151717 € 6,00 [P. 419](#)



Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**



0,320 Kg / 0,0098 m³
E27 max 1 x 42W

€ 60

- 113302 White
- 113319 Black

3000 K
1050 lm

101347 € 6,00 [P. 416](#)






Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

LED Bulbs LED GU10 7W 3000 K included. Cod. 123943




0,890 Kg / 0,0090 m³
GU10 max 1x28W

€ 80

231273 White
116464 Chrome
231297 Black

3000 K
540 lm

123943 € 3,50



0,520 Kg / 0,0040 m³
GU10 max 1x28W

€ 70

231228 White
116457 Chrome
231259 Black


3000 K
540 lm

123943 € 3,50



Oil

Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.




1,780 Kg / 0,0130 m³
E27 max 1x 15W

€ 116

110417 ■ Concrete

3000 K
430 lm

101279 € 2,00




1,180 Kg / 0,0119 m³
E27 max 1x 15W

€ 116

110424 ■ Concrete

3000 K
430 lm

101279 € 2,00




1,810 Kg / 0,0130 m³
E27 max 1x 15W

€ 116

110431 ■ Concrete

3000 K
430 lm

101279 € 2,00



1,650 Kg / 0,0165 m³
E27 max 1x 15W

€ 116

129082 ■ Concrete

3000 K
430 lm

101279 € 2,00




1,760 Kg / 0,0236 m³
E27 max 1x 15W

€ 116

129099 ■ Concrete

3000 K
430 lm

101279 € 2,00



1,490 Kg / 0,0111 m³
GU10 max 1x 15W

€ 138

110462 ■ Concrete


3000 K
410 lm

108292 € 3,00



Tall

Matt white or black varnished metal diffuser and details. Over 5 meters length PVC cable supplied with 6 fastening hooks.



IP20

0,550 Kg / 0,0036 m³
E27 max 1x 42W

€ 135

196770 ■ White
196787 ■ Black

3000 K
340 lm

101286 € 2,00



196770



196787



A-Line

Powder coated metal ceiling cup.
 Matt white or black varnished metal
 diffuser white inside. Power cable
 coated with fabric.

LED


Bulbs LED GU10 7W 3000 K included in
 models: **232690** and **232713**.
 Code **123943**



232690



232713



IP20


1,080 Kg / 0,0491 m³
 E27 max 1x 60W

€ 85

232720 ■ White
 232744 ■ Black

3000 K
 900 lm

123899 € 3,50



IP20

0,330 Kg / 0,0114 m³
 GU10 max 1x 28W

€ 60

232690 ■ White
 232713 ■ Black

3000 K
 540 lm


123943 € 3,50



Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.



IP20

0,450 Kg / 0,0054 m³
LED 7W / 500 lm

€ 110


285122 ■ Nickel
279770 ■ Black
279794 ■ Brass



Archimede

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.


LED LED source 3000 K, 50.000 h life.



0,150 Kg / 0,0019 m³
LED 4W / 250 lm

€ 65


310589 ■ White
328331 ■ Black



0,140 Kg / 0,0019 m³
LED 4W / 250 lm

€ 70

310596 ■ White
328348 ■ Black



0,160 Kg / 0,0019 m³
LED 4W / 250 lm

€ 75

310602 ■ White
328355 ■ Black



310589



310596




310602



Holly

Metal ceiling rose and diffusers with brushed brass finish or powder coated with white or black finish. Power cables coated with fabric.



IP20

IP20

2,740 Kg / 0,0254 m³
E27 max 3 x 60W

0,780 Kg / 0,0064 m³
E27 max 1 x 60W

€ 190

€ 75

231587 White
231594 Black
231600 Brass

231556 White
231563 Black
231570 Brass



231556



231563



231570

3000 K
900 lm

123899 € 3,50


3000 K
900 lm

123899 € 3,50



Triade

Powder coated metal ceiling rose and diffuser, white inside. Golden spherical decorative element.



IP20


2,630 Kg / 0,0797 m³
E27 max 3 x 42W

€ 250

194677 ■ Dark Grey

3000 K
900 lm

123899 € 3,50



IP20


0,960 Kg / 0,0169 m³
E27 max 1 x 42W

€ 75

221489 ■ Dark Grey

3000 K
900 lm

123899 € 3,50



IP20


0,750 Kg / 0,0090 m³
E27 max 1 x 42W

€ 75

221496 ■ Dark Grey

3000 K
900 lm

123899 € 3,50



IP20

1,020 Kg / 0,0105 m³
E27 max 1 x 42W



€ 75

194684 ■ Dark Grey

3000 K
900 lm

123899 € 3,50



 
P. 290 P. 508

Mix Up


Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.



288406




288390



0,460 Kg / 0,0018 m³
E27 max 1x60W

€ 55

288406 ■ White
288390 ■ Black



2,000 Kg / 0,0676 m³

€ 85


288437 ■ White
288420 ■ Black



1,100 Kg / 0,0446 m³

€ 55

307404 ■ White
288475 ■ Black



0,800 Kg / 0,0147 m³

€ 40


307411 ■ White
288444 ■ Black



0,500 Kg / 0,0174 m³

€ 35

307428 ■ White
288451 ■ Black

 3000 K
900 lm
123899 € 3,50



Yurta

Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



285146



281568



IP20

1,760 Kg / 0,0687 m³
E27 max 1x 60W

€ 110

285160 White
281582 Black

3000 K
900 lm

123899 € 3,50



IP20

1,000 Kg / 0,0277 m³
E27 max 1x 60W

€ 80

285153 White
285139 Black

3000 K
340 lm

101286 € 2,00



IP20

0,740 Kg / 0,0138 m³
E27 max 1x 60W

€ 70


285146 White
281568 Black

3000 K
340 lm

101286 € 2,00

Metro

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.



0,970 Kg / 0,0261 m³

E27 max 1x60W

€ 70

139098 ■ Dark Grey


3000 K
950 lm

101354 € 6,00



Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.



3,490 Kg / 0,0707 m³

E27 max 1x60W

€ 195

232041 ■ Dark Grey

3000 K
950 lm

101354 € 6,00



0,790 Kg / 0,0206 m³

E27 max 1x60W

€ 65

137681 ■ Dark Grey

3000 K
950 lm


101330 € 4,50





Moby

Metal frame and diffuser white inside. Available finishes: white, black or copper.



IP20

1,200 Kg / 0,0356 m³
E27 max 1x 42W

€ 127

102047 White
093659 Black
093697 Copper

3000 K
950 lm
101330 € 4,50



Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056



IP20

0,630 Kg / 0,0102 m³
E27 max 1x 42W

€ 75

238104 White
249056 Black

3000 K
340 lm

101286 € 2,00



IP20


1,080 Kg / 0,0257 m³
E27 max 1x 42W

€ 86

238135 White
249063 Black

3000 K
950 lm

101330 € 4,50



IP20


0,740 Kg / 0,0126 m³
E27 max 1x 42W

€ 75

238173 White
249070 Black

3000 K
340 lm

101286 € 2,00



IP20

0,960 Kg / 0,0231 m³
E27 max 1x 42W

€ 86

238210 White
249087 Black

3000 K
340 lm

101286 € 2,00



Fisherman

Totally metal body with copper or matt black enamel finish. White silkscreen-printed glass diffuser.



125831



134871



IP20

5,040 Kg / 0,0899 m³
E27 max 1x60W

€ 400

125831 ■ Black
134871 ■ Copper

3000 K
1050 lm

101323 € 4,50




Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



112732

112701



IP20

0,810 Kg / 0,0189 m³
E27 max 1x 42W

€ 100

112732 ■ Copper
112701 ■ Ant. Brass

3000 K
910 lm
119571 € 3,50



Cono new

Plated metal ceiling cap and frame.
Clear blown glass diffuser. PVC
cable. Colors: chrome with frosted
diffuser, nickel or brass.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**




321462



321479




322803



1,000 Kg / 0,0168 m³
GU10 max 1x28W

€ 80

321462 ■ Chrome new
321479 ■ Brass new
322803 ■ Nickel new

 3000 K
540 lm
123943 € 3,50



Kuky


Chrome metal frame. Available with sanded frosted Pyrex glass in the central part.

<p>4,580 Kg / 0,0766 m³ E27 max 4 x 60W</p>	<p>2,510 Kg / 0,0464 m³ E27 max 3 x 60W</p>	<p>0,980 Kg / 0,0165 m³ E27 max 1 x 60W</p>
<p>€ 240</p>	<p>€ 170</p>	<p>€ 58</p>
<p>023038 Clear</p>	<p>033952 Clear</p>	<p>023021 Clear</p>
<p>3000 K 910 lm</p>	<p>3000 K 910 lm</p>	<p>3000 K 910 lm</p>
<p>119571 € 3,50</p>	<p>119571 € 3,50</p>	<p>119571 € 3,50</p>



Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



IP20


4,220 Kg / 0,1024 m³
E27 max 3 x 42W

€ 265

030326 White

3000 K
900 lm

123899 € 3,50



IP20

1,270 Kg / 0,0354 m³
E27 max 1 x 42W

€ 105

026787 White


3000 K
900 lm

123899 € 3,50



Cocktail


Blown overlay acid-etched glass diffuser. White inside and colored outside. Suspension models supplied with cables adjustable in length.





Manhattan

Metal ceiling rose and diffuser with matt white or black varnish finish and natural wood detail. Power cable coated with fabric.



IP20

0,560 Kg / 0,0061 m³
E14 max 1x40W

€ 75

110745 ■ White
110752 ■ Black

3000 K
480 lm

101200 € 2,00



Flut

Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.



IP20


1,570 Kg / 0,0422 m³
E27 max 1x60W

€ 140

035666 ■ White
035680 ■ Black

3000 K
900 lm

123899 € 3,50



IP20

0,930 Kg / 0,0179 m³
E14 max 1x40W

€ 75

035697 ■ White
035710 ■ Black


3000 K
420 lm

101217 € 2,00



Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.



IP20

3,740 Kg / 0,0642 m³
E27 max 3 x 60W

€ 280

198095 White

3000 K
900 lm

123899 € 3,50



Umile new

Metal ceiling cap and decorative elements with satin gold finish. Etched white blown glass diffusers. Black PVC cable.

LED LED source 3000 K, 20.000 h life.




IP20

8,600 Kg / 0,2150 m³
LED 55W / 5400 lm

€ 415

224541 White




IP20

2,300 Kg / 0,0691 m³
LED 20W / 2050 lm

€ 170

314945 White




IP20

2,500 Kg / 0,0516 m³
LED 20W / 2050 lm

€ 160

314952 White



IP20


1,900 Kg / 0,0531 m³
LED 20W / 1950 lm

€ 140

314969 White

Blossom

Chrome metal frame and ceiling cup. Clear blown glass diffuser with amber or smoky finish. Clear PVC power cable.



IP20

1,890 Kg / 0,0705 m³
E27 max 1x 60W

€ 175

241517 ■ Smoky Grey
241524 ■ Amber

3000 K
950 lm

101354

€ 6,00



241517




241524



Lord

Powder coated metal ceiling rose and frame with black finish. Black PVC electrical cable. Blown glass diffuser with decorations in relief. Glass available in amber, clear or smoky color.



IP20

1,430 Kg / 0,0389 m³
E27 max 1x 60W

€ 105

263632 ■ Clear
263649 ■ Smoky Grey
263656 ■ Amber

3000 K
910 lm

119571

€ 3,50





Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance, chrome or copper.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



1,900 Kg / 0,0370 m³
G9 max 1x 15W

€ 200

271293 Chrome
271316 Amber
271309 Copper


3000 K
510 lm
305486 € 6,00



Topico **new**

Matt varnished metal ceiling rose and frame. Double glass diffuser: etched white inside, clear with smoked shade on the top on the outside. Black PVC cable. Color: Black.

LED LED source 3000 K, 30.000 h life.



IP20

4,810 Kg / 0,1235 m³
LED 28W / 2450 lm


€ 250

333045 Smoky Grey **new**



Karma

Chrome metal frame. White coated and acid-etched blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.



IP20


4,310 Kg / 0,1185 m³
E27 max 1x 60W

€ 200

132365 White

3000 K
950 lm

101354 € 6,00



IP20

3,700 Kg / 0,0693 m³
E27 max 1x 60W

€ 200

132389 White


3000 K
950 lm

101354 € 8,00



Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.




IP20

2,190 Kg / 0,0255 m³
E27 max 3x60W

€ 245

174235 ■ Coffee

3000 K
340 lm
101286 € 2,00




IP20

3,070 Kg / 0,0843 m³
E27 max 1x60W

€ 290

174228 ■ Coffee

3000 K
950 lm
101354 € 6,00




IP20

1,980 Kg / 0,0420 m³
E27 max 1x60W

€ 160

174211 ■ Coffee

3000 K
950 lm
101330 € 4,50



IP20

0,530 Kg / 0,0072 m³
E27 max 1x60W


€ 85

174204 ■ Coffee

3000 K
900 lm
123899 € 3,50

Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.



4,080 Kg / 0,0847 m³
E27 max 1x 60W

€ 285

059679 White



3000 K
950 lm

101330 € 4,50



Plissé

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.



3,300 Kg / 0,1208 m³
E27 max 1x 60W

€ 250

264523 Chrome
285191 Brass

3000 K
900 lm

123899 € 3,50



2,060 Kg / 0,0705 m³
E27 max 1x 60W

€ 185

285184 Chrome
264547 Brass


3000 K
900 lm

123899 € 3,50



Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



2,720 Kg / 0,0533 m³

E27 max 1x60W

€ 116

068169 White

3000 K
950 lm



101330


€ 4,50

P. 298



Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.



8,310 Kg / 0,1785 m³

E27 max 3x60W

€ 390

052786 White

3000 K
340 lm

101286

€ 2,00



6,600 Kg / 0,1304 m³

E27 max 3x60W

€ 335

035727 White

3000 K
340 lm

101286

€ 2,00





Smarties

White varnished metal frame.
White blown glass diffuser. Steel
cables adjustable in length with
automatic blocking mechanism.

5,280 Kg / 0,1479 m³ E27 max 5 x 42W	3,740 Kg / 0,1009 m³ E27 max 3 x 42W	2,930 Kg / 0,0645 m³ E27 max 3 x 42W
€ 290	€ 200	€ 175
031996 White	032009 White	032016 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00	101286 € 2,00



P. 277



P. 385




P. 469





Glory

Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.



Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



5,010 Kg / 0,1177 m³
E27 max 3 x 60W



3,110 Kg / 0,0720 m³
E27 max 3 x 60W

€ 295

€ 225

098616 White

095226 White



119571 € 3,50


119571 € 3,50



Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



6,190 Kg / 0,1288 m³
GX53 max 5 x 9W



3,260 Kg / 0,0740 m³
GX53 max 3 x 9W

€ 520

€ 395

214481 White

214474 White



123936 € 5,00

123936 € 5,00




P. 278





Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20

IP20

6,700 Kg / 0,1448 m³
E27 max 8 x 60W

4,810 Kg / 0,1184 m³
E27 max 5 x 60W

€ 325

€ 255

090481 White

074139 White

3000 K
900 lm

3000 K
900 lm

123899 € 3,50

123899 € 3,50




P. 284 P. 382



Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.



P. 280




P. 469



Cotton

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included in 297781 model. Cod. 209043



IP20


2,600 Kg / 0,0810 m³
E27 max 1x42W

€ 200

327884 White

3000 K
900 lm

123899 € 3,50



IP20


1,640 Kg / 0,0207 m³
E27 max 1x42W

€ 135

297767 White

3000 K
900 lm

123899 € 3,50



IP20 INCLUSA

0,600 Kg / 0,0068 m³
G9 max 1x4W

€ 70


297781 White

3000 K
510 lm

305486 € 6,00



P. 281



Clown

Cadre en métal chromé. Diffuseurs en verre soufflé moulé et coloré à la main. Câbles en téflon transparent.

LED


Bulbs LED G9 3W 3000 K included.
Cod. **209043**



100944



100883



IP20


6,000 Kg / 0,1860 m³
G9 max 12 x 28W

€ 750

100951 Color

3000 K
510 lm

305486 € 6,00



IP20


5,700 Kg / 0,1442 m³
G9 max 8 x 28W

€ 545

100944 Color

3000 K
510 lm

305486 € 6,00



IP20

5,000 Kg / 0,1283 m³
G9 max 7 x 28W

€ 493

100937 Color

3000 K
510 lm

305486 € 6,00

Luce Max

Chrome frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic devices.



2,460 Kg / 0,0732 m³

1,500 Kg / 0,0334 m³

E27 max 1x60W



E27 max 1x60W

€ 120

€ 84

033662 Clear

033679 Clear





119571 € 3,50

119571 € 3,50



Mapa Max

Chrome metal frame. Clear blown glass diffuser with decorative aluminum thread inside. Suspension lamps with steel cables adjustable in length with automatic device.



3,450 Kg / 0,1370 m³

1,370 Kg / 0,0527 m³

E27 max 1x42W



E27 max 1x42W

€ 166

€ 118

045122 Chrome

045115 Chrome



119571 € 3,50









119571 € 3,50





Mapa Plus

White metal frame. White blown acid-etched spherical glass diffusers. Steel cables adjustable in length.

	
 IP20	 IP20
10,800 Kg / 0,1976 m³	5,520 Kg / 0,1205 m³
E14 max 22 x 40W	E14 max 11 x 40W
€ 670	€ 400
140230  White	131924  White
 3000 K 420 lm	 3000 K 420 lm
101217 € 2,00	101217 € 2,00



Mapa mini **new**

Matt varnished metal ceiling cap.
Clear PVC cable. Matt clear silicone
glass holder element. Blown glass
diffuser. Ceiling cap finishes: white,
black. Glass finishes: amber, smoky
grey, satin, clear and iridescent.


LED LED source 3000 K, 50.000 h life.



343631




343648



0,250 Kg / 0,0010 m³
LED 4W / 400 lm

€ 75


343631 **White** **new**
343648 **Black** **new**



0,300 Kg / 0,0114 m³

€ 70

289786 **Clear** **new** 289861 **Clear** **new**
289939 **White** **new** 327433 **White** **new**
289908 **Smok.Gre.** **new** 327457 **Smok.Gre.** **new**
289915 **Amber** **new** 327419 **Amber** **new**
348698 **Iridescent** **new** 348681 **Iridescent** **new**



0,250 Kg / 0,0054 m³

€ 45



0,150 Kg / 0,0010 m³
LED 2W / 140 lm

€ 50

343617 **White** **new**
343624 **Black** **new**



0,200 Kg / 0,0020 m³

€ 30

289878 **Clear** **new**
327426 **White** **new**
327440 **Smok.Gre.** **new**
327402 **Amber** **new**
348674 **Iridescent** **new**



Mapa Clear new

Chromed metal ceiling cap and frame. Clear blown spherical glass diffuser with chrome plating faded towards the bottom. Clear PVC cable. Color: chrome, amber, opal.




161327



346571



346625



8,700 Kg / 0,2470 m³
E27 max 5 x 42W


€ 640

140759 ■ FadeChrome
346588 ■ Amber new
346632 ■ Opal new

3000 K
910 lm

119571

€ 3,50



5,390 Kg / 0,2254 m³
E27 max 1 x 42W


€ 480

161327 ■ FadeChrome
346571 ■ Amber new
346625 ■ Opal new

3000 K
910 lm

119571

€ 3,50



3,620 Kg / 0,1215 m³
E27 max 1 x 42W


€ 270

161334 ■ FadeChrome
346564 ■ Amber new
346618 ■ Opal new

3000 K
910 lm

119571

€ 3,50



1,920 Kg / 0,0630 m³
E27 max 1 x 42W


€ 165

140728 ■ FadeChrome
346557 ■ Amber new
346601 ■ Opal new

3000 K
910 lm

119571

€ 3,50



1,130 Kg / 0,0272 m³
E27 max 1 x 42W

€ 95

140711 ■ FadeChrome
346540 ■ Amber new
346595 ■ Opal new

3000 K
910 lm

119571

€ 3,50




Mapa

White metal frame. White spherical shape acid-etched blown glass diffuser. Steel cables adjustable in length.

LED Bulbs LED G9 3W 3000 K included in **310800** model. Cod. **209043**



310800



IP20


8,700 Kg / 0,2470 m³
E27 max 5 x 42W

€ 530

043562 White

3000 K
910 lm

119571 € 3,50



IP20


5,390 Kg / 0,2254 m³
E27 max 1 x 42W

€ 315

032122 White

3000 K
910 lm

119571 € 3,50



IP20


3,620 Kg / 0,1215 m³
E27 max 1 x 42W

€ 155

032139 White

3000 K
910 lm

119571 € 3,50



IP20


1,920 Kg / 0,0630 m³
E27 max 1 x 42W

€ 90

009087 White

3000 K
910 lm

119571 € 3,50



IP20


1,130 Kg / 0,0272 m³
E27 max 1 x 42W

€ 70

009148 White

3000 K
910 lm

119571 € 3,50



IP20

0,410 Kg / 0,0027 m³
G9 max 1 x 4W

€ 50

310800 White


3000 K
510 lm

305486 € 6,00



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper effect covering. Power cable coated with fabric.



IP20

2,750 Kg / 0,2746 m³
E27 max 1x 60W

€ 475

272139 White

3000 K
2210 lm

151786 € 6,00



IP20


1,780 Kg / 0,1662 m³
E27 max 1x 25W

€ 360

226040 White

3000 K
950 lm

101330 € 4,50



IP20


1,460 Kg / 0,0911 m³
E27 max 1x 25W

€ 225

226033 White

3000 K
950 lm

101330 € 4,50



IP20

0,860 Kg / 0,0428 m³
E27 max 1x 25W

€ 110

226026 White

3000 K
950 lm

101330 € 4,50



P. 282 P. 385 P. 468 P. 519




Boa

Matt white or black varnished metal frame. Power cable coated with fabric of 12 meter length with 6 cable holders. Blown acid-etched white glass diffuser.



160863

160856



IP20

2,900 Kg / 0,0726 m³
E27 max 1x 60W

€ 155

160863 ■ White
160856 ■ Black

3000 K
900 lm

123899 € 3,50



Nemo ^{new}

Blown glass diffuser. Available with smoky, copper, clear, faded chrome finishes or amber.



052809


149592

094236

250335

111902


339054



8,700 Kg / 0,2424 m³
E27 max 5 x 42W

€ 520


138305 FadeChrome



4,000 Kg / 0,2220 m³
E27 max 1 x 42W

€ 450


094137 SmokyGrey



2,700 Kg / 0,1227 m³
E27 max 1 x 42W

€ 200


052816 Clear
250359 FadeChrome
094229 SmokyGrey
250342 Chrome
111919 Copper
339061 Amber ^{new}



2,050 Kg / 0,0664 m³
E27 max 1 x 42W

€ 115


052809 Clear
149592 FadeChrome
094236 SmokyGrey
250335 Chrome
111902 Copper
339054 Amber ^{new}




1,300 Kg / 0,0241 m³
E27 max 1 x 42W


€ 75


149585 FadeChrome
250311 SmokyGrey
250304 Chrome
250328 Copper
339047 Amber ^{new}

 3000 K
910 lm
119571 € 3,50

 3000 K
1050 lm
101347 € 6,00

 3000 K
1050 lm
101347 € 6,00

 3000 K
1050 lm
101323 € 4,50


 3000 K
1050 lm
101323 € 4,50



Dna

Golden metal ceiling rose and frame. White overlay, acid-etched blown glass diffusers. Adjustable steel cables.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

4,930 Kg / 0,2034 m³
G9 max 25 x 15W

€ 110

208398 **White**

3000 K
510 lm

305486 **€ 6,00**



Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




082073



241012



200491



8,000 Kg / 0,3063 m³
E14 max 15 x 28W

€ 685

082073 White
241012 Brass



8,000 Kg / 0,4651 m³
E14 max 15 x 28W

€ 685

200491 Chrome



5,300 Kg / 0,1480 m³
E14 max 9 x 28W

€ 450

082059 White
241036 Brass

3000 K
480 lm
101200 € 2,00

3000 K
480 lm
101200 € 2,00

3000 K
480 lm
101200 € 2,00




P. 322



Dream Big

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.



IP20


3,830 Kg / 0,1676 m³
E27 max 1x 42W

€ 265

261195 White

3000 K
900 lm

123899 € 3,50



IP20

2,420 Kg / 0,1013 m³
E27 max 1x 42W

€ 155

179858 White


3000 K
900 lm

123899 € 3,50



Avion

Matt painted wooden body and ceiling cup. Chrome metal details. Blown and acid-etched white glass diffusers.




IP20

2,440 Kg / 0,0618 m³
E14 max 3 x 28W

€ 190

136325 ■ Blue
136318 ■ Red

 3000 K
420 lm

101217 € 2,00



Lumiere

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

LED LED source 3000 K, 25.000 h life.

IP20	IP20	IP20
3,380 Kg / 0,0705 m³ LED 27W / 3550 lm	3,900 Kg / 0,0664 m³ LED 34W / 4550 lm	3,330 Kg / 0,0044 m³ LED 39W / 5050 lm
€ 280	€ 320	€ 320
314143 White	314167 White	314174 White



P. 341



P. 465





P. 496



Empire

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,600 Kg / 0,0194 m³
G9 max 1x28W

€ 100

309798 Fade Chr.

3000 K
510 lm
305486 € 6,00




0,600 Kg / 0,0168 m³
G9 max 1x28W

€ 100

309804 Fade Chr.

3000 K
510 lm
305486 € 6,00



0,600 Kg / 0,0206 m³
G9 max 1x28W

€ 100

309811 Fade Chr.

3000 K
510 lm
305486 € 6,00



Soft


Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818



111841



IP20


6,400 Kg / 0,1138 m³
E14 max 6 x 40W

€ 390

087818 White
111841 Smoky Grey

3000 K
420 lm

101217 € 2,00



IP20

3,000 Kg / 0,0657 m³
E14 max 3 x 40W

€ 220

111858 White
111865 Smoky Grey

3000 K
420 lm


101217 € 2,00



Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.

LED LED source 3000 K, 20.000 h life.





Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510




237497

IP20	IP20	IP20
1,350 Kg / 0,0147 m³ E27 max 1x 60W	1,560 Kg / 0,0532 m³ E27 max 1x 60W	1,80 Kg / 0,0269 m³ E27 max 1x 60W
€ 105	€ 127	€ 138
237442 Smoky Grey 248554 Green	237398 Smoky Grey 237428 Green	237510 Smoky Grey 237497 Green
3000 K 910 lm	3000 K 910 lm	3000 K 910 lm
119571 € 3,50	119571 € 3,50	119571 € 3,50



Bergen

Black powder coated metal ceiling cup. Natural wood frame. Clear blown glass diffuser with motif in relief and smoky finish. Power cable coated with fabric.



IP20

1,570 Kg / 0,0331m³
E27 max 1x60W

€ 186

238838 ■ SmokyGrey

3000 K
910 lm

119571 € 3,50



IP20


1,840 Kg / 0,0439m³
E27 max 1x60W

€ 186

238920 ■ SmokyGrey

3000 K
910 lm

119571 € 3,50



IP20

2,060 Kg / 0,0378m³
E27 max 1x60W

€ 186

238746 ■ SmokyGrey

3000 K
910 lm

119571 € 3,50



Bistrò


Black enamel coated metal frame.
Handcrafted blown clear or smoky glass diffuser.



112305



112312



IP20


2,190 Kg / 0,0806 m³
E27 max 1x 60W

€ 213

120898 Clear
120904 Smoky Grey

3000 K
910 lm

119571 € 3,50



IP20


1,840 Kg / 0,0427 m³
E27 max 1x 60W

€ 145

112305 Clear
112312 Smoky Grey

3000 K
910 lm

119571 € 3,50



IP20

1,200 Kg / 0,0274 m³
E27 max 1x 60W

€ 113

112336 Clear
112343 Smoky Grey

3000 K
910 lm

119571 € 3,50



Gretel

Metal frame with matt black varnish finish with natural wood applications. Blown clear glass diffusers. Power cables covered with black fabric.




IP20

5,960 Kg / 0,1419 m³
E27 max 5 x 60W

€ 500

103174 ■ Black

3000 K
910 lm
119571 € 3,50




IP20

4,090 Kg / 0,0983 m³
E27 max 4 x 60W

€ 415

122557 ■ Black

3000 K
910 lm
119571 € 3,50



IP20

0,950 Kg / 0,0243 m³
E27 max 1 x 60W

€ 105

122564 ■ Black

3000 K
910 lm
119571 € 3,50



Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.


LED Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



016863



103983




IP20 

5,520 Kg / 0,1044 m³
E27 max 5 x 60W

€ 425

016863  Clear
103983  Smoky Grey

 3000 K
950 lm
101330 € 4,50



Audi-80


Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.



031743



197661




9,560 Kg / 0,1289 m³
G9 max 8 x 40W

€ 620

031750 Clear
197654 SmokyGrey

3000 K
510 lm

305486 € 6,00



5,890 Kg / 0,0876 m³
G9 max 5 x 40W

€ 445

031743 Clear
197661 SmokyGrey

3000 K
510 lm

305486 € 6,00



Bulbs LED G9 3W 3000 K included.
Cod. 209043



Madame

Matt varnished metal ceiling cup.
 Power cable coated with fabric.
 Metal frame diffuser covered with
 white, canvas or black satin ribbon.




174396



219875



174402



IP20

2,560 Kg / 0,2012 m³
 E27 max 1x60W

€ 385

174396 White
 219875 Ivory
 174402 Black


3000 K
 950 lm

101354 € 6,00



Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



IP20

1,760 Kg / 0,1694 m³
E27 max 6x60W

€ 280

161662 ■ Black

3000 K
910 lm

119571 € 3,50

IP20

1,500 Kg / 0,1064 m³
E27 max 4x60W

€ 210

161648 ■ Black

3000 K
910 lm

119571 € 3,50



P. 436 P. 480 P. 532

Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.



4,040 Kg / 0,0729 m³
E27 max 1x 60W

€ 235

025438 White

3000 K
950 lm

101354

€ 6,00




P. 532



Haunt

Matt white varnished metal ceiling cup. Power cable coated with fabric. Wicker basket diffuser natural or white varnished.



0,460 Kg / 0,0622 m³
E27 max 1x 60W

€ 180

159256 White
159812 Wood

3000 K
1050 lm

101347

€ 6,00



159256




159812





Pan

Metal frame. Diffusers made of decorative elements with metal tube shape of different length. Steel cables adjustable in length.



IP20

13,920 Kg / 0,1355 m³
E27 max 5 x 60W

€ 850

208817 Gold



3000 K
910 lm

119571

€ 3,50



P. 430



260457

304625


270012

260464

345895

Set up ^{new}


Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



2,000 Kg / 0,1384 m³

€ 172

345918 White new
345932 Dove Grey new
345925 Black new
339269 Beige new
339276 Wood new



1,260 Kg / 0,0674 m³

€ 138


260471 White new
304632 Dove Grey new
270029 Black new
260488 Beige new
345901 Wood new



0,770 Kg / 0,0221 m³

€ 92

260457 White new
304625 Dove Grey new
270012 Black new
260464 Beige new
345895 Wood new



0,460 Kg / 0,0228 m³

€ 63

260433 White new
304618 Dove Grey new
270005 Black new
260440 Beige new
345888 Wood new



260013



260020



260051



260044



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

348230 White new
348247 Nickel new
348254 Black new
348261 Brass new



IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White new
348209 Nickel new
348216 Black new
348223 Brass new




IP20


0,350 Kg / 0,0019 m³
E27 max 1 x 42W

€ 30


260013 White new
260044 Nickel new
260020 Black new
260051 Brass new




123899 € 3,50



123899 € 3,50



123899 € 3,50




123899 € 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear new



0,700 Kg / 0,0259 m³

€ 58


270050 Clear new



0,280 Kg / 0,0108 m³

€ 35

270043 Clear new



0,100 Kg / 0,0061 m³

€ 17

346847 Clear new



P. 292



P. 434



P. 482



P. 530



339290

346045

346038

346014

346021

Set up Slim ^{new}

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



1,200 Kg / 0,1903 m³

€ 138


- 346069 ■ White new
- 339283 ■ Dove Grey new
- 346083 ■ Black new
- 346052 ■ Beige new
- 346076 ■ Wood new



0,750 Kg / 0,1172 m³

€ 115

- 339290 ■ White new
- 346045 ■ Dove Grey new
- 346038 ■ Black new
- 346014 ■ Beige new
- 346021 ■ Wood new



0,440 Kg / 0,0415 m³

€ 80

- 345987 ■ White new
- 346007 ■ Dove Grey new
- 345994 ■ Black new
- 345970 ■ Beige new
- 339306 ■ Wood new



348193



348216



348223



348209



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

- 348230 ■ White new
- 348247 ■ Nickel new
- 348254 ■ Black new
- 348261 ■ Brass new



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

- 348230 ■ White new
- 348247 ■ Nickel new
- 348254 ■ Black new
- 348261 ■ Brass new



IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

- 348193 ■ White new
- 348209 ■ Nickel new
- 348216 ■ Black new
- 348223 ■ Brass new

3000 K
900 lm
123899 € 6,00

3000 K
900 lm
123899 € 6,00

3000 K
900 lm
123899 € 6,00



0,500 Kg / 0,0423 m³

€ 80


- 339252 ■ Clear new



0,700 Kg / 0,0259 m³

€ 58

- 270050 ■ Clear new



0,280 Kg / 0,0108 m³

€ 35

- 270043 ■ Clear new





346144

346168

346151

346137

339320

Set up Ultra Slim ^{new}

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white, black or wood.



0,800 Kg / 0,1124 m³

€ 126

- 346182 ■ White new
- 346205 ■ Dove Grey new
- 339313 ■ Black new
- 346175 ■ Beige new
- 346199 ■ Wood new



0,600 Kg / 0,0613 m³

€ 103

- 346144 ■ White new
- 346168 ■ Dove Grey new
- 346151 ■ Black new
- 346137 ■ Beige new
- 339320 ■ Wood new



0,500 Kg / 0,0265 m³

€ 69

- 339337 ■ White new
- 346120 ■ Dove Grey new
- 346113 ■ Black new
- 346090 ■ Beige new
- 346106 ■ Wood new



348193



348216



348223



348209



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

- 348230 ■ White new
- 348247 ■ Nickel new
- 348254 ■ Black new
- 348261 ■ Brass new



IP20

1,200 Kg / 0,0081 m³
E27 max 4 x 42W

€ 126

- 348230 ■ White new
- 348247 ■ Nickel new
- 348254 ■ Black new
- 348261 ■ Brass new



IP20

1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

- 348193 ■ White new
- 348209 ■ Nickel new
- 348216 ■ Black new
- 348223 ■ Brass new

3000 K
900 lm
123899 € 6,00

3000 K
900 lm
123899 € 6,00


3000 K
900 lm
123899 € 6,00



0,500 Kg / 0,0423 m³

€ 80


- 339252 ■ Clear new



0,700 Kg / 0,0259 m³

€ 58

- 270050 ■ Clear new



0,280 Kg / 0,0108 m³

€ 35


- 270043 ■ Clear new





Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.



IP20

7,340 Kg / 0,3322 m³
E27 max 10 x 60W

€ 850

165011 White

3000 K
900 lm

123899 € 3,50



IP20


4,889 Kg / 0,1652 m³
E27 max 6 x 60W

€ 500

068299 White

3000 K
900 lm

123899 € 3,50



IP20

3,166 Kg / 0,0646 m³
E27 max 4 x 60W

€ 370

182179 White

3000 K
900 lm

123899 € 3,50




P. 440 P. 486 P. 534



Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade. Velvet chain cover.



IP20

6,420 Kg / 0,2708 m³
E14 max 6 x 40W

€ 570

035826 White

3000 K
420 lm

101217 € 2,00

IP20

4,770 Kg / 0,1632 m³
E14 max 3 x 40W

€ 400

035840 White

3000 K
420 lm

101217 € 2,00





King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside. Steel cables adjustable in length with automatic devices.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




088013



088020



P. 346



10,000 Kg / 0,1486 m³
G9 max 12 x 40W

€ 1050

088013 Chrome
088020 Gold

3000 K
510 lm

305486 € 6,00



5,300 Kg / 0,0748 m³
G9 max 7 x 40W

€ 670

087979 Chrome


3000 K
510 lm

305486 € 6,00



Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops. Suspension versions provided with steel cables adjustable in length.



IP20

3,320 Kg / 0,0351 m³
E14 max 5 x 40W

€ 350

008363 Chrome

3000 K
470 lm

101224 € 2,00





Martinez


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166360



213583



IP20

17,600 Kg / 0,1129 m³
E14 max 8 x 40W

€ 745

166360 Chrome
213583 Gold

3000 K
470 lm

101224 € 2,00



P. 354



Carlton


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521



IP20


12,800 Kg / 0,1614 m³
E14 max 12 x 40W

€ 660

166247 Chrome
213521 Gold

101224 3000 K
470 lm

101224 € 2,00



IP20

10,000 Kg / 0,1136 m³
E14 max 8 x 40W

€ 550

117737 Chrome


101224 3000 K
470 lm

101224 € 2,00



Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.



IP20

18,730 Kg / 0,2127 m³
E14 max 16 x 40W

€ 880

237800 Gold

3000 K
480 lm

101200 € 2,00

IP20

13,810 Kg / 0,1383 m³
E14 max 12 x 40W

€ 770

237794 Gold


3000 K
480 lm

101200 € 2,00



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.



IP20

IP20

IP20

13,000 Kg / 0,1777 m³
E14 max 14 x 40W

8,500 Kg / 0,1134 m³
E14 max 10 x 40W

5,350 Kg / 0,0573 m³
E14 max 6 x 40W

€ 1210

€ 950

€ 750

164977 Chrome
164984 Gold

082196 Chrome
082257 Gold

082158 Chrome
082172 Gold

3000 K
480 lm

3000 K
480 lm

3000 K
480 lm

101200 € 2,00

101200 € 2,00

101200 € 2,00



164977



164984




P. 345 P. 438



Luxor

Chrome metal frame. Diffuser made of cut crystal octagons and rectangular drops.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20


12,250 Kg / 0,3097 m³
G9 max 12 x 40W

€ 1350

116235 Chrome

3000 K
510 lm

305486 € 6,00



IP20


8,780 Kg / 0,2054 m³
G9 max 8 x 40W

€ 950

116228 Chrome

3000 K
510 lm

305486 € 6,00



IP20

8,340 Kg / 0,1260 m³
G9 max 6 x 40W

€ 750

092911 Chrome

3000 K
510 lm

305486 € 6,00



Evasione

Cut crystal pendants. Steel cables adjustable in length with automatic device.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




7,100 Kg / 0,1082 m³
G9 max 10 x 40W

€ 600

044767 Chrome

3000 K
510 lm

305486 € 6,00



5,900 Kg / 0,0706 m³
G9 max 8 x 40W

€ 500

044774 Chrome

3000 K
510 lm

305486 € 6,00



Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



243597




243528



P. 353



P. 439



IP20


20,000 Kg / 0,8284 m³
E14 max 24 x 28W

€ 1650

243597 Chrome
243528 Brass

3000 K
470 lm

101224 € 2,00



IP20

9,170 Kg / 0,2859 m³
E14 max 10 x 28W

€ 1050

215969 Chrome
207216 Brass

3000 K
470 lm

101224 € 2,00



Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.


LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



114279



114743



9,600 Kg / 0,2965 m³
G9 max 12 x 4W

€ 1250

114279 Chrome
114743 Gold

3000 K
510 lm

305486 € 6,00




6,700 Kg / 0,1936 m³
G9 max 9 x 4W

€ 975

041827 Chrome
114736 Gold

3000 K
510 lm

305486 € 6,00



5,100 Kg / 0,1175 m³
G9 max 6 x 4W

€ 800

033532 Chrome
114729 Gold


3000 K
510 lm

305486 € 6,00



Millennium

Metal frame and details with rust effect paint finish. Central decorative elements made of natural wood with antiqued effect.



IP20


8,330 Kg / 1,0291 m³
E14 max 8 x 40W

€ 750

129709 Wood

3000 K
470 lm

101224 € 2,00



IP20

2,670 Kg / 0,2695 m³
E14 max 5 x 40W

€ 350

129921 Wood


3000 K
470 lm

101224 € 2,00



Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.



IP20


6,700 Kg / 0,0534 m³
E14 max 6 x 40W

€ 520

162751 White

3000 K
420 lm

101217 € 2,00



IP20

5,300 Kg / 0,0387 m³
E14 max 5 x 40W

€ 415

162737 White

3000 K
420 lm

101217 € 2,00



Pegaso


Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.



059242




197739



7,900 Kg / 0,2138 m³
E14 max 8 x 28W

€ 490

059242 White
197739 Brass



5,600 Kg / 0,1445 m³
E14 max 5 x 28W

€ 460

066448 White
197722 Brass



3,050 Kg / 0,0758 m³
E14 max 3 x 28W

€ 230

059235 White
197715 Brass

3000 K
370 lm
101231 € 2,00


3000 K
370 lm
101231 € 2,00

3000 K
370 lm
101231 € 2,00



Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



IP20

6,820 Kg / 0,1975 m³
E14 max 8 x 40W

€ 560

035574 White
111896 Black

3000 K
370 lm

101231 € 2,00

IP20

4,800 Kg / 0,1451 m³
E14 max 6 x 40W

€ 450

035581 White
111872 Black

3000 K
370 lm

101231 € 2,00



035581



111872



Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187



P. 441



IP20


7,100 Kg / 0,6840 m³
E14 max 12 x 40W

€ 400

097664 ■ White
097671 ■ Rust

3000 K
470 lm

101224 € 2,00



IP20

5,220 Kg / 0,3169 m³
E14 max 8 x 40W

€ 275

005898 ■ White
057194 ■ Rust

3000 K
470 lm

101224 € 2,00



IP20

3,180 Kg / 0,1500 m³
E14 max 5 x 40W

€ 180

005881 ■ White
057187 ■ Rust


3000 K
470 lm

101224 € 2,00



Colossal

Chrome metal frame and details.
Blown clear glass arms with smoky grey or ivory white inner side.
Transparent glass and cut crystal pendants and decorative elements.
Velvet chain cover.



IP20

19,000 Kg / 0,2828 m³
E14 max 15 x 40W

€ 1000

114170 Clear
081526 Grey

3000K
470 lm

101224 € 2,00

IP20

11,400 Kg / 0,1386 m³
E14 max 8 x 40W

€ 800

114187 Clear
081519 Grey

3000K
470 lm

101224 € 2,00



114170




081526



Rose

Blown glass chandelier with chrome metal details. Cut-crystals octagons and drops. Velvet chain cover.



IP20

7,630 Kg / 0,1321 m³
E14 max 8 x 40W

€ 560

166889 Amber

3000 K
430 lm

101248 € 2,00




Negresco

Plated metal frame and details.
Clear blown glass arms with golden inner part. Decorative elements in clear glass and cut crystal. Velvet chain cover. Color: gold.



087771



IP20


14,400 Kg / 0,1687 m³
E14 max 10 x 28W

€ 1000

087771 ■ Gold

3000 K
430 lm

101248 € 2,00



IP20

11,300 Kg / 0,1461 m³
E14 max 8 x 28W

€ 850

087764 ■ Gold

3000 K
430 lm

101248 € 2,00





P. 442



Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.



IP20

IP20

8,200 Kg / 0,1574 m³
E14 max 8 x 40W

6,700 Kg / 0,1202 m³
E14 max 6 x 40W

€ 568

€ 480

168777 Clear


168753 Clear

3000 K
470 lm

3000 K
470 lm

101224 € 2,00

101224 € 2,00



Florian


Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.



035604



035611



IP20

17,200 Kg / 0,3482 m³
E14 max 18 x 40W

€ 1000

075150 Chrome
075181 Gold

IP20

9,760 Kg / 0,2187 m³
E14 max 12 x 40W

€ 650

035604 Chrome
035611 Gold

IP20

6,380 Kg / 0,1368 m³
E14 max 6 x 40W

€ 510

035628 Chrome
035635 Gold



3000 K
470 lm

101224

€ 2,00



3000 K
470 lm

101224

€ 2,00



3000 K
470 lm

101224

€ 2,00





Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.



167244




167398

<p>IP20</p> <p>17,920 Kg / 0,4424 m³ E14 max 18 x 40W</p> <p>€ 1000</p> <p>167268 Chrome 167411 Gold</p>	<p>IP20</p> <p>11,260 Kg / 0,2633 m³ E14 max 12 x 40W</p> <p>€ 635</p> <p>167251 Chrome 167404 Gold</p>	<p>IP20</p> <p>9,070 Kg / 0,2156 m³ E14 max 8 x 40W</p> <p>€ 600</p> <p>167244 Chrome 167398 Gold</p>
<p>3000 K 470 lm</p> <p>101224 € 2,00</p>	<p>3000 K 470 lm</p> <p>101224 € 2,00</p>	<p>3000 K 470 lm</p> <p>101224 € 2,00</p>



Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.



164953



164960



P. 443




Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.




P. 443





 IP20

20,700 Kg / 0,4508 m³
E14 max 18 x 40W

€ 1400

140629  Gold

 3000 K
430 lm
101248 € 2,00





 IP20

14,930 Kg / 0,3414 m³
E14 max 12 x 40W

€ 1050

140612  Gold

 3000 K
430 lm
101248 € 2,00





 IP20

7,410 Kg / 0,1420 m³
E14 max 6 x 40W

€ 575


140605  Gold

 3000 K
430 lm
101248 € 2,00



Casanova

Chrome metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Gray velvet chain cover.



IP20

9,210 Kg / 0,1592 m³
E14 max 8 x 40W

€ 750

044255 Clear


3000 K
480 lm

101200 € 2,00



Doge


Chromed metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Transparent PVC cable.





Danieli

Golden metal structure and details.
Hand modeled and blown glass
decorative elements. Velvet chain
cover. Color: amber.



IP20

7,510 Kg / 0,2048 m³
E14 max 8 x 40W

€ 650

159973 Amber

3000 K
480 lm

101200 € 2,00

IP20

3,840 Kg / 0,1759 m³
E14 max 6 x 40W

€ 600

159942 Amber

3000 K
480 lm

101200 € 2,00



Brigitta


Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.



199382



199412



IP20

IP20

12,500 Kg / 0,2380 m³
E14 max 12 x 40W

7,700 Kg / 0,1797 m³
E14 max 8 x 40W

€ 1000

€ 750

199375 Clear
199405 Amber

199382 Clear
199412 Amber

3000 K
480 lm

3000 K
480 lm

101200 € 2,00

101200 € 2,00



Firenze


Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839



IP20


6,440 Kg / 0,0842 m³
E14 max 8 x 40W

€ 525

012872 White
020839 Gold

3000 K
430 lm

101248 € 2,00



IP20

4,360 Kg / 0,0609 m³
E14 max 5 x 40W

€ 425


012865 White
020822 Gold

3000 K
430 lm

101248 € 2,00

Justine

Metal ceiling rose and frame with casted arms. White matt varnish finish. Velvet chain cover.



IP20

4,550 Kg / 0,3281 m³

E14 max 8 x 40W

€ 495

197524 White

3000 K
430 lm

101248 € 2,00

IP20

3,440 Kg / 0,2592 m³

E14 max 6 x 40W

€ 390

197500 White


3000 K
430 lm

101248 € 2,00



Bon Bon

Matt varnished metal frame with cast arms. Blown glass plates. Velvet chain cover. Color: white.



IP20

11,710 Kg / 0,1953 m³

E14 max 8 x 28W

€ 900

094007 White

3000 K
420 lm

101217 € 2,00

IP20

8,110 Kg / 0,1547 m³

E14 max 6 x 28W

€ 630

093994 White


3000 K
420 lm

101217 € 2,00



Vanity

Golden metal frame with matt black details. Cut crystals decorative elements. Velvet chain cover.



8,850 Kg / 0,2878 m³
E14 max 15 x 40W

€ 680

206639 Gold



3000 K
470 lm

101224

€ 2,00



4,940 Kg / 0,1454 m³
E14 max 8 x 40W

€ 420

206622 Gold



3000 K
470 lm


101224

€ 2,00



Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.



2,620 Kg / 0,0286 m³
E27 max 1 x 60W

€ 210

094786 Chrome
005911 Ant. Brass



3000 K
430 lm

101279

€ 2,00



094786


005911





Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.



IP20


8,550 Kg / 0,2571 m³
E27 max 9x 42W

€ 1175

116006 ■ Ant. Brass

3000 K
910 lm

119571 € 3,50



IP20

0,980 Kg / 0,0228 m³
E27 max 1x 42W

€ 180

115979 ■ Ant. Brass

3000 K
910 lm

119571 € 3,50




P. 446



Chalet

Metal frame and bearing structure.
Handcrafted and hand painted
resin decorative elements. An
accurate reproduction of horns and
carved wood.




P. 444



P. 484

Canapa

Metal varnished frame. Electrical cables and diffusers covered with natural hemp rope.



IP20

2,190 Kg / 0,0944 m³
E27 max 1x 15W

€ 180

134833 ■ Rope

3000 K
910 lm

119571 € 3,50



IP20


0,650 Kg / 0,0063 m³
E27 max 2x 15W

€ 60

134840 ■ Rope

3000 K
910 lm

119571 € 3,50



IP20

2,410 Kg / 0,0254 m³
E27 max 6x 15W

€ 180

134826 ■ Rope


3000 K
910 lm

119571 € 3,50



Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



IP20

4,500 Kg / 0,1402 m³
E27 max 6x 60W

€ 430

180922 ■ Wood

2200 K
370 lm

151687 € 2,50

IP20

1,240 Kg / 0,0599 m³
E27 max 1x 60W

€ 315

129600 ■ Wood

2200 K
370 lm

151687 € 2,50



P. 484 P. 526





Ceiling lamps

Indoors

Alphabetical index

Admiral	347	Lana	298	Profilo	320
Angolo	334	Level	276	Rain	352
Arizona	278	Lika	311	Ray	260
Armony	348	Lingotto	335	Relax	268
Atlas	332	Look	300	Roma	344
Atrium	279	Lumiere	341	Royal	352
Binomio	337	Magnolia	353	Rudy	318
Birds	327	Mapa	282	Set Up	292
Candy	280	Maracas	330	Set Up Slim	294
Carlton	355	Martinez	354	Set Up Ultra Slim	296
Carta	282	Mix Up	290	Shell	299
Celine	270	Mood	307	Simply	298
Cloud	284	Moonlight	351	Sky	301
Compo	343	Mouse	316	Smarties	277
Corolla	285	Multiflex	328	Spike	308
Cosmopolitan	333	Neve	350	Spot	316
Cotton	281	Ninfea	339	Squish	271
Daisy	342	Nitro	302	Toby	313
Dubai	353	Nodi	322	Topico	283
Dynamite	312	Nodino	323	Totem	268
Fly	248	Oak	310	Tower	310
Frame	247	Oby	317	Triumph	326
Geko	275	Ocean	270	Universal R.	264
Gemini	272	Octopus	329	Universal S.	266
Gingle	274	Oracle Slim	242	Winery	315
Glim	321	Ovalino	284	Ziggy	286
Glory	276	Oz	244		
Gourmet	331	Pasha'	345		
Halo	258	Penta	340		
Hermes	338	Perlage	324		
Iride	269	Petit	314		
Karol	246	Ping Pong	336		
King	346	Planet	288		
Kubiko	306	Play	313		



Topico

Pag 283

new



Oracle Slim 242

new



Oz 244



Relax 268



Totem 268



Glory 276



Level 276

new



Topico 283



Ovalino 284

new



SetUp UltraSlim 296



Simply 298



Mood 307

new



Spike 308



Winery 315



Mouse 316











































Perlage 324



Triumph 326

Ceiling lamps

Typology index

	new 	new 			new 	new 
Karol 246	Frame 247	Fly 248	Halo 258	Ray 260	Universal R. 264	Universal S. 266
			new 	new 		
Iride 269	Celine 270	Ocean 270	Squish 271	Gemini 272	Gingle 274	Geko 275
						
Smarties 277	Arizona 278	Atrium 279	Candy 280	Cotton 281	Mapa 282	Carta 282
						new 
Cloud 284	Corolla 285	Ziggy 286	Planet 288	Mix Up 290	Set Up 292	Set Up Slim 294
				new 		
Lana 298	Shell 299	Look 300	Sky 301	Nitro Round 302	Nitro Square 304	Kubiko 306
						
Oak 310	Tower 310	Lika 311	Dynamite 312	Play 313	Toby 313	Petit 314
						
Spot 316	Oby 317	Rudy 318	Profilo 320	Glim 321	Nodi 322	Nodino 323
						
Birds 327	Multiflex 328	Octopus 329	Maracas 330	Gourmet 331	Atlas 332	Cosmopolitan 333

Ceiling lamps

Typology index



Angolo 334



Lingotto 335



Ping Pong 336



Binomio 337



Hermes 338



Ninfea 339



Penta 340



Lumiere 341



Daisy 342



Compo 343



Roma 344



Pashà 345



King 346



Admiral 347



Armony 348



Neve 350



Moonlight 351



Royal 352



Rain 352



Magnolia 353



Dubai 353



Martinez 354



Carlton 355




Binomio

Pag 337

Oracle Slim new

Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 90; LED useful life 50.000 h; IP20 protection, insulation class II.


Source	LED SMD	CRI	≥90
Power	29W / 37W / 53W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		



1,240 Kg/0,0455 m³

LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 500	29 W	On-Off	2850 lm	2700 K	White		341897	195 new
					Black		341880	195 new
			3000 lm	3000 K	White		265971	195
					Black		265988	195
			3400 lm	4000 K	White		341910	195 new
					Black		341903	195 new



1,430 Kg/0,0852 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 700	37 W	On-Off	3800 lm	2700 K	White		341934	260 new
					Black		341927	260 new
			4250 lm	3000 K	White		265995	260
					Black		266008	260
			4350 lm	4000 K	White		341958	260 new
					Black		341941	260 new



1,700 Kg/0,1345 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€
ø 900	53 W	On-Off	5150 lm	2700 K	White		341972	295 new
					Black		341965	295 new
			5200 lm	3000 K	White		266015	295
					Black		266022	295
			5350 lm	4000 K	White		341996	295 new
					Black		341989	295 new



P. 068



265971


265988

Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

Source	LED SMD	LED life	30.000 h
Power	47W / 48W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	€		
47 W	On-Off	5000 lm	2700 K	White	342283	215 <small>new</small>		
				Black	342290	215 <small>new</small>		
				Brass	342306	215 <small>new</small>		
		5100 lm	3000 K	White	253688	215		
				Black	269412	215		
				Brass	269429	215		
				5500 lm	4000 K	White	342313	215 <small>new</small>
						Black	342320	215 <small>new</small>
						Brass	342337	215 <small>new</small>
48 W	DALI/Push	5100 lm	3000 K	White	304519	370		
				Black	304526	370		
				Brass	304533	370		



253688



269412



269429




Karol

Matt white varnished metal body.
Opal colour plastic diffuser.

LED LED source 4000 K, 50.000 h life.


760	650
■ □ ⊕ IP20	■ □ ⊕ IP20
3,430 Kg / 0,185 m ³ LED 99W / 11000 lm	2,300 Kg / 0,0901 m ³ LED 78W / 9450 lm
€ 515	€ 375
227832 White	227825 White



Frame ^{new}

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

LED LED source 2700/3000 K, 30.000 h life.




■ ■ □ IP20

1,600 Kg / 0,0458 m³
LED 41W / 4550 lm / 5000 lm

€ 320

341309 ■ White 2700K^{new}
255019 ■ White 3000K
269825 ■ Black 3000K




■ ■ □ IP20

1,430 Kg / 0,0530 m³
LED 33W / 3800 lm / 4200 lm

€ 320

341316 ■ White 2700K^{new}
230702 ■ White 3000K
270678 ■ Black 3000K



■ ■ □ IP20

1,280 Kg / 0,0241 m³
LED 33W / 3400 lm / 3850 lm

€ 290

341323 ■ White 2700K^{new}
230726 ■ White 3000K
270661 ■ Black 3000K



P. 076



P. 501

Fly new

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the uplight accessory module for the indirect light part. Integrated LED light source; available with 2700 K, 3000 K and 4000 K color temperatures; color rendering index CRI ≥ 90; starting binning ≤ 3Step MacAdam; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO

High-tech product with high quality materials, intended for professional use.

IP40


Protection degree IP40.

Source	LED SMD
Power	18W / 26W / 53W / 68W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 k / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	I
IP	40
Material	Aluminum
Warranty	5 years





Fly




3,000 Kg/0,0160 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	2150 lm	2700 K	White	341149	315 <small>new</small>
				Black	341156	315 <small>new</small>
		2800 lm	3000 K	White	270272	315
				Black	306575	315
		3000 lm	4000 K	White	270289	315
				Black	306582	315

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



3,700 Kg/0,0250 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3000 lm	2700 K	White	341163	420 <small>new</small>
				Black	341170	420 <small>new</small>
		3900 lm	3000 K	White	254272	420
				Black	306599	420
		4300 lm	4000 K	White	270296	420
				Black	306605	420

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI/Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
□ 35	11 W	120°	1000 lm	3000 K	270258	85
			1300 lm	4000 K	270395	85
□ 45	11 W	120°	1350 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85


KIT PENDANT





Light beam: WIDE




Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



m	lx	Øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	Øm
1	1562	1,90
2	390	3,70
3	174	5,60
4	98	7,50
5	62	9,40




CRI≥80 18W 87° 26501m 3000K

CRI≥80 26W 87° 37001m 3000K



Fly




7,200 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	5600 lm	2700 K	White	341187	610 <small>new</small>
				Black	341194	610 <small>new</small>
		7200 lm	3000 K	White	270302	610
				Black	292205	610
		7700 lm	4000 K	White	270319	610
				Black	306612	610

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124x23x82 mm	270340	112
DALI / Push	60 W	1400 mA	125x28x85 mm	270371	135



13,000 Kg/0,1441 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
68 W	87°	7350 lm	2700 K	White	341200	1180 <small>new</small>
				Black	341217	1180 <small>new</small>
		9000 lm	3000 K	White	270326	1180
				Black	306629	1180
		9550 lm	4000 K	White	270241	1180
				Black	306636	1180

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130x25x75 mm	270357	125
DALI / Push	100 W	1400 mA	140x30x100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
□ 60	17,5 W	120°	2500 lm	3000 K	270401	150
			2650 lm	4000 K	270265	150
□ 90	25 W	120°	3500 lm	3000 K	271002	225
			3650 lm	4000 K	270715	225


KIT PENDANT





Light beam: WIDE



Required	Finish	Code	€
No	White	254289	50
	Black	307244	50



m	lx	Øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



m	lx	Øm
1	3991	1,90
2	998	3,90
3	443	5,80
4	249	7,80
5	160	9,70




CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K



Fly Slim




2,700 Kg/0,0105 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	2150 lm	2700 K	White	341224	295 <small>new</small>
		2800 lm	3000 K	White	306643	295
		3000 lm	4000 K	White	306650	295

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	20 W	500 mA	108x22x52 mm	270333	65
DALI	20 W	500 mA	108x22x52 mm	270364	85



3,750 Kg/0,0170 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3000 lm	2700 K	White	341231	390 <small>new</small>
		3900 lm	3000 K	White	292236	390
		4300 lm	4000 K	White	306667	390

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V/Push	32 W	700 mA	94x21x67 mm	270586	75
DALI/Push	38 W	700 mA	94x21x67 mm	270593	95

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
□ 35	11 W	120°	1000 lm	3000 K	270258	85
			1300 lm	4000 K	270395	85
□ 45	12 W	120°	1350 lm	3000 K	270258	85
			1700 lm	4000 K	270395	85


KIT PENDANT





Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE



m	lx	Øm
1	1066	1,90
2	267	3,70
3	118	5,60
4	67	7,50
5	43	9,40



m	lx	Øm
1	1511	1,90
2	378	3,80
3	168	5,70
4	94	7,60
5	60	9,50




CRI≥80 18W 87° 26501m 3000K

CRI≥80 26W 87° 37001m 3000K



Fly Slim




6,500 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	5600 lm	2700 K	White	341248	575 new
		7200 lm	3000 K	White	292250	575
		7700 lm	4000 K	White	306674	575

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



13,000 Kg/0,1448 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
68 W	87°	7350 lm	2700 K	White	341255	1125 new
		9000 lm	3000 K	White	306681	1125
		9550 lm	4000 K	White	306698	1125

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
□ 60	18 W	120°	2500 lm	3000 K	270401	150
			2650 lm	4000 K	270265	150
□ 90	25 W	120°	3500 lm	3000 K	271002	225
			3650 lm	4000 K	270715	225


KIT PENDANT





Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE



m	lx	Øm
1	3000	1,90
2	750	3,80
3	333	5,70
4	187	7,60
5	120	9,50



m	lx	Øm
1	3857	1,90
2	964	3,90
3	429	5,80
4	241	7,80
5	154	9,70



CRI≥80 53W 87° 7500lm 3000K

CRI≥80 65W 87° 9400lm 3000K



Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning \leq 2-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI \geq 80; LED useful life 35.000; protection IP20, insulation class I.

Source	LED SMD	Insulation class	I
Power	22W / 32W / 46W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	\geq 90		
LED life	35.000 h		



Up-light included.



2,750 Kg/0,0177 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	2850 lm	3000 K	White	223186	230
		3100 lm	4000 K	White	223193	230



4,430 Kg/0,0313 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	110°	3650 lm	3000 K	White	223209	310
		3800 lm	4000 K	White	223216	310



6,600 Kg/0,0566 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
46 W	110°	5350 lm	3000 K	White	223223	545
		5600 lm	4000 K	White	223230	545

KIT PENDANT



Required	Finish	Code	€
No	White	223247	50



Ray

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19, 22). Integrated LED light source; available with temperature CRI ≥ 90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.

IP44 Protection degree IP44.

Source	LED SMD
Power	13W / 26W / 43W
Driver included	On/Off
Drivers available	No
CCT	3000 K / 4000 K
CRI	≥ 90
UGR	< 19 / 22
LED life	50.000 h
Insulation class	II
IP	44
Material	Plastic
Warranty	5 years



Ray



LED SMD Driver TRIDONIC ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
13W	77°	2000 - 2100 lm	3000 - 4000 K	White	327570	185
				Black	327563	185


1,620 Kg/0,0067 m³



LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
26W	77°	4050 - 4250 lm	3000 - 4000 K	White	318264	270
				Black	327600	270

2,160 Kg/0,0097 m³




LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
44W	77°	6850 - 7200 lm	3000 - 4000 K	White	327693	500
				Black	327686	500


3,240 Kg/0,0251 m³




Light beam: WIDE




m	lx	øm
1	760	1,50
2	190	3,00
3	84	4,40
4	48	5,90
5	30	7,40




CRI≥90 13W 80° 1900lm 3000K




m	lx	øm
1	1638	1,50
2	410	3,00
3	182	4,40
4	102	5,90
5	66	7,40



CRI≥90 26W 80° 3850lm 3000K



m	lx	øm
1	2786	1,60
2	697	3,10
3	310	4,70
4	174	6,20
5	111	7,80




CRI≥90 43W 80° 6450lm 3000K



Universal Round new


Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

Source	LED SMD	LED life	25.000 h
Power	12W / 36W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Steel
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	110°	1100 lm	2700K	White	342566	30 new
		1200 lm	3000 K	White	138596	30
		1300 lm	4000 K	White	321776	30




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
17 W	110°	1750 lm	2700 K	White	342580	35 new
		1800 lm	3000 K	White	138602	35
		1900 lm	4000 K	White	321752	35



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	2250 lm	2700 K	White	342603	50 new
		2400 lm	3000 K	White	138619	50
		2550 lm	4000 K	White	321738	50



LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
36 W	110°	3400 lm	2700 K	White	342627	85 new
		3850 lm	3000 K	White	240367	85
		4200 lm	4000 K	White	321684	85



Universal Square new


Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.

Source	LED SMD	LED life	25.000 h
Power	12W / 36W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Steel
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	110°	1100 lm	2700 K	White	342573	30 new
		1200 lm	3000 K	White	138633	30
		1300 lm	4000 K	White	321769	30




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
17 W	110°	1750 lm	2700 K	White	342597	35 new
		1800 lm	3000 K	White	138640	35
		1900 lm	4000 K	White	321745	35



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	2250 lm	2700 K	White	342610	50 new
		2400 lm	3000 K	White	138657	50
		2550 lm	4000 K	White	321707	50



LED SMD Driver ON/OFF included





Power	Beam	Lumen	CCT	Finish	Code	€
36 W	110°	3400 lm	2700 K	White	342634	85 new
		3850 lm	3000 K	White	240374	85
		4200 lm	4000 K	White	321660	85



Relax

Metal frame finished with matt white varnish. Opal polycarbonate diffusers. Double light emission: primary and lateral. Replaceable LED source. Dimmable power supply integrated.

LED LED source 3000 K, 17.500 h life.










	
1100	900
	
8,190 Kg / 0,0740 m ³ LED 84W / 5400 lm	5,760 Kg / 0,0486 m ³ LED 65W / 4250 lm
€ 500	€ 450
255941 White	255934 White



Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936

		
710	560	345
		
5,320 Kg / 0,0470 m ³ GX53 max 6 x 15W	3,890 Kg / 0,0322 m ³ GX53 max 4 x 15W	2,960 Kg / 0,0227 m ³ GX53 max 3 x 15W
€ 280	€ 240	€ 200
215785 White	215778 White	215761 White
 3000 K 910 lm	 3000 K 910 lm	 3000 K 910 lm
123936 € 5,00	123936 € 5,00	123936 € 5,00





Iride


Matt varnished metal base and frame. Irregular opal polycarbonate diffuser. Color: white.

LED LED source 3000 K, 30.000 h life.

600	500
3,800 Kg / 0,0352 m³	2,810 Kg / 0,0246 m³
LED 22W / 1750 lm	LED 18W / 1300 lm
€ 193	€ 138
328362 White	312491 White

Celine

Enameled metal frame.
Sandblasted clear glass diffuser.
chrome metal glass holders.



IP20


3,600 Kg / 0,0467 m³
E27 max 4 x 60W

€ 105

044293 White

3000 K
340 lm

101286 € 2,00



IP20


1,740 Kg / 0,0265 m³
E27 max 3 x 60W

€ 64

044286 White

3000 K
340 lm

101286 € 2,00



IP20

1,120 Kg / 0,0149 m³
E27 max 2 x 60W

€ 49


044279 White

3000 K
340 lm

101286 € 2,00

Ocean

Diffuser composed of two glass sheets: the back one with mirror edge and frosted in the middle, the front one with decorative serigraph and glass buttons.



IP20


2,930 Kg / 0,0281 m³
E27 max 3 x 60W

€ 110

081441 Clear
091013 Color

3000 K
340 lm

101286 € 2,00



IP20

1,930 Kg / 0,0160 m³
E27 max 2 x 60W

€ 75

081434 Clear
091006 Color

3000 K
340 lm

101286 € 2,00



091013



0801441



Squish new

Metal base. Double polycarbonate diffuser: satin opal the inner one, clear the external one.

LED LED source 3000 K, 25.000 h life.


643	480	344
■ □ ⊕ IP20	■ □ ⊕ IP20	■ □ ⊕ IP20
2,100 Kg / 0,0934 m ³ LED 30W / 3350 lm	2,190 Kg / 0,0429 m ³ LED 18W / 1700 lm	0,760 Kg / 0,0228 m ³ LED 10W / 950 lm
€ 208	€ 118	€ 88
332420 Clear new	332413 Clear new	332406 Clear new

Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.


Source	LED SMD	LED life	50.000 h
Power	24W / 42W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
Beam	130°		
CCT	2700 K / 3000 K /		
CRI	≥90		

LED SMD Driver included




Measure	Power	Driver	Lumen	CCT	Finish	Code	€
425 x 425	24 W	On-Off	2300 lm	2700 K	White	341439	220 <small>new</small>
					Black	341446	220 <small>new</small>
					Brass	341453	220 <small>new</small>
			2900 lm	3000 K	White	328010	220
					Black	328027	220
					Brass	328034	220

LED SMD Driver included




Measure	Power	Driver	Lumen	CCT	Finish	Code	€
610 x 610	30 W	On-Off	3300 lm	2700 K	White	341460	300 <small>new</small>
					Black	341477	300 <small>new</small>
					Brass	341484	300 <small>new</small>
			3600 lm	3000 K	White	328041	300
					Black	328058	300
					Brass	328065	300
	28 W	DALI/Push	3100 lm	3000 K	White	328942	380
					Black	328959	380
					Brass	328966	380

LED SMD Driver included



Measure	Power	Driver	Lumen	CCT	Finish	Code	€		
810 x 810	42 W	On-Off	4150 lm	2700 K	White	341491	390 <small>new</small>		
					Black	341507	390 <small>new</small>		
					Brass	341514	390 <small>new</small>		
			4450 lm	3000 K	White	328072	390		
					Black	328089	390		
					Brass	328096	390		
			42 W	DALI/Push	4150 lm	3000 K	White	328973	480
							Black	328980	480
							Brass	329260	480





328041

328058


328034



Gingle

Powder coated metal base and body. Integrated LED light source with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




■ ■ □ IP20

1,540 Kg / 0,0233 m³
LED 35W / 2900 lm

€ 350

196220 White




■ ■ □ IP20

1,000 Kg / 0,0139 m³
LED 26W / 2200 lm

€ 250

196206 White



■ ■ □ IP20

0,730 Kg / 0,0153 m³
LED 19W / 1650 lm


€ 180

196190 White



Geko

White enameled metal frame.
Transparent silkscreened or white
glass diffuser. Chrome metal
central glass screw.



3,820 Kg / 0,0385 m³
E27 max 4 x 60W

€ 180

116112 White

3000 K
340 lm

101286 € 2,00




2,000 Kg / 0,0203 m³
E27 max 3 x 60W

€ 120

018508 White

3000 K
340 lm

101286 € 2,00



1,200 Kg / 0,0130 m³
E27 max 2 x 60W

€ 85


010861 White

3000 K
340 lm

101286 € 2,00

Glory

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.




IP20

4,810 Kg / 0,1789 m³
E27 max 5 x 60W

€ 350

019765 White

101286 3000 K
340 lm € 2,00




IP20

3,410 Kg / 0,0744 m³
E27 max 3 x 60W

€ 220

019758 White

101286 3000 K
340 lm € 2,00



IP20

2,100 Kg / 0,0700 m³
E27 max 2 x 60W

€ 195

101132 White

101286 3000 K
340 lm € 2,00



P. 153

Level

Powder coated metal base. White
acid-etched blown glass
diffuser with fastening
system without
screws. Easily replaceable
integrated led source.

LED LED source 3000 K, 17.500 h life.




IP20

5,200 Kg / 0,0908 m³
LED 37,5W / 3100 lm

€ 320

261188 White



IP20

2,100 Kg / 0,0368 m³
LED 22,5W / 2000 lm

€ 190

261164 White





Smarties

White varnished metal frame.
White blown glass diffuser.

IP20	IP20	IP20	IP20
4,690 Kg / 0,1480 m ³ E27 max 3 x 42W	3,070 Kg / 0,1009 m ³ E27 max 3 x 42W	2,810 Kg / 0,0599 m ³ E27 max 2 x 42W	1,440 Kg / 0,0454 m ³ E27 max 1 x 42W
€ 280	€ 195	€ 170	€ 115
032023 White	032030 White	032047 White	009223 White
3000 K 340 lm	3000 K 340 lm	3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00	101286 € 2,00	101286 € 2,00



P. 154



P. 385



P. 469




Arizona

Metal frame with satin brass finish.
White acid-etched blown glass
diffuser with embossed decorative
stripes.



Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




IP20  INCLUSA


7,680 Kg / 0,1299 m³
GX53 max 5 x 9W

€ 505

214511 White

 3000 K
910 lm

123936 € 5,00




IP20  INCLUSA


3,050 Kg / 0,0744 m³
GX53 max 3 x 9W

€ 330

214504 White

 3000 K
910 lm

123936 € 5,00




IP20  INCLUSA

2,960 Kg / 0,0452 m³
GX53 max 2 x 9W

€ 225

214498 White

 3000 K
910 lm

123936 € 5,00




P. 156



Atrium

Matt white varnished metal frame.
White acid-etched glass diffuser
with interlocking fastening system.

LED LED source 3000 K, 20.000 h life.




■ ■ □ IP20

4,8 Kg / 0,1113 m³
LED 26W / 2600 lm

€ 220

265841 White




■ ■ □ IP20

3,700 Kg / 0,0675 m³
LED 22,5W / 2250 lm

€ 160

265827 White



■ ■ □ IP20

2,300 Kg / 0,0425 m³
LED 15W / 1500 lm

€ 115

265803 White



Candy

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



2,500 Kg / 0,0799 m³
E27 max 1x 42W

€ 197

086781 White

3000 K
900 lm

123899 € 3,50



P. 158




P. 469



Cotton

Metal base finished with white powder paint. Acid-etched white blown glass with screw fastening.

LED Bulbs LED G9 3W 3000 K included in model **297750**. Cod. **209043**




■ □ IP20

2,400 Kg / 0,0810 m³
E27 max 1x42W

€ 180

327891 White




■ □ IP20

0,810 Kg / 0,0369 m³
E27 max 1x42W

€ 125

297743 White



■ □ IP20 LED G9

0,200 Kg / 0,0060 m³
G9 max 1x4W

€ 50

297750 White



P. 159


3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50

3000 K
510 lm
305486 € 6,00

Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.



■ □ IP20

2,590 Kg / 0,1290 m³

E27 max 1x 42W


€ 188

059839 White



3000 K
910 lm

119571 € 3,50



P. 168 P. 384 P. 470

Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.



■ □ IP20

1,700 Kg / 0,0813 m³

E27 max 1x 25W


€ 225

317120 White



3000 K
910 lm

119571 € 3,50



■ □ IP20

1,150 Kg / 0,0370 m³

E27 max 1x 25W



€ 110

317113 White



3000 K
430 lm

101279 € 2,00



P. 170 P. 385 P. 468 P. 519



Topico new

Matt varnished metal frame.
 Double glass diffuser: acid-etched
 white inside, clear with smoked
 shade on the upper part outside.
 Color: black.

LED LED source 3000 K, 30.000 h life.



■ □ IP20

2,250 Kg / 0,0843 m³
 LED 19W / 1850 lm

€ 160

333014

■ Smok Gre. new



■ □ IP20

1,760 Kg / 0,0327 m³
 LED 12W / 1450 lm

€ 100



333007

■ Smok Gre. new



Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.



■ IP20

■ IP20

7,700 Kg / 0,1448 m³
E27 max 8 x 60W

5,100 Kg / 0,1202 m³
E27 max 5 x 60W

€ 320

€ 250

094014 White

093963 White

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50


P. 157 P. 382



Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

LED LED source 3000 K, 17,500 h life.



■ IP20

■ IP20

4,700 Kg / 0,0792 m³
LED 46W / 3350 lm

3,200 Kg / 0,0647 m³
LED 33W / 2450 lm

€ 320

€ 230

285207 White

263519 White





Corolla

Matt white varnished metal frame.
Opal satin polycarbonate diffuser.

LED LED source 3000 K, 50.000 h life.



■ □ IP20

2,450 Kg / 0,0274 m³
LED 24W / 2750 lm

€ 180

297149 White



■ □ IP20

2,450 Kg / 0,0304 m³
LED 24W / 2750 lm

€ 180

297101 White



Ziggy

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.

LED LED source 3000 K, 50.000 h life.




■ □ IP20

6,660 Kg / 0,0953 m³
LED 62W / 7350 lm

€ 430

317908 ■ White
321615 ■ Black




■ □ IP20

4,000 Kg / 0,0553 m³
LED 43W / 4400 lm

€ 245

293790 ■ White
307213 ■ Black




■ □ IP20

2,500 Kg / 0,0324 m³
LED 30W / 3150 lm

€ 200

293783 ■ White
307206 ■ Black



■ □ IP20

1,350 Kg / 0,0096 m³
LED 21W / 2750 lm

€ 160


293776 ■ White
293769 ■ Black



Planet

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.




■ □ IP20

2,950 Kg / 0,0365 m³
LED 29W / 2650 lm

€ 165

312378 White
312361 Black




■ □ IP20

2,150 Kg / 0,0257 m³
LED 25W / 2250 lm

€ 132

312354 White
328157 Black




■ □ IP20

1,350 Kg / 0,0168 m³
LED 20W / 1850 lm

€ 110

312347 White
312330 Black



■ □ IP20

0,820 Kg / 0,0097 m³
LED 15W / 1350 lm

€ 88


312323 White
328140 Black



P. 130 P. 508

Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.




IP20

0,270 Kg / 0,005 m³
E27 max 1x60W

€ 35

292847 White
292830 Black



2,000 Kg / 0,0676 m³

€ 85


288437 White
288420 Black



1,100 Kg / 0,0446 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0147 m³

€ 40


307411 White
288444 Black



0,500 Kg / 0,0174 m³

€ 35

307428 White
288451 Black

 3000 K
900 lm
123899 € 3,50



260457

304625


270012

260464

345895

Set Up new


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.



2,000 Kg / 0,1384 m³

€ 172

- 345918 White new
- 345932 Black new
- 339269 Beige new
- 339276 Wood new



1,260 Kg / 0,0674 m³

€ 138


- 260471 White new
- 304632 Dove Grey new
- 270029 Black new
- 260488 Beige new
- 345901 Wood new



0,770 Kg / 0,0221 m³

€ 92

- 260457 White new
- 304625 Dove Grey new
- 270012 Black new
- 260464 Beige new
- 345895 Wood new



0,460 Kg / 0,0228 m³

€ 63

- 260433 White new
- 304618 Dove Grey new
- 270005 Black new
- 260440 Beige new
- 345888 Wood new




■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80

320373 White new




■ □ IP20

1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80

320373 White new




■ □ IP20

0,850 Kg / 0,0041 m³
E27 max 3x 42W

€ 58

348278 White new



■ □ IP20

0,300 Kg / 0,0010 m³
E27 max 1x 42W

€ 35


277288 White new

123899 € 3,50

123899 € 3,50

123899 € 3,50


123899 € 3,50



0,500 Kg / 0,0423 m³

€ 80


339252 Clear new



0,700 Kg / 0,0259 m³

€ 58


270050 Clear new



0,280 Kg / 0,0108 m³

€ 35

270043 Clear new



0,100 Kg / 0,0061 m³

€ 17

346847 Clear new



P. 192 P. 434 P. 482 P. 530



339290

346045

346038

346014

346021

Set Up Slim new

Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.



1,200 Kg / 0,1903 m³

€ 138

- 346069 new White
- 339283 new Dove Grey
- 346083 new Black
- 346052 new Beige
- 346076 new Wood



0,750 Kg / 0,1172 m³

€ 115


- 339290 new White
- 346045 new Dove Grey
- 346038 new Black
- 346014 new Beige
- 346021 new Wood



0,440 Kg / 0,0415 m³

€ 80


- 345987 new White
- 346007 new Dove Grey
- 345994 new Black
- 345970 new Beige
- 339306 new Wood



1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


- 320373 new White



1,000 Kg / 0,0047 m³
E27 max 4 x 42W

€ 80


- 320373 new White




0,850 Kg / 0,0041 m³
E27 max 3x 42W

€ 58


- 348278 new White




123899 € 3,50



123899 € 3,50



123899 € 3,50



0,500 Kg / 0,0423 m³

€ 80


- 339252 new Clear



0,700 Kg / 0,0259 m³

€ 58

- 270050 new Clear



0,280 Kg / 0,0108 m³

€ 35

- 270043 new Clear





346144

346168

346151

346137

339320

Set Up Ultra Slim new


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white, black or wood.



0,800 Kg / 0,1124 m³


€ 126

- | | | | | | | | | |
|--------|-----------|-----|--------|-----------|-----|--------|-----------|-----|
| 346182 | White | new | 346144 | White | new | 339337 | White | new |
| 346205 | Dove Grey | new | 346168 | Dove Grey | new | 346120 | Dove Grey | new |
| 339313 | Black | new | 346151 | Black | new | 346113 | Black | new |
| 346175 | Beige | new | 346137 | Beige | new | 346090 | Beige | new |
| 346199 | Wood | new | 339320 | Wood | new | 346106 | Wood | new |




0,600 Kg / 0,0613 m³

€ 103



0,500 Kg / 0,0265 m³

€ 69




■ □ IP20


1,000 Kg / 0,0047 m³

E27 max 4 x 42W

€ 80

- | | | | | | | | | |
|--------|-------|-----|--------|-------|-----|--------|-------|-----|
| 320373 | White | new | 320373 | White | new | 348278 | White | new |
|--------|-------|-----|--------|-------|-----|--------|-------|-----|


3000 K
900 lm
 123899 € 3,50





■ □ IP20

1,000 Kg / 0,0047 m³

E27 max 4 x 42W

€ 80


3000 K
900 lm
 123899 € 3,50





■ □ IP20

0,850 Kg / 0,0041 m³

E27 max 3x 42W

€ 58



3000 K
900 lm
 123899 € 3,50



0,500 Kg / 0,0423 m³


€ 80

- | | | | | | | |
|--------|-------|-----|--------|-------|--------|-------|
| 339252 | Clear | new | 270050 | Clear | 270043 | Clear |
|--------|-------|-----|--------|-------|--------|-------|



0,700 Kg / 0,0259 m³

€ 58




0,280 Kg / 0,0108 m³

€ 35



Simply

Transparent frosted glass diffuser.
Chrome metal glass holders with
cast-on cast-off mechanism.




3,190 Kg / 0,0511 m³
E27 max 4 x 60W

€ 85

007991 White

3000 K
340 lm

101286 € 2,00




1,670 Kg / 0,0284 m³
E27 max 3 x 60W

€ 54

007984 White

3000 K
340 lm

101286 € 2,00




1,010 Kg / 0,0107 m³
E27 max 2 x 60W

€ 37

007977 White

3000 K
340 lm

101286 € 2,00



0,670 Kg / 0,0060 m³
E27 max 1 x 60W

€ 28


007960 White

3000 K
340 lm

101286 € 2,00

Lana

Transparent glass diffuser with
silkscreen decorations inside and
sandblasted outside. Chrome metal
glass holders.




1,500 Kg / 0,0279 m³
E27 max 3 x 60W

€ 68

068145 White

3000 K
340 lm

101286 € 2,00



0,800 Kg / 0,0168 m³
E27 max 2 x 60W

€ 46


068138 White

3000 K
340 lm

101286 € 2,00



P. 153





Shell


Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.



008622



140193




8,850 Kg / 0,0943 m³
E27 max 6 x 60W

€ 320

008622 Clear
140193 Amber

3000 K
430 lm

101279 € 2,00




6,150 Kg / 0,0647 m³
E27 max 4 x 60W

€ 240

008615 Clear
140186 Amber

3000 K
430 lm

101279 € 2,00



3,940 Kg / 0,0381 m³
E27 max 3 x 60W

€ 160

008608 Clear
140179 Amber

3000 K
430 lm


101279 € 2,00



Look

Turned aluminum fixing base.
White, black or satin brass powder coated metal cylindrical diffuser.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



3,070 Kg / 0,0053 m³
GU10 max 1x28W

€ 86

259260 White
259277 Black



123943 € 3,50




1,380 Kg / 0,0043 m³
GU10 max 1x28W

€ 60

233352 White
233321 Black



123943 € 3,50




0,740 Kg / 0,0025 m³
GU10 max 1x28W

€ 42

233215 White
233192 Black



123943 € 3,50



0,400 Kg / 0,0013 m³
GU10 max 1x28W

€ 32

233079 White
233062 Black
285214 Brass



123943 € 3,50



P. 078 P. 381 P. 506 P. 698



Sky

White, black powder coated metal diffuser and body. Fastening system without visible screws.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**




■ IP20  INCLUDED

1,940 Kg / 0,0047 m³
GU10 max 1x28W

€ 70

234007 ■ White
233970 ■ Black

 **3000 K**
540 lm

123943 € 3,50




■ IP20  INCLUDED

1,090 Kg / 0,0027 m³
GU10 max 1x28W

€ 65

233833 ■ White
233826 ■ Black

 **3000 K**
540 lm

123943 € 3,50




■ IP20  INCLUDED

0,600 Kg / 0,0016 m³
GU10 max 1x28W

€ 47

233772 ■ White
233765 ■ Black

 **3000 K**
540 lm

123943 € 3,50



P. 083



P. 381

Nitro Round new

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.


Source	LED DOB / COB	Insulation class	I - II
Power	4W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	2700 K / 3000 K		
CRI	≥90		
LED life	50.000 h		

LED DOB




Power	Beam	Lumen	CCT	Finish	Code	€
4 W	40°	290 lm	2700K	White	342788	45 new
				Black	342795	45 new
	320 lm	3000K	White	299419	45	
			Black	299402	45	

LED COB BRIDGELUX




Power	Beam	Lumen	CCT	Finish	Code	€
10 W	28°	900 lm	2700 K	White	341781	65 new
				Black	341798	65 new
	1000 lm	3000 K	White	205991	65	
			Black	206004	65	

LED COB BRIDGELUX



Power	Beam	Lumen	CCT	Finish	Code	€
15 W	36°	1400 lm	3000 K	White	205977	90
				Black	205984	90

LED COB BRIDGELUX



Power	Beam	Lumen	CCT	Finish	Code	€
25 W	33°	2350 lm	3000 K	White	319568	115
				Black	322711	115




299402

Nitro Square


White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

Source	LED DOB / COB	Insulation class	I - II
Power	5W / 25W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	50.000 h		




LED DOB

Power	Beam	Lumen	CCT	Finish	Code	€
5 W	40°	370 lm	3000K	White	319797	67
				Black	319803	67




LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	28°	1000 lm	3000 K	White	206035	65
				Black	206042	65



LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	36°	1400 lm	3000 K	White	206011	90
				Black	206028	90



LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
25 W	33°	2350 lm	3000 K	White	319575	115
				Black	319582	115




319803



Kubiko

Powder coated aluminum body.
Shiny opal polycarbonate diffuser.
Magnetic fastening system.
Finishes: white, black.

LED LED source 3000 K, 30.000 h life.



IP20

0,660 Kg / 0,0020 m³
LED 10W / 1100 lm

€ 80

303321 ■ White
303314 ■ Black



303321



303314



Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.


LED Bulbs GU10 7W and GU10 10W 3000 K included.



140841



243924



1,210 Kg / 0,0061 m³
GU10 max 1x 50W

€ 97

140872 White
243450 Black

3000 K
750 lm

189031 € 15,00




0,400 Kg / 0,0022 m³
GU10 max 1x 28W

€ 64

140841 White
243924 Black

3000 K
540 lm

123943 € 3,50




1,420 Kg / 0,0068 m³
GU10 max 1x 50W

€ 97

140933 White
243931 Black

3000 K
750 lm

189031 € 15,00



0,460 Kg / 0,0023 m³
GU10 max 1x 28W

€ 64

140902 White
243948 Black

3000 K
540 lm

123943 € 3,50



Spike

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black or satin brass.

Bulbs LED GX53 9W 3000 K included.

LED Cod. **123936**. LED source 3000 K, 25.000 h life. Cod. **345468, 336008, 345475**



285238




310893



328799




317496



0,340 Kg / 0,0012 m³
LED 10W / 1100 lm

€ 40

345468 White *new*
336008 Black *new*
345475 Brass *new*




0,240 Kg / 0,0017 m³
GX53 max 1x15W

€ 80

277417 White
310886 Chrome
278704 Black
285238 Brass
310893 Copper

3000 K
910 lm

123936 € 5,00



0,220 Kg / 0,0014 m³
GX53 max 1x15W

€ 85

317489 White
328799 Chrome
317496 Black
317502 Brass
328812 Copper

3000 K
910 lm

123936 € 5,00



Oak

Gypsum or concrete body.
Adjustable central bulb holder
made of varnished metal.



Item suitable for painting and
varnishing.



■ □ IP20

1,730 Kg / 0,0082 m³
GU10 max 1x 35W

€ 76

150420 White
150437 Concrete



3000 K
410 lm



108292 € 3,00 [P. 082](#)



Tower

Plastic installing base with bayonet
system. Total gypsum body. It fits
replaceable GU10 bulbs.



Item suitable for painting and
varnishing.



■ □ IP20

0,430 Kg / 0,0023 m³
GU10 max 1x 35W

€ 39

155869 White



3000 K
410 lm

108292 € 3,00



■ □ IP20

0,620 Kg / 0,0023 m³
GU10 max 1x 35W

€ 39

155791 White



3000 K
410 lm


108292 € 3,00





Lika

Family of recessed rectangular LED modules in die-cast aluminium, painted black or white with polycarbonate reflector. Modules available with five lenses. Specially designed to avoid glare (UGR <16), best for installation in OFFICES and SHOPS.



IP20

0,370 Kg / 0,0011 m³
LED 12,5W / 1200 lm

€ 90

248530 ■ White
244884 ■ Black



LED source 3000 K, 50.000 h life.



P. 784



Dynamite

Powder coated or plated or brushed metal frame. Adjustable diffusers.



Bulbs LED GU10 7W 3000 K included.
Cod. 123943



0,430 Kg / 0,0037 m³
GU10 max 1x28W

€ 98

231495 ■ White
231471 ■ Black
244662 ■ Brass

3000 K
540 lm

123943 € 3,50



P. 096

Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuser. Available with black finish or white finish with black rear cover and front inner ring.

LED LED source 3000 K, 30.000 h life.



IP20

0,240 Kg / 0,0010 m³
LED 7W / 520 lm

€ 70

258287 White
268101 Black




P. 778



Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. 123943



IP20

0,220 Kg / 0,0008 m³
GU10 max 1x 35W

€ 60

271538 White
271545 Black

3000 K
540 lm

123943 € 3,50






Petit

Plated or matt varnished metal body. Fastening system without visible screws. Available finishes: white, brass and black.

LED

Bulbs LED E27 8W Globo D95 3000 K included in models: **232966**, **232980** and **233031**. Cod. **101330**



0,790 Kg / 0,0071 m³
E27 max 1x 42W

€ 30

232966 **White**
232980 **Black**
233031 **Brass**

3000 K
950 lm

101330 € 4,50



232966



232980




233031



Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



IP20

0,290 Kg / 0,0004 m³
E27 max 1x 60W

€ 27

155227 ■ White
155142 ■ Black

101323 ■ 3000 K
1050 lm
€ 4,50



155227




155142



P. 416

Mouse


Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



1,900 Kg / 0,0157 m³
GU10 max 4 x 50W

€ 260

073583 White
156712 Black



108292 € 3,00



P. 412




P. 694



Spot


Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



1,320 Kg / 0,0139 m³
GU10 max 4 x 28W

€ 100

156774 White
156781 Black



108292 € 3,00



P. 412



P. 694





Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.

550	370
1,210 Kg / 0,0058 m ³	0,870 Kg / 0,0038 m ³
LED 24W / 2800 lm	LED 18W / 2100 lm
€ 260	€ 185
196718 White	196701 White





Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



229089 229065

294827 294810

760	540	760	540
125	125	110	110
1,230 Kg / 0,0057 m ³ GU10 max 4 x 35W	1,080 Kg / 0,0041 m ³ GU10 max 3 x 35W	1,230 Kg / 0,0057 m ³ GU10 max 3 x 35W	1,080 Kg / 0,0041 m ³ GU10 max 3 x 35W
€ 185	€ 127	€ 195	€ 150
229089 White 229072 Black	229065 White 229058 Black	294827 White 321523 Black	294810 White 321516 Black
3000 K 540 lm	3000 K 540 lm	3000 K 540 lm	3000 K 540 lm
123943 € 3,50	123943 € 3,50	123943 € 3,50	123943 € 3,50





Profilo

Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.




Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



314716



314723



900

IP20

1,900 Kg / 0,0151 m³
GU10 max 4 x 28W

€ 185

328188 White
328195 Black

3000 K
540 lm

123943 € 3,50



450

IP20

0,940 Kg / 0,0078 m³
GU10 max 2 x 28W

€ 90

314716 White
314723 Black

3000 K
540 lm

123943 € 3,50



Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.

LED Bulbs LED GU10 10W 3000 K included.
Cod. **189031**



200194




200231



P. 695

1,270 Kg / 0,0202 m ³ GU10 max 4 x 50W	0,890 Kg / 0,0074 m ³ GU10 max 2 x 50W	0,480 Kg / 0,0034 m ³ GU10 max 1 x 50W
€ 304	€ 166	€ 86
200217 White 200255 Black	200200 White 200248 Black	200194 White 200231 Black
3000 K 750 lm	3000 K 750 lm	3000 K 750 lm
189031 € 15,00	189031 € 15,00	189031 € 15,00




073712

241050

200484

Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.



IP20


3,200 Kg / 0,1012 m³
E14 max 5 x 28W

€ 231

200484 Chrome

3000 K
480 lm

101200 € 2,00



IP20

3,200 Kg / 0,1012 m³
E14 max 5 x 28W

€ 231


073712 White
241050 Brass

3000 K
480 lm

101200 € 2,00




P. 175



Nodino

Metal frame with chrome or matt white paint finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 G9 max 9 x 15W

3,160 Kg / 0,3975 m³
G9 max 9 x 15W

€ 567

149622 White
133393 Chrome

3000 K
510 lm
305486 € 6,00



Perlage

Metal frame with round section linear structure or squared section round structure. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328423



328416




328409



7,520 Kg / 0,1314 m³
G9 max 18 x 15W

€ 851


328393 White
328386 Smok. Gra.
328379 Amber



2,780 Kg / 0,0605 m³
G9 max 10 x 15W

€ 518


327815 White
309286 Smok. Gra.
327808 Amber



3,870 Kg / 0,0622 m³
G9 max 9 x 15W

€ 437

328423 White
328416 Smok. Gra.
328409 Amber



1,550 Kg / 0,0385 m³
G9 max 6 x 15W

€ 265

309279 White
309262 Smok. Gra.
327822 Amber



P. 106




P. 423




P. 473



P. 498



3000 K
510 lm
305486 € 6,00



3000 K
510 lm
305486 € 6,00



3000 K
510 lm
305486 € 6,00




3000 K
510 lm
305486 € 6,00



Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,270 Kg / 0,0454 m³
E27 max 8 x 42W

€ 570

160313 Brass

2200 K
370 lm

151687 € 2,50



P. 098 P. 424




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



2,800 Kg / 0,1535 m³
G9 max 5 x 15W

€ 278

273631 ■ Black

3000 K
510 lm

305486

€ 6,00



P. 105



P. 421



P. 473




P. 497



Multiflex

Metal structure finished with matt paint. Flexible metal arms covered with rubber.



IP20

4,330 Kg / 0,0353 m³
E14 max 8 x 28W

€ 410

159010 Color

3000 K
420 lm


101217 € 2,00



Octopus

Metal base with matt finish.
Flexible arms covered with white or multicolor rubber. Blown and sandblasted clear glass diffusers.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

3,000 Kg / 0,0390 m³
G9 max 6 x 28W

€ 340

174921 White
174976 Color

3000 K
510 lm
305486 € 6,00




Maracas

Total metal frame with stain brass finish. Adjustable transparent blown glass diffusers.



Bulbs LED G4 2W 3000 K included.
Cod. **222257**



1,280 Kg / 0,0242 m³
G4 max 6x2W

0,960 Kg / 0,0142 m³
G4 max 4x2W

€ 374

€ 269

200361 Brass

200354 Brass

3000 K
200 lm

3000 K
200 lm

222257 € 4,00

222257 € 4,00




P. 424



Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.



■ □ IP20


5,400 Kg / 0,1765 m³
E14 max 9 x 28W

€ 615

289489 ■ Black

💡 3000 K
420 lm

101217 € 2,00



■ □ IP20

3,670 Kg / 0,1017 m³
E14 max 6 x 28W

€ 415

289496 ■ Black

💡 3000 K
420 lm

101217 € 2,00



Atlas

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328201



311357



311340




2,400 Kg / 0,0591 m³
G9 max 5 x 4W

€ 299

328225 White
328218 Black
311364 Gold

3000 K
510 lm
305486 € 6,00



1,500 Kg / 0,0397 m³
G9 max 3 x 4W

€ 195

328201 White
311357 Black
311340 Gold


3000 K
510 lm
305486 € 6,00



Cosmopolitan

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




7,600 Kg / 0,1787 m³
G9 max 12 x 15W

€ 700

273709 ■ Black

3000 K
510 lm
305486 € 6,00




6,500 Kg / 0,1397 m³
G9 max 10 x 15W

€ 600

273693 ■ Black

3000 K
510 lm
305486 € 6,00



3,040 Kg / 0,0579 m³
G9 max 8 x 15W

€ 330

328485 ■ Black

3000 K
510 lm
305486 € 6,00



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



284286

284330



IP20

1,650 Kg / 0,0377 m³
G9 max 3x28W

€ 185

284286 ■ Black
284330 ■ Brass

3000 K
510 lm
305486 € 6,00



P. 476



P. 500



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.



IP20


5,580 Kg / 0,0540 m³
E14 max 4 x 28W

€ 315

327860 ■ Black
198156 ■ Brass

3000 K
420 lm

101217 € 2,00



IP20

3,370 Kg / 0,0451 m³
E14 max 2 x 28W

€ 210

304137 ■ Black
198149 ■ Brass

3000 K
420 lm

101217 € 2,00



IP20

1,810 Kg / 0,0183 m³
E14 max 1 x 28W

€ 125

327853 ■ Black
198132 ■ Brass

3000 K
420 lm

101217 € 2,00



P. 100



P. 477



Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. Finishes: white, black, brushed brass.



LED LED source 3000 K, 50.000 h life.



■ ■ □ IP20

1,290 Kg / 0,0119 m³
LED 18W / 1500 lm

€ 240

328256 ■ White
313290 ■ Black
328263 ■ Brass



■ ■ □ IP20

0,860 Kg / 0,0077 m³
LED 12W / 1000 lm

€ 170

328232 ■ White
313283 ■ Black
328249 ■ Brass

 P. 428
  P. 472
  P. 505



Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

1,550 Kg / 0,0240 m³ G9 max 3 x 4W	1,200 Kg / 0,0145 m³ G9 max 2 x 4W
€ 130	€ 90
328454 White 310688 Black 328461 Brass	328430 White 310671 Black 328447 Brass
3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00



Hermes

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.




Bulbs LED G9 3W 3000 K included.
Cod. **209043**



316680

288277




2,500 Kg / 0,0296 m³
G9 max 5 x 28W

€ 350

316680 White
288277 Brass

305486 3000 K
510 lm

305486 € 6,00




1,700 Kg / 0,0252 m³
G9 max 3 x 28W

€ 250

322674 White
288260 Brass

305486 3000 K
510 lm

305486 € 6,00




2,700 Kg / 0,0209 m³
G9 max 5 x 28W

€ 320

322698 White
316697 Brass

305486 3000 K
510 lm

305486 € 6,00



2,500 Kg / 0,0209 m³
G9 max 3 x 28W

€ 220

322667 White
317007 Brass

305486 3000 K
510 lm

305486 € 6,00



Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



306957

293653



460



360



2,550 Kg / 0,0484 m³
GX53 max 3 x 15W

€ 275

1,700 Kg / 0,0302 m³
GX53 max 2 x 15W

€ 195

306964 White
293660 Brass

306957 White
293653 Brass

3000 K
910 lm

123936 € 5,00

3000 K
910 lm

123936 € 5,00



P. 431 P. 471



Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



1,700 Kg / 0,0239 m³
G9 max 3 x 4W

€ 160

314822 Gold

3000 K
510 lm

305486 € 6,00



1,020 Kg / 0,0179 m³
G9 max 2 x 4W

€ 105

314815 Gold

3000 K
510 lm

305486 € 6,00



P. 431



Lumiere

Matt black varnished metal frame and details. White central tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

LED LED source 3000 K, 25.000 h life.




■ □ IP20

1,760 Kg / 0,0197 m³
LED 18W / 2250 lm

€ 160

314235 White



■ □ IP20

2,070 Kg / 0,0415 m³
LED 18W / 2250 lm

€ 180

314228 White



P. 178



P. 465




P. 496



Daisy

Metal base with gold leaf finish.
White acid-etched blown glass
diffusers with stripes in relief.



■ □ IP20

12,000 Kg / 0,1711 m³
E27 max 6 x 52W

€ 440

247779 ■ Gold

💡 3000 K
900 lm

123899 € 3,50



Compo


Chrome or matt white varnished metal frame. White overlay acid-etched or transparent smoky blown glass diffusing elements.



125503



172828



IP20


17,200 Kg / 0,3008 m³
E27 max 10 x 52W

€ 1000

125510 White
172804 SmokyGrey

3000 K
910 lm

119571 € 3,50



IP20

9,900 Kg / 0,1918 m³
E27 max 6 x 52W

€ 570

125503 White
172828 SmokyGrey

3000 K
910 lm

119571 € 3,50










Roma

Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



9,600 Kg / 0,1220 m³
G9 max 12 x 40W

6,800 Kg / 0,0905 m³
G9 max 9 x 40W

4,800 Kg / 0,0588 m³
G9 max 6 x 40W

2,500 Kg / 0,0390 m³
G9 max 4 x 40W

€ 715

€ 610

€ 400

€ 290

087870 Chrome

087863 Chrome

000657 Chrome

093093 Chrome



3000 K
510 lm

3000 K
510 lm

3000 K
510 lm

3000 K
510 lm

P. 438 P. 486

305486 € 6,00

305486 € 6,00

305486 € 6,00

305486 € 6,00



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004




P. 205 P. 438



13,000 Kg / 0,1809 m³
E14 max 14 x 40W

€ 1145


164991 Chrome
165004 Gold



8,800 Kg / 0,1040 m³
E14 max 10 x 40W

€ 980

100746 Chrome
100791 Gold



6,200 Kg / 0,0529 m³
E14 max 6 x 40W

€ 780

100784 Chrome
100807 Gold

3000 K
480 lm
101200 € 2,00

3000 K
480 lm
101200 € 2,00

3000 K
480 lm
101200 € 2,00



King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





073255



073262



P. 200





6,250 Kg / 0,0946 m³
G9 max 9 x 40W

€ 690

073255 Chrome
073262 Gold

3000 K
510 lm

305486 € 6,00




3,200 Kg / 0,0487 m³
G9 max 5 x 40W

€ 400

075419 Chrome
073187 Gold

3000 K
510 lm

305486 € 6,00



1,750 Kg / 0,0240 m³
G9 max 3 x 40W

€ 235

075389 Chrome
075402 Gold

3000 K
510 lm

305486 € 6,00



Admiral

Diffuser composed of metal rings welded together and of cut crystal parts set inside.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



■ ■ IP20	■ ■ IP20	■ ■ IP20
7,050 Kg / 0,0731 m³ G9 max 8 x 40W	4,580 Kg / 0,0486 m³ G9 max 6 x 40W	3,000 Kg / 0,0318 m³ G9 max 4 x 40W
€ 855	€ 555	€ 355
080352 ■ Chrome	080345 ■ Chrome	080338 ■ Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00



Armony

Matt varnished metal frame.
Hanging decorative elements
in metal wire with transparent
chromed glass beads. Finishes:
white.



LED LED source 3000 K, 30.000 h life.

<p>■ □ IP20 Ⓢ</p> <p>10,500 Kg / 0,0961 m³ LED 70W / 6700 lm</p> <p>€ 600</p> <p>315812 White</p>	<p>■ □ IP20 Ⓢ</p> <p>7,830 Kg / 0,0634 m³ LED 56W / 5450 lm</p> <p>€ 450</p> <p>315805 White</p>	<p>■ □ IP20 Ⓢ</p> <p>5,050 Kg / 0,0393 m³ LED 48W / 4700 lm</p> <p>€ 315</p> <p>328492 White</p>




022239

Neve

Plated metal frame. Decorative glass balls fixed to nylon strings.
 Frame Color: chrome. Glasses color: clear.

LED Bulbs LED G9 3W 3000 K included.
 Cod. **209043**

800	630	405
IP20	IP20	IP20
11,250 Kg / 0,1524 m ³ G9 max 15 x 40W	7,420 Kg / 0,0920 m ³ G9 max 12 x 40W	3,590 Kg / 0,0344 m ³ G9 max 8 x 40W
€ 760	€ 510	€ 305
030784 Chrome	022239 Chrome	022222 Chrome
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00



Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.


LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

IP20	IP20	IP20	IP20
11,800 Kg / 0,1524 m ³ G9 max 15 x 40W	6,000 Kg / 0,0933 m ³ G9 max 12 x 40W	2,900 Kg / 0,0398 m ³ G9 max 8 x 40W	1,500 Kg / 0,0144 m ³ G9 max 5 x 40W
€ 875	€ 605	€ 338	€ 170
077819 Chrome 082790 Gold	077802 Chrome 082783 Gold	077796 Chrome 080932 Gold	094649 Chrome 094663 Gold
3000 K 510 lm	3000 K 510 lm	3000 K 510 lm	3000 K 510 lm
305486 € 6,00	305486 € 6,00	305486 € 6,00	305486 € 6,00

Royal

Chrome metal circular frame and bulb socket. Squared, rectangular and octagonal cut crystal pendants and final drops.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




IP20

5,900 Kg / 0,0881 m³
G9 max 12 x 40W

€ 590

053004 Chrome

3000 K
510 lm
305486 € 6,00



IP20

2,840 Kg / 0,0379 m³
G9 max 8 x 40W

€ 310


052991 Chrome

3000 K
510 lm
305486 € 6,00



Rain

Chrome metal frame. Pendants composed of multi-shaped cut crystal beads and final drops.




IP20

3,820 Kg / 0,0225 m³
E14 max 5 x 40W

€ 340

008455 Chrome

3000 K
470 lm
101224 € 2,00



IP20

1,800 Kg / 0,0094 m³
E14 max 3 x 40W

€ 170

008370 Chrome

3000 K
470 lm
101224 € 2,00



P. 201



Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



9,780 Kg / 0,0984 m³

G9 max 7 x 15W

€ 620


241296 **Gold**

3000 K
510 lm

305486 € 6,00

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



14,290 Kg / 0,3881 m³


E14 max 24 x 28W

€ 1430

243566 **Chrome**
243498 **Brass**

3000 K
470 lm

101224 € 2,00



6,310 Kg / 0,1413 m³


E14 max 6 x 28W

€ 950

207186 **Chrome**
201016 **Brass**

3000 K
470 lm

101224 € 2,00



3,010 Kg / 0,0392 m³

E14 max 3 x 28W

€ 475

207162 **Chrome**
200996 **Brass**

3000 K
470 lm

101224 € 2,00



P. 208 P. 439



207186



201016



Martinez


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166285



213569



IP20

17,500 Kg / 0,0807 m³
E14 max 8 x 40W

€ 770

166285 Chrome
213569 Gold

3000 K
470 lm

101224 € 2,00



P. 202



Carlton


Chromed or golden metal frame.
Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



168937



213507



IP20


13,840 Kg / 0,1563 m³
E14 max 12 x 40W

€ 725

168937 Chrome
213507 Gold

3000 K
470 lm

101224 € 2,00



IP20

10,200 Kg / 0,1066 m³
E14 max 8 x 40W

€ 625

168920 Chrome

3000 K
470 lm

101224 € 2,00



Wall lamps

Indoors

Alphabetical index

Ali	387	Filo	392	Oby	415	Spot	412
Alma	394	Firenze	444	Opera	440	Strauss	443
Balance	371	Fix	366	Ovalino	382	Swan	440
Barber	415	Flash	380	Oz	362	Theo	393
Bean	402	Florian	442	Page	403	Tick	432
Binomio	429	Focus	398	Pan	430	Triplo	386
Birds	421	Frida	419	Pasha'	438	Triumph	424
Bonne Nuit	406	Gea	436	Paul	382	Tudor	387
Book	411	Gim	414	Pegaso	441	Winery	416
Bow	396	Gioconda	443	Peggy	365	Zig Zag	378
Box	367	Goose	400	Penta	431		
Camerino	388	Harem	446	Perlage	423		
Cantina	426	Hotel	437	Peter	445		
Carlton	439	Igor	420	Piano	409		
Carta	385	Io	399	Ping Pong	428		
Chalet	444	Kepler	422	Pipe	404		
Click	370	Komodo	408	Posta	368		
Clip	369	Linus	375	Pouche	365		
Corte	441	Lite	405	Pretty	388		
Cover	364	Look	381	Prive'	389		
Craft	374	Make-Up	395	Probe	410		
Cube	370	Mapa	384	Radio	417		
Delta	372	Maracas	424	Retro'	397		
Desk	374	Minimal	418	Riflesso	395		
Dodo	414	Mirror-10	396	Roma	438		
Dubai	439	Mirror-20	397	Rudy	413		
Dynamo	401	Moris	366	Santa	447		
Echo	376	Mouse	412	Set Up	434		
Eclissi	433	Negresco	442	Shower	427		
Edison	416	Newton	426	Sky	381		
Equinoxe	425	Ninfea	431	Smarties	385		
Essence	390	Nordik	436	Soda	383		

Carta

Pag 385



new



Oz 362



Cover 364



Click 370



Cube 370



FlashGesso 380



Sky 381



Tripla 386



Ali 387



Alma 394



Make Up 395



Goose 400



Dynamo 401



Probe 410



Book 411



























































Winery 416



Edison 416





























Indoors

Typology index

						
Peggy 365	Pouche 365	Fix 366	Moris 366	Box 367	Posta 368	Clip 369
	 <small>new</small>					 <small>new</small>
Balance 371	Delta 372	Desk 374	Craft 374	Linus 375	Echo 376	Zig Zag 378
						
Look 381	Paul 382	Ovalino 382	Soda 383	Mapa 384	Smarties 385	Carta 385
				 <small>new</small>		
Tudor 387	Camerino 388	Pretty 388	Privè 389	Essence 390	Filo 392	Theo 393
 <small>new</small>						
Riflesso 395	Bow 396	Mirror-10 396	Mirror-20 397	Retrò 397	Focus 398	IO 399
				 <small>new</small>		
Bean 402	Page 403	Pipe 404	Lite 405	Bonne Nuit 406	Komodo 408	Piano 409
						
Mouse 412	Spot 412	Rudy 413	Gim 414	Dodo 414	Oby 415	Barber 415
						
Radio 417	Minimal 418	Frida 419	Igor 420	Birds 421	Kepler 422	Perlage 423

Indoors

Typology index

		<small>new</small> 				<small>new</small> 
Triumph 424	Maracas 424	Equinoxe 425	Cantina 426	Newton 426	Shower 427	Ping Pong 428
	<small>new</small> 					
Penta 431	Ninfea 431	Tick 432	Eclissi 433	Set Up 434	Nordik 436	Gea 436
						
Pashà 438	Carlton 439	Dubai 439	Opera 440	Swan 440	Corte 441	Pegaso 441
						
Gioconda 443	Strauss 443	Firenze 444	Chalet 444	Peter 445	Harem 446	Santa 447



Binomio 429



Pan 430



Hotel 437



Roma 438



Negresco 442



Florian 442



Binomio


Pag 429

Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

Source	LED SMD	LED life	30.000 h
Power	26W / 28W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	€		
26 W	On-Off	2450 lm	2700 K	White	342221	150 <small>new</small>		
				Black	342238	150 <small>new</small>		
				Brass	342245	150 <small>new</small>		
		2500 lm	3000 K	White	253695	150		
				Black	269399	150		
				Brass	269405	150		
				2650 lm	4000 K	White	342252	150 <small>new</small>
						Black	342269	150 <small>new</small>
						Brass	342276	150 <small>new</small>
28 W	DALI/Push	2500 lm	3000 K	White	304489	230		
				Black	304496	230		
				Brass	304502	230		



253695



269399




269405



Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




■ ■ □ IP20

0,690 Kg / 0,0028 m³
LED 11W / 1000 lm

€ 100

195711 White
195759 Black




■ ■ □ IP20

0,860 Kg / 0,0028 m³
LED 11W / 1000 lm

€ 100

195735 White
195773 Black




■ ■ □ IP20

0,390 Kg / 0,0018 m³
LED 9,5W / 730 lm

€ 88

195704 White
195742 Black



■ ■ □ IP20

0,510 Kg / 0,0018 m³
LED 9,5W / 730 lm


€ 88

195728 White
195766 Black

Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

LED LED source 3000 K, 50.000 h life.




■ IP20

0,710 Kg / 0,0068 m³
LED 15W / 1500 Lm

€ 170

257242 White



■ IP20

0,520 Kg / 0,0030 m³
LED 10,5W / 1080 Lm

€ 110


257235 White



Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

LED LED source 3000 K, 20.000 h life.



■ IP20

1,440 Kg / 0,0055 m³
LED 15W / 2000 Lm

€ 110

259352 White



■ IP20

1,120 Kg / 0,0055 m³
LED 15W / 2000 Lm

€ 110


259345 White



Fix

Matt white metal frame. Light diffuser-expander made of 6 mm-thick aluminum sheet. Integrated LED sources.

LED LED source 3000 K, 20.000 h life.



■ □ IP20

0,390 Kg / 0,0050 m³

LED 5,5W / 440 lm

€ 100

117867 White



Moris

Chrome metal frame. Blown glass diffuser available in white color.

LED Bulbs LED G9 3W 3000 K included.
Cod. 209043



■ ⊕ IP20

0,520 Kg / 0,0071 m³

G9 max 2x40W

€ 90

034546 White

3000 K
510 lm

305486 € 6,00






Box

Chrome metal frame. Overlay and acid-etched glass diffuser. Color: white.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUDES

0,660 Kg / 0,0100 m³
G9 max 2 x 4W

€ 80

009537 White

3000 K
510 lm

305486 € 6,00



Posta

Metal frame available with brushed aluminum or white enamel finish. Diffuser composed of three frosted transparent glass elements.



051963



009940



620




1,560 Kg / 0,0156 m³
E14 max 4 x 40W

€ 95

051987 White
009957 Aluminum

3000 K
480 lm

101200 € 2,00



500




1,270 Kg / 0,0136 m³
E14 max 3 x 40W

€ 87

051970 White
009933 Aluminum

3000 K
480 lm

101200 € 2,00



360



0,950 Kg / 0,0098 m³
E14 max 2 x 40W

€ 75

051963 White
009940 Aluminum

3000 K
480 lm

101200 € 2,00



Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.





Bulbs LED G9 3W 3000 K included in models: **049236, 091136, 049229, 091129** and **170923**. Cod. **209043**

	014166		
	088273	440	250
	031361	125	90
	088266	IP20	IP20
	187365	1,210 Kg / 0,0161 m ³	0,680 Kg / 0,0035 m ³
		E27 max 2 x 60W	G9 max 2 x 40W
		€ 107	€ 95
		014166 White	049236 White
		088273 Silver	091136 Silver
		031361 Chrome	049229 Chrome
		088266 Gold	091129 Gold
		187365 Coffee	170923 Coffee
		3000 K 430 lm	3000 K 510 lm
		101279 € 2,00	305486 € 6,00

Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

LED LED source 3000 K, 20.000 h life.



■  IP20

■  IP20

0,600 Kg / 0,0040 m³
LED 12W / 1200 lm

0,400 Kg / 0,0019 m³
LED 6W / 520 lm

€ 84

€ 62

017518 White


051444 White



Cube

Heat sink body made of aluminum sheet of 6 mm thickness. Powder coated. Integrated LED.

LED LED source 3000 K, 30.000 h life.



■  IP20

■  IP20

1,390 Kg / 0,0055 m³
LED 14,5W / 1800 lm

0,800 Kg / 0,0028 m³
LED 8W / 900 lm

€ 195

€ 145

161792 White

161785 White





Balance

Powder coated aluminum frame.
Adjustable diffuser with clear glass,
frosted inside. Finishes: white,
black.

LED LED source 3000 K, 30.000 h life.




■ IP20

2,200 Kg / 0,0111 m³
LED 24W / 3100 lm

€ 230

287584 ■ White
321561 ■ Black




■ IP20

1,600 Kg / 0,0073 m³
LED 17W / 2200 lm

€ 170

287577 ■ White
321554 ■ Black



■ IP20

1,200 Kg / 0,0056 m³
LED 12W / 1450 lm

€ 135


287560 ■ White
321547 ■ Black

Delta

Powder-coated aluminum body.
Shiny opal polycarbonate diffusers.
Upward and downward light
emission. Colours: black and white.

Source	LED SMD	Insulation class	I
Power	10W / 37W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	35.000 h		


LED SMD



0,450 Kg/0,0030 m³

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	120°+120°	1700 lm	3000K	White	345154	64 <i>new</i>
				Black	336510	64 <i>new</i>
		1800 lm	4000 K	White	345161	64 <i>new</i>
				Black	345178	64 <i>new</i>


LED SMD



0,580 Kg/0,0042 m³

Power	Beam	Lumen	CCT	Finish	Code	€
14 W	120°+120°	1550 lm	3000K	White	316789	81 <i>new</i>
				Black	345185	81 <i>new</i>
		1650 lm	4000 K	White	345192	81 <i>new</i>
				Black	345208	81 <i>new</i>


LED SMD



0,950 Kg / 0,0058 m³

Power	Beam	Lumen	CCT	Finish	Code	€
19,5 W	120°+120°	2200 lm	3000 K	White	287645	110
				Black	287638	110
		2250 lm	4000 K	White	307015	110
				Black	307022	110


LED SMD



0,900 Kg / 0,0078 m³

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	120°+120°	3350 lm	3000 K	White	287621	160
				Black	287614	160
		3500 lm	4000 K	White	307039	160
				Black	307046	160

LED SMD



2,400 Kg / 0,0102 m³

Power	Beam	Lumen	CCT	Finish	Code	€
37 W	120°+120°	4300 lm	3000 K	White	287607	185
				Black	287591	185
		4550 lm	4000 K	White	307053	185
				Black	307060	185



345154



287645



287638

Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

LED LED source 3000 K, 30.000 h life.




■  IP20

0,640 Kg / 0,0045 m³

LED 12,5W / 900 lm

€ 125

138251  White

173252  Black



P. 090



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.



■  IP20

0,800 Kg / 0,0057 m³

LED 12W / 1350 lm

€ 145

284477  Wood



P. 091





P. 510





Linus

Linear aluminum lamp with direct and indirect light for wall installation. The lamp is modular and can be used individually or in a continuous line. White or black finish available. Integrated LED, starting binning \leq 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI \geq 80. Dimmable power supply 1-10V integrated as standard.



1,250 Kg / 0,0158 m³
LED 32W / 3000/3500 lm

€ 210

233840	White	3000K
268095	White	4000K
242019	Black	3000K
268071	Black	4000K

Connector
Not included
Optional

€ 6

233666



LED source 3000/4000 K, 50.000 h life.



Lamp with dimmer.



P. 624




Echo

Powder coated or plated total aluminum base and diffuser.
Indirect light emission. Colors:
white, black, satin brass.

LED LED source 3000 K, 50.000 h life.




	
600	400
06 50	06 50
■  IP20	■  IP20
0,930 Kg / 0,0051 m ³ LED 30W / 3250 lm	0,640 Kg / 0,0032 m ³ LED 20W / 2200 lm
€ 160	€ 140
273945  White 285306  Black 285313  Brass	273914  White 285283  Black 285290  Brass

Zig Zag new

Plated or powder coated aluminum body. 360° indirect light emission. Colors: white, black or brushed brass.

LED LED source 2700 / 3000 / 4000 K, 50.000 h life.


Source	LED SMD	LED life	50.000 h
Power	12,5W/23W/30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



0,450 Kg/0,0020 m³

LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish	Code	€
290x50	12,5W	On-Off	1450 lm	2700 K	White	342641	95 new
					White	179292	95
					Black	179315	95
			Brass	282121	95		
			1600 lm	4000 K	White	277233	95



0,770 Kg/0,0033 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
530x50	23 W	On-Off	2800 lm	2700 K	White	342658	110 new
					White	179308	110
					Black	179322	110
			Brass	282138	110		
			3200 lm	4000 K	White	277240	110



1,040 Kg/0,0047 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
750x50	30 W	On-Off	3950 lm	2700 K	White	342665	140 new
					White	277219	140
					Black	277226	140
			Brass	287072	140		
			4550 lm	4000 K	White	277257	140



179315




282121



Flash Gesso


Enameled metal base. Total gypsum body. Double light emission: upward and downward.

 Item suitable for painting and varnishing.



214689

214696




 IP20

0,710 Kg / 0,0049 m³
G9 max 1x 40W

€ 55

214689 White

 3000 K
510 lm

305486 € 6,00




 IP20


0,770 Kg / 0,0024 m³
G9 max 1x 40W

€ 54

214672 White

 3000 K
510 lm

305486 € 6,00




 IP20

0,950 Kg / 0,0034 m³
G9 max 1x 40W

€ 50

214696 White


 3000 K
510 lm

305486 € 6,00

Sky

Metal base and diffuser: plated, matt varnished or decorated with gold leaf.

LED Bulbs LLED GU10 7W 3000 K included.
Cod. 123943



0,940 Kg / 0,0049 m³
GU10 max 2x28W

€ 116

126883 White
126890 Black
136899 Gold

3000 K
540 lm

123943 € 3,50



P. 083 P. 301



126883 126890 136899



Look

Metal body with copper, chrome, antique brass, matt white or black finish.

LED Bulbs LED GU10 7W 3000 K included.
Cod. 123943



0,500 Kg / 0,0028 m³
GU10 max 2x28W

€ 80

096018 White
094182 Chrome
095998 Black
164847 Copper
164823 Ant. Brass

3000 K
540 lm

123943 € 3,50



096018 095998 164823

094182 164847



P. 078 P. 300 P. 506 P. 698

Paul

Metal base with matt varnish finish.
Blown acid-etched and overlay glass
diffuser. Available with white finish.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




■  IP20 

0,560 Kg / 0,0064 m³

G9 max 2 x 40W

€ 65

060620 White

 3000 K
510 lm

305486 € 6,00

Ovalino

Diffuser composed of circular
elements created from curved and
acid-etched glass sheet.




■  IP20

1,800 Kg / 0,0563 m³

E27 max 2 x 60W

€ 125

038025 White

 3000 K
340 lm

101286 € 2,00



P. 157



P. 284



Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.



Item suitable for painting and varnishing.


510	300
2,630 Kg / 0,0154 m ³	1,100 Kg / 0,0068 m ³
E14 max 2x 40W	E14 max 1x 40W
€ 100	€ 65
105727 White	105710 White
3000 K 420 lm	3000 K 420 lm
101217 € 2,00	101217 € 2,00



Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED Bulbs LED G9 3W 3000 K included in models: **059808** and **310787**.
Cod. **209043**




IP20

1,660 Kg / 0,0647 m³
E27 max 1x 42W

€ 88

059822 White



IP20

0,900 Kg / 0,0259 m³
E27 max 1x 42W

€ 50

059815 White




IP20

0,380 Kg / 0,0115 m³
G9 max 1x 15W

€ 44

059808 White



IP20

0,230 Kg / 0,0025 m³
G9 max 1x 4W

€ 35

310787 White



P. 168 P. 282 P. 470

3000 K
430 lm
101279 € 2,00

3000 K
430 lm
101279 € 2,00

3000 K
510 lm
305486 € 6,00


3000 K
510 lm
305486 € 6,00

Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,440 Kg / 0,0079 m³

G9 max 1x 15W

€ 46

014814 White



3000 K
510 lm

305486 € 6,00



P. 154



P. 277



P. 469




Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.



Bulbs LED G9 3W 3000 K included in model **317090**. Cod. **209043**




0,500 Kg / 0,0127 m³

E27 max 1x 25W


€ 85

317106 White



3000 K
430 lm

101279 € 2,00



0,200 Kg / 0,0027 m³

G9 max 1x 15W

€ 65

317090 White



3000 K
510 lm

305486 € 6,00




P. 170 P. 282 P. 468 P. 519



Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.




■  IP20


2,170 Kg / 0,0181m³
E27 max 2 x 60W

€ 70

026480 White

 3000 K
340 lm

101286 € 2,00




■  IP20

1,260 Kg / 0,0141m³
E27 max 1 x 60W

€ 48


026473 White

 3000 K
340 lm

101286 € 2,00

Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.



1,410 Kg / 0,0157 m³

E27 max 2 x 60W

€ 57

026558 White

3000 K
340 lm

101286 € 2,00



Tudor

Chrome metal base. Diffuser composed of cut clear glass sheet and half tube of Pyrex glass, sandblasted in the middle.



1,900 Kg / 0,0214 m³


E14 max 4 x 40W

€ 100

051864 Clear

3000 K
420 lm

101217 € 2,00



1,130 Kg / 0,0088 m³


E14 max 2 x 40W

€ 70

051857 Clear

3000 K
420 lm

101217 € 2,00



0,700 Kg / 0,0077 m³

E14 max 1 x 40W

€ 50

051840 Clear

3000 K
420 lm









101217 € 2,00



Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.



		
650	520	370
■  IP20	■  IP20	■  IP20
1,170 Kg / 0,0157 m ³ E14 max 4 x 40W	0,960 Kg / 0,0123 m ³ E14 max 3 x 40W	0,780 Kg / 0,0097 m ³ E14 max 2 x 40W
€ 110	€ 100	€ 90
027104 White	027098 White	027081 White
 3000 K 420 lm	 3000 K 420 lm	 3000 K 420 lm
101217 € 2,00	101217 € 2,00	101217 € 2,00







Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.



		
1070	807	605
■  IP54	■  IP54	■  IP54
1,250 Kg / 0,0169 m ³ LED 24W / 3050 lm	1,120 Kg / 0,0137 m ³ LED 18W / 2200 lm	0,960 Kg / 0,0105 m ³ LED 11,5W / 1500 lm
€ 145	€ 125	€ 100
287768 White	287775 White	287782 White



Privè

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.

159423



045627



159508



179681



805



IP20

1,420 Kg / 0,0143 m³
E14 max 8x 40W

€ 128

159522 White
045634 Chrome

IP20

1,100 Kg / 0,0095 m³
E14 max 6x 40W

€ 100

159423 White
045627 Chrome
159508 Black
179681 Brass

3000 K
420 lm
101217 € 2,00


3000 K
420 lm
101217 € 2,00



Essence new

Powder coated aluminum base and body. Opal color acrylic diffuser. Indirect lighting emission. Color: white or black.

LED LED source 2700/3000/4000 K, 30.000 h life.



1,040 Kg / 0,0163 m³
LED 19W / 2150/2300/2350 lm
€ 240

0,800 Kg / 0,0205 m³
LED 12W / 1300/1400/1450 lm
€ 182

265575	White	3000K
341019	Black	2700K new
285108	Black	3000K
341026	Black	4000K new

285115	White	3000K
340999	Black	2700K new
265643	Black	3000K
341002	Black	4000K new





Filo

Powder coated or plated aluminum base and frame. Matt opal polycarbonate diffuser, 45° reclined. Finishes: white, black, brushed brass.

LED LED source 3000 K, 20.000 h life.




310138



310145



327792



IP20

0,610 Kg / 0,0138 m³
LED 16W / 1950 lm

€ 220

327778 White
310152 Black
327785 Brass

IP20

0,500 Kg / 0,0093 m³
LED 13W / 1400 lm

€ 190

310138 White
310145 Black
327792 Brass





P. 084 P. 456 P. 502



Theo

Powder coated aluminum base and frame. Shiny opal polycarbonate diffuser. Finishes: white, black

LED LED source 3000 K, 30.000 h life.



0,600 Kg / 0,0168 m³
LED 20,5W / 1350 lm

€ 145

327945 White
311784 Black



0,520 Kg / 0,0112 m³
LED 13,5W / 900 lm

€ 125

311777 White
311760 Black




Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

LED

LED source 3000 K, 30.000 h life.



■ □ IP20

0,660 Kg / 0,0264 m³
LED 18W / 2050 lm

€ 170

225029 □ White
224992 ■ Chrome
225005 ■ Brass

■ □ IP20

0,650 Kg / 0,0162 m³
LED 12,5W / 1350 lm

€ 135

224985 □ White
224930 ■ Chrome
224954 ■ Brass

Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.

■ IP54	■ IP54	■ IP54
1,400 Kg / 0,0129 m³ LED 27W / 3250 lm	1,200 Kg / 0,0088 m³ LED 18W / 2200 lm	1,000 Kg / 0,0067 m³ LED 12W / 1350 lm
€ 160	€ 120	€ 100
287676 White	287669 White	287652 White



Riflesso ^{new}

Matt painted or plated metal frame. Satin clear acrylic diffuser inclined at 45°. Colors: white, chrome or black.

LED LED source 3000 K, 20.000 h life.

IP54 Protection degree IP54.

■ IP54	■ IP54	■ IP54
0,980 Kg / 0,0050 m³ LED 19W / 2150 lm	0,750 Kg / 0,0192 m³ LED 16W / 1750 lm	0,600 Kg / 0,0143 m³ LED 10W / 1050 lm
€ 225	€ 190	€ 155
331690 White 345130 Chrome 345147 Black	new 142289 White new 142265 Chrome new 302232 Black	142296 White 142272 Chrome 302225 Black



142296

142272
















302225

Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.


		
760	460	260
■  IP20	■  IP20	■  IP20
0,860 Kg / 0,0328 m ³ LED 8W / 1050 lm	0,790 Kg / 0,0207 m ³ LED 4,6W / 580 lm	0,640 Kg / 0,0117 m ³ LED 3,5W / 410 lm
€ 195	€ 145	€ 125
007021  Chrome 121130  Brass 121147  Ant. Brass	007045  Chrome 121178  Brass 121161  Ant. Brass	005386  Chrome 121154  Brass 121338  Ant. Brass





Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.




LED Bulbs LED G9 3W 3000 K included. Cod. 209043




■  IP20 

1,090 Kg / 0,0181 m³
G9 max 4 x 40W

€ 138

017303  Chrome
017297  Nickel
017310  Ant. Brass


 3000 K
510 lm

305486 € 6,00



Retrò

Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.



IP20

0,790 Kg / 0,0152 m³

E14 max 2 x 28W

€ 120

144917 ■ Ant. Brass



3000 K
470 lm

101224 € 2,00




Mirror-20

Plated metal frame. Adjustable diffuser. Colors: antique brass or chrome.



Bulbs LED G9 3W 3000 K included.

Cod. 209043



IP20


0,550 Kg / 0,0077 m³

G9 max 2 x 40W

€ 94

017334 ■ Chrome

017327 ■ Ant. Brass



3000 K
510 lm

305486 € 6,00



017334

017327




Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




IP20

0,400 Kg / 0,0025 m³
LED 4W / 310 lm

€ 65

097183 White
097206 Chrome
097190 Black



IP20

0,410 Kg / 0,0020 m³
LED 3,5W / 280 lm

€ 70

203171 White
203188 Chrome
203195 Black




IO

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

LED LED source 3000 K, 30.000 h life.

ON
OFF Lamp with integrated switch.



IP20

0,240 Kg / 0,0027 m³
LED 3W / 300 lm

€ 130

285320 ■ White
272030 ■ Black




Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



IP20

0,430 Kg / 0,0040 m³
LED 3W / 190 lm

€ 145

142708 ■ White
142692 ■ Black



Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

LED LED source 4000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.




031460



031477



121352



IP20

0,500 Kg / 0,0031 m³
LED 3,5W / 190 lm

€ 88

031460 Chrome
031477 Nickel
121352 Ant. Brass



Bean

Directable plated or powder coated metal base and diffuser. White, black, brass or nickel color with black switch and junction.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



260600




260631



260617



260624




IP20

0,180 Kg / 0,0008 m³
LED 3W / 260 lm

€ 55

260648 White
260679 Nickel
260655 Black
260662 Brass



IP20

0,180 Kg / 0,0005 m³
LED 3W / 260 lm

€ 55

260600 White
260631 Nickel
260617 Black
260624 Brass





Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



IP20

IP20

0,320 Kg / 0,0025 m³
LED 3W / 140 lm

0,420 Kg / 0,0023 m³
LED 3W / 140 lm

€ 100

€ 105

142586 ■ White
142579 ■ Black

142258 ■ White
142241 ■ Black



Pipe

Powder coated aluminum body. Adjustable diffuser with knurled acrylic screen secured with ring. Integrated switch. Colors: white or black.

LED LED source 3000 K, 20.000 h life.


ON OFF Lamp with integrated switch.



280998



281001



■ □ IP20

0,400 Kg / 0,0009 m³
LED 7W / 580 lm

€ 100

280998 ■ White
281001 ■ Black



ONLY BOX 502

Lite

Aluminium base and body with white, black, nickel or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.




250106



250113



250120



IP20

0,340 Kg / 0,0008 m³
LED 3W / 200 lm

€ 61

250106 White
250113 Black
250120 Brass



Bonne Nuit new

Plated or powder coated metal frame. Double light source: one is fixed and the other is positioned on an adjustable cylinder. Two integrated switches for separate ignitions. Colors: white, black, brass and nickel.

LED LED source 3000 K, 50.000 h life.

ON
OFF Lamp with integrated switch.



■ □ IP20

■ □ IP20

0,360 Kg / 0,0015 m³
LED 6,5W / 830 lm

0,360 Kg / 0,0015 m³
LED 6,5W / 830 lm

€ 75

€ 75

- | | | | | | |
|--------|--------|-----|--------|--------|-----|
| 336794 | White | new | 345499 | White | new |
| 336770 | Nickel | new | 345482 | Nickel | new |
| 336787 | Black | new | 336817 | Black | new |
| 336800 | Brass | new | 345505 | Brass | new |




Komodo

Powder-coated metal frame.
Adjustable diffuser. Integrated
switch and USB socket. Available
finishes: white or black.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.




■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

291789 ■ White
291796 ■ Black



■ □ IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

306810 ■ White
306827 ■ Black



Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



287317



287300



IP20

0,800 Kg / 0,0047 m³
LED 10W / 1150 lm

€ 165

287317 ■ White
287300 ■ Black




Probe

White or black powder coated aluminum body. Double diffuser: upper diffuser made of acrylic, lower diffuser with flexible arm.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



IP20

0,870 Kg / 0,0021m³
LED 9,5W / 750 lm

€ 150

243160 ■ White
237930 ■ Black



Book

Powder painted metal frame. Satin glass diffuser. Flexible arm coated with rubber with LED source. Double switch. USB socket.

LED LED source 3000 K, 15.000 h life.

ON/OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



■ \oplus IP20

■ \oplus IP20

1,570 Kg / 0,0125 m³
G9 max 1x 28W +
LED 3W / 220 lm

1,570 Kg / 0,0125 m³
G9 max 1x 28W +
LED 3W / 220 lm

€ 180

€ 180

174792 ■ White
 174808 ■ Black




174822 ■ White
 174846 ■ Black

3000 K
 510 lm
 305486 € 6,00

3000 K
 510 lm
 305486 € 6,00

Mouse

Metal base, frame and diffuser finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,910 Kg / 0,0067 m³
GU10 max 2x 50W


€ 127

073545 White
156705 Black


0,450 Kg / 0,0034 m³
GU10 max 1x 50W

€ 72

073521 White
073569 Black



108292 € 3,00



108292 € 3,00



P. 316





P. 694



Spot

Metal base, frame and diffusers finished with matt varnish and chrome details. Adjustable diffusers. Available finishes: white or black.



0,610 Kg / 0,0060 m³
GU10 max 2x 28W

€ 52

156736 White
156743 Black


0,410 Kg / 0,0037 m³
GU10 max 1x 28W

€ 32

156729 White
115481 Black



108292 € 3,00



108292 € 3,00



P. 316



P. 694





Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

IP20	IP20	IP20	IP20
0,570 Kg / 0,0046 m ³ GU10 max 2 x 35W	0,270 Kg / 0,0017 m ³ GU10 max 1 x 35W	0,570 Kg / 0,0046 m ³ GU10 max 2 x 35W	0,270 Kg / 0,0017 m ³ GU10 max 1 x 35W
€ 100	€ 50	€ 105	€ 55
229041 White 229034 Black	229027 White 229010 Black	294803 White 321509 Black	294766 White 321530 Black
3000 K 540 lm	3000 K 540 lm	3000 K 540 lm	3000 K 540 lm
123943 € 3,50	123943 € 3,50	123943 € 3,50	123943 € 3,50

Gim

Powder painted aluminum frame.
Rotating diffuser with satin acrylic screen.
Integrated switch.
Integrated LED source.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.



■ IP20

0,450 Kg / 0,0034 m³

LED 6,5W / 480 lm

€ 80

167152 ■ White

167121 ■ Black




167152

167121

Dodo

Powder coated or plated metal base and body.
Adjustable diffuser with replaceable LED source.
Finishes: white, black, brushed brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936



■ IP20 INCLUSA

0,930 Kg / 0,0035 m³


GX53 max 2 x 15W

€ 68

314136 ■ White

327938 ■ Black

327921 ■ Brass



■ IP20 INCLUSA

0,450 Kg / 0,0015 m³


GX53 max 1 x 15W

€ 36

314105 ■ White


314099 ■ Black

314129 ■ Brass



123936

€ 5,00



123936

€ 5,00



314105


314129

314099

Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.




IP20

0,620 Kg / 0,0030 m³
LED 12W / 1400 lm

€ 120

196695 White



IP20

0,310 Kg / 0,0020 m³
LED 6W / 700 lm

€ 61

196688 White




P. 317

Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.

LED Bulbs LED GU10 7W 3000 K included.
Cod. 123943



IP20

0,230 Kg / 0,0025 m³
GU10 max 1x28W

€ 75

159997 Ant. Brass


3000 K
540 lm

123943 € 3,50



Winery


Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.



0,250 Kg / 0,0004 m³
E27 max 1x 60W

€ 30

180298 White
180304 Black


 3000 K
1050 lm

101323 € 4,50 [P. 315](#)



Edison


Chrome metal frame with white or black matt enamel finish. Electrical cable coated with fabric. Adjustable diffuser.



0,410 Kg / 0,0134 m³
E27 max 1x 42W

€ 65

138374 White
148908 Black

 3000 K
1050 lm

101347 € 6,00 [P. 120](#)






Radio

Metal ceiling rose and frame.
Adjustable diffuser. Electrical
cable coated with fabric. Available
with chrome or matt white or black
varnish finish.



LED Bulbs LED E27 8W Globo D125
trasparente 3000 K included.
Cod. **101347**




IP20 

0,450 Kg / 0,0119 m³
E27 max 1x60W

€ 60

119465  White
119427  Chrome
119502  Black

 3000 K
1050 lm

101347 € 6,00



Minimal

Metal frame with colored varnish finish. Power cable with fabric coating.


LED

Bulbs LED E27 8W Globo D125 trasparente 3000 K included.
Cod. **101347**

045191



045214




■  IP20 

0,720 Kg / 0,0164 m³
E27 max 1 x 60W

€ 70

045191 ■ White
045214 ■ Black

 3000 K
1020 lm

101347 € 6,00



Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.




IP20

0,430 Kg / 0,0092 m³
E27 max 1x 60W

€ 47

163338 ■ Copper
163321 ■ Ant. Brass

 2200 K
500 lm

151717 € 6,00




P. 120



Igor

Metal body with matt black enamel finish. Shade made of clear glass slabs.




■  IP20

1,590 Kg / 0,0136 m³
E27 max 1x 42W

€ 95

092836 ■ Black

 2200 K
440 lm

151694 € 4,00




P. 101



Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INDOOR

0,670 Kg / 0,0192 m³
G9 max 1x 15W

€ 73

273655 ■ Black

3000 K
510 lm

305486 € 6,00



P. 105 P. 327 P. 473 P. 497



Kepler

Matt black varnished metal frame.
Amber transparent blown glass
diffusers.



■ □ IP20

0,900 Kg / 0,0428 m³
E27 max 3 x 42W

€ 150

187006 ■ Black

● 3000 K
430 lm

101279 € 2,00




P. 111



Perlage

Metal frame. Blown glass diffusers.
 Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
 Cod. **209043**



0,800 Kg / 0,0173 m³
 G9 max 3 x 15W

0,400 Kg / 0,0062 m³
 G9 max 1 x 15W

€ 175

€ 75

283784 White
 271439 Smok. Gra.
 322742 Amber

292410 White
 292403 Smok. Gra.
 317809 Amber

3000 K
 510 lm
 305486 € 6,00

3000 K
 510 lm
 305486 € 6,00



P. 106 P. 324 P. 473 P. 498

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



Lamp with integrated switch.



0,710 Kg / 0,0067 m³
E27 max 2x42W

0,490 Kg / 0,0083 m³
E27 max 1x42W

€ 160

€ 105

160245 Brass

160214 Brass



2200 K
370 lm



2200 K
370 lm

151687

€ 2,50

151687

€ 2,50



P. 098


P. 326

Maracas

Plated metal base and body.
Adjustable borosilicate clear blown
glass diffusers. Color: satin brass.



Bulbs LED G4 2W 3000 K included.
Cod. 222257



0,280 Kg / 0,0034 m³
G4 max 1x2W

€ 72

200330 Brass



3000 K
200 lm



222257

€ 4,00

P. 330



Equinoxe ^{new}

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**

200149 **200132**

345321 **345338**

450
130
180

IP20

0,990 Kg / 0,0243 m³
G4 max 1x 2W

€ 145

200132 Chrome
200149 Brass
345338 ShadedSm^{new}
345321 Shad.amb.^{new}

3000 K
200 lm

222257 € 4,00




P. 108



P. 499

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.



■  IP20

0,520 Kg / 0,0184 m³

E14 max 1x40W

€ 90

112695 ■ Copper

112626 ■ Ant. Brass



3000 K
480 lm



101200 € 2,00 [P. 137](#)




112695

112626

Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



■  IP20

0,600 Kg / 0,0093 m³

E27 max 1x42W

€ 62

016399 ■ Nickel

027852 ■ Black

027876 ■ Ant. Brass



3000 K
900 lm



123899 € 3,50 [P. 516](#)



016399



027852



027876



Shower

Black matt varnished metal frame.
Articulated chrome element.
Adjustable diffuser. Power cable
coated with fabric with switch and
plug included.



Lamp with integrated switch.



IP20

0,760 Kg / 0,0391 m³
E27 max 1x60W

€ 130

179643 ■ Black

3000 K
900 lm

123899

€ 3,50




Ping Pong

Powder coated or plated metal frame. Satin acrylic sphere diffuser. Model with adjustable cylindrical diffuser, with independent switching. Colors: white, black, brushed brass.



LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.
Cod. **336534, 336664, 336671**




IP20

0,680 Kg / 0,0025 m³
LED 6W / 600 lm

€ 110

336534 White
336664 Black
336671 Brass



IP20

0,540 Kg / 0,0021 m³
LED 6W / 500 lm

€ 100

new 328270 White
new 313252 Black
new 328287 Brass


P. 336 P. 472 P. 505



Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



0,500 Kg / 0,0081 m³
G9 max 1x 4W

€ 55

328478 White
310664 Black
311319 Brass

3000 K
510 lm

305486 € 6,00




P. 337



Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.




■  IP20

6,340 Kg / 0,0461 m³
E14 max 2x 40W

€ 450

208794  Gold

 **3000 K**
470 lm

101224 € 2,00




P. 191

Penta

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: brushed gold.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




0,600 Kg / 0,0060 m³

G9 max 1x 4W

€ 60

314334 **Gold**



305486

€ 6,00


P. 340



Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




0,800 Kg / 0,0063 m³

G9 max 2 x 4W

€ 132

327716 **White**
346533 **Brass**



305486

€ 6,00



123936


€ 5,00



P. 339



P. 471



0,800 Kg / 0,0084 m³

GX53 max 1 x 15W

€ 105

new 306940 **White**
new 293646 **Brass**





Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.

LED LED source 3000 K, 30.000 h life.




238951



238975



238944



■ □ IP20

0,440 Kg / 0,0029 m³
LED 7,5W / 700 lm

€ 70


238975 ■ White
238951 ■ Silver
238944 ■ Gold



Eclissi

Metal frame with powder coated and golden leaf finish. By changing the position of the upper diffuser, the refraction of the light can be whiter or more golden.

LED LED source 3000 K, 17.500 h life.




■ □ IP20

5,600 Kg / 0,0615 m³
LED 30W / 2550 lm

€ 380

259062 ■ Gold



■ □ IP20

1,400 Kg / 0,0131 m³
LED 11W / 950 lm

€ 115

259048 ■ Gold



P. 192 P. 292 P. 482 P. 530


Set up new

Powder coated or plated metal frame. Two-light version with rubber-coated flexible arm and independent switches. Lampshades made of fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white, black, dove grey, wood.



LED LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

ON Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.




IP20

0,900 Kg / 0,0063 m³
E27 max 1x 42W +
LED 3W / 200 lm

€ 133

259819 White
259833 Nickel
259826 Black
259857 Brass




IP20

0,370 Kg / 0,0032 m³
E27 max 1x 42W

€ 63

259765 White
259796 Nickel
259772 Black
259802 Brass



0,460 Kg / 0,0228 m³

€ 63

260433 White
304618 Dove Grey
270005 Black
260440 Beige
345888 Wood



0,120 Kg / 0,0180 m³

€ 32

260327 White
304601 Dove Grey
269986 Black
260334 Beige
345871 Wood new



0,130 Kg / 0,0180 m³

€ 34

260068 White
304113 Dove Grey
260075 Black
260082 Beige
345956 Wood new



0,110 Kg / 0,0180 m³

€ 29

260341 White
293004 Dove Grey
270036 Black
260358 Beige
345949 Wood new

3000 K
900 lm
123899 € 3,50

3000 K
900 lm
123899 € 3,50

Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.

LED LED source 3000 K, 20.000 h life.

IP20

0,630 Kg / 0,0156 m³
E14 max 1x40W +
LED 1,5W/130 lm


€ 110

158242 ■ Black

3000 K
480 lm

101200

€ 2,00



P. 189

P. 480

P. 532





Gea

White or black powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



IP20

0,500 Kg / 0,0022 m³
E27 max 1x60W +
LED 3W/230 lm

€ 125

239521 ■ White
239545 ■ Black

0,140 Kg / 0,0180 m³

€ 17

239576 ■ White
239590 ■ Black
239606 ■ Canvas

3000 K
900 lm

123899

€ 3,50






Hotel

Fabric shade with satin glasses.
Double light model with adjustable
external light and separated
ignition. Colors: total white, total
black, chrome body with white,
canvas or black shade.

LED LED source 3000 K, 20.000 h life.

ON/OFF Lamp with integrated switch.



IP20

1,410 Kg / 0,0166 m³
E27 max 1x60W +
LED 1,5W / 50 lm

€ 125


215693 Total White
035949 White
215709 Total Black
035956 Black
103204 Canvas

3000 K
900 lm
123899 € 3,50

Roma

Chrome metal frame and details.
Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

1,200 Kg / 0,0147 m³
G9 max 2x40W

€ 175

093086 Chrome

3000 K / 510 Lm
305486 € 6,00




P. 344

P. 486

Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

1,110 Kg / 0,0057 m³
G9 max 3x40W

€ 210

082264 Chrome
082288 Gold

3000 K / 510 Lm
305486 € 6,00



P. 205

P. 345




082264



082288

Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



IP20

2,570 Kg / 0,0154 m³

E14 max 3x 40W

€ 170

168913 Chrome

213491 Gold

101224 3000 K
470 lm

€ 2,00



P. 203



P. 355



168913



213491

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.



IP20

1,190 Kg / 0,0084 m³

E14 max 2x 28W

€ 210

207155 Chrome

201023 Brass

101224 3000 K
470 lm

€ 2,00



P. 208



P. 353



207155




201023

Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

LED LED source 3000 K, 15.000 h life.

ON/OFF Lamp with integrated switch.




■  IP20

1,550 Kg / 0,0220 m³

E14 max 1x40W +
LED 1,5W / 50 Lm

€ 180

068268  White


 3000 K
420 Lm

101217 € 2,00  [P. 198](#)  [P. 486](#)  [P. 534](#)



Swan

Chrome metal frame. Hand-shaped blown glass body. Cut crystal decorative elements. Pleated organza shade.




■  IP20

2,470 Kg / 0,0517 m³

E14 max 2x40W

€ 210

035864  White


 3000 K
420 Lm

101217 € 2,00  [P. 199](#)



Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



IP20


1,060 Kg / 0,0329 m³

E14 max 2 x 40W

€ 90

028460 White

057200 Rust




101224 € 2,00

P. 215



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



IP20


1,600 Kg / 0,0302 m³

E14 max 2 x 28W

€ 165

059211 White

197708 Brass



101231 € 2,00


P. 212

P. 489



Negresco

Plated metal frame and details.
Clear blown glass arms with golden
inner part. Decorative elements in
clear glass and cut crystal. Color:
gold.




■  IP20

2,380 Kg / 0,0189 m³

E14 max 2x 28W

€ 160

087757  Gold


 3000 K
430 lm



101248 € 2,00 [P. 218](#)

Florian

Metal frame with decorative glass
elements. Pendants composed
of cut crystal octagons and final
drops. Available versions: clear
glass with golden or silvery metal.



■  IP20


1,430 Kg / 0,0189 m³

E14 max 2x 40W

€ 155

035642  Chrome

035659  Gold

 3000 K
470 lm



101224 € 2,00 [P. 220](#)



035642



035659

Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.



IP20

1,310 Kg / 0,0111 m³

E14 max 2 x 40W

€ 215

044910 Silver

060491 Gold



3000 K
470 lm



101224

€ 2,00

P. 224




044910



060491

Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.



IP20

2,080 Kg / 0,0431 m³

E14 max 2 x 40W

€ 145

140599 Gold



3000 K
430 lm




101248

€ 2,00

P. 225

Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



■  IP20

2,050 Kg / 0,0405 m³

E14 max 2x40W

€ 165

012902  White

020846  Gold



3000 K
430 lm

101248

€ 2,00



P. 230



P. 485



P. 535




012902



020846

Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



■  IP20

1,770 Kg / 0,0759 m³

E14 max 2x40W

€ 205

115511  Beige



3000 K
470 lm

101224

€ 2,00



P. 234




P. 484





Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



IP20

4,160 Kg / 0,0371 m³
E14 max 2 x 40W

€ 230

075211 Canvas



3000 K
480 lm

101200

€ 2,00



Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.



■ □ IP20

0,900 Kg / 0,0273 m³
E27 max 1x 42W

€ 210

115962 ■ Ant. Brass

■ 3000 K
910 lm

119571 € 3,50



P. 233



Santa


Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368



087375



IP20

2,900 Kg / 0,0380 m³
E14 max 1x 40W

€ 230

087368 Clear
087375 Gold

3000 K
470 lm

101224 € 2,00



IP20

1,200 Kg / 0,0184 m³
E14 max 1x 40W

€ 100

013060 Clear
013046 Gold

3000 K
470 lm

101224 € 2,00



Table lamps

Indoors

Alphabetical index

Angolo	476	Nordik	480
Axel	478	Opera	486
Birds	473	Oz	452
Candy	469	Pegaso	489
Carta	468	Perlage	473
Chalet	484	Ping Pong	472
Diamond	466	Pivot	455
Diesis	459	Prato	474
Driftwood	484	Queen	488
Duchessa	487	Roma	486
Easy	458	Sally	463
Edo	475	Set Up	482
Filo	456	Smarties	469
Firenze	485	Wally	463
Futura	460	Yoko	457
Gru	454		
Kali	481		
Kelly	462		
Lawyer	464		
Lingotto	477		
London	479		
Lumiere	465		
Mapa	470		
Mignon	467		
Ninfea	471		











































Mignon

Pag 467

Indoors

Typology index

						
Oz 452	Gru 454	Pivot 455	Filo 456	Yoko 457	Easy 458	Diesis 459
						
Futura 460	Kelly 462	Sally 463	Wally 463	Lawyer 464	Lumiere 465	Diamond 466
						
Mignon 467	Carta 468	Smarties 469	Candy 469	Mapa 470	Ninfea 471	Ping Pong 472
						
Birds 473	Perlage 473	Prato 474	Edo 475	Angolo 476	Lingotto 477	Axel 478
						
London 479	Nordik 480	Kali 481	Set Up 482	Driftwood 484	Chalet 484	Firenze 485
						
	Roma 486	Opera 486	Duchessa 487	Queen 488	Pegaso 489	


Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED LED source 2700 / 3000 / 4000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Source	LED SMD	LED life	30.000 h
Power	22W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	€
22 W	On-Off	2500 lm	2700 K	White	342467	140 <small>new</small>
				Black	342474	140 <small>new</small>
				Brass	342481	140 <small>new</small>
		2600 lm	3000 K	White	269474	140
				Black	269481	140
				Brass	269498	140
		2800 lm	4000 K	White	342498	140 <small>new</small>
				Black	342504	140 <small>new</small>
				Brass	342511	140 <small>new</small>



269474



269481



269498



Gru

Total metal structure. Pole finished in chrome. Base and diffuser with matt white or black enamel. Swivel and adjustable in height diffuser.

LED LED source 3000 K, 15.000 h life.


ON
OFF Lamp with integrated switch.



147642



147659



IP20

2,220 Kg / 0,0084 m³
LED 7W / 400 lm

€ 185

147642 ■ White
147659 ■ Black



Pivot


Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

LED LED source. Settable CCT: 3000, 4000, 6500 K. 25.000 h life.

ON OFF Lamp with integrated switch.

-O+ Lamp with dimmer.

Hand icon Lamp with touch dimmer.



0,700 Kg / 0,0135 m³
LED 7W / 1150 lm

€ 85

289168 White
289151 Black



Filo

Metal base, powder coated or plated aluminum body. Matt opal polycarbonate diffuser. PVC cable with switch and driver integrated in the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



IP20

0,500 Kg / 0,0093 m³
LED 10W / 1100 lm

€ 150

310107 White
310114 Black
310121 Brass



P. 084 P. 392 P. 502



Yoko

Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.



ON/OFF Lamp with integrated switch.



 IP20

0,860 Kg / 0,0247 m³
LED 5W / 500 lm

€ 85

258881  White
258911  Black



P. 089



P. 503



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



295510

295534

295541



IP20

1,200 Kg / 0,0193 m³
LED 3,5W / 420 lm

€ 90

295510 White
295534 Black
295541 Brass




P. 511




Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.

 
P. 126 P. 511




291093



283333






291109



 IP20  

1,700 Kg / 0,0637 m³
LED 6,5W / 500 lm

€ 150

291093  Nickel
283333  Black
291109  Brass



Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED LED source 4000 K, 25.000 h life.

ON/OFF Lamp with integrated switch.

+ Lamp with dimmer.

Hand icon Lamp with touch dimmer.



1,830 Kg / 0,0069 m³
LED 12,5W / 1050 lm

€ 150

272078 ■ White
204895 ■ Aluminum
204888 ■ Black





Kelly

Metal technical lamp with white or matt black finish. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



108117

108094



IP20


1,510 Kg / 0,0065 m³
E27 max 1x 42W

€ 45

108117 ■ White
108094 ■ Black

3000 K
340 lm

101286 € 2,00





Sally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.

Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.



Lamp with integrated switch.



IP20

2,600 Kg / 0,0132 m³
E27 max 1x 42W


€ 85

193946 ■ White
265285 ■ Black
061160 ■ Black Copper

123899 3000 K
900 lm
€ 3,50



193946 265285 061160



IP20

2,450 Kg / 0,0111 m³
E27 max 1x 42W


€ 95

193991 ■ White
265278 ■ Black
061191 ■ Black Copper

101286 3000 K
340 lm
€ 2,00



193991 265278 061191



P. 517



Lawyer

Metal frame available with brass, chrome or antique brass finish. Blown overlay glass diffuser.



Lamp with integrated switch.



IP20

1,850 Kg / 0,0373 m³
E27 max 1x60W

€ 120

045047 Chrome
013657 Brass
045030 Ant. Brass

3000 K
910 lm
119571 € 3,50





Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON/OFF Lamp with integrated switch.



P. 178



P. 341



P. 496



IP20

2,800 Kg / 0,0290 m³
LED 18W / 2250 lm

€ 180

314204 White



Diamond new

Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.




LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.



P. 102



IP20

0,800 Kg / 0,0041 m³
LED 2W / 240 lm

€ 90

343488 Clear new



Mignon ^{new}

Portable lamp with rechargeable battery. Powder coated or plated metal base. Satin opal acrylic diffuser. Switch with dimmer. Colors: white, black, coffee, brass, nickel and copper.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.



334998



335001



334974



335018



334981



335025



0,360 Kg / 0,0012 m³
LED 5W / 460 lm

€ 40

334998	White	new
335001	Nickel	new
334974	Black	new
335018	Coffee	new
334981	Brass	new
335025	Copper	new



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper
effect covering.



LED

Bulbs LED G9 3W 3000 K included in
317151 model. Cod. 209043

**ON
OFF**

Lamp with integrated switch.



IP20

0,950 Kg / 0,0127 m³
E27 max 1x 25W

€ 80

317168 White

3000 K
430 lm

101279 € 2,00



IP20

0,400 Kg / 0,0025 m³
G9 max 1x 15W

€ 60

317151 White

3000 K
510 Lm

305486 € 6,00



P. 170



P. 282



P. 385




P. 519

Smarties

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

LED Bulbs LED G9 3W 3000 K included in **032078** model. Cod. **209043**

ON/OFF Lamp with integrated switch.



■ □ IP20


2,600 Kg / 0,0810 m³
E27 max 1x 42W

€ 190

327914 White

■ 3000 K
430 lm

101279 € 2,00



■ □ IP20


1,400 Kg / 0,0392 m³
E27 max 1x 42W

€ 130

327907 White

■ 3000 K
430 lm

101279 € 2,00



■ □ IP20

0,470 Kg / 0,0079 m³
G9 max 1x 15W

€ 50

032078 White

■ 3000 K
510 Lm

305486 € 6,00



P. 154 P. 277 P. 385

Candy

Metal frame with satin nickel finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**

ON/OFF Lamp with integrated switch.



■ □ IP20

1,200 Kg / 0,0287 m³
G9 max 1x 40W

€ 102

086804 White

■ 3000 K
510 Lm

305486 € 6,00



P. 158



P. 280





Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in **310817** model. Cod. **209043**

**ON
OFF**

Lamp with integrated switch.



3,520 Kg / 0,1354 m³
E27 max 1x 42W

€ 165

000206 White



1,880 Kg / 0,0515 m³
E27 max 1x 42W

€ 85


009131 White



1,050 Kg / 0,0214 m³
E27 max 1x 42W

€ 50

009155 White



0,280 Kg / 0,0026 m³
G9 max 1x 4W

€ 45

310817 White



P. 168



P. 282



P. 384



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



3000 K
910 lm

119571

€ 3,50



3000 K
510 Lm

305486

€ 6,00



Ninfea **new**

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. PVC cable with switch and plug. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936


ON OFF Lamp with integrated switch.



346526



318325



IP20

1,100 Kg / 0,0158 m³
GX53 max 1x15W

€ 99

318325 **White** **new**
346526 **Brass** **new**

3000 K
910 lm

123936 € 5,00



P. 339



P. 431



Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



IP20

1,150 Kg / 0,0232 m³
LED 6W / 500 lm

€ 130

328294 ■ White
313320 ■ Black
328300 ■ Brass

 P. 336  P. 428  P. 505

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON/OFF Lamp with integrated switch.

130x160



IP20 INCLUDE

0,900 Kg / 0,0163 m³

G9 max 1x 15W

€ 86

273679 ■ Black

3000 K
510 lm

305486 € 6,00



P. 105 **P. 327** **P. 421** **P. 497**

Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON/OFF Lamp with integrated switch.



IP20 INCLUDE

2,000 Kg / 0,0227 m³

G9 max 3 x 15W

€ 200

292472 ■ White
292465 ■ Smok.Gra.
322759 ■ Amber

3000 K
510 lm

305486 € 6,00



IP20 INCLUDE

0,600 Kg / 0,0062 m³

G9 max 1x 15W

€ 85

292458 ■ White
292441 ■ Smok.Gra.
317823 ■ Amber

3000 K
510 lm

305486 € 6,00



317823



292441



292458



P. 106 **P. 324** **P. 423** **P. 498**



Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.




Lamp with integrated switch.




1,380 Kg / 0,0219 m³
E27 max 1x 60W

€ 80

074702 White

 3000 K
340 lm


101286 € 2,00



0,650 Kg / 0,0099 m³
E14 max 1x 40W

€ 51

074726 White

 3000 K
420 lm

101217 € 2,00



Edo

Chrome metal frame inside. White acid-etched overlay blown glass diffuser.



Lamp with integrated switch.



■ □ IP20

1,150 Kg / 0,0172 m³
E27 max 1x60W

€ 66

044590 White

💡 3000 K
900 lm

123899 € 3,50



■ □ IP20

0,730 Kg / 0,0082 m³
E27 max 1x60W

€ 55

044606 White

💡 3000 K
340 lm

101286 € 2,00



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**

ON OFF Lamp with integrated switch.



284316



284361



IP20

**0,600 Kg / 0,0063 m³
G9 max 1x28W**

€ 75

284316 ■ Black
284361 ■ Brass

**3000 K
510 lm**

305486 € 6,00



P. 334 P. 500



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED

Bulbs LED G9 3W 3000 K included in models: **304151** and **259222**.
Cod. **209043**

ON
OFF

Lamp with integrated switch.



259222



304151



185

220

IP20

1,320 Kg / 0,0199 m³
E14 max 1x 28W

€ 125

327877 ■ Black
251127 ■ Brass

3000 K
420 lm

101217

€ 2,00



120

150

IP20

0,750 Kg / 0,0084 m³
G9 max 1x 4W

€ 90

304151 ■ Black
259222 ■ Brass

3000 K
510 lm

305486

€ 6,00



P. 100



P. 335




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



IP20

1,970 Kg / 0,0183 m³
E27 max 1x 60W

€ 140

282091 ■ White
272238 ■ Black

3000 K
910 lm

119571 € 3,50



P. 526



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.



Lamp with integrated switch.




110530



032368



110554



IP20

1,910 Kg / 0,0645 m³
E27 max 1x60W

€ 110

110448 White
032375 Chrome
110455 Black

3000 K
910 lm

119571 € 3,50



IP20

1,270 Kg / 0,0253 m³
E27 max 1x60W

€ 80

110530 White
032368 Chrome
110554 Black

3000 K
910 lm

119571 € 3,50



P. 529



Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with
black fabric.



Lamp with integrated switch.



1,220 Kg / 0,0504 m³
E27 max 1x60W

€ 115

161686 ■ Black

3000 K
910 lm

119571 € 3,50



P. 189 P. 436 P. 532



Kali

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.



Lamp with integrated switch.




0,660 Kg / 0,0092 m³
E14 max 1x40W

€ 28

245331 White

3000 K
420 lm
101217 € 2,00



0,620 Kg / 0,0037 m³
E14 max 1x40W

€ 28

245348 White

3000 K
420 lm
101217 € 2,00



0,660 Kg / 0,0055 m³
E14 max 1x40W

€ 28

245393 White

3000 K
420 lm
101217 € 2,00



Set up new

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.



Lamp with integrated switch.



259918

259949

259925

259956


260068

304113

260075

260082

345956



1,130 Kg / 0,0055 m³
E27 max 1x 42W

0,680 Kg / 0,0061 m³
E27 max 1x 42W

0,460 Kg / 0,0228 m³

0,120 Kg / 0,0180 m³

0,130 Kg / 0,0180 m³

0,110 Kg / 0,0180 m³

€ 90

€ 70

€ 63

€ 32

€ 34

€ 29

- 259918 ■ White
- 259949 ■ Nickel
- 259925 ■ Black
- 259956 ■ Brass

- 259864 ■ White
- 259895 ■ Nickel
- 259871 ■ Black
- 259901 ■ Brass

- 260433 ■ White
- 304618 ■ Dove Grey
- 270005 ■ Black
- 260440 ■ Beige
- 345888 ■ Wood new

- 260327 ■ White
- 304601 ■ Dove Grey
- 269986 ■ Black
- 260334 ■ Beige
- 345871 ■ Wood new

- 260068 ■ White
- 304113 ■ Dove Grey
- 260075 ■ Black
- 260082 ■ Beige
- 345956 ■ Wood new

- 260341 ■ White
- 293004 ■ Dove Grey
- 270036 ■ Black
- 260358 ■ Beige
- 345949 ■ Wood new

3000 K
900 lm
123899 € 3,50


3000 K
900 lm
123899 € 3,50

Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



2,450 Kg / 0,0709 m³

E27 max 1x 60W

€ 220

129570 Wood



2200 K
370 Lm



151687

€ 2,50

[P. 235](#)

[P. 526](#)



Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



Lamp with integrated switch.



3,500 Kg / 0,1650 m³

E27 max 1x 60W

€ 280

128207 Beige



3000 K
910 lm



119571

€ 3,50

[P. 234](#)

[P. 444](#)





Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



012889



020853



IP20

1,220 Kg / 0,0216 m³
E14 max 1x 40W

€ 140

012889 White

020853 Gold



3000 K
480 lm

101200

€ 2,00



P. 230



P. 444



P. 535

Roma


Chrome metal frame and details.
Square-shaped crystal elements on
sides and sandblasted bottom glass
sheet.



Bulbs LED G9 3W 3000 K included.
Cod. **209043**



Lamp with integrated switch.



1,930 Kg / 0,0182 m³
G9 max 1x40W

€ 160

114620 **Chrome**



3000 K
510 lm



305486

€ 6,00

[P. 344](#)

[P. 438](#)



Opera

Chrome frame. PVC foil shade
covered with metallic filaments. Cut
crystal pendants.



Lamp with integrated switch.



1,750 Kg / 0,0392 m³
E27 max 1x60W

€ 145

068305 **White**



3000 K
900 lm



123899

€ 3,50

[P. 198](#)

[P. 440](#)


[P. 534](#)






Duchessa

Chrome metal base and details.
Blown and hand finished glass
elements. Pleated organza shade.

 Lamp with integrated switch.




 IP20


3,000 Kg / 0,0652 m³
E27 max 1x60W

€ 155

044491 Clear

 3000 K
900 lm

123899 € 3,50




 IP20

1,900 Kg / 0,0610 m³
E27 max 1x60W

€ 135

051406 Clear

 3000 K
900 lm

123899 € 3,50




Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.



Lamp with integrated switch.



IP20

2,300 Kg / 0,0886 m³
E27 max 1x60W

€ 210


077758 Gold



3000 K
910 lm

119571

€ 3,50



IP20

1,360 Kg / 0,0460 m³
E27 max 1x60W

€ 140


077741 Gold



3000 K
910 lm

119571

€ 3,50



IP20

0,900 Kg / 0,0137 m³
E27 max 1x60W

€ 120

077734 Gold



3000 K
910 lm

119571

€ 3,50



P. 534



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.



Lamp with integrated switch.



059266



197753



IP20

2,000 Kg / 0,0705 m³
E27 max 1x60W

€ 215

059259 White

3000 K
900 lm

123899



IP20

1,450 Kg / 0,0117 m³
E14 max 1x28W

€ 110

059266 White
197753 Brass

3000 K
420 lm

101217

€ 2,00



P. 212



P. 441



Floor lamps

Indoors

Alphabetical index

Angolo	500	Look	506
Axel	526	Lumiere	496
Birds	497	Mix Up	508
Carta	519	Newton	516
Colonna	533	Nordik	532
Comet	520	Opera	534
Comfort	512	Pagoda	525
Craft	510	Perlage	498
Cylinder	532	Ping Pong	505
Daddy	524	Polly	518
Diesis	511	Queen	534
Dorsale	522	Regol	528
Driftwood	526	Set Up	530
Easy	511	Wally	517
Ego	494	Yoko	503
Equinoxe	499	York	527
Eva	504		
Filo	502		
Firenze	535		
Frame	501		
Futura	514		
Ginger	515		
Klimt	527		
Lift	514		
London	529		

Indoors

Typology index

<small>new</small> 				<small>new</small> 		
Ego 494	Lumiere 496	Birds 497	Perlage 498	Equinoxe 499	Angolo 500	Frame 501
		<small>new</small> 			<small>new</small> 	
Look 506	Mix Up 508	Craft 510	Easy 511	Diesis 511	Comfort 512	Lift 514
						
Polly 518	Carta 519	Comet 520	Dorsale 522	Daddy 524		
						
Klimt 527	Regol 528	London 529	Set Up 530	Cylinder 532	Nordik 532	Colonna 533

new



Filo 502



Yoko 503



Eva 504




Ping Pong 505



Futura 514



Ginger 515



Newton 516



Wally 517



Pagoda 525



Axel 526



Driftwood 526



York 527




Opera 534



Queen 534



Firenze 535



Look

Pag 506




Ego new

Powder painted aluminum body and structure. Modular sources with light modules from the Ego series (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, which can be cut to size. PVC cable. Black color.

PRO High-tech product with high quality materials, intended for professional use.

 Luminaire with dimmer.



 IP20

10,600 Kg / 0,0259 m³

€ 300

344775 ■ Black new





Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON OFF Lamp with integrated switch.

 P. 178
  P. 341
  P. 465



 IP20

10,500 Kg / 0,1515 m³
LED 58W / 7550 lm

€ 510

314198 White



Birds


Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON/OFF Lamp with integrated switch.



P. 105 P. 327 P. 421 P. 473



IP20 PROTEZIONE

5,640 Kg / 0,1536 m³
G9 max 5 x 15W

€ 340

273662 ■ Black

3000 K
510 lm
305486 € 6,00



Perlage

Metal frame. Blown glass diffusers.
 Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
 Cod. **209043**

ON OFF Lamp with integrated switch.



IP20
 4,800 Kg / 0,0612 m³
 G9 max 4 x 15W
 € 325
 277967 White
 306988 Smok. Gra.
 317816 Amber
 3000 K
 510 lm
 305486 € 6,00

-  P. 106
-  P. 324
-  P. 423
-  P. 473



Equinoxe new

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**

ON/OFF Lamp with integrated switch.

 
P. 108 P. 425



290959




290966



348292







348285



6,500 Kg / 0,0882 m³
G4 max 4 x 2W

€ 550

290959  **Chrome**
290966  **Brass**
348292  **Shaded Sm new**
348285  **Shad. amb. new**

 **3000 K**
200 lm
222257 € 4,00



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**

ON OFF Lamp with integrated switch.



P. 334



P. 476



284309



284354



IP20 ETIKETA

2,700 Kg / 0,1772 m³
G9 max 5 x 28W

€ 280

284309 ■ Black
284354 ■ Brass

3000 K
510 lm

305486 € 6,00



Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.

LED LED source 3000 K, 30.000 h life.

ON/OFF Lamp with integrated switch.




P. 076 P. 247



299624



299617



IP20

10,300 Kg / 0,0525 m³
LED 30W / 3100 lm


€ 450

299624 White
299617 Black



Filo new

Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.



IP20

1,200 Kg / 0,0124 m³
LED 14W / 1500 lm / 1550 lm

€ 250

341118	White	2700K	new
301051	White	3000K	
341125	Black	2700K	new
301068	Black	3000K	
341132	Brass	2700K	new
301075	Brass	3000K	

LED LED source 2700/3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



P. 084 P. 392 P. 456




Yoko


Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.

ON/OFF Lamp with integrated switch.

 
P. 089 P. 457



IP20
1,650 Kg / 0,0534 m³
LED 16W / 1700 lm
€ 150
258874  **White**
258904  **Black**




Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.




Lamp with integrated switch.



8,500 Kg / 0,0680 m³
E27 max 1x 60W

€ 275

295213 ■ Black



101347 € 6,00



Ping Pong

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



IP20

2,500 Kg / 0,0916 m³
LED 12W / 1000 lm

€ 250

328317 White
313313 Black
328324 Brass




P. 336 P. 428 P. 472





Look

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.

 Lamp with dimmer.

 Lamp with integrated switch.



5,080 Kg / 0,0809 m³
LED 24W / 2750 lm

€ 250

304922  White
304915  Black



Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.



Lamp with integrated switch.



288451



307428



IP20


8,500 Kg / 0,0326 m³
E27 max 1x42W

€ 200

328164 White
328171 Black

3000 K
900 lm

123899 € 6,00



2,000 Kg / 0,0676 m³

€ 85


288437 White
288420 Black



1,100 Kg / 0,0446 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0147 m³

€ 40

307411 White
288444 Black



0,500 Kg / 0,0174 m³

€ 35

307428 White
288451 Black



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Black PVC cable with dimmer and plug.




LED LED source 3000 K, 20.000 h life.

⏮️+ Lamp with dimmer.

ON OFF Lamp with integrated switch.

🔌 P. 091 **🏠** P. 374



🔌 **🏠** IP20 **⏮️+**

3,500 Kg / 0,0586 m³
LED 26W / 2150 lm

€ 395

284484 **🪵 Wood**



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.



IP20

3,000 Kg / 0,0175 m³
LED 3,5W / 420 lm

€ 130

295473 White
295497 Black
295503 Brass



P. 458

Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.



IP20

3,500 Kg / 0,0222 m³
LED 4,5W / 280 lm

€ 180

285337 Nickel
279800 Black
285344 Brass



P. 126



P. 459



296685



336220




336220

Comfort new



Powder-coated aluminum structure. Double source: upright with diffused emission, downlight available with diffused or concentrated emission. Light sensor. PVC cable with plug. Colors: black or white.



LED LED source 3000/4000 K, 50.000 h life.

 Lamp with dimmer.



USB Lamp with integrated USB socket.
Cod. **296685, 306452, 296678, 306469**

UGR Product with UGR <16.



  IP20

19,500 Kg / 0,0638 m³
LED 76W / 9800 lm
€ 1060

  IP20

12,700 Kg / 0,0326 m³
LED 76W / 9700/10800 lm
€ 680

345307 White new
336220 Black new

296685 White 3000K
306452 White 4000K
296678 Black 3000K
306469 Black 4000K



Lift

Matt varnished metal frame. Adjustable in height diffuser and directable with opal polycarbonate screen. PVC cable with driver and ground switch. Finishes: white, black.



LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



IP20

5,150 Kg / 0,0195 m³
LED 17W / 1950 lm

€ 196

321585 White
305592 Black

Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED LED source 4000 K, 25.000 h life.

Hand icon Lamp with touch dimmer.



IP20

4,440 Kg / 0,0095 m³
LED 12,5W / 1050 lm

€ 215

272085 White
204956 Aluminum
204949 Black



P. 460




Ginger new

Powder coated metal base and frame. Adjustable diffuser. PVC cable with switch and plug. Two lights version with double switch for separate ignitions. Colors: white, black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

ON OFF Lamp with integrated switch.




IP20 INCLUDED
5,600 Kg / 0,0260 m³
GU19 max 2x 28W

€ 200

345314 ■ White new
326672 ■ Black new

3000 K
540 lm
123943 € 3,50



IP20 INCLUDED
2,650 Kg / 0,0246 m³
GU19 max 1x 28W

€ 100

326665 ■ White new
326658 ■ Black new

3000 K
540 lm
123943 € 3,50



015286

003528




Newton

Chrome metal frame and diffuser.
Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.



Lamp with integrated switch.



IP20

5,270 Kg / 0,0323 m³
E27 max 1 x 42W

€ 120

015286 ■ Nickel
003528 ■ Black

3000 K
900 lm

123899 € 3,50



P. 426




Wally

Powder coated metal frame with black finish, nickel-plated metal details. Adjustable articulated arm structure. Switch integrated in the head of the shade. PVC cable.



Lamp with integrated switch.



IP20

8,500 Kg / 0,0771 m³
E27 max 1x 42W

€ 250

265292 ■ Black

3000 K
950 lm

101330 € 4,50



P. 463



Polly

Diffusers and base in chrome, silver or black enamelled metal. Chrome metal details and joints. Adjustable diffusers.



Lamp with integrated switch.



IP20

3,500 Kg / 0,0207 m³
E27 max 2 x 60W

€ 125

061122 Chrome
061115 Silver
061139 Black

3000 K
910 lm
119571 € 3,50



Carta

Matt white painted metal frame.
Polycarbonate diffuser with paper effect covering.



Lamp with integrated switch.



IP20

3,150 Kg / 0,0813 m³
E27 max 1x25W

€ 225

317144 White

3000 K
910 lm

119571

€ 3,50



IP20

1,900 Kg / 0,0370 m³
E27 max 1x25W

€ 110

317137 White

3000 K
910 lm

119571

€ 3,50


-  P. 170
-  P. 282
-  P. 385
-  P. 468





Comet


Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.

LED LED source 3000 K, 20.000 h life.

 Lamp with dimmer.

 Lamp with touch dimmer.

 Lamp with integrated switch.



3,800 Kg / 0,0574 m³
LED 30W / 2850 lm

€ 295

304649 ■ White
304168 ■ Black



Dorsale

Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.





Lamp with integrated switch.

046471



041742

046723



IP20

12,000 Kg / 0,0856 m³
E27 max 1x60W

€ 600

286686 White
286662 Chrome
286679 Black

0,430 Kg / 0,0709 m³

€ 75

046723 White
041742 Chrome
046471 Black

3000 K
1050 lm

101347 € 6,00



Daddy

Metal frame. Available in black and matt white color with fabric coated shade.

ON
OFF Lamp with integrated switch.

110356

110363

250

400

1970

1180

IP20

7,250 Kg / 0,1287 m³
E27 max 1 x 60W

€ 340

110356 ■ White
110363 ■ Black

3000 K
1050 lm

101347 € 6,00



Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.



Lamp with integrated switch.



IP20

10,870 Kg / 0,1732 m³
E27 max 1x 60W

€ 390

051741 ■ White
051765 ■ Black

3000 K
1050 lm

101347 € 6,00




Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.



Lamp with integrated switch.



5,200 Kg / 0,0818 m³
E27 max 1x 60W

€ 230

272245 ■ White
282084 ■ Black



3000 K
1050 lm

101347

€ 6,00



P. 478



Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.



Lamp with integrated switch.



5,830 Kg / 0,3487 m³
E27 max 1x 60W

€ 645

148939 ■ Wood



2200 K
370 lm

151687

€ 2,50



24,000 Kg / 0,1753 m³
E27 max 2 x 60W

€ 720

180946 ■ Wood



2200 K
370 lm

151687

€ 2,50



P. 235





P. 484



York

Natural wooden tripod stand with metal details. PVC foil shade coated with fabric. Power cable coated with fabric. Available also with white or black shades and frame.



 Lamp with integrated switch.




 IP20

2,810 Kg / 0,0247 m³
E27 max 1x 42W

€ 230


121406  White
121437  Black
089805  Wood


 3000 K
1050 lm

101347 € 6,00

Klimt

Natural wood tripod. PVC foil shade covered with fabric, chrome metal support.

 Lamp with integrated switch.




 IP20

3,870 Kg / 0,1284 m³
E27 max 1x 60W

€ 400

137827  Wood

 3000 K
1050 lm

101347 € 6,00




Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.



Lamp with integrated switch.



 IP20

5,420 Kg / 0,0702 m³
E27 max 1x60W

€ 280

014609 White

 3000 K
1050 lm

101347 € 6,00



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.




Lamp with integrated switch.



110233

032382

110240



IP20

7,120 Kg / 0,1879 m³
E27 max 1x60W

€ 300

110233 White
032382 Chrome
110240 Black

3000 K
1050 lm

101347 € 6,00



P. 479



Set up new

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey, wood.



Lamp with integrated switch.



259963

259994

259970

260006


260136

304120

260235

260242

345956



2,640 Kg / 0,0251 m³
E27 max 1x42W

€ 166

259963 ■ White
259994 ■ Nickel
259970 ■ Black
260006 ■ Brass

0,470 Kg / 0,0221 m³

€ 92

260457 ■ White
304625 ■ Dove Grey
270012 ■ Black
260464 ■ Beige
345895 ■ Wood

0,460 Kg / 0,0709 m³

€ 75

260136 ■ White
304120 ■ Dove Grey
260235 ■ Black
260242 ■ Beige
345963 ■ Wood new



P. 192 P. 292 P. 434 P. 482



3000 K
900 lm

123899

€ 3,50




Cylinder

Matt white varnished metal base.
White blown overlay and acid-etched glass diffuser.



Lamp with integrated switch.



10,010 Kg / 0,1145 m³
E27 max 2x 60W

€ 260

111452 ■ White



3000 K
900 lm



123899

€ 3,50

P. 190




Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with black fabric.



Lamp with integrated switch.



3,620 Kg / 0,0897 m³
E27 max 1x 60W

€ 240

161716 ■ Black



3000 K
1050 lm



101347

€ 6,00

P. 189

P. 436

P. 480



Colonna

Matt white or black varnished metal frame. Glass diffuser. Power cable coated with fabric. The lamp fits replaceable LED bulbs.

LED Bulbs LED GX53 9W 3000 K included.
Cod. 123936

ON
OFF Lamp with integrated switch.



177199



177205




IP20 

7,740 Kg / 0,0710 m³
GX53 max 4 x 15W

€ 350

177199 ■ White
177205 ■ Black


 3000 K
910 lm
123936 € 5,00



Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

ON
OFF Lamp with integrated switch.



IP20

5,720 Kg / 0,0770 m³
E27 max 1x60W

€ 315

068275 White

3000 K
950 lm

101354

€ 6,00



P. 198



P. 440



P. 486



Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

ON
OFF Lamp with integrated switch.



IP20

4,900 Kg / 0,0979 m³
E27 max 1x60W

€ 370

077765 Gold

3000 K
1050 lm

101347

€ 6,00



P. 488



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.




Lamp with integrated switch.



002880



020877



IP20

5,600 Kg / 0,1089 m³
E27 max 1x 60W

€ 350

002880 White
020877 Gold

3000 K
1050 lm

101347 € 6,00



P. 230



P. 444



P. 485































Linear systems

Indoors

Alphabetical index

Arca	612
Deva	538
Ego	558
Fluo	626
Linus	624
Office	640
Steel	634
Stick	598


Typology index

<small>new</small>	<small>new</small>	<small>new</small>	<small>new</small>	<small>new</small>
				
Deva Track 540	Deva Disc 542	Deva Accent 544	Deva Wide Inner 546	Deva Wide Outer 548
<small>new</small>	<small>new</small>	<small>new</small>	<small>new</small>	
				
Deva Pendant 550	Ego Single 560	Ego Double 566	Ego Zoom 570	Ego Big 572
	<small>new</small>	<small>new</small>		<small>new</small>
				
Ego Flat 574	Ego Accent 576	Ego Wide 578	Ego Flexible 580	Ego Pendant 582
<small>new</small>	<small>new</small>	<small>new</small>	<small>new</small>	
				
Stick Single 600	Stick Double 602	Stick Accent 604	Stick Wide 606	
				
Arca Track 614	Arca Accent 616	Arca Wide 618	Linus 624	
			<small>new</small>	
				
Fluo Wide 628	Fluo Biemission 630	Steel 636	Steel Slim 638	Office 640

Deva ^{new}


Linear system composed of an extruded aluminum profile and magnetic lighting fixtures. The system is available in coated or anodized matt black, ceiling or suspended installation (SURFACE), quick recessed plasterboard installation (RECESSED EASY) or edgeless recessed installation between two plasterboard panels (RECESSED). Small dimensions of the electrified profile, 10 mm wide and 15 mm high, available in the two lengths, 1000 mm and 2000 mm, or with a 90° horizontal curved connection. Possibility of composition with different light modules, in white or black finish depending on the desired arrangement, modifiable if necessary: fixed or adjustable TRACK modules for spot lighting; ACCENT modules for focused lighting; PENDANT TUBE module for focused lighting; WIDE INNER linear modules hidden inside the profile, WIDE OUTER linear modules showing outside the profile or DISC circular modules, for diffused and uniform lighting. Integrated LED technology with colour temperature of 3000 K with high color rendering CRI ≥ 90 , IP20 protection, insulation class III, 24 Vdc power supply, non-dimmable, LED useful life 30,000 h L70B50. Ideal for lighting small environments where minimal size, wide application flexibility and high lighting quality are required, for example RESIDENTIAL, MUSEUM and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
LED life	30.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Deva Track



0,030 Kg/0,0002 m³

LED COB OSRAM


Power	Beam	Control	Lumen	CCT	Finish	Code	€
2,5W	37°	On-Off	150 lm	3000 K	White	332772	35 <small>new</small>
					Black	332765	35 <small>new</small>



0,050 Kg/0,0003 m³

LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code	€
4,5W	34°	On-Off	450 lm	3000 K	White	332796	40 <small>new</small>
					Black	332789	40 <small>new</small>



0,090 Kg/0,0004 m³

LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code	€
8 W	30°	On-Off	750 lm	3000 K	White	332826	45 <small>new</small>
					Black	332819	45 <small>new</small>


Required	Beam	Model	Code	€
No	15°	TRACK 2,5W	332543	5 <small>new</small>
		TRACK 4,5W	332505	5 <small>new</small>
		TRACK 8W	332468	5 <small>new</small>



LENS



Light beam: ACCENT




m	lx	øm
1	913	0,51
2	228	1,00
3	101	1,50
4	57	2,10
5	37	2,60



CRI≥90 4,5W 38° 450lm 3000K




Deva Disc



0,110 Kg/0,0004 m³

LED COB BRIDGELUX


Power	Beam	Control	Lumen	CCT	Finish	Code	€
5 W	38°	On-Off	500 lm	3000 K	White	332857	40 <small>new</small>
					Black	332840	40 <small>new</small>



0,330 Kg/0,0020 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
10 W	98°	On-Off	1100 lm	3000 K	White	332888	45 <small>new</small>
					Black	332864	45 <small>new</small>



0,430 Kg/0,0020 m³

LED SMD


Power	Beam	Control	Lumen	CCT	Finish	Code	€
15 W	98°	On-Off	1750 lm	3000 K	White	332918	55 <small>new</small>
					Black	332901	55 <small>new</small>




Light beam: ACCENT



Light beam: WIDE



m	lx	øm
1	764	0,68
2	191	1,40
3	85	2,00
4	48	2,70
5	31	3,40



m	lx	øm
1	309	3,30
2	77	6,60
3	34	9,80
4	19	13,00
5	12	16,00



CRI≥90 5W 38° 500lm 3000K

CRI≥90 15W 98° 1750lm 3000K



332840



332901




Deva Accent



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
5 W	34°	On-Off	350 lm	3000 K	Black	332758	30 <small>new</small>




0,070 Kg/0,0002 m³



LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish	Code	€
10 W	34°	On-Off	900 lm	3000 K	Black	332734	40 <small>new</small>




0,140 Kg/0,0003 m³



LED SMD OSRAM


Power	Beam	Control	Lumen	CCT	Finish	Code	€
14 W	34°	On-Off	1400 lm	3000 K	Black	332710	50 <small>new</small>




0,230 Kg/0,0005 m³



Light beam: ACCENT



m	lx	øm
1	913	0,51
2	228	1,00
3	101	1,50
4	57	2,10
5	37	2,60




m	lx	øm
1	2698	0,51
2	675	1,00
3	300	1,50
4	169	2,10
5	108	2,60



CRI≥90 5W 34° 350lm 3000K

CRI≥90 14W 34° 1400lm 3000K



Deva Accent 145 mm



Deva Accent 241 mm



Deva Accent 335 mm




Deva Wide Inner



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
6 W	100°	On-Off	700 lm	3000 K	Black	332949	25 <small>new</small>




0,020 Kg/0,0001 m³



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
11 W	100°	On-Off	1400 lm	3000 K	Black	332925	35 <small>new</small>




0,080 Kg/0,0003 m³



LED SMD


Power	Beam	Control	Lumen	CCT	Finish	Code	€
16 W	100°	On-Off	2100 lm	3000 K	Black	332895	50 <small>new</small>




0,130 Kg/0,0004 m³



Light beam: WIDE



m	lx	øm
1	161	6,0
2	40	12
3	18	18
4	10	24
5	6,4	30



CRI≥90 11W 100° 1400lm 3000K



Deva Wide Inner 300 mm



Deva Wide Inner 600 mm



Deva Wide Inner 900 mm




Deva Wide Outer



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
8 W	100°	On-Off	900 lm	3000 K	Black	332871	25 <small>new</small>




0,130 Kg/0,0005 m³



LED SMD

Power	Beam	Control	Lumen	CCT	Finish	Code	€
12 W	100°	On-Off	1350 lm	3000 K	Black	332833	35 <small>new</small>




0,330 Kg/0,0008 m³



LED SMD


Power	Beam	Control	Lumen	CCT	Finish	Code	€
21 W	100°	On-Off	2700 lm	3000 K	Black	332802	50 <small>new</small>




0,310 Kg/0,0012 m³



Light beam: WIDE



m	lx	øm
1	257	1,90
2	64	3,70
3	29	5,60
4	16	7,50
5	10	9,40



CRI≥90 12W 100° 1350lm 3000K



Deva Wide Outer 346 mm




Deva Wide Outer 646 mm



Deva Wide Outer 945 mm



Deva Pendant




LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish	Code	€
6 W	34°	On-Off	550 lm	3000 K	Black	332932	45 <small>new</small>

0,280 Kg/0,0009 m³



Light beam: ACCENT



m	lx	øm
1	742	0,68
2	186	1,40
3	82	2,00
4	46	2,70
5	30	3,40



CRI≥90 6W 34° 550lm 3000K




Deva Surface

PROFILE SURFACE No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters




Length	Weight	Volume	Finish	Code	€
1000 mm	0,280 Kg	0,0003 m ³	Black	332475	20 <small>new</small>
2000 mm	0,470 Kg	0,0007 m ³	Black	332482	40 <small>new</small>

SURFACE CORNER ROUND Optional




Weight	Volume	Control	Finish	Code	€
0,056 Kg	0,0014 m ³	On-Off	Black	339375	91 <small>new</small>

SURFACE CORNER L Optional




Weight	Volume	Control	Finish	Code	€
0,020 Kg	0,0002 m ³	On-Off	Black	339382	41 <small>new</small>

LINEAR CONNECTOR Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code	€
0,009 Kg	0,0001 m ³	On-Off	Black	339368	18 <small>new</small>

MAIN CONNECTOR Required - 1 Kit x power source max 140W



Weight	Volume	Control	Finish	Code	€
0,001 Kg	0,0002 m ³	On-Off	Black	332581	15 <small>new</small>

Cable length 1500 mm

DRIVER ON/OFF Required



Power	Output	Class	Measure(LxHxW)	Code	€
75 W	24 Vdc	<input type="checkbox"/>	168x30x38 mm	332659	65 <small>new</small>
150 W	24 Vdc	<input type="checkbox"/>	227x30x38 mm	332628	95 <small>new</small>



END CAP (2pcs. incl.)



Required	Measure (LxHxW)	Finish	Code	€
Yes	10x7x15 mm	Black	332635	3 <small>new</small>




KIT PENDANT

Required	Measure (LxHxW)	Finish	Code	€
Yes	8x7x2050 mm	Black	332703	15 <small>new</small>

Deva - Assembly plans




Deva - Recessed




PROFILE RECESSED No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,370 Kg	0,0017 m ³	Black	332529	20 <small>new</small>
2000 mm	0,670 Kg	0,0034 m ³	Black	332536	40 <small>new</small>




RECESSED CORNER ROUND Optional

Weight	Volume	Control	Finish	Code	€
0,267 Kg	0,0023 m ³	On-Off	Black	339405	91 <small>new</small>




RECESSED CORNER L Optional

Weight	Volume	Control	Finish	Code	€
0,030 Kg	0,0003 m ³	On-Off	Black	339412	41 <small>new</small>



RECESSED LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,020 Kg	0,0001 m ³	On-Off	Black	339399	18 <small>new</small>



MAIN CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish	Code	€
0,060 Kg	0,0002 m ³	On-Off	Black	332581	15 <small>new</small>

Cable length 1500 mm

DRIVER ON/OFF Required





Power	Output	Class	Measure(LxHxW)	Code	€
75 W	24 Vdc	□	168x30x38 mm	332659	65 <small>new</small>
150 W	24 Vdc	□	227x30x38 mm	332628	95 <small>new</small>




END CAP (2pcs. incl.)

Required	Measure (LxHxW)	Finish	Code	€
Yes	10x7x15 mm	Black	332635	3

Deva - Assembly plans




Deva - Recessed Easy




PROFILE No mounting kit required, direct ceiling installation
RECESSED EASY Maximum length per power source: 10 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,370 Kg	0,0017 m ³	Black	332499	25 <small>new</small>
2000 mm	0,870 Kg	0,0034 m ³	Black	332512	50 <small>new</small>




RECESSED EASY CORNER L Optional

Weight	Volume	Control	Finish	Code	€
0,030 Kg	0,0004 m ³	On-Off	Black	339429	41 <small>new</small>



RECESSED LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,020 Kg	0,0001 m ³	On-Off	Black	339399	18 <small>new</small>



MAIN CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish	Code	€
0,060 Kg	0,0002 m ³	On-Off	Black	332581	15 <small>new</small>

Cable length 1500 mm

DRIVER ON/OFF Required




Power	Output	Class	Measure(LxHxW)	Code	€
75 W	24 Vdc	<input type="checkbox"/>	168x30x38 mm	332659	65 <small>new</small>
150 W	24 Vdc	<input type="checkbox"/>	227x30x38 mm	332628	95 <small>new</small>



END CAP (2pcs. incl.)

Required	Measure (LxHxW)	Finish	Code	€
Yes	10x7x15 mm	Black	332635	3 <small>new</small>

Deva - Assembly plans



Ego ^{new}

Linear system composed of an extruded aluminum profile and magnetically fastened lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm, 27 mm or 52 mm wide, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the TRACK SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the TRACK ZOOM module for targeted lighting with adjustment of the beam opening without tools, the ACCENT module with glare control (UGR < 19), the PENDANT TUBE modules for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 2700K, 3000K or 4000K; color rendering index CRI ≥ 90, initial binning ≤ 3Step MacAdam; IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUM, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

UGR


Product with UGR < 19 (Accent, Pendant).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
Control	1-10V / DALI
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19 (Accent, Pendant)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years





Ego Track Single



0,0150 Kg/0,0017 m³

LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€
3W	30°	On-Off	200 lm	3000 K	White		282978	80
					Black		257617	80
			220 lm	4000 K	Black		317977	80
		1-10V	200 lm	3000 K	White		303673	100
					Black		303666	100
		DALI	200 lm	3000 K	White		286402	125
					Black		286396	125



FILTER HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Ego 3W	No		Black		260853	5
Ego 3W	No	18°	Clear		332062	5 <small>new</small>
		45°	Clear		332079	5 <small>new</small>




Light beam: ACCENT



m	lx	øm
1	537	0,46
2	134	0,92
3	60	1,40
4	34	1,80
5	21	2,30




CRI≥90 3W 30° 200lm 3000K



Ego Track Single




LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish	Code	€	
8 W	30°	On-Off	720 lm	2700 K	Black	340388	95 <small>new</small>	
			850 lm	3000 K	White	282985	95	
					Black	257631	95	
			900 lm	4000 K	Black	317984	95	
			1-10V	850 lm	3000 K	White	303697	110
					Black	303680	110	
		DALI	720 lm	2700 K	Black	340364	135 <small>new</small>	
			850 lm	3000 K	White	286426	135	
					Black	286419	135	



LED COB CITIZEN



Power	Beam	Control	Lumen	CCT	Finish	Code	€	
12 W	30°	On-Off	1000 lm	2700 K	Black	340425	95 <small>new</small>	
			1200 lm	3000 K	White	282992	95	
					Black	257655	95	
			1250 lm	4000 K	Black	321967	95	
			1-10V	1200 lm	3000 K	White	303710	110
					Black	303703	110	
		DALI	1000 lm	2700 K	Black	340401	140 <small>new</small>	
			1200 lm	3000 K	White	286440	140	
					Black	286433	140	



FILTER HONEYCOMB




LENS*

Model	Required	Beam	Finish	Code	€
TRACK8W/12W	No		Black	260860	5
TRACK8W/12W	No	18°	Clear	332086	5 <small>new</small>
		45°	Clear	332093	5 <small>new</small>




Light beam: ACCENT



m	lx	øm
1	2393	0,49
2	598	0,98
3	266	1,50
4	150	2,00
5	96	2,50



CRI≥90 8W 30° 850lm 3000K




m	lx	øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1200lm 3000K




Ego Track Single



LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code	€
19W	35°	On-Off	2200 lm	3000 K	White	307558	140
			2350 lm	4000 K	Black	305608	140
			2200 lm	3000 K	Black	321998	140
		DALI	2200 lm	3000 K	White	307527	155
			2200 lm	3000 K	Black	307510	155
			2200 lm	3000 K	White	307541	185
			2200 lm	3000 K	Black	307534	185



LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish	Code	€
26W	35°	On-Off	3050 lm	3000 K	White	307602	140
			3150 lm	4000 K	Black	305615	140
			3050 lm	3000 K	Black	317991	140
		DALI	3050 lm	3000 K	White	307572	155
			3050 lm	3000 K	Black	307565	155
			3050 lm	3000 K	White	307596	185
			3050 lm	3000 K	Black	307589	185




LENS


Model	Required	Beam	Finish	Code	€
TRACK19W/26W	No	20°	Clear	332109	10 new
		55°	Clear	332116	10 new



Light beam: ACCENT



m	lx	øm
1	4476	0,57
2	1119	1,10
3	497	1,70
4	280	2,30
5	179	2,90




m	lx	øm
1	6816	0,56
2	1704	1,10
3	757	1,70
4	426	2,20
5	273	2,80




CRI≥90 19W 35° 2200lm 3000K

CRI≥90 26W 35° 3050lm 3000K



Ego Track Double



LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€
5 W	30°	On-Off	400 lm	3000 K	White		282947	100
					Black		257624	100
			430 lm	4000 K	Black		321714	100
		1-10V	400 lm	3000 K	White		303611	115
					Black		303604	115
			DALI	400 lm	3000 K	White		286341
					Black		286334	145



FILTER HONEYCOMB




LENS*

Model	Required	Beam	Finish		Code	€
TRACK5 W	No		Black		260853	5
TRACK5 W	No	18°	Clear		332062	5 new
		45°	Clear		332079	5 new



Light beam: ACCENT




m	lx	øm
1	508	0,46
2	127	0,92
3	56	1,40
4	32	2,80
5	20	2,30



CRI≥90 5W 30° 400lm 3000K




Ego Track Double



0,450 Kg/0,0017 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
16 W	30°	On-Off	1400 lm	2700 K	Black	■	340265	135 <i>new</i>	
					White	■	282954	135	
			1-10V	1500 lm	3000 K	Black	■	257648	135
						White	■	321806	135
			DALI	1500 lm	3000 K	White	■	303635	150
						Black	■	303628	150
		1400 lm	2700 K	Black	■	340241	180 <i>new</i>		
				White	■	286365	180		
		1500 lm	3000 K	Black	■	286358	180		



0,330 Kg/0,0027 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
24 W	30°	On-Off	2400 lm	3000 K	White	■	282961	145	
					Black	■	257662	145	
			1-10V	2500 lm	4000 K	Black	■	321844	145
						White	■	303659	155
			DALI	2400 lm	3000 K	Black	■	303642	155
						White	■	286389	185
		2400 lm	3000 K	Black	■	286372	185		



FILTER HONEYCOMB




LENS*


Model	Required	Beam	Finish		Code	€
TRACK16W/24W	No		Black	■	260860	5
TRACK16W/24W	No	18°	Clear	■	332086	5 <i>new</i>
		45°	Clear	■	332093	5 <i>new</i>



Light beam: ACCENT



m	lx	øm
1	2451	0,49
2	613	1,98
3	272	1,50
4	153	2,00
5	98	2,50



m	lx	øm
1	3051	0,51
2	763	1,00
3	339	1,50
4	191	2,10
5	122	2,60





CRI≥90 16W 30° 1450lm 3000K

CRI≥90 24W 30° 2000lm 3000K







Ego Track Zoom




0,500 Kg/0,0035 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	20°-40°	On-Off	1000 lm	3000 K	Black		330730	120 <i>new</i>
			1100 lm	4000 K	Black		340197	120 <i>new</i>
		DALI	1000 lm	3000 K	Black		330754	175 <i>new</i>
			1100 lm	4000 K	Black		340180	175 <i>new</i>



Light beam: from SPOT to WIDE




m	lx	øm
1	2185	0,67
2	546	1,30
3	243	2,00
4	137	2,70
5	87	3,30



CRI≥90 10W 20°-40° 1000lm 3000K




Ego Track Big



0,470 Kg/0,0026 m³

LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code	€
10W	38°	On-Off	1000lm	3000K	White	327556	110
					Black	300764	110




0,750 Kg/0,0026 m³

LED COB CITIZEN UGR <19


Power	Beam	Control	Lumen	CCT	Finish	Code	€
20W	38°	On-Off	2000lm	3000K	White	327549	190
					Black	316307	190



Light beam: ACCENT



m	lx	Øm
1	1296	0,76
2	324	1,50
3	144	2,30
4	81	3,00
5	52	3,80



m	lx	Øm
1	2964	0,71
2	741	1,40
3	329	2,10
4	185	2,80
5	119	3,60





CRI≥90 10W 38° 1000lm 3000K

CRI≥90 20W 38° 2000lm 3000K



Ego Track Flat




LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
9W	36°	On-Off	1100 lm	3000 K	White		300504	105
					Black		290614	105
		1-10V	1100 lm	3000 K	White		303741	120
					Black		303727	120
		DALI	1100 lm	3000 K	White		300535	150
					Black		300528	150



Light beam: ACCENT




m	lx	øm
1	2242	0,60
2	560	1,20
3	249	1,80
4	140	2,40
5	90	3,00



CRI≥90 9W 36° 1100lm 3000K




Ego Accent



0,140 Kg/0,0013 m³

LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€			
7W	35°	On-Off	630 lm	2700 K	Black		340067	100 new			
					White		282633	100			
					Black		257792	100			
			730 lm	4000 K	Black		323596	100			
					1-10V	700 lm	3000 K	White		303505	135
								Black		303499	135
		DALI	630 lm	2700 K	Black		340043	145 new			
					700 lm	3000 K	White		286068	145	
							Black		286051	145	




0,330 Kg/0,0010 m³

LED SMD OSRAM UGR <19


Power	Beam	Control	Lumen	CCT	Finish		Code	€			
13W	35°	On-Off	1250 lm	2700 K	Black		340104	140 new			
					White		282640	140			
					Black		257686	140			
			1450 lm	4000 K	Black		317953	140			
					1-10V	1400 lm	3000 K	White		303529	170
								Black		303512	170
		DALI	1250 lm	2700 K	Black		340081	200 new			
					1400 lm	3000 K	White		286082	200	
							Black		286075	200	



Light beam: ACCENT



m	lx	Øm
1	3121	0,61
2	780	1,20
3	347	1,80
4	195	2,40
5	125	3,00



CRI≥90 13W 35° 1400lm 3000K




Ego Accent 192 mm



Ego Accent 284 mm




Ego Wide



0,200 Kg/0,0010 m³

LED SMD SAMSUNG


Power	Beam	Control	Lumen	CCT	Finish		Code	€
7 W	110°	On-Off	850 lm	3000 K	White		283029	75
					Black		257709	75
			880 lm	4000 K	Black		317960	75
		1-10V	850 lm	3000 K	White		303796	120
					Black		303789	120
			DALI	850 lm	3000 K	White		286501
Black		286495				120		



0,500 Kg/0,0016 m³

LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish		Code	€		
13 W	110°	On-Off	1450 lm	2700 K	Black		340586	100 <small>new</small>		
					White		283036	100		
			1700 lm	3000 K	Black		257716	100		
			1750 lm	4000 K	Black		322056	100		
			1-10V	1700 lm	3000 K	White		303819	130	
		Black					303802	130		
		DALI		1450 lm	2700 K	Black		340562	145 <small>new</small>	
			1700 lm			3000 K	White		286525	145
							Black		286518	145




0,920 Kg/0,0031 m³

LED SMD SAMSUNG


Power	Beam	Control	Lumen	CCT	Finish		Code	€		
26 W	110°	On-Off	2900 lm	2700 K	Black		340623	145 <small>new</small>		
					3400 lm	3000 K	White		283043	145
					Black		257730	145		
			3500 lm	4000 K	Black		322070	145		
			1-10V	3400 lm	3000 K	White		303833	160	
		Black					303826	160		
		DALI		2900 lm	2700 K	Black		340609	185 <small>new</small>	
			3400 lm			3000 K	White		286549	185
							Black		286532	185



Light beam: WIDE



m	lx	øm
1	619	2,50
2	155	4,90
3	69	7,40
4	39	9,80
5	25	12,00



CRI≥90 26W 110° 3400lm 3000K



Ego Wide 284 mm




Ego Wide 560 mm



Ego Wide 1120 mm




Ego Flexible



LED SMD OSRAM UGR <19

Power	Beam	Lumen	CCT	Control	Finish	Code	€
13 W	35°	1400 lm	3000 K	On-Off	White	282718	175
					Black	257846	175
				DALI	White	286105	215
					Black	286099	215



LED SMD SAMSUNG


Power	Beam	Lumen	CCT	Control	Finish	Code	€
7 W	110°	850 lm	3000 K	On-Off	White	282725	120
					Black	257839	120
				DALI	White	286129	160
					Black	286112	160





Light beam: ACCENT




Light beam: WIDE



m	lx	cm
1	3112	0,61
2	778	1,20
3	346	1,80
4	194	2,40
5	124	3,00




m	lx	cm
1	231	2,90
2	58	5,80
3	26	8,60
4	14	12,00
5	9	14,00



CRI≥90 13W 35° 1400lm 3000K

CRI≥90 7W 110° 850lm 3000K




EGO FLEXIBLE ACCENT



EGO FLEXIBLE WIDE


Ego Pendant



0,150 Kg/0,0020 m³

LED COBCITIZEN UGR <19


Power	Beam	Control	Lumen	CCT	Finish	Code	€
5,5W	66°	On-Off	530 lm	3000 K	Black	332451	90 <small>new</small>
		1-10V	530 lm	3000 K	Black	344782	110 <small>new</small>
		DALI	530 lm	3000 K	Black	344799	140 <small>new</small>



0,550 Kg/0,0023 m³

LED COBCITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish	Code	€
12W	30°	On-Off	1050 lm	3000 K	White	282879	145
					Black	257747	145
					Black	321653	145
		1-10V	1050 lm	3000 K	White	303598	155
					Black	303574	155
					DALI	1050 lm	3000 K
				Black	286310	185	



0,900 Kg/0,0125 m³

LED COBCITIZEN


Power	Beam	Control	Lumen	CCT	Finish	Code	€
10W	-	On-Off	1050 lm	3000 K	White	327532	130
					Black	327525	130





Light beam: ACCENT



Light beam: WIDE



m	lx	Øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1050lm 3000K

CRI≥90 10W 1050lm 3000K




Ego - Low




TRACK LOW No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,68 Kg	0,0013 m ³	White	282909	45
			Black	257877	45
2000 mm	1,36 Kg	0,0026 m ³	White	282916	95
			Black	266121	95




CONNECTOR HORIZONTAL LOW Optional

Weight	Volume	Control	Finish	Code	€	
0,21 Kg	0,0009 m ³	On-Off	White	282848	95	
			Black	257990	95	
			1-10V / DALI	White	286266	100
			Black	286259	100	



LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€	
0,16 Kg	0,0005 m ³	On-Off	White	285993	40	
			Black	283104	40	
			1-10V / DALI	White	285993	40
			Black	283104	40	



MAIN CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€	
0,12 Kg	0,0007 m ³	On-Off	White	282862	36	
			Black	265896	36	
			1-10V / DALI	White	286303	50
			Black	286297	50	

Cable length 2000 mm



END CAP NO HOLE



END CAP WITH HOLE



SUSPENSION KIT





KIT SINGLE CABLE



BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
Yes	26 x 11 x 27 mm	White	282688	6
		Black	267241	6
Yes	26 x 11 x 27 mm	White	282671	6
		Black	267258	6
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749	55
		Black	276328	55
Yes - 1 kit x 900 mm	2000 mm	White	282756	17
		Black	259376	17
No	1000 x 17 x 18 mm	White	344751	10 <small>new</small>
		Black	344768	10 <small>new</small>


Ego - Assembly plans



PROFILE LOW




Ego - High




TRACK HIGH No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	0,90 Kg	0,0023 m ³	White	282886	50
			Black	258027	50
2000 mm	1,80 Kg	0,0046 m ³	White	282893	120
			Black	266145	120




CONNECTOR HORIZONTAL HIGH Optional

Weight	Volume	Control	Finish	Code	€
0,26 Kg	0,0013 m ³	On-Off	White	282824	90
			Black	258140	90
		1-10V / DALI	White	286228	100
			Black	286211	100



LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m ³	On-Off	White	285993	40
			Black	283104	40
		1-10V / DALI	White	285993	40
			Black	283104	40



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0007 m ³	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50



END CAP NO HOLE

END CAP WITH HOLE



SUSPENSION KIT

KIT SINGLE CABLE

BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
Yes	26 x 11 x 52 mm	White	282664	6
		Black	267227	6
Yes	26 x 11 x 52 mm	White	282657	6
		Black	267234	6
Yes - 1 Kit x power source max 210 W	2000 mm	White	282749	55
		Black	276328	55
Yes - 1 kit x 900 mm	2000 mm	White	282756	17
		Black	259376	17
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

Ego - Assembly plans




PROFILE HIGH




Ego - Recessed

TRACK Kit for assembly profile included
Maximum length per power source: 25 meters




Length	Weight	Volume	Finish	Code	€
1000 mm	1,52 Kg	0,0039 m ³	White	282923	70
			Black	258171	70
2000 mm	2,94 Kg	0,0078 m ³	White	282930	150
			Black	266183	150

CONNECTOR HORIZONTAL Optional




Weight	Volume	Control	Finish	Code	€
0,32 Kg	0,0013 m ³	On-Off	White	282787	90
			Black	258232	90
		1-10V / DALI	White	286204	125
			Black	286167	125

LINEAR CONNECTOR Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0007 m ³	On-Off	White	283111	40
			Black	286006	40
		1-10V / DALI	White	283111	40
			Black	286006	40

MAIN CONNECTOR Required - 1 Kit x power source max 210 W



Cable length 2000 mm

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m ³	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50



END CAP NO HOLE


END CAP WITH HOLE

BLINDED COVER

INSTALLATION TOOL

Required	Measure (L x H x W)	Finish	Code	€
Yes	36 x 4 x 52 mm	White	282701	6
		Black	267203	6
Yes	36 x 4 x 52 mm	White	282695	6
		Black	267210	6
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17
No		Black	292922	31

Ego - Assembly plans



BLINDED COVER




RECESSED INSTALLATION TOOL




Ego - Recessed Easy

TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters




Length	Weight	Volume	Finish	Code	€
1000 mm	1,16 Kg	0,0058 m ³	White	320489	65
			Black	320472	65
2000 mm	2,40 Kg	0,0122 m ³	White	320502	130
			Black	320496	130

CONNECTOR HORIZONTAL Optional




Weight	Volume	Control	Finish	Code	€
0,30 Kg	0,0010 m ³	On-Off	White	320748	115
			Black	320731	115
		1-10V / DALI	White	320724	135
			Black	320717	135

LINEAR CONNECTOR Required - 1 Kit x linear connection



Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m ³	On-Off	White	283111	40
			Black	286006	40
		1-10V / DALI	White	283111	40
			Black	286006	40

MAIN CONNECTOR Required - 1 Kit x power source max 210 W



Cable length 2000 mm

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0007 m ³	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50






END CAP NO HOLE

END CAP WITH HOLE


BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
Yes	83 x 52 x 30 mm	White	320564	6
		Black	320557	6
Yes	83 x 52 x 30 mm	White	320588	6
		Black	320571	6
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

Ego - Assembly plans




Ego - Recessed Trim




TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,13 Kg	0,0058 m ³	White	320441	85
			Black	320434	85
2000 mm	2,25 Kg	0,0122 m ³	White	320465	170
			Black	320458	170




CONNECTOR HORIZONTAL Optional

Weight	Volume	Control	Finish	Code	€
0,30 Kg	0,0010 m ³	On-Off	White	320625	125
			Black	320618	125
		1-10V / DALI	White	320601	145
			Black	320595	145



LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,16 Kg	0,0005 m ³	On-Off	White	283111	40
			Black	286006	40
		1-10V / DALI	White	283111	40
			Black	286006	40



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0007 m ³	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50






END CAP NO HOLE

END CAP WITH HOLE


BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
Yes	38 x 52 x 17 mm	White	320526	6
		Black	320519	6
Yes	38 x 52 x 17 mm	White	320540	6
		Black	320533	6
No	1000 x 5 x 24 mm	White	282770	17
		Black	258256	17

Ego - Assembly plans




Ego - Bi-Emission




TRACK BI-EMISSION Maximum length per power source: 13 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,40 Kg	0,0058 m ³	Black	322513	145 <small>new</small>
2000 mm	2,90 Kg	0,0080 m ³	Black	340647	290 <small>new</small>




BI-EMISSION LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,271 Kg	0,0032 m ³	On-Off	Black	339863	215 <small>new</small>
		1-10V / DALI	Black	351346	240 <small>new</small>



BI-EMISSION UP/DOWN ELECTRICAL CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€
0,100 Kg	0,0016 m ³	On-Off	Black	322810	70 <small>new</small>
		1-10V / DALI	Black	342757	80 <small>new</small>



Cable length 2000 mm

MAIN CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish	Code	€
0,12 Kg	0,0005 m ³	On-Off	White	282862	36
			Black	265896	36
		1-10V / DALI	White	286303	50
			Black	286297	50



END CAP NO HOLE

END CAP WITH HOLE


SUSPENSION KIT

KIT SINGLE CABLE

BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
Yes	26 x 90 x 2 mm	Black	322841	6 <small>new</small>
Yes	26 x 90 x 2 mm	Black	322858	6 <small>new</small>
Yes - 1 Kit x power source max 210 W	2100 mm	Black	322476	55 <small>new</small>
Yes - 1 kit x 900 mm	2085 mm	Black	322490	35 <small>new</small>
No	1000 x 5 x 24 mm	Black	258256	17

Ego - Assembly plans



Ego - Drivers



DRIVER MEANWELL ON/OFF Required

Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155	140
96 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162	185
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179	205
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275	230



DRIVER BOX Optional

Material	Measure(LxHxW)	Color	Code	€
Metal	255x55x75 mm	White	302379	25
		Black	302362	25
	330x60x80 mm	White	302355	30
		Black	302348	30



MAGNETIC DRIVER Required - Cable length 2000 mm It replaces Driver + Main connector

Power	Output	Class	Measure(LxHxW)	Code	€
100 W	48 Vdc	□	297x20x16 mm	296302	90
150 W	48 Vdc	□	268x43x16 mm	325750	95
250 W	48 Vdc	□	268x43x16 mm	325767	110

* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.



325750
325767


296302

Stick ^{new}


Dimmable linear system composed of extruded aluminum profile and lighting elements with magnetic fixing. The system is available in matt black for ceiling (SURFACE) or recessed installation that disappears into the plasterboard (RECESSED). Small profile section of 19 mm wide and only 13.5 mm high. Available in two lengths: 1000 mm and 2000 mm. Possibility of composition with different source modules which can be combined following the desired disposition and can be modified when needed: TRACK SINGLE and DOUBLE modules for a spot illumination, ACCENT modules for a localized illumination and WIDE modules for a diffused and uniform illumination. Integrated LED technology with color temperature of 2700K and 3000K; high color rendering CRI ≥ 90 ; IP20 protection, insulation class III, 48 Vdc power source,; LED useful life 50.000 h L70B50. The system is also available with 1-10 V dimmable version. Ideal for lighting details or small spaces where great flexibility and high light quality is required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off / 1-10V
Control	Phase-cut
CCT	2700 K / 3000 K
CRI	≥ 90
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Stick Track Single




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
3W	24°	240 lm	2700 K	Black	345048	45 <small>new</small>
		250 lm	3000 K	Black	329505	45




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
5W	30°	420 lm	2700 K	Black	345055	50 <small>new</small>
		430 lm	3000 K	Black	329529	50



LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
7W	36°	570 lm	2700 K	Black	345062	90 <small>new</small>
		600 lm	3000 K	Black	343501	90 <small>new</small>



LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish	Code	€
10W	36°	760 lm	2700 K	Black	345079	95 <small>new</small>
		800 lm	3000 K	Black	343518	95 <small>new</small>



Light beam: SPOT




Light beam: ACCENT



m	lx	cm
1	514	0,62
2	128	1,20
3	57	1,90
4	32	2,50
5	21	3,10



CRI≥90 3W 24° 250lm 3000K




m	lx	cm
1	822	0,62
2	205	1,20
3	91	1,90
4	51	2,50
5	33	3,10



CRI≥90 5W 30° 430lm 3000K




Stick Track Double



LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish	Code	€
6W	24°	480 lm	2700 K	Black	345024	68 new
		500 lm	3000 K	Black	329512	68



LED COB BRIDGELUX


Power	Beam	Lumen	CCT	Finish	Code	€
10W	30°	840 lm	2700 K	Black	345031	75 new
		870 lm	3000 K	Black	329536	75



Light beam: SPOT




Light beam: ACCENT



m	lx	Øm
1	1028	0,62
2	257	1,20
3	114	1,90
4	64	2,50
5	41	3,10



CRI≥90 6W 24° 500lm 3000K




m	lx	Øm
1	1645	0,62
2	411	1,20
3	183	1,90
4	103	2,50
5	66	3,10



CRI≥90 10W 30° 870lm 3000K



Stick Accent



0,070 Kg/0,0001 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
6 W	40°	600 lm	2700 K	Black	■	344980	30 <i>new</i>
		630 lm	3000 K	Black	■	329468	30



0,150 Kg/0,0002 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
12 W	40°	1200 lm	2700 K	Black	■	345000	60 <i>new</i>
		1250 lm	3000 K	Black	■	329475	60



0,080 Kg/0,0004 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
8 W	40°	780 lm	2700 K	Black	■	344997	45 <i>new</i>
		800 lm	3000 K	Black	■	343525	45 <i>new</i>




0,140 Kg/0,0006 m³

LED SMD BRIDGELUX


Power	Beam	Lumen	CCT	Finish		Code	€
16 W	40°	1550 lm	2700 K	Black	■	345017	70 <i>new</i>
		1600 lm	3000 K	Black	■	343532	70 <i>new</i>



Light beam: ACCENT



m	lx	øm
1	958	0,64
2	240	1,30
3	106	1,90
4	60	2,60
5	38	3,20



m	lx	øm
1	1917	0,64
2	479	1,30
3	213	1,90
4	120	2,60
5	77	3,20



CRI≥90 6W 40° 630lm 3000K

CRI≥90 12W 40° 1250lm 3000K



329468



329468



329475

605

Stick Wide



LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
6 W	110°	580 lm	2700 K	Black	■	345086	25 <i>new</i>
		600 lm	3000 K	Black	■	329444	25

0,070 Kg/0,0001 m³




LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	110°	1150 lm	2700 K	Black	■	345093	50 <i>new</i>
		1200 lm	3000 K	Black	■	329451	50



0,130 Kg/0,0002 m³




Light beam: WIDE



m	lx	øm
1	138	2,50
2	35	4,90
3	15	7,40
4	8,7	9,80
5	5,5	12,00



m	lx	øm
1	277	2,50
2	69	4,90
3	31	7,40
4	17	9,80
5	11	12,00



CRI≥90 6W 110° 600lm 3000K

CRI≥90 12W 110° 1200lm 3000K




Stick Wide 300 mm



Stick Wide 600 mm




Stick Surface



TRACK Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code	€
1000 mm	0,350 Kg	0,0594 m ³	Black	329574	30
2000 mm	0,700 Kg	0,1154 m ³	Black	329581	55




CONNECTOR HORIZONTAL Optional

Weight	Volume	Finish	Code	€
0,10 Kg	0,0015 m ³	Black	330358	37




BLINDED COVER

Required	Measure (L x H x W)	Finish	Code	€
No	1000 x 3 x 16 mm	Black	329635	4
	2000 x 3 x 16 mm	Black	329642	6



STRAIGHT CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Finish	Code	€
0,03 Kg	0,0001 m ³	Black	329710	15



MAIN CONNECTOR Required - 1 Kit x power source

Weight	Volume	Finish	Code	€
0,08 Kg	0,0003 m ³	Black	329703	20

DRIVER 1-10V Required



Power	Output	Class	Measure(LxHxW)	Code	€
150 W	48 Vdc	<input type="checkbox"/>	350x18x30 mm	329673	90


POWER SUPPLY LINEAR Required
It replaces Driver + Main connector




Power	Output	Class	Measure(LxHxW)	Code	€
120 W	48 Vdc	<input type="checkbox"/>	304x32x16 mm	329666	80

Cable length 2000 mm


Stick - Assembly plans



BLINDED COVER




Stick Recessed



TRACK Kit for profile installation and closing cups included

Length	Weight	Volume	Finish	Code	€
1000 mm	0,400 Kg	0,0816 m ³	Black	329598	35
2000 mm	0,800 Kg	0,1586 m ³	Black	329604	70



CONNECTOR HORIZONTAL Optional


Weight	Volume	Finish	Code	€
0,07 Kg	0,0015 m ³	Black	330365	37



BLINDED COVER


Required	Measure (LxHxW)	Finish	Code	€
No	1000x3x16 mm	Black	329635	4
	2000x3x16 mm	Black	329642	6

STRAIGHT CONNECTOR Required - 1 Kit x linear connection



Weight	Volume	Finish	Code	€
0,03 Kg	0,0001 m ³	Black	329710	15

MAIN CONNECTOR Required - 1 Kit x power source



Cable length 140 mm

Weight	Volume	Finish	Code	€
0,08 Kg	0,0003 m ³	Black	329703	20

DRIVER 1-10V Required



Power	Output	Class	Measure(LxHxW)	Code	€
150 W	48 Vdc	<input type="checkbox"/>	350x18x30 mm	329673	90


POWER SUPPLY LINEAR Required - Cable length 400 mm
It replaces Driver + Main connector



Cable length 2000 mm

Power	Output	Class	Measure(LxHxW)	Code	€
150 W	48 Vdc	<input type="checkbox"/>	304x32x16 mm	329666	80

Stick - Assembly plans



BLINDED COVER



Arca

Extruded aluminum linear system compatible with a wide range of lighting modules with mechanical fixing. The system is anodized and varnished. It is available in black color and for different kind of installations: ceiling, suspension, or flush in plasterboard ceilings. Modules can be assembled according to the desired arrangement. Two profile lengths available: 1000 mm and 3000 mm. Possibility of assembly with different modules: WIDE diffusing modules, ACCENT modules with UGR < 13 and adjustable TRACK modules for targeted lighting. COB or SMD LED technology, 3000 K or 4000 K color temperature, initial binning ≤ 3-Step MacAdam, IP20 protection, insulation class III, LED useful life 50,000 h L70B50. The 48 Vdc power supply gives great versatility and safety, with reversible and modifiable compositions if necessary. The system is suitable for environments where professional and powerful lighting with a minimal design is required, such as OFFICES and COMMERCIAL spaces.

PRO

High-tech product with high quality materials, intended for professional use.

UGR



Product with UGR <13 (Accent).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<13 (Accent)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years







Arca Track



0,200 Kg/0,0015 m³

LED SMD CREE

Power	Beam	Lumen	CCT	Finish		Code	€
5W	34°	430 lm	3000 K	Black	■	222974	109
		450 lm	4000 K	Black	■	223056	109




0,460 Kg/0,0030 m³

LED COB CITIZEN

Power	Beam	Lumen	CCT	Finish		Code	€
14W	36°	1250 lm	3000 K	Black	■	222967	140
		1300 lm	4000 K	Black	■	223049	140




Light beam: ACCENT



m	lx	cm
1	553	0,58
2	138	1,16
3	61	1,75
4	35	2,33
5	22	2,91



CRI≥90 5W 34° 430lm 3000K




m	lx	cm
1	2336	0,60
2	584	1,21
3	259	1,81
4	146	2,42
5	93	3,02



CRI≥90 14W 36° 1250lm 3000K




Arca Accent



LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish		Code	€
15W	35°	1600 lm	3000 K	Black	■	222929	170
		1650 lm	4000 K	Black	■	223001	170

0,440 Kg/0,0026 m³




LED SMD OSRAM UGR <13

Power	Beam	Lumen	CCT	Finish		Code	€
29W	35°	3200 lm	3000 K	Black	■	222936	300
		3350 lm	4000 K	Black	■	223018	300


0,700 Kg/0,0087 m³




Light beam: ACCENT



m	lx	øm
1	2707	0,56
2	676	1,13
3	300	2,26
4	169	2,83
5	108	3,39




CRI≥90 15W 35° 1600lm 3000K



m	lx	øm
1	4826	0,60
2	1207	1,21
3	536	1,81
4	301	2,42
5	193	3,02



CRI≥90 29W 35° 3200lm 3000K




Arca Accent 300 mm



Arca Accent 600 mm




Arca Wide



LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish		Code	€
13W	98°	1550 lm	3000 K	Black	■	222943	105
		1650 lm	4000 K	Black	■	223025	105

0,410 Kg/0,0025 m³




LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Finish		Code	€
25W	98°	3100 lm	3000 K	Black	■	222950	152
		3300 lm	4000 K	Black	■	223032	152



0,700 Kg/0,0087 m³



Light beam: WIDE



m	lx	øm
1	203	2,16
2	50	4,33
3	22	6,50
4	12	8,66
5	8	10,83



m	lx	øm
1	440	2,14
2	110	4,28
3	48	6,42
4	27	8,56
5	17	10,70



CRI≥90 13W 98° 1550lm 3000K

CRI≥90 25W 98° 3100lm 3000K





Arca Wide 300 mm



Arca Wide 600 mm



Arca - Suspension





TRACK Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,34 Kg	0,0273 m ³	Black	222745	120
3000 mm	4,02 Kg	0,0496 m ³	Black	222752	325



	Required	Cables Length	Measure (L x H x W)	Code	€
LINEAR CONNECTOR	Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
END CAP	Yes		20 x 85 x 42 mm	223148	18
SINGLE CABLE KIT	Yes - 1 Kit x 1000 mm	2000 mm	ø 15 x 2000 mm	276366	14

Arca - Surface





TRACK Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	1,34 Kg	0,0273 m ³	Black	222745	120
3000 mm	4,02 Kg	0,0496 m ³	Black	222752	325



	Required	Cables Length	Measure (L x H x W)	Code	€
LINEAR CONNECTOR	Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
ELECTRIFIED END CAP	Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124	24
END CAP	Yes		20 x 85 x 42 mm	223148	18
KIT SURFACE	Yes - 1 Kit x 1000 mm		1000 x 12 x 42 mm	222899	30

Arca - Recessed



TRACK Kit for profile installation and closing cups included
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish	Code	€
1000 mm	2,90 Kg	0,0269 m ³	Black	222769	187
3000 mm	8,70 Kg	0,0496 m ³	Black	222882	490



	Required	Cables Length	Measure (L x H x W)	Code	€
LINEAR CONNECTOR	Yes - 1 Kit x connection		100 x 18 x 38 mm	254944	25
ELECTRIFIED END CAP	Yes - 1 Kit x power source max 210 W	380 mm	86 x 80 x 42 mm	223124	24



Arca - Drivers and cover

DRIVER MEANWELL ON/OFF Required



Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
75 W	48 Vdc	⊕	171x37x62 mm	255x55x75 mm	223155	140
96 W	48 Vdc	⊕	220x37x68 mm	330x60x80 mm	223162	185
150 W	48 Vdc	⊕	228x37x68 mm	330x60x80 mm	223179	205
240 W	48 Vdc	⊕	244x39x68 mm	330x60x80 mm	224275	230

DRIVER BOX Optional



Material	Measure(LxHxW)	Color	Code	€
Metal	255x55x75 mm	White	302379	25
		Black	302362	25
	330x60x80 mm	White	302355	30
		Black	302348	30

BLINDED COVER Optional




Material	Length	Color	Code	€
PC	990 mm	Black	222912	8

Linus



Linear aluminum lamp with direct and indirect light. The lamp is modular and can be used individually or in a continuous line. Integrated LED, starting binning ≤ 3-Step MacAdam; CRI ≥ 90; protection IP20, insulation class I. Dimmable power supply 1-10V integrated as standard.

Source	LED SMD	LED life	50.000 h
Power	32W	Insulation class	I
Driver included	1-10V	IP	20
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K/ 4000 K		
CRI	≥90		




LED SMD Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	104°	1500 lm	3000 K	White	241968	220
				Black	241975	220
		1750 lm	4000 K	White	268231	220
				Black	268217	220

UP-LIGHT INFO

Lumen	CCT
1500 lm	3000 K
1750 lm	4000 K



CORNER Optional - Up-light not included

Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	104°	640 lm	3000 K	White	241999	46
				Black	242002	46
		730 lm	4000 K	White	268149	46
				Black	268118	46




STRUCTURE CONNECTOR

Required	Code	€
Yes - 1Kit x connection	241982	6



Light beam: **BI-EMISSION**
WIDE



m	lx	øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80



CRI≥90 32W 104°+104° 1750+1750lm 4000K



P. 375



241968

241975

Fluo

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in two different arrangements: the WIDE diffusing module and the BI-EMISSION module with component for indirect lighting; integrated LEDs, color temperature options of 3000 K or 4000 K, chromatic index CRI \geq 90, starting binning \leq 3 -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, available in 1-10V, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as COMMERCIAL and RETAIL.




High-tech product with high quality materials, intended for professional use.

Source	LED SMD
Driver included	On/Off
Drivers available	1-10V / DALI/Push
MacAdam	SDCM 3
Optics	Accent/Wide/Bi-Emission
CCT	3000 K / 4000 K
CRI	\geq 90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years





Fluo Wide




2,890 Kg/0,0183 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	105°	3350 lm	3000 K	White	192437	330
				Black	191997	330
		3600 lm	4000 K	White	192482	330
				Black	192505	330

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€	
	1-10V	28 W	500 mA	280x21x30 mm	216423	145
	DALI/Push	27 W	500 mA	280x21x30 mm	216287	160



4,420 Kg/0,0257 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	105°	4600 lm	3000 K	White	192550	425
				Black	192567	425
		4750 lm	4000 K	White	192604	425
				Black	192628	425


DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€	
	1-10V	39 W	700 mA	280x21x30 mm	216416	145
	DALI/Push	38 W	700 mA	280x21x30 mm	216270	160


MOUNTING KIT Required - Page 641



Light beam: WIDE



m	lx	Øm
1	1042	2,50
2	260	5,00
3	115	7,50
4	65	10,00
5	41	12,50




CRI≥90 27W 105° 3600lm 4000K


* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.



Fluo Wide 1200



Fluo Wide 1800




The single final cup is 2.5 mm width.

Fluo Bi-Emission*



LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



2,890 Kg/0,0183 m³
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	105°	3300 lm	3000 K	White	192666	425
				Black	192710	425
		3550 lm	4000 K	White	192741	425
				Black	192758	425

UP-LIGHT INFO


Power	Beam	Lumen	CCT
13 W	105°	1800 lm	3000 K
		1900 lm	4000 K

KIT DIMMABLE DRIVER*

	Code	€
1-10V	270692	230
DALI/Push	270876	260

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included



4,420 Kg/0,0269 m³
Cable length 2150 mm

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	105°	4800 lm	3000 K	White	192703	580
				Black	192697	580
		4950 lm	4000 K	White	192673	580
				Black	192642	580

UP-LIGHT INFO

Power	Beam	Lumen	CCT
18 W	105°	2400 lm	3000 K
		2550 lm	4000 K


KIT DIMMABLE DRIVER*

	Code	€
1-10V	270883	230
DALI/Push	270937	260



Light beam: **BI-EMISSION**
WIDE

MOUNTING KIT Required - Page 641



m	lx	øm
1	512	2,10
2	128	4,21
3	56	6,32
4	32	8,43
5	20	10,54




* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with 1-10V and Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.


CRI≥90 27+13W 105°+105° 3300+1800lm 3000K



Fluo Bi-Emission 1200




Fluo Bi-Emission 1800




The single final cup is 2.5 mm width.

Fluo - Assembly plans


FLUO SUSPENSION



FLUO SURFACE







FLUO RECESSED





Fluo - Mounting kit

	Required	N° Cables	Cables Length	Finish	Code	€
 KIT SUSPENSION	Yes - 1 Kit x power source	1	2000 mm	White	277929	32
				Black	277912	32
		1	5000 mm	White	276342	43
				Black	276335	43
 KIT SINGLE CABLE	Yes - 1 Kit x 600 mm	1	2000 mm		220826	13
		1	5000 mm		243665	20
 KIT RECESSED	Yes - 1 Kit x 600 mm				191188	25
 KIT SURFACE	Yes - 1 Kit x 600 mm				191171	25

STRUCTURE CONNECTOR Maximum length per power source: 30 meters



Required	Code	€
Yes - 1 Kit x connection	191508	12

Steel ^{new}

Linear aluminum lamp with direct and indirect light. The indirect light can be turned on or off thanks to the switch positioned on the edge of the fitting. The lamp is available in WIDE model with diffusing downlight optics made of microprismatized PMMA (UGR < 19) and in ACCENT model with black reflector (UGR < 16). Integrated LED sources, available with CCT 3000 K e 4000 K; CRI ≥ 90; lifetime 50.000 h L70B50; IP20. Suitable for offices, business premises and retail.

PRO High-tech product with high quality materials, intended for professional use.



UGR Product with UGR <16 (Accent), <19 (Wide).

Source	LED SMD
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
Optics	Accent/Wide
CCT	3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <19 (Wide)
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years





Steel




1,990 Kg/0,0178 m³
Cable length 1800 mm

LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	70°	3350 lm	3000 K	White	267128	290
				Black	270197	290
		3550 lm	4000 K	White	270203	290
				Black	267135	290



1,980 Kg/0,0178 m³
Cable length 1800 mm





LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	60°	3000 lm	3000 K	White	270180	345
				Black	267142	345
		3200 lm	4000 K	White	267159	345
				Black	270173	345

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1100 lm	3000 K
	1150 lm	4000 K


	Required	N° Cables	Cables Length	Finish	Code	€
	Yes - 1 Kit x power source	1	2000 mm	White	276311	35
				Black	276304	35
	Yes - 1 Kit x 500 mm	1	2000 mm		271750	13
	Yes - 1 Kit x 1000 mm				270210	31
	Yes - 1 Kit x connection				271712	7




Light beam: BI-EMISSION
WIDE



Light beam: BI-EMISSION
ACCENT



m	lx	om
1	1173	1,50
2	293	3,10
3	130	4,60
4	73	6,20
5	47	7,70



m	lx	om
1	2216	1,20
2	554	2,40
3	246	3,60
4	139	4,80
5	89	6,10



CRI≥90 36W 70°+110° 3550+1150lm 4000K

CRI≥90 36W 60°+110° 3200+1150lm 4000K




Steel Accent




1070

Steel Wide



1070


Steel Slim



LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
35W	110°	2900 lm	3000 K	White	348407	175 <i>new</i>
				Black	348384	175 <i>new</i>



LED SMD SAMSUNG

Up-light included - Driver OSRAM ON/OFF included - UGR <16


Power	Beam	Lumen	CCT	Finish	Code	€
35W	70°	2900 lm	3000 K	White	348414	175 <i>new</i>
				Black	348391	175 <i>new</i>

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1100 lm	3000 K




Light beam: **BI-EMISSION WIDE**



m	lx	Øm
1	937	1,50
2	234	3,10
3	104	4,60
4	59	6,20
5	37	7,70



Light beam: **BI-EMISSION ACCENT**



m	lx	Øm
1	616	2,80
2	154	5,60
3	68	8,50
4	39	11,00
5	25	14,00




CRI≥90 35W 110°+110° 2900+1100lm 3000K


CRI≥90 35W 70°+110° 2900+1100lm 3000K



Steel Slim Accent



Steel Slim Wide



Office




Aluminum linear lamp with direct light for suspended installation. White or black finish available with black reflectors. Integrated LED sources with glare control (UGR < 16); available with 3000 K and 4000 K color temperature; CRI ≥ 90; 50.000 h of life L70B50; protection IP20, insulation class I.

Source	LED SMD	LED life	50.000 h
Power	30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		
UGR	<16		

UGR

Product with UGR <16.




LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	37°	3350 lm	3000 K	White	271194	220
				Black	271187	220
30 W	37°	3700 lm	4000 K	White	271217	220
				Black	271200	220



Light beam: ACCENT



m	lx	øm
1	6008	0,72
2	1502	1,40
3	668	2,20
4	376	2,90
5	240	3,60



CRI≥90 30W 37° 3700lm 4000K



271194

271187



LED strip and supports

Indoors

Alphabetical index

Slot	652
Strip Led	644
Tesi	648

Typology index

new



Strip 644

new



Tesi 648

new



Slot Recessed 654



Slot Surface 656

new




Slot Angular 658

* No further promotions can be applied to the strip led recommended prices.

Strip LED and Drivers new


Volt	24 Vdc
Source	LED COB / SMD
Drivers available	On/Off / 1-10V / DALI/Push
Power	5 / 8 / 10 / 15 / 20 / 40 W/m
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
Beam	120°
LED life	50.000 h
Warranty	5 years

SMD 2835 180 LED/m - 50.000h




Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50 new
		700 lm/m	3000 K	5x5000mm	345789	50 new
		750 lm/m	4000 K	5x5000mm	345796	50 new
15 W/m	IP20	1290 lm/m	2700 K	5x5000mm	345765	65 new
		1340 lm/m	3000 K	5x5000mm	332239	65 new
		1380 lm/m	4000 K	5x5000mm	332246	65 new

SMD 2835 120 LED/m - 50.000h




Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50 new
		490 lm/m	3000 K	8x5000mm	346335	50 new
		510 lm/m	4000 K	8x5000mm	346359	50 new
	IP65	460 lm/m	3000 K	8x5000mm	346342	60 new
		500 lm/m	4000 K	8x5000mm	346366	60 new
		10 W/m	IP20	910 lm/m	2700 K	8x5000mm
940 lm/m	3000 K	8x5000mm		346380	50 new	
970 lm/m	4000 K	8x5000mm		346403	50 new	
	IP65	960 lm/m	3000 K	8x5000mm	346397	60 new
		1040 lm/m	4000 K	8x5000mm	346410	60 new
		15 W/m	IP20	1400 lm/m	2700 K	10x5000mm
1450 lm/m	3000 K	10x5000mm		272481	55	
1600 lm/m	4000 K	10x5000mm		272474	55	
	IP65	1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75




Strip LED and Drivers

SMD 2835 240 LED/m - 50.000 h




Power	IP	Lumen	CCT	Measure	Code	€
10 W/m	IP20	990 lm/m	2700 K	8x5000mm	346427	65 <i>new</i>
		1000 lm/m	3000 K	8x5000mm	346434	65 <i>new</i>
		1060 lm/m	4000 K	8x5000mm	346458	65 <i>new</i>
15 W/m	IP65	880 lm/m	3000 K	8x5000mm	346441	80 <i>new</i>
		900 lm/m	4000 K	8x5000mm	346465	80 <i>new</i>
		1330 lm/m	2700 K	8x5000mm	346472	65 <i>new</i>
20.5 W/m	IP20	1450 lm/m	3000 K	8x5000mm	346489	65 <i>new</i>
		1510 lm/m	4000 K	8x5000mm	346502	65 <i>new</i>
		1460 lm/m	4000 K	8x5000mm	346519	80 <i>new</i>
20.5 W/m	IP65	2000 lm/m	2700 K	10x5000mm	272535	90
		2050 lm/m	3000 K	10x5000mm	272528	90
		2100 lm/m	4000 K	10x5000mm	272511	90
20.5 W/m	IP65	2000 lm/m	3000 K	10x5000mm	272542	105
		2020 lm/m	4000 K	10x5000mm	287966	105

SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
40 W/m	IP20	4350 lm/m	3000 K	10x3000mm	253886	145
		4410 lm/m	4000 K	10x3000mm	253893	145

COB 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	760 lm/m	2700 K	8x5000mm	325934	60 <i>new</i>
		790 lm/m	3000 K	8x5000mm	325958	60 <i>new</i>
		820 lm/m	4000 K	8x5000mm	325972	60 <i>new</i>
15 W/m	IP20	1350 lm/m	2700 K	8x5000mm	325941	60 <i>new</i>
		1470 lm/m	3000 K	8x5000mm	325965	60 <i>new</i>
		1620 lm/m	4000 K	8x5000mm	325989	60 <i>new</i>



MAIN CONNECTOR



LINEAR CONNECTOR

	Required	Code	€
MAIN CONNECTOR	No	292939	2
LINEAR CONNECTOR	No	292953	2

DRIVER For indoor installation only




	Power	Output	Class	Measure(LxHxW)	Code	€
On-Off	30 W	24 Vdc	□	140 x 28 x 45 mm	124070	17
	60 W	24 Vdc	□	186 x 33 x 50 mm	124087	25
	150 W	24 Vdc	⊕	268 x 31 x 45 mm	124117	45
1-10V/Push	36 W	24 Vdc	□	293 x 30 x 43 mm	244556	40
	100 W	24 Vdc	⊕	210 x 34 x 67 mm	244570	65
1-10V/Push	150 W	24 Vdc	⊕	352 x 30 x 43 mm	244594	65
DALI/Push	36 W	24 Vdc	□	175 x 30 x 44 mm	244549	55
	80 W	24 Vdc	⊕	295 x 35 x 45 mm	244563	65
	150 W	24 Vdc	⊕	273 x 37 x 57 mm	244587	90

Tesi 8mm new




Flexible steel tape for wall-to-wall tension application, to be used as a support for the application of LED strips for indirect lighting. Tape available in two widths of 8 mm and 20 mm, maximum length of 5 or 10 meters that can be cut to size, aluminum supports with locking system, available in steel, white or black finishes. Ideal for environments with an historical and architectural character that are already highly personalized, with its minimal section it disappears inside the environment to guarantee a result of extreme formal cleanliness.

STRIP LED SUPPORT




Length	Width	Finish		Code	€
5000 mm	8 mm	Steel		344935	150 new
		White		344928	150 new
		Black		344911	150 new



Length	Width	Finish		Code	€
10000 mm	8 mm	Steel		344904	165 new
		White		344898	165 new
		Black		344881	165 new

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50 new
		700 lm/m	3000 K	5x5000mm	345789	50 new
		750 lm/m	4000 K	5x5000mm	345796	50 new

DRIVER ON/OFF



Light beam: **INDIRECT**




Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
30 W	24 Vdc		140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17
60 W	24 Vdc		186 x 33 x 50 mm	255 x 55 x 75 mm	124087	25
150 W	24 Vdc		268 x 31 x 45 mm	330 x 60 x 80 mm	124117	45




Tesi 20mm new



STRIP LED SUPPORT




Length	Width	Finish		Code	€
5000 mm	20 mm	Steel		258300	150
		White		302256	150
		Black		302263	150



Length	Width	Finish		Code	€
10000 mm	20 mm	Steel		302270	175
		White		302287	175
		Black		302294	175

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 120 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50 new
		490 lm/m	3000 K	8x5000mm	346335	50 new
		510 lm/m	4000 K	8x5000mm	346359	50 new
	IP65	460 lm/m	3000 K	8x5000mm	346342	60 new
		500 lm/m	4000 K	8x5000mm	346366	60 new
		910 lm/m	2700 K	8x5000mm	346373	50 new
10 W/m	IP20	940 lm/m	3000 K	8x5000mm	346380	50 new
		970 lm/m	4000 K	8x5000mm	346403	50 new
		960 lm/m	3000 K	8x5000mm	346397	60 new
	IP65	1040 lm/m	4000 K	8x5000mm	346410	60 new
		1400 lm/m	2700 K	10x5000mm	272498	55
		1450 lm/m	3000 K	10x5000mm	272481	55
15 W/m	IP20	1600 lm/m	4000 K	10x5000mm	272474	55
		1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75


DRIVER ON/OFF



Light beam: **INDIRECT**



Power	Output	Class	Measure(LxHxW)	Driver box	Code	€
30 W	24 Vdc		140x28x45 mm	255x55x75 mm	124070	17
60 W	24 Vdc		186x33x50 mm	255x55x75 mm	124087	25
150 W	24 Vdc		268x31x45 mm	330x60x80 mm	124117	45



Slot


Extruded aluminum body with anodized or powder coated surface, available in white, black, aluminum finishes, PMMA satin diffuser. Bars with different optional sections and length are available for the RECESSED version for plasterboard ceilings installation and SURFACE version for wall or ceiling installation. The ANGULAR models in the round and square version are designed with an internal angle of inclination of the light source for optimal illumination inside luminous veils and grooves. The linear modules are available in different lengths: 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. Led and driver to be combined for a correct installation.

Model	Recessed/Surface/Angular
Width	6 / 31 mm
Material	Aluminum






Slot Recessed



6 x 9 mm Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code	€
2000 mm	0,14 Kg	0,0082 m ³	White	346212	8 <small>new</small>
3000 mm	0,21 Kg	0,0122 m ³	White	346229	12 <small>new</small>


STRIP LED AND DRIVER Recommended Strip LED max 8 W/m



12 x 5 mm Mounting kit included - Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code	€
2000 mm	0,35 Kg	0,0020 m ³	White	203102	25
3000 mm	0,54 Kg	0,0029 m ³	White	204611	40


STRIP LED AND DRIVER Recommended Strip LED max 15 W/m



10,6 x 14 mm Not compatible with strip LED IP65

Length	Weight	Volume	Finish	Code	€
2000 mm	0,60 Kg	0,0031 m ³	White	346274	45 <small>new</small>
3000 mm	0,89 Kg	0,0068 m ³	White	346281	65 <small>new</small>

STRIP LED AND DRIVER Recommended Strip LED max 8 W/m



21 x 14 mm

Length	Weight	Volume	Finish	Code	€
2000 mm	0,71 Kg	0,0049 m ³	White	346762	55 <small>new</small>
3000 mm	1,06 Kg	0,0039 m ³	White	346779	75 <small>new</small>

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m

KIT PROFILE 21 x 14 mm




KIT LINEAR

KIT RIGHT-LEFT

KIT VERTICAL-HORIZONTAL

Required	Code	€
Yes - 1 Kit x connection	223766	6
Yes - 1 Kit x connection	223759	6
Yes - 1 Kit x connection	223742	6




Mounting kit PROFILE 12 mm.



346762
346779


Slot Surface



6 x 9 mm Mounting kit included - Not compatible with strip LED IP65


Length	Weight	Volume	Finish	Code	€
2000 mm	0,14 Kg	0,0082 m ³	White	346243	8 new
	0,14 Kg	0,0082 m ³	Black	346236	8 new
3000 mm	0,21 Kg	0,0122 m ³	White	346267	12 new
	0,21 Kg	0,0122 m ³	Black	346250	12 new

STRIP LED AND DRIVER Recommended Strip LED max 8 W/m



11 x 5 mm Mounting kit included - Not compatible with strip LED IP65


Length	Weight	Volume	Finish	Code	€
2000 mm	0,20 Kg	0,0020 m ³	White	203089	20
	0,20 Kg	0,0020 m ³	Aluminu.	203072	20
3000 mm	0,34 Kg	0,0029 m ³	White	204598	30
	0,34 Kg	0,0029 m ³	Aluminu.	204581	30



14 x 15 / 22 mm Mounting kit included - Not compatible with strip LED IP65

Measure	Weight	Volume	Finish	Code	€
2000x15mm	0,20 Kg	0,0015 m ³	White	307145	25
2000x22mm	0,40 Kg	0,0021 m ³	White	307152	25

STRIP LED AND DRIVER Recommended Strip LED max 15 W/m



31 x 37 mm Mounting kit included

Length	Weight	Volume	Finish	Code	€
2000 mm	1,40 Kg	0,0032 m ³	White	270524	75
	1,40 Kg	0,0032 m ³	Black	270517	75
3000 mm	2,10 Kg	0,0048 m ³	White	270548	105
	2,10 Kg	0,0048 m ³	Black	270531	105



SUSPENSION KIT

STRUCTURE CONNECTOR

Required	N° Cables	Cables Length	Code	€
No - 1Kitx2000mm	2	3000 mm	270449	18
Yes - 1Kit x connection			270463	6

STRIP LED AND DRIVER Recommended Strip LED max 40 W/m



Mounting kit 11 x 5 mm.



307145




270517

Slot Angular Surface




ROUND 10 x 10 mm



Length	Weight	Volume	Finish		Code	€
2000 mm	0,16 Kg	0,0027 m ³	White	<input type="checkbox"/>	346298	20 <small>new</small>
3000 mm	0,24 Kg	0,0055 m ³	White	<input type="checkbox"/>	346304	30 <small>new</small>


ROUND 16 x 16 mm



Length	Weight	Volume	Finish		Code	€
2000 mm	0,30 Kg	0,0020 m ³	White	<input type="checkbox"/>	203126	25
3000 mm	0,44 Kg	0,0029 m ³	White	<input type="checkbox"/>	204635	40

STRIP LED AND DRIVER Recommended Strip LED_{max} 15 W/m

Slot Angular Recessed



17,2 x 11 mm

Length	Weight	Volume	Finish		Code	€
2000 mm	0,92 Kg	0,0031 m ³	White	<input type="checkbox"/>	339788	65 <small>new</small>
3000 mm	1,38 Kg	0,0082 m ³	White	<input type="checkbox"/>	339795	90 <small>new</small>

STRIP LED AND DRIVER Recommended Strip LED_{max} 15 W/m

KIT PROFILE 21 x 14 mm / 17,2 x 11 mm



KIT LINEAR

KIT RIGHT-LEFT

KIT VERTICAL-HORIZONTAL

Required	Code	€
Yes - 1 Kit x connection	223766	6
Yes - 1 Kit x connection	223759	6
Yes - 1 Kit x connection	223742	6



Mounting kit
PROFILE ROUND 10x10 mm.



339788
339795



















Spotlights and Tracks

Indoors

Alphabetical index

Byte	696
Display	700
Eos	686
Fox	678
Glim	695
Link	708
Link Mono	714
Look	698
Mouse	694
Pov	692
Quick	662
Smile	670
Spike	697
Spot	694

Typology index

<small>new</small>			<small>new</small>		
	Quick 662	Smile 670		Fox 678	
<small>new</small>			<small>new</small>		
	Eos 686	Pov 692		Mouse 694	
<small>new</small>			<small>new</small>		
	Spot 694	Glim 695		Byte 696	
<small>new</small>					
	Spike 697	Look 698			
<small>new</small>		<small>new</small>		<small>new</small>	
	Display Accent 702		Display Wide 704		Display UGR 706
		<small>new</small>			
	Link 3-Phase 708		Link 1-Phase 714		

Quick

Extruded aluminum cylindrical tracklight suitable for installation on three-phase track. White or black powder coating, 355° turning head and 90° adjustable, the power driver is included and located in the cylindrical body of the projector itself. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K or 4000 K; Energy efficient LED with high color rendering, up to CRI ≥ 90; starting binning ≤3-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP20 protection; insulation class I; LED useful life 50.000 h L80B50. Ideal for installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

PRO

High-tech product with high quality materials, intended for professional use.


Source	LED COB
Power	15W / 21W / 28W
Driver included	On/Off
Drivers available	No
Track	3-Phase
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 708



Quick 15W



3-PHASE LED COB CITIZEN

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1800 lm	3000 K	White	222509	145
				Black	222523	145
		1950 lm	4000 K	White	222530	145
				Black	222547	145

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1500 lm	3000 K	White	222554	145
				Black	222561	145
		1600 lm	4000 K	White	222578	145
				Black	222585	145



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222608	9
No	15°	Clear	222592	9
No	45°	Clear	253558	9
No		White	170145	23
No		Black	170152	23



Light beam: ACCENT



m	lx	øm
1	3451	0,51
2	862	1,02
3	383	1,53
4	215	2,04
5	138	2,55




CRI ≥ 80 15W 30° 1800lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Quick 21W



3-PHASE LED COB CITIZEN

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
21W	30°	2450 lm	3000 K	White	247946	155
				Black	247939	155
		2700 lm	4000 K	White	247960	155
				Black	247953	155

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
21W	30°	2000 lm	3000 K	White	247977	155
				Black	225364	155
		2150 lm	4000 K	White	247991	155
				Black	247984	155



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222608	9
No	15°	Clear	222592	9
No	45°	Clear	253558	9
No		White	170145	23
No		Black	170152	23



Light beam: ACCENT



m	lx	øm
1	6576	0,57
2	1644	1,14
3	731	1,71
4	411	2,28
5	263	2,85




CRI ≥ 80 21W 30° 2450lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Quick 28W



3-PHASE LED COB CITIZEN

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	30°	3550 lm	3000 K	White	222615	185
				Black	222622	185
		3800 lm	4000 K	White	222639	185
				Black	222646	185

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	30°	3100 lm	3000 K	White	222653	185
				Black	222660	185
		3300 lm	4000 K	White	222677	185
				Black	222684	185



FILTER HONEYCOMB



LENS*




SINGLE CONNECTION

Required	Beam	Finish	Code	€
No		Black	222714	10
No	18°	Clear	222691	10
No	45°	Clear	222707	10
No		White	170145	23
No		Black	170152	23



Light beam: ACCENT



m	lx	øm
1	8760	0,55
2	2190	1,11
3	973	1,67
4	547	2,22
5	350	2,78



CRI ≥ 80 28W 30° 3550lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning \leq 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR $<$ 19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.

Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

UGR Product with UGR $<$ 19.

Source	LED COB
Power	15W / 20W / 30W
Driver included	On/Off
Drivers available	No
Track	3-Phase
CCT	3000 K / 4000 K
CRI	\geq 80 / \geq 90
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




[Link 3-Phase - Page 708](#)





Smile 15W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
15W	24°	2050 lm	3000 K	White	189574	120
				Black	189581	120
		2250 lm	4000 K	White	189611	120
				Black	189628	120
	36°	2050 lm	3000 K	White	189758	120
				Black	189765	120
		2250 lm	4000 K	White	189796	120
				Black	189802	120
	50°	2050 lm	3000 K	White	189932	120
				Black	189949	120
		2250 lm	4000 K	White	189956	120
				Black	189963	120

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
15W	24°	1700 lm	3000 K	White	189598	120
				Black	189604	120
	36°	1700 lm	3000 K	White	189772	120
				Black	189789	120
	50°	1700 lm	3000 K	White	189970	120
				Black	189987	120




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	189536	6
No	On/Off	White	170145	23
		Black	170152	23



Light beam: SPOT




m	lx	øm
1	4362	0,47
2	1090	0,94
3	484	1,41
4	272	1,88
5	174	2,35



CRI ≥ 80 15W 24° 2050lm 3000K



Light beam: ACCENT




m	lx	øm
1	2923	0,64
2	730	1,29
3	324	1,94
4	182	2,58
5	116	3,23



CRI ≥ 80 15W 36° 2050lm 3000K



Light beam: WIDE




m	lx	øm
1	1611	0,89
2	402	1,79
3	179	2,69
4	100	3,59
5	64	4,49



CRI ≥ 80 15W 50° 2050lm 3000K



Smile 20W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€
20W	24°	3000 lm	3000 K	White	189635	135
				Black	189642	135
		3150 lm	4000 K	White	189673	135
				Black	189680	135
	36°	3000 lm	3000 K	White	189819	135
				Black	189826	135
		3150 lm	4000 K	White	189857	135
				Black	189864	135
	50°	3000 lm	3000 K	White	189994	135
				Black	190006	135
		3150 lm	4000 K	White	190013	135
				Black	190020	135

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
20W	24°	2550 lm	3000 K	White	189659	135
				Black	189666	135
	36°	2550 lm	3000 K	White	189833	135
				Black	189840	135
	50°	2550 lm	3000 K	White	190037	135
				Black	190044	135




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	190181	6
No	On/Off	White	170145	23
		Black	170152	23



Light beam: SPOT




m	lx	øm
1	8787	0,42
2	2196	0,85
3	976	1,28
4	549	1,71
5	351	2,14



CRI ≥ 80 20W 24° 3000lm 3000K



Light beam: ACCENT




m	lx	øm
1	4526	0,64
2	1131	1,28
3	502	1,92
4	282	2,56
5	181	3,20




CRI ≥ 80 20W 36° 3000lm 3000K



Light beam: WIDE




m	lx	øm
1	2657	0,93
2	664	1,87
3	295	2,81
4	166	3,75
5	106	4,69



CRI ≥ 80 20W 50° 3000lm 3000K



Smile 30W



3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥ 80

Power	Beam	Lumen	CCT	Finish	Code	€	
30 W	24°	4000 lm	3000 K	White	189697	150	
				Black	189703	150	
		4200 lm	4000 K	White	189734	150	
				Black	189741	150	
		36°	4000 lm	3000 K	White	189871	150
					Black	189888	150
	4200 lm		4000 K	White	189895	150	
				Black	189901	150	
	50°		4000 lm	3000 K	White	190051	150
					Black	190068	150
	4200 lm	4000 K	White	190075	150		
			Black	190082	150		

CRI ≥ 90

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	24°	3500 lm	3000 K	White	189710	150
				Black	189727	150
	36°	3500 lm	3000 K	White	189918	150
				Black	189925	150
	50°	3500 lm	3000 K	White	190099	150
				Black	190105	150




FILTER HONEYCOMB

SINGLE CONNECTION

Required	Driver	Finish	Code	€
No		Black	190181	6
No	On/Off	White	170145	23
		Black	170152	23



Light beam: SPOT




m	lx	øm
1	12955	0,39
2	3238	0,79
3	1439	1,19
4	809	1,59
5	518	1,99



CRI ≥ 80 30W 24° 4000lm 3000K



Light beam: ACCENT




m	lx	øm
1	6240	0,62
2	1560	1,24
3	693	1,86
4	390	2,48
5	249	3,10



CRI ≥ 80 30W 36° 4000lm 3000K



Light beam: WIDE



m	lx	øm
1	3740	0,88
2	935	1,76
3	415	2,65
4	233	3,53
5	149	4,42



CRI ≥ 80 30W 50° 4000lm 3000K



Fox new

Cylindrical extruded aluminum projector suitable for installation on single-phase and three-phase LINK track. White, black or satin brass powder coating, 350° rotating head and 90° adjustable. 1-10 V or DALI dimmable versions available. Light source with integrated LED COB technology, available with 3 different powers and with color temperatures of 2700 K, 3000 K or 4000 K and with color rendering index CRI ≥ 80 or CRI ≥ 90; starting binning ≤ 3-Step MacAdam; medium beam with accessories optics with narrow beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 50.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

Source	LED COB
Power	8W / 15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	On-Off I, 1-10V / DALI II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 708




Link 1-Phase - Page 714



Hot Drinks		Cold Drinks	
Espresso	1.30 - 2.00	Mineral Water	0.33 l. 2.00
Espresso macchiato	1.00 - 2.30	Afri Cola	0.2 l. 2.00
Americano	1.00	Spez. Single Lens	0.33 l. 2.40
Cappuccino	2.10	... cherry, pear, coconut	
Caffè latte	2.20	Homemade Tiramisu - Dessert	0.33 l. 3.00
Flat White	2.00	Juice	0.2 l. 2.00
Chai Latte	2.00	... apple, nutmeg,	
Hot Chocolate	2.20	Juice w. sparkling Water	0.33 l. 2.80
Hot milk w. Honey	2.00	Orange juice	0.33 l. 2.00
Latte w. soy-milk whipped cream		Lemonaid	0.33 l. 2.40
		Club Mate	0.33 l. 2.20
		Homemade Gingerbeer (no alcohol)	0.35 l. 3.00
Acai-Mango-Zinger, Honey-Vanilla- Chamomile, Sticky-Tarts, Tiramisu- Torte, Authentic Grouse, Black- Cherry-Berry, Apple-Gineman, Chai Bengal Spice			
Fresh Tea	2.50		
Ginger, Tiramisu or Lemon			



Fox 8W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8 W	41°	On-Off	1050 lm	3000 K	White	250410	45
					Black	250403	45
		1-10V	White	4000 K	1100 lm	271453	45
						Black	271446

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
8 W	41°	On-Off	800 lm	2700 K	White	340845	45 <i>new</i>	
					Black	340838	45 <i>new</i>	
			1-10V	950 lm	3000 K	White	285368	45
						Black	285351	45
				1000 lm	4000 K	White	322339	45
						Black	322322	45
		1-10V	900 lm	3000 K	White	302546	85	
					Black	302539	85	
			1050 lm	4000 K	White	340869	85 <i>new</i>	
					Black	340852	85 <i>new</i>	

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8 W	54°	On-Off	950 lm	3000 K	Black	348308	35 <i>new</i>



LENS*




SINGLE CONNECTION

Model	Required	Beam	Driver	Finish	Code	€
On/Off	No	23°		Clear	349121	5 <i>new</i>
1-10V	No			Clear	302744	5
	No		On/Off	White	170145	23
	No			Black	170152	23



Light beam: ACCENT



m	lx	Øm
1	2067	0,77
2	517	1,54
3	230	2,30
4	129	3,07
5	83	3,84




CRI ≥ 90 8W 41° 950lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.



Fox 15W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15 W	41°	On-Off	1850 lm	3000 K	White	250434	50
					Black	250427	50
			1900 lm	4000 K	White	267784	50
					Black	267777	50

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
15 W	41°	On-Off	1450 lm	2700 K	White	340883	50 <i>new</i>	
					Black	340876	50 <i>new</i>	
			1600 lm	3000 K	White	285382	50	
					Black	285375	50	
			1750 lm	4000 K	White	322360	50	
					Black	322346	50	
		1-10V	1600 lm	3000 K	White	302560	80	
					Black	302553	80	
			1750 lm	4000 K	White	340906	80 <i>new</i>	
					Black	340890	80 <i>new</i>	
			DALI	1600 lm	3000 K	White	302584	110
						Black	302577	110
		1750 lm	4000 K	White	340920	110 <i>new</i>		
				Black	340913	110 <i>new</i>		

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15 W	39°	On-Off	1600 lm	3000 K	Black	348315	40 <i>new</i>

Model	Required	Beam	Driver	Finish	Code	€
On/Off	No	15°		Clear	349138	5 <i>new</i>
1-10V/DALI	No			Clear	302751	5
	No		On/Off	White	170145	23
	No			Black	170152	23




LENS



SINGLE CONNECTION



Light beam: ACCENT




m	lx	Øm
1	3204	0,80
2	801	1,60
3	356	2,40
4	200	3,20
5	128	4,00



CRI ≥ 80 15W 41° 1850lm 3000K



Fox 25W



3-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€		
25 W	35°	On-Off	2900 lm	3000 K	White	250458	55		
					Black	250441	55		
			3050 lm	4000 K	White	283944	60		
					Black	267807	55		
							White	267791	55
							Black		

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
25 W	35°	On-Off	2800 lm	2700 K	White	340944	55 <i>new</i>	
					Black	340937	55 <i>new</i>	
			2950 lm	3000 K	White	285405	55	
					Black	285399	55	
			3000 lm	4000 K	White	322391	55	
					Black	322377	55	
		1-10V	2900 lm	3000 K	White	302607	100	
					Black	302591	100	
			3000 lm	4000 K	White	340968	100 <i>new</i>	
					Black	340951	100 <i>new</i>	
			DALI	2900 lm	3000 K	White	302621	115
						Black	302614	115
		3000 lm	4000 K	White	340982	115 <i>new</i>		
				Black	340975	115 <i>new</i>		

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥ 90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25 W	35°	On-Off	2950 lm	3000 K	Black	348322	45 <i>new</i>

Model	Required	Beam	Driver	Finish	Code	€
On/Off	No	15°		Clear	349145	5 <i>new</i>
1-10V/DALI	No			Clear	302768	5
	No		On/Off	White	170145	23
	No			Black	170152	23




LENS



SINGLE CONNECTION



Light beam: ACCENT



m	lx	Øm
1	8140	0,61
2	2035	1,22
3	904	1,82
4	509	2,43
5	326	3,04




CRI ≥ 90 25W 35° 2950lm 3000K



Eos new

Extruded aluminum cylindrical tracklight with variable opening beam from narrow to wide (20°-55°), suitable for single-phase or three-phase LINK track installation. White or black powder coating, 355° turning head and 90° adjustable. Dimmable 1-10 V or DALI versions available. Light source with integrated COB LED technology, available with two different powers and color temperature of 2700 K, 3000 K and 4000 K and chromatic index ≥ 90 ; starting binning ≤ 3 -Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as EXHIBITION, MUSEUMS and COMMERCIAL.

Source	LED COB
Power	15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 708



Link 1-Phase - Page 714



Eos 15W



3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
15W	20-55°	On-Off	1400 lm	2700 K	White	340807	73 <i>new</i>	
					Black	340791	73 <i>new</i>	
			1450 lm	3000 K	White	286594	73	
					Black	276182	73	
			1650 lm	4000 K	White	322094	73	
					Black	322087	73	
		1-10V	1450 lm	3000 K	White	302959	116	
					Black	302942	116	
			DALI	1450 lm	3000 K	White	302997	135
						Black	302980	135

1-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15W	20-55°	On-Off	1450 lm	3000 K	Black	337579	65 <i>new</i>




SINGLE CONNECTION

Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
No		Black	170152	23



Light beam: from SPOT to WIDE




CRI≥90 15W 20-55° 1450lm 3000K



Eos 25W



3-PHASE LED COB BRIDGELUX Driver included



Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25W	20-55°	On-Off	2450 lm	2700 K	White	340821	92 <i>new</i>
					Black	340814	92 <i>new</i>
			2500 lm	3000 K	White	286600	92
					Black	276243	92
			2650 lm	4000 K	White	322124	92
					Black	322100	92
		1-10V	2500 lm	3000 K	White	302973	135
					Black	302966	135
			2500 lm	3000 K	White	303017	155
					Black	303000	155

1-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25W	20-55°	On-Off	2500 lm	3000 K	Black	342740	85 <i>new</i>



SINGLE CONNECTION

Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
No		Black	170152	23



Light beam: from SPOT to WIDE

m	lx	cm
1	3594	1,10
2	899	2,20
3	399	3,30
4	225	4,40
5	144	5,50




CRI≥90 25W 20-55° 2500lm 3000K



Pov




Source	LED COB	CRI	≥95
Power	22W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Track	3-Phase	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K		



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	36°	2000 lm	3000 K	White	296340	135
				Black	296333	135



3-PHASE LED COB CREE Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
22 W	36°	2000 lm	3000 K	White	296364	135
				Black	296357	135



Link 3-Phase - Page 708




Light beam: ACCENT



m	lx	Øm
1	3646	0,65
2	911	1,30
3	405	1,90
4	228	2,60
5	146	3,20




CRI≥95 22W 36° 1750lm 3000K





Spot - Mouse Track



0,250 Kg/0,0016 m³

GU10 Not included - Recommended bulb 108292


Power	Track	Finish		Code	€
max 28W	3-Phase	White		229706	47
		Black		229720	47
	1-Phase	Black		337517	47 new



P. 316



P. 412



0,300 Kg/0,0027 m³

GU10 Not included - Recommended bulb 108292

Power	Track	Finish		Code	€
max 50W	3-Phase	White		229768	44
		Black		229782	44



P. 316



P. 412



SINGLE CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23




Link 3-Phase - Page 708



Link 1-Phase - Page 714



Glim Track



0,320 Kg/0,0180 m³

GU10 Bulbs LED GU10 10W 3000 K included. Code **189031**

IP20

Power	Track	Finish	Code	€
max 50W	3-Phase	White	229676	95
		Black	229683	95



P. 321



SINGLE CONNECTION


Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
		Black	170152	23



Link 3-Phase - Page 708



Byte



0,200 Kg/0,0013 m³

GU10 Bulbs LED GU10 7W 3000 K included. Code 123943



Power	Track	Finish		Code	€
max 28W	3-Phase	White		274508	36
		Black		274515	36
	1-Phase	Black		337524	36 <i>new</i>



SINGLE CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23




Link 3-Phase - Page 708



Link 1-Phase - Page 714



Spike new



0,370 Kg/0,0027 m³

GX53 Bulbs LED GX53 9W 3000K CRI80 included. Code **123936**



Power	Track	Finish	Code	€
max 9W	3-Phase	White	344942	60 new
		Black	336626	60 new



SINGLE CONNECTION


Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
		Black	170152	23





P. 308



Link 3-Phase - Page 708





GU10 Bulbs LED GU10 7W 3000 K included. Code **123943**

Power	Track	Finish		Code	€
max 28W	3-Phase	White		231662	80
		Black		231631	80

0,930 Kg/0,0037 m³



SINGLE CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Link 3-Phase - Page 708



Display ^{new}

Varnished aluminum linear projector for LINK three-phase track, white or black finish, PMMA diffuser. Available modules: WIDE diffusing module, microprismatized UGR module and ACCENT module (UGR<16). SMD LED Technology, CCT 2700 K, 3000 K o 4000 K; CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <16 (Accent), <22 (UGR).


Source	LED SMD
Power	14W / 40W
Driver included	On/Off
Drivers available	No
Track	3-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <22 (UGR)
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 708




Display Accent



0,750 Kg/0,0035 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16


Power	Beam	Lumen	CCT	Finish	Code	€
14 W	60°	1250 lm	2700 K	White	339894	242 new
				Black	339887	242 new
		1350 lm	3000 K	White	283593	242
				Black	283609	242
		1600 lm	4000 K	White	283616	242
				Black	283623	242



1,120 Kg/0,0112 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	60°	2700 lm	3000 K	White	283524	380
				Black	276267	380
		3200 lm	4000 K	White	283531	380
				Black	283548	380





1,570 Kg/0,0173 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16



Power	Beam	Lumen	CCT	Finish	Code	€
42 W	60°	3750 lm	3000 K	White	283555	525
				Black	283562	525
		4350 lm	4000 K	White	283579	525
				Black	283586	525





Light beam: ACCENT



CRI≥90 14W 60° 1350lm 3000K



CRI≥90 28W 60° 2700lm 3000K



CRI≥90 42W 60° 3750lm 3000K



Display Accent 535 mm




Display Accent 1065 mm



Display Accent 1595 mm




Display Wide



0,550 Kg/0,0035 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
21W	125°	2100 lm	2700 K	White		340012	200 new
				Black		340005	200 new
		2550 lm	3000 K	White		283753	200
				Black		283760	200
		2800 lm	4000 K	White		276274	200
				Black		283777	200




0,900 Kg/0,0047 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included



Power	Beam	Lumen	CCT	Finish		Code	€
40W	125°	4200 lm	2700 K	White		340036	305 new
				Black		340029	305 new
		4600 lm	3000 K	White		283722	305
				Black		283050	305
		5050 lm	4000 K	White		283739	305
				Black		283746	305



Light beam: WIDE



m	lx	Øm
1	473	5,20
2	118	6,50
3	53	9,70
4	30	13,00
5	19	16,00



m	lx	Øm
1	897	3,10
2	224	6,10
3	100	9,20
4	56	12,00
5	36	15,00



CRI≥80 21W 125° 2550lm 3000K

CRI≥80 40W 125° 4600lm 3000K




Display Wide 565 mm



Display Wide 1125 mm




Display UGR



0,400 Kg/0,0064 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code	€
14 W	70°	1750 lm	3000 K	White	283685	212
				Black	283692	212
		1800 lm	4000 K	White	283708	212
				Black	283715	212



1,120 Kg/0,0112 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
25 W	70°	3550 lm	3000 K	White	283647	335
				Black	283630	335
		3650 lm	4000 K	White	276281	335
				Black	283258	335




1,570 Kg/0,0173 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish	Code	€
40 W	70°	5350 lm	3000 K	White	283654	470
				Black	283067	470
		5500 lm	4000 K	White	283661	470
				Black	283678	470




Light beam: WIDE



m	lx	øm
1	854	1,40
2	213	2,80
3	95	4,20
4	53	5,70
5	34	7,10




CRI≥90 14W 70° 1750lm 3000K




m	lx	øm
1	1636	1,40
2	409	2,80
3	182	4,20
4	102	5,70
5	65	7,10




CRI≥90 25W 70° 3550lm 3000K



m	lx	øm
1	2419	1,40
2	605	2,80
3	269	4,20
4	151	5,70
5	97	7,10



CRI≥90 40W 70° 5350lm 3000K



Display UGR 535 mm



Display UGR 1065 mm



Display UGR 1595 mm



Link 3-Phase



Three-phase electrified track with extruded aluminum profile; black or white powder coated, optimized for standard 3-Phase or equivalent projectors; available in ceiling, suspension or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm modules length. Ideal for installation in big spaces where flexibility and long connection distances are required, for example MUSEUM, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20





Link 3-Phase Trimless On/Off



TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,94 Kg	0,0016 m ³	White	243269	30
			Black	243252	30
2000 mm	1,72 Kg	0,0074 m ³	White	187976	60
			Black	187983	60
3000 mm	2,55 Kg	0,0110 m ³	White	187990	95
			Black	188003	95



KIT SURFACE



SUSPENSION KIT



END CAP


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1Kitx1000 mm			White	169972	5
			Black	169989	5
Yes - 1Kitx1000 mm	1	3000 mm	White	242705	13
			Black	243283	13
	1	5000 mm	White	243245	15
			Black	243238	15
Yes			White	169613	2
			Black	169620	2



MAIN CONNECTOR END

0,060 Kg/0,0002 m³


169583	L	€ 9
169576	L	€ 9
169590	R	€ 9
169606	R	€ 9



MAIN CONNECTOR MIDDLE

0,120 Kg/0,0004 m³


227580	€ 17
227597	€ 17



MAIN CONNECTOR CORNER

0,110 Kg/0,0005 m³


169705	L	€ 17
169712	L	€ 17
169736	R	€ 17
169729	R	€ 17



ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m³

169637	€ 7
169644	€ 7





TRACK ADAPTOR

0,080 Kg/0,0002 m³

194257	€ 9
194301	€ 9

Link 3-Phase Trimless DALI - 1-10V



TRACK

Length	Weight	Volume	Finish	Code	€
1000 mm	0,94 Kg	0,0016 m³	White	246468	38
			Black	246451	38
2000 mm	1,93 Kg	0,0032 m³	White	247007	80
			Black	246901	80
3000 mm	2,87 Kg	0,0048 m³	White	247625	115
			Black	247618	115



KIT SURFACE




SUSPENSION KIT



END CAP


Required	N° Cables	Cables Length	Finish	Code	€
Yes - 1Kitx1000mm			White	169972	5
			Black	169989	5
Yes - 1Kitx1000mm	1	3000 mm	White	242705	13
			Black	243283	13
	1	5000 mm	White	243245	15
			Black	243238	15
Yes			White	169613	2
			Black	169620	2



MAIN CONNECTOR END

0,079 Kg/0,0002 m³


246529	L	€ 13
246512	R	€ 13
246543	R	€ 13
246536	R	€ 13



MAIN CONNECTOR MIDDLE

0,129 Kg/0,0004 m³


246581	€ 25
246574	€ 25



MAIN CONNECTOR CORNER

0,130 Kg/0,0006 m³

246604	L	€ 25
246598	R	€ 25
246628	R	€ 25
246611	R	€ 25



ELECTRIFIED CONNECTOR

0,050 Kg/0,0001 m³

246567	€ 9
246550	€ 9





TRACK ADAPTOR

0,063 Kg/0,0003 m³

246505	€ 15
246499	€ 15

Link 3-Phase Trim On/Off




TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	1,92 Kg	0,0132 m ³	White	188010	60
			Black	188027	60



KIT RECESSED
END CAP


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	White	169613	2
	Black	169620	2



MAIN CONNECTOR END

0,070 Kg/0,0002 m³


188072	■ L	€ 7
188089	■ L	€ 7
188058	■ R	€ 7
188065	■ R	€ 7



MAIN CONNECTOR MIDDLE

0,130 Kg/0,0004 m³


227689	■	€ 15
227672	■	€ 15



MAIN CONNECTOR CORNER

0,120 Kg/0,0006 m³


188119	■ L	€ 15
188126	■ L	€ 15
188096	■ R	€ 15
188102	■ R	€ 15



ELECTRIFIED CONNECTOR

0,030 Kg/0,0001 m³

169637	■	€ 7
169644	■	€ 7





TRACK ADAPTOR

0,080 Kg/0,0002 m³

194257	■	€ 9
194301	■	€ 9

Link 3-Phase Trim DALI - 1-10V




TRACK

Length	Weight	Volume	Finish	Code	€
2000 mm	2,11 Kg	0,0048 m ³	White	246895	75
			Black	249629	75



**KIT RECESSED
END CAP**


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	6
Yes	White	169613	2
	Black	169620	2



**MAIN CONNECTOR
END**

0,089 Kg/0,0004 m³


256085	L	€ 10
256078	R	€ 10
256146	L	€ 10
256122	R	€ 10



**MAIN CONNECTOR
MIDDLE**

0,150 Kg/0,0005 m³


256115	€ 25
256092	€ 25



**MAIN CONNECTOR
CORNER**

0,150 Kg/0,0006 m³


256030	L	€ 25
255996	R	€ 25
256061	L	€ 25
256047	R	€ 25



**ELECTRIFIED
CONNECTOR**

0,050 Kg/0,0001 m³

246567	€ 9
246550	€ 9



TRACK ADAPTOR


0,063 Kg/0,0003 m³

246505	€ 15
246499	€ 15

Link 1-Phase **new**


Single-phase electrified track with extruded aluminum profile; black powder coated; available in ceiling or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm length. Ideal for installation in environments where flexibility and compactness are required, for example RESIDENTIAL, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20






Link 1-Phase Surface On/Off



TRACK No mounting kit required, direct ceiling installation.




Length	Weight	Volume	Finish	Code	€
1000 mm	0,42 Kg	0,0007 m ³	Black	337371	13 new
2000 mm	0,83 Kg	0,0017 m ³	Black	342801	24 new
3000 mm	1,22 Kg	0,0022 m ³	Black	344973	35 new



END CAP


Required	Finish	Code	€
Yes	Black	337395	3 new



MAIN CONNECTOR

0,060 Kg/0,0001 m³


337388 ■ € 3 **new**



MAIN CONNECTOR MIDDLE

0,070 Kg/0,0001 m³


337425 ■ € 5 **new**



LINEAR CONNECTOR

0,040 Kg/0,0001 m³

337418 ■ € 3 **new**




MAIN CONNECTOR CORNER


0,060 Kg/0,0001 m³

337401 ■ € 3 **new**

Link 1-Phase Recessed On/Off



TRACK




Length	Weight	Volume	Finish	Code	€
1000 mm	0,49 Kg	0,0013 m ³	Black	342818	17 <i>new</i>
2000 mm	0,94 Kg	0,0027 m ³	Black	342825	32 <i>new</i>
3000 mm	1,39 Kg	0,0041 m ³	Black	344966	47 <i>new</i>




KIT RECESSED
END CAP

Required	Finish	Code	€
Yes - 1Kitx1000 mm	Aluminum	188195	6
Yes	Black	337395	3 <i>new</i>




MAIN CONNECTOR

0,070 Kg/0,0001 m³
342832 ■ € 3 *new*



LINEAR CONNECTOR

0,040 Kg/0,0001 m³
342856 ■ € 3 *new*



MAIN CONNECTOR CORNER

0,100 Kg/0,0001 m³
342849 ■ € 4 *new*





























Recessed lights

Indoors

Alphabetical index

Basic	770
Bento	728
Blues	796
Deep	768
Dynamic	734
Funky	794
Game	742
Groove	776
Jazz	794
Led Panel	782
Lika	784
Lounge	794
Nova	780
Off	764
One	756
Play	778
Polka	797
Quark	760
Room-65	795
Samba	792
Swing	794
Tag	754
Virus	758
Walky	799
Zephyr	798
Zeus	720

Typology index

				
Zeus 720	Bento 728	Dynamic 734	Game 742	Tag 754
				
One 756	Virus 758	Quark 760	Off 764	Deep 768
				
Basic 770	Groove 776	Play 778	Nova 780	Led Panel 782
				
Lika 784	Samba 792	Jazz 794	Swing 794	Lounge 794
				
Funky 794	Room-65 795	Blues 796	Polka 797	Zephyr 798
				
Walky 799				

Zeus

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI ≥ 90 ; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.

PRO

High-tech product with high quality materials, intended for professional use.


UGR

Product with UGR <19.

Source	LED COB
Power	13W / 21W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years









LENS 20°



FILTER HONEYCOMB

Required	Model	Finish	Code	€
No	13 W	Clear	323688	4
	21 W	Clear	323985	6
No	13 W	Black	323671	4
	21 W	Black	323961	6

Zeus - Source




0,300 Kg/0,0014 m³

LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
13W	40°	980 lm	2700 K	Grey	324807	65
		1020 lm	3000 K	Grey	324814	65
		1050 lm	4000 K	Grey	324821	65

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	21W	350 mA	122x25x40 mm	324906	25
DALI/Push	20W	350 mA	120x29x51 mm	324913	70



0,590 Kg/0,0029 m³

LED COB CITIZEN Required - Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
21W	40°	1900 lm	2700 K	Grey	324838	105
		2000 lm	3000 K	Grey	324845	105
		2200 lm	4000 K	Grey	324852	105

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20W	500 mA	110x22x52 mm	324920	60
DALI/Push	20W	500 mA	120x29x51 mm	324937	70




Light beam: ACCENT



m	lx	øm
1	1714	0,76
2	429	1,50
3	190	2,30
4	107	3,10
5	69	3,80



CRI≥90 13W 40° 1020lm 3000K



m	lx	øm
1	3174	0,81
2	794	1,60
3	353	2,40
4	198	3,20
5	127	4,00



CRI≥90 21W 40° 2000lm 3000K



* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 40° included.



Zeus Round

FRAME TRIM






① 70 mm
0,100 Kg/0,0005 m³



13 W			
Finish		Code	€
White		324869	15
Black		323527	15

① 100 mm
0,130 Kg/0,0010 m³



21 W			
Finish		Code	€
White		324883	18
Black		324005	18

FRAME TRIMLESS

① 73 mm
0,120 Kg/0,0005 m³

13 W			
Finish		Code	€
White		323541	18




① 105 mm
0,160 Kg/0,0008 m³



21 W			
Finish		Code	€
White		323725	35

REFLECTOR Required







0,030 Kg/0,0003 m³

13 W			
Finish		Code	€
White		323589	8
Black		323619	8
Gold		323602	8





0,040 Kg/0,0007 m³

21 W			
Finish		Code	€
White		323763	12
Black		323770	12
Gold		323794	12



Zeus Square




68 x 68 mm
0,100 Kg/0,0005 m³

FRAME TRIM

13 W

Finish	Code	€
White	324876	15
Black	323534	15




96 x 96 mm
0,130 Kg/0,0010 m³

21W

Finish	Code	€
White	324890	18
Black	323718	18


FRAME TRIMLESS



68 x 68 mm
0,120 Kg/0,0005 m³

13 W

Finish	Code	€
White	323558	18




96 x 96 mm
0,160 Kg/0,0008 m³

21W

Finish	Code	€
White	323732	35


REFLECTOR Required



0,030 Kg/0,0003 m³

13 W

Finish	Code	€
White	323633	8
Black	323657	8
Gold	323640	8



0,050 Kg/0,0007 m³

21W

Finish	Code	€
White	323800	12
Black	323817	12
Gold	323831	12



Bento

Modular system of recessed elements consisting of an adjustable source, reflector and ring, with optional shielding lenses and accessories; black and white finish; recessed ring available in single round or square shape, or rectangular in double or triple version for the installation of multiple and independent sources; optional anti-glare band for backward movement of the source in non-adjustable mode; selection of three different emission angles. Light source with integrated COB LED technology for maximum efficiency, available with a color temperature of 3000 K; Energy efficient LED with high color rendering; CRI ≥ 90 ; initial binning ≤ 3 - Step MacAdam; insulation class II; LED life 50,000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is ideal for DOMESTIC, MANAGERIAL and RETAIL indoor installations.

PRO

High-tech product with high quality materials, intended for professional use.


UGR

Product with UGR <19.

Source	LED COB
Power	9W / 13W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years







LENS

Required

Beam

Finish

Code

€

No

18°

Clear

287942

4

45°

Clear

279626

4



FILTER HONEYCOMB

No

Black

279718

4



DIFFUSER

No

Black

279725

3



ANTI-GLARE RING

No

White

288147



3

Black

279695

3

Bento - Source




0,400 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	36°	750 lm	3000 K	Black	279596	45

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	250 mA	122x25x40 mm	287843	35
DALI / Push	20 W	250 mA	120x29x51 mm	287850	87



0,400 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
13 W	36°	1000 lm	3000 K	Black	279602	50

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	20 W	350 mA	108x22x52 mm	287867	75
DALI / Push	20 W	350 mA	120x29x51 mm	287874	80




Light beam: **ACCENT**



m	lx	øm
1	1312	0,71
2	328	1,40
3	146	2,10
4	82	2,80
5	52	3,50



CRI≥90 9W 36° 750lm 3000K




m	lx	øm
1	1846	0,65
2	461	1,30
3	205	1,90
4	115	2,60
5	74	3,20



CRI≥90 13W 36° 1000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 36° included.


Bento - Frame and Reflector



ROUND - REFLECTOR Required

Finish	Code	€
White	279633	6
Black	279640	6

0,020 Kg/0,0001 m³




ROUND - FRAME SINGLE Required

Finish	Code	€
White	287898	12
Black	287881	12

Ⓜ 68 mm


0,060 Kg/0,0007 m³



SQUARE - REFLECTOR Required

Finish	Code	€
White	279671	8
Black	279688	8

0,020 Kg/0,0001 m³




SQUARE - FRAME SINGLE Required

Finish	Code	€
White	287911	14
Black	287904	14

Ⓜ 68 x 68 mm

0,050 Kg/0,0002 m³




SQUARE - FRAME TWIN Required

Finish	Code	€
White	287935	24
Black	280233	24

Ⓜ 134 x 71 mm

0,110 Kg/0,0004 m³



SQUARE - FRAME TRIPLE Required

Finish	Code	€
White	287928	30
Black	280240	30

Ⓜ 197 x 71 mm

0,300 Kg/0,0006 m³



Dynamic

Modular system of aluminum recessed elements consisting of source, reflector and seal, with lenses and optional screens; white, black finish; possible recess of round or square shape, three different emission angles options. Light source with integrated LED COB technology for maximum efficiency, available with a color temperature of 2700 K, 3000 K or 4000 K; Energy efficient LED with high color rendering; CRI ≥ 90 ; starting binning ≤ 3 -Step MacAdam; front protection IP54 (after installation of the product); insulation class II; LED useful life 50.000 h L70B50. Available in both DALI and 1-10V dimmable versions. Thanks to its compact size and great versatility, it is optimal for installation in DOMESTIC, MANAGERIAL and RETAIL indoor locations.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.

IP54 Protection degree IP54.

Source	LED COB
Power	9W / 10W / 15W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years






GU10 ADAPTOR WITH LAMP HOLDER INCLUDED - IP20

Required	Finish	Code	€
No	White	208640	17
	Black	208657	17




Light beam: ACCENT



m	lx	øm
1	1653	0,72
2	413	1,44
3	184	2,16
4	103	2,88
5	66	3,60




CRI≥90 9W 35° 9501m 3000K



m	lx	øm
1	1643	0,66
2	410	1,32
3	182	1,98
4	102	2,64
5	65	3,30



CRI≥90 10W 35° 10501m 3000K




m	lx	øm
1	2294	0,64
2	573	1,29
3	254	1,93
4	143	2,58
5	91	3,23



CRI≥90 15W 35° 15501m 3000K

Dynamic - Source




0,180 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	35°	930 lm	2700 K	Black	252971	45
		950 lm	3000 K	Black	252988	45
		1000 lm	4000 K	Black	252995	45

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	12 W	200 mA	125 x 27 x 45 mm	253008	50
DALI/Push	9 W	200 mA	135 x 20 x 30 mm	253015	120




0,150 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10W	35°	1030 lm	2700 K	Black	208541	65
		1050 lm	3000 K	Black	208558	65
		1100 lm	4000 K	Black	208565	65

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	10 W	250 mA	135 x 20 x 30 mm	216317	30
DALI/Push	17 W	250 mA	130 x 30 x 43 mm	216027	110



0,350 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
15W	35°	1500 lm	2700 K	Black	208572	90
		1550 lm	3000 K	Black	208589	90
		1650 lm	4000 K	Black	208596	90

DIMMABLE DRIVER* Optional


	Power	Output	Measure (LxHxW)	Code	€
1-10V	20 W	350 mA	101 x 29 x 51 mm	216324	65
DALI/Push	17 W	350 mA	130 x 30 x 43 mm	216263	115

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 35° included.

Dynamic Round



0,020 Kg/0,0002 m³




REFLECTOR Required

SYMMETRICAL

Finish	Code	€
White	211787	8
Black	211794	8



0,060 Kg/0,0004 m³





FRAME Required

Finish	Code	€
White	208695	17
Black	208701	17

① 80 mm



Dynamic Square




REFLECTOR Required

SYMMETRICAL

Finish	Code	€
White	211817	8
Black	211824	8

0,020 Kg/0,0002 m³




FRAME Required

Finish	Code	€
White	208725	19
Black	208732	19

① 90 mm

0,050 Kg/0,0004 m³




Game ^{new}

Die-cast aluminum recessed spotlight with round or square ring, suitable for installation on plasterboard or paneled ceilings. Available finishes: matt silver, matt white RAL 9001, matt black RAL 9011 and matt gold RAL 1032. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved frontal protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; SMD LED technology, CCT 2700K, 3000K or 4000K; color rendering index CRI \geq 90, starting binning \leq 3Step MacAdam; IP20 protection; insulation class II; LED useful life 50,000 h L70B50. Dimmable 1-10V, DALI and PUSH versions available. Due to its compact size and great versatility it is ideal for installations in RESIDENTIAL, COMMERCIAL and RETAIL indoor environments.




Product with UGR <19.

Source	LED COB
Power	5W / 11W / 20W
Driver included	On/Off
Drivers available	1-10V/Push / DALI/Push
CCT	2700 K / 3000 K / 4000 K
CRI	\geq 90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20 / 65
Material	Aluminum
Warranty	5 years






Game Trim Round



⌀ 50 mm
0,200 Kg/0,0009 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
5 W	36°	650 lm	3000 K	White	+ 337142	35 <i>new</i>
				Gold	+ 349084	35 <i>new</i>




⌀ 50 mm
0,200 Kg/0,0009 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
5 W	36°	650 lm	3000 K	Black	+ 349060	35 <i>new</i>
				Gold	+ 349077	35 <i>new</i>



Light beam: ACCENT



m	lx	øm
1	1125	0,72
2	281	1,40
3	125	2,20
4	70	2,90
5	45	3,60




CRI≥90 5W 36° 650lm 3000K




Game Trim Round

LED COB CREE Driver ON/OFF included



⌀ 75 mm
0,280 Kg/0,0011 m³

Power	Beam	Lumen	CCT	Finish	Code	€	
11W	36°	900 lm	2700 K	White	285429	45	
				Gold	341347	45 <small>new</small>	
	950 lm	3000 K	Silver	192284	45		
			White	192291	45		
			Black	192277	45		
			Gold	192307	45		
			1100 lm	4000 K	White	267975	45
					Gold	341361	45 <small>new</small>



⌀ 75 mm
0,280 Kg/0,0011 m³

Power	Beam	Lumen	CCT	Finish	Code	€	
11W	36°	900 lm	2700 K	Black	285412	45	
				Gold	341330	45 <small>new</small>	
	950 lm	3000 K	Silver	192321	45		
			White	192338	45		
			Black	192314	45		
			Gold	192345	45		
			1100 lm	4000 K	Black	267968	45
					Gold	341354	45 <small>new</small>

IP65


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	950 lm	3000 K	White	313191	75
				Black	327754	75

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	55



Light beam: ACCENT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46




CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Game Trim Round



① 110 mm
0,660 Kg/0,0033 m³

LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€
20W	24°	2100 lm	2700 K	White	+	341408	90 <i>new</i>
				Gold	+	341392	90 <i>new</i>
		2250 lm	3000 K	White	+	273174	90
				Gold	+	341422	90 <i>new</i>




① 110 mm
0,660 Kg/0,0033 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20W	24°	2100 lm	2700 K	Black	+	341378	90 <i>new</i>
				Gold	+	341385	90 <i>new</i>
		2250 lm	3000 K	Black	+	273167	90
				Gold	+	341415	90 <i>new</i>



Light beam: SPOT



m	lx	øm
1	8645	0,41
2	2161	0,83
3	961	1,20
4	540	1,70
5	346	2,10




CRI≥90 20W 24° 2250lm 3000K




Game Trim Square

LED COB CREE Driver ON/OFF included - CRI ≥90



75 x 75 mm
0,310 Kg/0,0016 m³

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	900 lm	2700 K	White	+ 285443	50
		950 lm	3000 K	White	+ 192376	50
				Black	+ 192352	50



75 x 75 mm
0,310 Kg/0,0016 m³

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	900 lm	2700 K	Black	+ 285436	50
		950 lm	3000 K	White	+ 192406	50
				Black	+ 192383	50

IP65


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	950 lm	3000 K	White	+ 313207	75
				Black	+ 327761	75

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	55



Light beam: ACCENT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46




CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Game Trimless




⌀ 75 mm

0,300 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included - CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	950 lm	3000 K	White	319667	50
				Black	319650	50



75 x 75 mm

0,300 Kg/0,0011 m³

LED COB CREE Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish	Code	€
11W	36°	950 lm	3000 K	White	319681	50
				Black	319674	50

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V/Push	20 W	250 mA	111x22x52 mm	217253	60
DALI/Push	12 W	250 mA	132x20x30 mm	202396	55



Light beam: ACCENT



m	lx	Øm
1	1609	0,60
2	402	1,20
3	179	1,80
4	101	2,40
5	64	3,00




CRI≥80 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Tag new

Source	LED SMD	LED life	50.000 h
Power	7W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K	Warranty	5 years
CRI	≥90		




LED SMD Driver ON/OFF included*

Power	Beam	Lumen	CCT	Finish	Code	€
7W	50°	810 lm	2700 K	White	344850	15 <small>new</small>
				Black	344843	15 <small>new</small>
		830 lm	3000 K	White	331263	15 <small>new</small>
				Black	331256	15 <small>new</small>
		840 lm	4000 K	White	344874	15 <small>new</small>
				Black	344867	15 <small>new</small>



Light beam: ACCENT



m	lx	øm
1	838	0,98
2	209	2,00
3	93	2,90
4	52	3,90
5	34	4,90




CRI≥90 7W 50° 830lm 3000K



One

Source	LED SMD	LED life	30.000 h
Power	2W / 3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 17 mm

0,050 Kg/0,0001 m³

LED SMD Driver included (remote installation)*

Power	Beam	Lumen	CCT	Finish	Code	€
2W	23°	130 lm	3000 K	White	274768	31




⌀ 25 mm

0,070 Kg/0,0001 m³

LED SMD Driver included (remote installation)*

Power	Beam	Lumen	CCT	Finish	Code	€
2W	30°	130 lm	3000 K	White	274775	37



⌀ 35 mm

0,100 Kg/0,0003 m³


LED SMD Driver included (remote installation)*

Power	Beam	Lumen	CCT	Finish	Code	€
3W	23°	270 lm	3000 K	White	274782	41

* Measure L 38,3 x H 16,5 x W 19,3 mm



Light beam: SPOT




m	lx	øm
1	372	0,40
2	93	0,81
3	41	1,20
4	23	1,60
5	15	2,00



CRI≥90 2W 23° 130lm 3000K



Light beam: SPOT




m	lx	øm
1	307	0,53
2	77	1,10
3	34	1,60
4	19	2,10
5	12	2,70



CRI≥90 2W 30° 130lm 3000K



Light beam: SPOT



m	lx	øm
1	866	0,40
2	216	0,80
3	96	1,20
4	54	1,60
5	35	2,00




CRI≥90 3W 23° 270lm 3000K



Virus

Source	LED SMD	LED life	50.000 h
Power	3W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 30 mm
0,070 Kg/0,0003 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3W	20°	210 lm	3000 K	White	+ [White]	244808	32
				Gold	+ [Gold]	244822	32
				Black	+ [Black]	244846	32
				Gold	+ [Gold]	244853	32



Light beam: SPOT



m	lx	øm
1	1374	0,30
2	344	0,60
3	153	0,91
4	86	1,20
5	55	1,50



CRI≥90 3W 20° 210lm 3000K



244808



244822



244846




244853



Quark new

Source	LED COB / SMD	LED life	30.000 h
Power	2,8W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




⌀ 18 mm

0,020 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
2,8W	30°	160 lm	3000 K	White	327471	30
				Black	305844	30




⌀ 25 mm

0,070 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
3W	25°	230 lm	3000 K	White	327488	35
				Black	305851	35



⌀ 35 mm


0,140 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
5W	30°	320 lm	3000 K	White	307756	50
				Black	327495	50



Light beam: SPOT



m	lx	Øm
1	1220	0,35
2	305	0,70
3	136	1,00
4	76	1,40
5	49	1,70



CRI≥90 8W 30° 320lm 3000K



Quark




⌀ 52 mm

0,210 Kg/0,0007 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	25°	950 lm	3000 K	White	344836	55 <small>new</small>
				Black	322889	55 <small>new</small>




⌀ 45 mm

0,190 Kg/0,0007 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9W	25°	950 lm	3000 K	White	344829	60 <small>new</small>
				Black	322971	60 <small>new</small>




⌀ 45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
12W	25°	1200 lm	3000 K	White	344812	60 <small>new</small>
				Black	322919	60 <small>new</small>



⌀ 52 mm

0,250 Kg/0,0009 m³

LED COB Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
12W	25°	1200 lm	3000 K	White	344805	65 <small>new</small>
				Black	323008	65 <small>new</small>



Light beam: SPOT




Light beam: SPOT



m	lx	øm
1	2760	0,48
2	690	0,97
3	306	1,46
4	172	1,95
5	110	2,92



CRI≥90 9W 25° 950lm 3000K



m	lx	øm
1	3914	0,48
2	978	0,96
3	434	1,44
4	244	1,92
5	156	2,40



CRI≥90 12W 25° 1200lm 3000K



322889



322889



322971

763

Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.


IP54 Protection degree IP54.

Source	LED COB
Power	15W / 28W / 42W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years






Off



⌀ 100 mm
0,460 Kg/0,0021 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
15 W	50°	1350 lm	3000 K	White	266497	86
				Black	266558	86
		1450 lm	4000 K	White	266503	86
				Black	266565	86



⌀ 150 mm
0,990 Kg/0,0045 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	60°	2900 lm	3000 K	White	266510	128
				Black	266572	128
		3150 lm	4000 K	White	266527	128
				Black	266589	128



⌀ 205 mm
1,850 Kg/0,0094 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
42 W	60°	4150 lm	3000 K	White	266534	180
				Black	266596	180
		4500 lm	4000 K	White	266541	180
				Black	266602	180

DIMMABLE DRIVER* Optional



Model	Control	Power	Output	Measure (LxHxW)	Code	€
Off 15 W	1-10V/Push	20 W	350 mA	105 x 20 x 50 mm	266657	70
	DALI	20 W	350 mA	120 x 29 x 51 mm	266701	70
Off 28 W	1-10V/Push	32 W	700 mA	100 x 20 x 65 mm	266671	95
	DALI	32 W	700 mA	108 x 30 x 44 mm	266725	95
Off 42 W	1-10V	42 W	1050 mA	120 x 20 x 75 mm	266688	115
	DALI/Push	45 W	1050 mA	150 x 30 x 43 mm	266732	110




Light beam: WIDE



m	lx	øm
1	1688	0,93
2	422	1,90
3	188	2,80
4	105	3,70
5	68	4,60



m	lx	øm
1	2457	1,30
2	614	2,50
3	273	3,80
4	154	5,10
5	98	6,40



m	lx	øm
1	3496	1,20
2	874	2,40
3	388	3,60
4	218	4,80
5	140	6,00



CRI≥90 15W 50° 1350lm 3000K

CRI≥90 28W 60° 2900lm 3000K


CRI≥90 42W 60° 4150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Deep

Source	LED SMD	LED life	50.000 h
Power	10W/20W/30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K/4000 K	Warranty	5 years
CRI	≥90		




① 90 mm

0,280 Kg/0,0015 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	70°	1300 lm	3000 K	White	249018	35
		1400 lm	4000 K	White	249025	35




① 145 mm

0,360 Kg/0,0037 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	77°	2650 lm	3000 K	White	249032	70
		2850 lm	4000 K	White	249049	70



① 200 mm


0,650 Kg/0,0053 m³

LED SMD Driver ON/OFF included



Power	Beam	Lumen	CCT	Finish	Code	€
30 W	77°	4000 lm	3000 K	White	248783	90
		4150 lm	4000 K	White	248790	90





Light beam: WIDE




m	lx	øm
1	625	1,43
2	156	2,86
3	69	4,30
4	39	5,73
5	25	7,16



m	lx	øm
1	1056	1,60
2	264	3,20
3	117	4,81
4	66	6,41
5	42	8,01



m	lx	øm
1	1644	1,60
2	411	3,20
3	183	4,81
4	103	6,41
5	66	8,01



CRI≥80 10W 70° 1300lm 3000K

CRI≥80 20W 77° 2650lm 3000K

CRI≥80 30W 77° 4000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and with three different optics; CRI ≥ 90 ; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.


IP44 Protection degree IP44.

Source	LED COB / SMD
Power	10,5W / 15W / 20W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM ≤ 3
CCT	3000 K
CRI	≥ 90
LED life	30.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years






Basic Accent



LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10,5 W	45°	950 lm	3000 K	White	193458	68

① 90 mm
0,400 Kg/0,0017 m³




LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	52°	1400 lm	3000 K	White	193465	85
20 W		2000 lm	3000 K	White	193472	90


① 125 mm
0,660 Kg/0,0027 m³



Light beam: ACCENT



m	lx	øm
1	533	0,81
2	133	1,62
3	59	2,44
4	33	3,25
5	21	4,07



m	lx	øm
1	719	0,98
2	179	1,96
3	79	2,95
4	44	3,93
5	28	4,92




CRI≥90 10,5W 45° 950lm 3000K

CRI≥90 15W 52° 1400lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Basic Wide



LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	85°	1100 lm	3000 K	White	193519	65

① 90 mm
0,370 Kg/0,0017 m³




LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	87°	1650 lm	3000 K	White	193526	80
20 W		2350 lm	3000 K	White	193533	85



① 125 mm
0,630 Kg/0,0027 m³




Light beam: WIDE



m	lx	øm
1	188	1,84
2	47	3,69
3	20	5,54
4	11	7,39
5	7	9,24



m	lx	øm
1	318	1,72
2	79	3,44
3	35	5,17
4	19	6,89
5	12	8,61



CRI≥90 10W 85° 1100lm 3000K


CRI≥90 15W 87° 1650lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Groove

IP20 CRI ≥80 30.000 h ALUMINUM




① 100 mm

0,220 Kg/0,0012 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1250 lm	3000 K	White	123974	29
		1350 lm	4000 K	White	147666	29




① 150 mm

0,410 Kg/0,0023 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2600 lm	3000 K	White	123998	35
		2700 lm	4000 K	White	147673	35




① 205 mm

0,660 Kg/0,0036 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3800 lm	3000 K	White	124018	46
		4050 lm	4000 K	White	147680	46




① 100 x 100 mm

0,270 Kg/0,0012 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1200 lm	3000 K	White	123981	30




① 150 x 150 mm

0,540 Kg/0,0023 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2450 lm	3000 K	White	124001	36



① 205 x 205 mm


0,850 Kg/0,0036 m³

LED SMD AND DRIVER Included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3900 lm	3000 K	White	124025	49




Light beam: WIDE






Play

Source	LED COB	LED life	30.000 h
Power	7W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		




LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
7W	17°	520 lm	3000 K	White	258270	60
				Black	268088	60

 90°
  355°
  45 mm
 0,220 Kg/0,0014 m³



Light beam: SPOT



m	lx	øm
1	2632	0,31
2	658	0,63
3	292	0,94
4	164	1,30
5	105	1,60



CRI≥90 7W 17° 520lm 3000K




P. 313



Nova new

Source	LED COB	LED life	50.000 h
Power	12W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K	Warranty	5 years
CRI	≥90		




90° 360° 90 mm
 0,550 Kg/0,0016 m³

LED COB PHILIPS Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	38°	1100 lm	2700 K	White	341859	78 <small>new</small>
				Black	341842	78 <small>new</small>
		1200 lm	3000 K	White	248165	78
				Black	248189	78
		1300 lm	4000 K	White	267937	78
				Black	267920	78

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	15 W	300 mA	111x22x52 mm	243993	60
DALI / Push	12 W	300 mA	132x20x30 mm	243986	55



90° 360° 140 mm
 1,160 Kg/0,0039 m³

LED COB PHILIPS Driver ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	38°	3000 lm	2700 K	White	341873	125 <small>new</small>
				Black	341866	125 <small>new</small>
		3150 lm	3000 K	White	248172	125
				Black	248196	125
		3300 lm	4000 K	White	267951	125
				Black	267944	125

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V / Push	36 W	700 mA	167x32x41 mm	248370	100
DALI / Push	36 W	700 mA	135x24x72 mm	248592	100




Light beam: ACCENT




LENS

Model	Required	Beam	Code	€
Nova 12W	No	15°	244013	8
Nova 30W	No	15°	248608	12



m	lx	øm
1	1768	0,66
2	442	1,32
3	196	1,97
4	111	2,63
5	71	3,29



m	lx	øm
1	4671	0,64
2	1168	1,28
3	519	1,93
4	292	2,57
5	187	3,21



CRI≥90 12W 38° 1200lm 3000K


CRI≥90 30W 38° 3150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



Led Panel

Source	LED SMD	UGR	<19
Power	40W	LED life	25.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥80 / ≥90	Warranty	5 years



2,200 Kg/0,0144 m³
Purchase Qty. 2 pieces

LED SMD Driver ON/OFF included

CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	81°	5500 lm	3000 K	White	249711	35
		6150 lm	4000 K	White	249728	35

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	81°	5100 lm	3000 K	White	246390	35
		5450 lm	4000 K	White	244181	35

DIMMABLE DRIVER* Optional

	Power	Output	Measure (LxHxW)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	29
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	72



KIT PENDANT


KIT SURFACE

RECESSED FRAME**


Required	N° Cables	Cables Length	Code	€
No	4	1000 mm	244198	10
No			244204	10
No			267692	20



Light beam: WIDE



m	lx	øm
1	1470	1,79
2	367	3,59
3	163	5,38
4	92	7,18
5	59	8,97



CRI≥80 40W 81° 5500lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 607 x 607 mm



Lika **new**

Rectangular recessed projector in painted die-cast aluminum, with recessed light sources, available in the TRIM version with edge and TRIMLESS version without edge, with shiny black polycarbonate reflector, and SLIM version with reduced dimensions. SMD LED technology; CCT 2700K, 3000K or 4000K; CRI ≥ 90 , SDCM ≤ 3 ; LED useful life 50,000 h L70B50.


UGR Product with UGR <16.

Source	LED COB / SMD
Power	5,5W / 12W / 20W
Driver included	On/Off
Drivers available	DALI / Push
CCT	2700 K / 3000 K / 4000 K
CRI	≥ 90
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years






Lika Trim



68 x 37 mm
0,180 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
5,5 W	29°	340 lm	2700 K	Black	+ ■	341729	45 new
		350 lm	3000 K	Black	+ ■	206196	45
		400 lm	4000 K	Black	+ ■	267869	45



140 x 37 mm
0,320 Kg/0,0013 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	850 lm	2700 K	Black	+ ■	341736	70 new
		880 lm	3000 K	Black	+ ■	206219	70
		1000 lm	4000 K	Black	+ ■	267876	70



273 x 37 mm
0,580 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	1700 lm	2700 K	Black	+ ■	341743	110 new
		1750 lm	3000 K	Black	+ ■	206233	110
		2000 lm	4000 K	Black	+ ■	267883	110

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
5,5W/12W	DALI	12 W	700 mA	132 x 20 x 30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	75



Light beam: ACCENT



m	lx	øm
1	2091	0,58
2	523	1,16
3	232	1,74
4	131	2,32
5	70	2,90




CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Trimless



75 x 70 mm
0,220 Kg/0,0006 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	29°	340 lm	2700 K	Black	341750	60 new
		350 lm	3000 K	Black	206202	60
		400 lm	4000 K	Black	267890	60



145 x 70 mm
0,450 Kg/0,0013 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	29°	850 lm	2700 K	Black	341767	95 new
		880 lm	3000 K	Black	206226	95
		1000 lm	4000 K	Black	267906	95



278 x 70 mm
0,720 Kg/0,0023 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
20 W	29°	1700 lm	2700 K	Black	341774	150 new
		1750 lm	3000 K	Black	206240	150
		2000 lm	4000 K	Black	267913	150

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (LxHxW)	Code	€
5,5W/12W	DALI	10 W	700 mA	132x20x30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135x24x72 mm	268002	75



Light beam: ACCENT



m	lx	øm
1	2786	0,58
2	696	1,16
3	309	1,74
4	174	2,32
5	111	2,90




CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




Lika Slim



117 x 23 mm
0,180 Kg/0,0013 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	32°	900 lm	2700 K	Black		341644	66 new
				White		327501	66
		1000 lm	3000 K	Black		305813	66
				White		341675	66 new
		1200 lm	4000 K	White		341675	66 new
				Black		341668	66 new




231 x 23 mm
0,300 Kg/0,0022 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	32°	1800 lm	2700 K	Black		341682	110 new
				White		327518	110
		2000 lm	3000 K	Black		305837	110
				White		341712	110 new
		2400 lm	4000 K	White		341712	110 new
				Black		341705	110 new



Light beam: ACCENT



m	lx	øm
1	1958	0,55
2	489	1,10
3	218	1,70
4	122	2,20
5	78	2,80




CRI≥90 10W 32° 1000lm 3000K



Samba

IP20 GYPSUM



83 x 83 mm

103 mm

133 mm

123 mm


GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code	€
max 35W	0,360 Kg	0,0016 m ³	White	230580	10

Power	Weight	Volume	Finish	Code	€
max 35W	0,240 Kg	0,0018 m ³	White	150307	10

Power	Weight	Volume	Finish	Code	€
max 35W	0,450 Kg	0,0032 m ³	White	150130	12

Power	Weight	Volume	Finish	Code	€
max 50W	0,420 Kg	0,0036 m ³	White	139012	12



83 x 83 mm

103 x 103 mm

123 x 123 mm

124 x 124 mm

GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0016 m ³	White	229997	10

Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0019 m ³	White	150291	10

Power	Weight	Volume	Finish	Code	€
max 35W	0,600 Kg	0,0037 m ³	White	150116	12


Glass diffuser

Power	Weight	Volume	Finish	Code	€
max 50W	0,430 Kg	0,0023 m ³	White	139029	12



Jazz

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		083117	11
	Ant. Brass		083124	11
	Chrome		083070	11
	Black		243818	11
	Nickel		083087	11

Swing

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 28W	White		083179	13
	Ant. Brass		083186	13
	Chrome		083131	13
	Black		243825	13
	Nickel		083148	13

Lounge

IP20 ZINC




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		138978	17

Funky

IP20 IRON




GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	Aluminum		083223	20
	White		083230	20
	Ant. Brass		083247	20
	Chrome		083193	20
	Black		243849	20



Room-65

☐ IP65 CRI ≥90 50.000 h ALUMINUM




① 68 mm

0,220 Kg/0,0011 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
7,5 W	38°	750 lm	3000 K	White	☐ 252025	77
				Black	■ 252032	77



① 68 mm

0,240 Kg/0,0011 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
7,5 W	38°	750 lm	3000 K	White	☐ 252049	77
				Black	■ 252056	77




Light beam: ACCENT



Blues


IP20 GLASS



Ⓜ 60 mm
 0,281 Kg/0,0031 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 50W	Clear	083254	25
	White	113999	25
	Smoky Grey	113982	25



Ⓜ 60 mm
 0,340 Kg/0,0012 m³
Purchase Qty. 3 pieces


GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 50W	Clear	114019	25



Polka

□ ▲ IP20



① 65 mm

0,250 Kg/0,0022 m³

GU10 Not included - Recommended bulb 108292

Power	Material	Finish	Code	€
max 50W	Gypsum	White	115597	20
	Aluminum	Brass	115610	20
	Aluminum	Ant. Brass	115580	20




115597



115610




115580



331225

Zephyr new


 IP20
  GYPSUM



123 x 123 mm
 0,880 Kg/0,0032 m³

GU10 Not included - Recommended bulb 108292


Power	Finish	Code	€
max.35W	White	150284	15



207 x 207 mm
 1,350 Kg/0,0075 m³

GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max.35W	White	155722	50



141 x 141 mm
 0,920 Kg/0,0036 m³

LED COB CREE Driver ON/OFF included


CRI ≥90 50.000 h

Power	Lumen	CCT	Finish	Code	€
12 W	1200 lm	3000 K	White	331225	75 new



Walky

IP20
 CRI ≥ 90
 50.000 h GYPSUM




LED SMD AND DRIVER Included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	249834	63

100 x 100mm

0,580 Kg/0,0009 m³



LED SMD AND DRIVER Included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	249827	63

81 x 166 mm

0,580 Kg/0,0012 m³



Light beam: **ASYMMETRICAL**



Suspensions and ceiling

Outdoors

Alphabetical index

Bubble	812
Clio	806
Fiesta	813
Gun	810
Luna	804
Mib	812
Snow	805
Sole	802
Techo	808
Urano	811


Typology index

<small>new</small> 		<small>new</small> 
Sole 802	Luna 804	Snow 805
		
Clio 806	Clio 806	Clio 806
		
Clio 806	Clio 806	Clio 806
<small>new</small> 		
Techo 808	Gun 810	Urano 811
		
Bubble 812	Mib 812	Fiesta 813



Sole

Plastic opal color diffuser.
 Aluminum base for the suspended model. PVC electrical wire.



2,970 Kg / 0,1327 m³
 E27 max 1x 42W


€ 180

136011 White



4000 K
 1020 lm

151991 € 2,00



1,690 Kg / 0,0776 m³
 E27 max 1x 42W


€ 110

136004 White



4000 K
 1020 lm

151991 € 2,00



1,360 Kg / 0,0338 m³
 E27 max 1x 42W


€ 95

135991 White



4000 K
 1020 lm

151991 € 2,00



1,300 Kg / 0,0111 m³
 E27 max 1x 42W

€ 90

318837 White



4000 K
 580 lm

151960 € 2,00




P. 877



Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.

LED Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**



1,470 Kg / 0,0120 m³
E27 max 1x 42W

€ 115

213194 White

4000 K
1000 lm

151991 € 2,00



0,400 Kg / 0,0021 m³
G9 max 1x 5W

€ 100

213200 White

4000 K
530 lm

307879 € 6,00




P. 878



Snow new

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.




0,790 Kg / 0,0066 m³
LED 18W / 1900/2350 lm

€ 60

326238 White 3000K^{new}
326245 White 4000K^{new}



P. 855



P. 856



P. 908

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



116716



145068



145020



144252



144238



136073



144245




326801

		<p>0,540 Kg / 0,0171 m³</p>	<p>0,520 Kg / 0,0144 m³</p>	<p>0,610 Kg / 0,0231 m³</p>
<p>0,200 Kg / 0,0014 m³ E27 max 1x42W</p>	<p>0,580 Kg / 0,0019 m³ E27 max 1x42W</p>	<p>€ 40</p>	<p>€ 40</p>	<p>€ 40</p>
<p>148847 White 148854 Grey 148861 Anthracit. 148878 Black 326795 Coffee</p>	<p>144252 White 144238 Grey 136073 Anthracit. 144245 Black 326801 Coffee</p>	<p>145068 White</p>	<p>116716 White</p>	<p>145020 White</p>
<p>4000 K 580 lm</p>	<p>4000 K 580 lm</p>	<p>151960 € 2,00</p>	<p>151960 € 2,00</p>	



Techo new


Powder-coated die-cast aluminum body. Frosted clear tempered glass diffuser. Colors: anthracite, white, coffee or black.




1,700 Kg / 0,0049 m³
GU10 max 1x20W

€ 115

- 251523 ■ White
- 326887 ■ Grey
- 251516 ■ Anthracit.
- 251530 ■ Black
- 251547 ■ Coffee




253398 € 15,00




0,600 Kg / 0,0012 m³
GU10 max 1x20W

€ 64

- 251561 ■ White
- 326894 ■ Grey
- 251554 ■ Anthracit.
- 251578 ■ Black
- 251592 ■ Coffee



253497 € 3,00




1,500 Kg / 0,0052 m³
GU10 max 1x20W

€ 115

- 342689 ■ White new
- 342702 ■ Grey new
- 318103 ■ Anthracit. new
- 342719 ■ Black new
- 342696 ■ Coffee new



253398 € 15,00



0,550 Kg / 0,0015 m³
GU10 max 1x20W

€ 64

- 318127 ■ White new
- 342726 ■ Grey new
- 318110 ■ Anthracit. new
- 318141 ■ Black new
- 318134 ■ Coffee new



253497 € 3,00



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663 092324 163642 236865 122687 163666



0,490 Kg / 0,0030 m³
GU10 max 1x28W

€ 54

122663 White
092324 Aluminum
163642 Grey
236865 Anthracit.
122687 Black
163666 Coffee

4000 K
430 lm
253497 € 3,00



P. 834



Urano


Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.



168050



168135




1,200 Kg / 0,0029 m³
GX53 max 1x15W

€ 95

168050 White
168135 Anthracit.

4000 K
1000 lm

154008 € 5,00



0,630 Kg / 0,0016 m³
GX53 max 1x15W

€ 70

168036 White
168111 Anthracit.

4000 K
1000 lm

154008 € 5,00

Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



1,730 Kg / 0,0249 m³

E27 max 1x 60W

€ 125

135250 White



4000 K
580 lm



151960 € 2,00 P. 854




Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.



LED source 3000/4000 K, 35.000 h life.



1,620 Kg / 0,0086 m³

LED 18W / 1850/2150 lm

€ 150

269115 White 3000K
202945 White 4000K



1,820 Kg / 0,0086 m³

LED 18W / 1950/2250 lm

€ 150

269122 White 3000K
202921 White 4000K





Fiesta

Black plastic electric cable, bulb socket and grapping eyelets.
Supplied with plug for outdoor.

<p>6050</p>	<p>4040</p>
IP44	IP44
1,530 Kg / 0,0068 m³ E27 max 10 x 15W	0,600 Kg / 0,0049 m³ E27 max 5 x 15W
€ 100	€ 65
246796 ■ Black	159836 ■ Black
3000 K 340 lm	3000 K 340 lm
101286 € 2,00	101286 € 2,00



Wall lamps

Outdoors



Alphabetical index

Andromeda	847	Rex-3	851
Apollo	832	Rubik	842
Argo	845	Sirio	841
Atom	843	Snif Round	830
Base	833	Snif Square	831
Bubble	854	Snow	855
Cima	857	Style	826
Clio	856	Swipe	825
Cometa	852	Terra	822
Dafne	857	Tetris-1	844
Dedra	859	Tetris-2	845
Down	858	Toffee	837
Elio	820	Tronco	828
Etere	829	Twin	846
Febe	858	Up	844
Felix	849	Xeno	824
Gas	823		
Giove	848		
Gun	834		
Iko	840		
Keope	832		
Linea	838		
Litio	821		
Medea	853		
Omega R.	819		
Omega S.	819		
O-Zone	818		
Polar	853		
Punto	836		
Rex-1	850		
Rex-2	851		



O-zone

Pag 818

new



O-zone 818

Omega R. 819



Style 826

Tronco 828

new



Punto 836

Toffee 837



Tetris-2 845

Argo 845



Cometa 852

Polar 853








































Dafne 857

Down 858

Outdoors

Typology index


						
Omega S. 819	Elio 820	Litio 821	Terra 822	Gas 823	Xeno 824	Swipe 825
						
Etere 829	SnifRound 830	SnifSquare 831	Keope 832	Apollo 832	Base 833	Gun 834
	<small>new</small> 					
Linea 838	Iko 840	Sirio 841	Rubik 842	Atom 843	Up 844	Tetris-1 844
						
Twin 846	Andromeda 847	Giove 848	Felix 849	Rex-1 850	Rex-2 851	Rex-3 851
		<small>new</small> 				
Medea 853	Bubble 854	Snow 855	Clio 856	Clio 856	Clio 856	Cima 857
						
Febe 858	Dedra 859					



O-zone new

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.



■ ■  IP66

0,800 Kg / 0,0060 m³
LED 13W / 1150 lm

€ 135

337548 ■ Black new




P. 916

Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.

LED LED source 3000/4000 K, 25.000 h life.



IP54

0,500 Kg / 0,0012 m³
LED 7W / 560/610 lm

€ 100


285474	White	3000K
285481	White	4000K
285450	Anthracit.	3000K
285467	Anthracit.	4000K
285504	Black	4000K
285498	Coffee	4000K



Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.

LED LED source 4000 K, 25.000 h life.



IP54

0,600 Kg / 0,0012 m³
LED 7W / 610 lm

€ 100

285528	White
285511	Anthracit.
285535	Black





Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




096483

096476



Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,500 Kg / 0,0027 m³
GU10 max 1x6W

€ 82

096483 ■ White
096476 ■ Black

4000 K
430 lm

253497 € 3,00



P. 926



Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.




145303



145327



145341



0,690 Kg / 0,0044 m³
GX53 max 1x10W

€ 95

145303 ■ White
145327 ■ Grey
145341 ■ Black

4000 K
1000 lm

154008 € 5,00

LED Bulbs LED GX53 7W included. Settable
CCT: 3000 K, 4000 K, 6500 K.




P. 926



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



■ IP65


1,140 Kg / 0,0091 m³
E27 max 1x 42W

€ 85

046167 ■ Anthracit.

4000 K
580 lm

151960 € 2,00



■ IP65

0,530 Kg / 0,0024 m³
GU10 max 1x 28W

€ 45

046181 ■ Anthracit.

4000 K
430 lm

253497 € 3,00




P. 925



Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.



IP43

0,320 Kg / 0,0020 m³
GU10 max 1x28W

€ 50

091518 White
091525 Anthracit.
020228 Black
213095 Coffee

4000 K
430 lm

253497 € 3,00



091518

091525

020228

213095



P. 891



Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.




129488



129471



129464



IP44

0,360 Kg / 0,0014 m³
GU10 max 1x28W

€ 40

129488 ■ White
129471 ■ Grey
129464 ■ Black


4000 K
430 lm
253497 € 3,00




Swipe

Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.

LED LED source 3000 K, 50.000 h life.

 Lamp with presence detector included PIR (Passive InfraRed).



 IP54

1,200 Kg / 0,0055 m³
LED 20,5W / 2300 lm



€ 120

- 287690  White
- 326863  Grey
- 287683  Anthracit.
- 287706  Black
- 307169  Coffee

 IP54 

1,300 Kg / 0,0055 m³
LED 21W / 2300 lm

€ 130


- 287720  White
- 326870  Grey
- 287713  Anthracit.
- 287737  Black
- 307176  Coffee



Style

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. AP Sensor model
with PIR sensor. Available finishes:
anthracite, white, coffee, grey or
black.

LED LED source 3000/4000 K, 30.000 h
life.

 Lamp with presence detector included
PIR (Passive InfraRed).




269139

322650

246857

322636

322704




 IP54

0,390 Kg / 0,0018 m³
LED 8,5W / 950/1050 lm

€ 135

269139	White	3000K
221502	White	4000K
322650	Grey	3000K
322643	Grey	4000K
246857	Anthracit.	3000K



 IP54

0,400 Kg / 0,0018 m³
LED 9W / 950/1050 lm

€ 165

269146	White	3000K
209852	White	4000K
246864	Anthracit.	3000K
221519	Anthracit.	4000K


209845	Anthracit.	4000K
322636	Black	3000K
322629	Black	4000K
322704	Coffee	3000K
322681	Coffee	4000K





Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



IP44

1,110 Kg / 0,0070 m³
E27 max 1x 42W

€ 65

- 118659 White
- 026978 Grey
- 027005 Anthracit.
- 004716 Black
- 326962 Coffee

4000 K
490 lm


153957 € 2,00



Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

LED LED source 3000/4000 K, 25.000 h life.



IP44

0,590 Kg / 0,0027 m³
LED 9,5W / 1000/1100 lm

€ 95

246925	■ Anthracit.	3000K
172408	■ Anthracit.	4000K
322193	■ Black	3000K
322209	■ Black	4000K
269153	■ Coffee	3000K
246949	■ Coffee	4000K



Snif Round

Varnished die-cast aluminum body.
Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

061467




144283



061474



061450



IP54

0,750 Kg / 0,0032 m³
G9 max 1x 40W

€ 50

144283 White
061474 Grey
061467 Anthracit.
061450 Black

4000 K
530 lm
307879 € 6,00



Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.

121963




144276



118666



123080



IP44

0,600 Kg / 0,0027 m³
G9 max 1x 40W

€ 50

144276 White
118666 Grey
121963 Anthracit.
123080 Black



4000 K
530 lm

307879 € 6,00

Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to +90°C. Transparent satin acrylic diffusers.

LED Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,450 Kg / 0,0033 m³
GU10 max 2x6W


0,350 Kg / 0,0033 m³
GU10 max 1x6W

€ 63


€ 42

147772 ■ White
147796 ■ Grey
147819 ■ Black

147765 ■ White



108292 € 3,00



108292 € 3,00



Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

LED LED source 4000 K, 30.000 h life.



0,540 Kg / 0,0008 m³
LED 6W / 800 lm

€ 90

137391 ■ Black






Base

Powder coated die-cast aluminum body. Clear tempered glass diffusers. Colors: black or white.



129457

129433



IP44

0,610 Kg / 0,0016 m³
GU10 max 2 x 28W

€ 40

129457 ■ White
129433 ■ Black

4000 K
430 lm

253497 € 3,00



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388

033013


163628



236841

100395

163635




IP54

1,350 Kg / 0,0071 m³
E27 max 2 x 60W

€ 72

- 092300 White
- 033020 Aluminum
- 163604 Grey
- 236858 Anthracit.
- 092317 Black
- 163611 Coffee



IP44

0,720 Kg / 0,0024 m³
GU10 max 2 x 35W

€ 65

- 100388 White
- 033013 Aluminum
- 163628 Grey
- 236841 Anthracit.
- 100395 Black
- 163635 Coffee

4000 K
580 lm
151960 € 2,00


4000 K
430 lm
253497 € 3,00



Punto


Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED LED source 3000 K, 30.000 h life.




2,090 Kg / 0,0135 m³
LED 16W / 1750 lm

€ 150



1,280 Kg / 0,0083 m³
LED 12W / 1250 lm

€ 125



0,820 Kg / 0,0018 m³
LED 9W / 950 lm

€ 65



313528

313511

313542

313535

328553 White
313566 Anthracit.
328577 Black
328560 Coffee

328522 White
313559 Anthracit.
328546 Black
328539 Coffee


313528 White
313511 Anthracit.
313542 Black
313535 Coffee



Toffee ^{new}

Powder-coated aluminum base and body. Clear tempered glass diffuser. Indirect light emission. Colors: anthracite, white, coffee or black.

LED LED source 3000 K, 50.000 h life.



 IP65

0,400 Kg / 0,0011 m³
LED 8W / 800 lm

€ 75

347738 **White** ^{new}
321189 **Anthracit.** ^{new}
321196 **Black** ^{new}
321202 **Coffee** ^{new}



347738

321189

321196

321202



P. 866



P. 866



Linea

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED LED source 3000 K, 30.000 h life.



<p>1440 50</p>	<p>1040 50</p>
<p>IP54</p>	<p>IP54</p>
<p>1,750 Kg / 0,0049 m³ LED 23W / 2400 lm</p>	<p>1,430 Kg / 0,0036 m³ LED 20W / 1950 lm</p>
<p>€ 185</p>	<p>€ 145</p>
<p>328584 White 313504 Anthracit. 328607 Black 328591 Coffee</p>	<p>313474 White 313467 Anthracit. 313498 Black 313481 Coffee</p>



Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.



018515



092218



018522



0,600 Kg / 0,0040 m³
E27 max 1x 60W

€ 50

018522 White
092218 Grey
018515 Anthracit.


4000 K
580 lm

151960 € 2,00



Sirio new

Powder coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



■ IP65

0,820 Kg / 0,0018 m³
GX53 max 1x9W

€ 90

- 318226 White new
- 345611 Grey new
- 318202 Anthracit. new
- 318219 Black new
- 318196 Coffee new



318226

318196

345611

318219

318202



P. 886

P. 924

4000 K
1000 lm

154008

€ 5,00



Rubik

Cast aluminum body with powder coating. Up-and-down reflecting internal structure. Available finishes: anthracite, white, coffee, grey or black.

LED LED source 3000/4000 K, 30.000 h life.



IP54

0,660 Kg / 0,0022 m³
LED 8,5W / 660/720 lm

€ 142

269313	White	3000K
149745	White	4000K
326849	Grey	3000K
326856	Grey	4000K
247083	Anthracit.	3000K


149738	Anthracit.	4000K
269320	Black	3000K
142302	Black	4000K
326627	Coffee	3000K
326634	Coffee	4000K



Atom

Powder coated aluminum body.
Glass diffusers. Double light beam,
up and down with adjustable width
and movable wings.

LED LED source 3000 K, 30.000 h life.



■ \oplus IP54

1,160 Kg / 0,0025 m³
LED 25W / 2100 lm

€ 135

328652 ■ White
313412 ■ Anthracit.
328676 ■ Black
328669 ■ Coffee

■ \oplus IP54

0,660 Kg / 0,0013 m³
LED 12W / 1050 lm

€ 70

313436 ■ White
313429 ■ Anthracit.
313450 ■ Black
313443 ■ Coffee

Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee, grey or black.



0,520 Kg / 0,0019 m³
G9 max 2 x 15W

€ 40

115320 White
326993 Grey
115337 Anthracit.
115344 Black
213354 Coffee



0,320 Kg / 0,0012 m³
G9 max 1 x 15W

€ 25

115290 White
326986 Grey
115306 Anthracit.
115313 Black
213347 Coffee



4000 K
530 lm

307879 € 6,00



4000 K
530 lm

307879 € 6,00



115290

326986

115306


115313

213347



Tetris-1

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



0,390 Kg / 0,0017 m³
G9 max 1 x 15W

€ 82

114293 White
113760 Grey
113753 Anthracit.
326955 Black
213323 Coffee



4000 K
530 lm

307879 € 6,00



114293

113760

113753


326955

213323



Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.



IP44

0,520 Kg / 0,0018 m³

G9 max 2 x 15W

€ 91

269221 White

113791 Anthracit.

4000 K
530 lm


307879 € 6,00



Argo

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.

LED LED source 3000/4000 K, 30.000 h life.



IP65

0,600 Kg / 0,0013 m³

LED 11W / 1000/1150 lm


€ 80

268309 White 3000K

268316 White 4000K

250946 Anthracit. 3000K

268293 Anthracit. 4000K



IP65

0,600 Kg / 0,0011 m³

LED 6W / 550/570 lm

€ 70

317564 White 3000K

321691 White 4000K

321646 Anthracit. 3000K


317571 Anthracit. 4000K





Twin

Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.



- IP44
- 0,510 Kg / 0,0026 m³
- G9 max 1x28W

- € 55

- 115351 White
- 326979 Grey
- 115368 Anthracit.
- 115375 Black
- 213330 Coffee

- 4000 K
- 530 lm
- 307879 € 6,00



Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543




092355



100371



163550



IP55

1,630 Kg / 0,0052 m³
E27 max 2x60W

€ 85

100364 White
163543 Grey
092355 Anthracit.
100371 Black
163550 Coffee

4000 K
580 lm

151960 € 2,00

IP55

1,000 Kg / 0,0039 m³
E27 max 1x60W

€ 55

066868 White
158822 Grey
061580 Anthracit.
061597 Black
163536 Coffee


4000 K
580 lm

151960 € 2,00



Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP54

0,900 Kg / 0,0041 m³
E27 max 1x 60W

€ 70

092195 White
322605 Grey
092188 Anthracit.
092201 Black
163598 Coffee

4000 K
580 lm

151960 € 2,00



Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

LED Bulbs LED E27 8W Goccia included in 123745 model. Settable CCT: 2700 K, 4000 K, 6500 K.





123776



123769



123783



0,520 Kg / 0,0050 m³
E27 max 1x23W

0,610 Kg / 0,0050 m³
E27 max 1x23W

€ 52

€ 35

123745 White

123776 White

123769 Grey

123783 Black


4000 K
580 lm
151960 € 2,00

4000 K
580 lm
151960 € 2,00



Rex-1






Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.




■  IP44

0,600 Kg / 0,0065 m³
E27 max 1x 60W

€ 42


092393  White
322735  Grey
092409  Anthracit.
322728  Black
213217  Coffee

 4000 K
1020 lm

151991 € 2,00

Rex-2


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42

092416 White
092423 Anthracit.




151991 € 2,00



Rex-3


Powder coated die-cast aluminum body available in different colors: anthracite or white. White acrylic diffuser.



0,600 Kg / 0,0065 m³
E27 max 1x60W

€ 42

092430 White
092447 Anthracit.




151991 € 2,00





Cometa

Powder coated die-cast aluminum body. White PVC diffuser. It is not recommended to expose the article to direct contact with sunlight.
Color: anthracite



1,500 Kg / 0,0124 m³
E14 max 3x28W

€ 100



082240 ■ Anthracit.

3000 K
420 lm

101217 € 2,00

Polar

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0106 m³
E27 max 1x23W



0,800 Kg / 0,0106 m³
E27 max 1x23W

€ 35

€ 35

096667 White
096674 Black

096681 White
096698 Black





151991 € 2,00

151991 € 2,00



Medea

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



0,800 Kg / 0,0109 m³
E27 max 1x23W



0,800 Kg / 0,0109 m³
E27 max 1x23W

€ 25

€ 25

096711 White
096704 Black

096735 White
096728 Black



151991 € 2,00


151991 € 2,00





Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



0,480 Kg / 0,0031 m³
G9 max 2x15W

€ 72

158907 White

4000 K
530 lm
307879 € 6,00




P. 812



Snow new

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED LED source 3000 K / 4000 K,
50.000 h life.



■ ■ □ IP65

0,170 Kg / 0,0013 m³
LED 6W / 550/600 lm

€ 25

326214 White 3000K^{new}
326221 White 4000K^{new}






P. 805



Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.



■ \oplus IP44

0,680 Kg / 0,0039 m³
E27 max 1x 42W

€ 80

146775 White
146782 Grey
145228 Anthracit.
146799 Black
326788 Coffee

0,540 Kg / 0,0171 m³

€ 40

145068 White

0,520 Kg / 0,0144 m³

€ 40

116716 White

0,610 Kg / 0,0231 m³

€ 40

145020 White




P. 806 P. 806 P. 908

4000 K
580 lm
151960 € 2,00

Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold finish.
Transparent acrylic diffuser.




■  IP43

1,840 Kg / 0,0504 m³
E27 max 1x52W

€ 61

246819 ■ Anthracit.
024134 ■ Black
246826 ■ Coffee



153964 € 3,50




P. 910



Dafne

High performance resin body:
resistant to corrosion, colours
stabilized during UV rays
treatment, thermal shock
resistance from -60° to +90°C.
Methacrylate non-yellowing
diffuser.



■  IP55


1,000 Kg / 0,0101 m³
E27 max 1x23W

€ 33

120423 White
101491 ■ Black



153964 € 3,50




■  IP55

0,600 Kg / 0,0117 m³
E27 max 1x23W

€ 28

120430 White
101552 ■ Black



153964 € 3,50




P. 911



Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.




■  IP44

0,270 Kg / 0,0010 m³
G9 max 1x28W

€ 30

115382 ■ White
122045 ■ Anthracit.

 4000 K
530 lm


307879 € 6,00



Febe

Surface-mounted luminaire with powder-coated die-cast aluminum body. Clear tempered glass diffuser. Color: anthracite.

LED LED source 3000/4000 K, 30.000 h life.




■  IP65

0,760 Kg / 0,0020 m³
LED 6W / 600/630 lm

€ 75

250854 ■ Anthracit. 3000K
322285 ■ Anthracit. 4000K



■  IP65

0,760 Kg / 0,0020 m³
LED 6W / 500/520 lm

€ 75

268354 ■ Anthracit. 3000K
322308 ■ Anthracit. 4000K







Dedra

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.

LED LED source 3000 K, 20.000 h life.



■ □ IP65

■ □ IP65

0,200 Kg / 0,0007 m³
LED 1,5W / 160 lm

0,170 Kg / 0,0007 m³
LED 1,5W / 160 lm

€ 47

€ 43

328638 ■ White
316871 ■ Anthracit.
328621 ■ Coffee

316901 ■ White
328645 ■ Anthracit.
316895 ■ Coffee



Bollard and Table lamps

Outdoors



Alphabetical index

Acqua	903	Tifone	892
Agos	882	Titano	888
Arcadia	881	Toffee	866
Atena	900	Torre	906
Boeing	896	Tronco	898
Cima	910	Twiggy	874
Clio	908	Vega	893
Cosmo	907		
Cute	868		
Dafne	911		
Doris	876		
Edo Outdoor	901		
Enya	872		
Etere	904		
Gas	891		
Hub	891		
Ipotesi	873		
Itaca	880		
Jedi	894		
Kurt	889		
Lolita	870		
Luna	878		
Marte	902		
Mercurio	902		
Pulsar	903		
Pure	864		
Sasso	879		
Sirio	886		
Sole	877		
Style	884		
Tesla	890		

Enya

Pag 872



Pure 864

Toffee 866

Cute 868

Lolita 870



Itaca 880

Arcadia 881

Agos 882

Style 884



Vega 893

Jedi 894

Boeing 896

Tronco 898

Outdoors

Typology index



Enya 872

Ipotesi 873

Twiggy 874

Doris 876

Sole 877

Luna 878

Sasso 879



Sirio 886

Titano 888

Kurt 889

Tesla 890

Gas 891

Hub 891

Tifone 892



Atena 900

Edo Outdoor 901

Marte 902

Mercurio 902

Pulsar 903

Acqua 903

Etere 904



Torre 906

Cosmo 907

Clio 908

Clio 908

Clio 908

Cima 910

Dafne 911





Pure


Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 6 hours.


LED LED source 3000 K, 30.000 h life.

ON/OFF Lamp with integrated switch.

 Lamp with dimmer.

 Lamp with touch dimmer.

 Lamp with rechargeable battery included. 7 hours life.




 IP54

1,580 Kg / 0,0058 m³
LED 1,5W / 230 lm

€ 115

311708  White
328515  Black
328508  Coffee



 IP54

0,840 Kg / 0,0052 m³
LED 1,5W / 230 lm

€ 85

311685  White
311678  Black
311661  Coffee



Toffee new


Rechargeable battery-operated table lamp. Powder coated aluminum body. Acrylic diffuser. Colors: white, coffee or black.

LED LED source 3000 K, 20.000 h life.

ON Lamp with integrated switch.
OFF Cod. **328614, 311715, 347868**

Hand Lamp with touch dimmer.
Cod. **328614, 311715, 347868**


Battery Lamp with rechargeable battery included. 8 hours life.
Cod. **328614, 311715, 347868**



IP65

1,400 Kg / 0,0200 m³
LED 11W / 1200 lm


€ 130



IP65

1,220 Kg / 0,0200 m³
LED 11W / 1200 lm


€ 125



IP65

0,950 Kg / 0,0200 m³
LED 8W / 800 lm


€ 105



IP65

0,830 Kg / 0,0200 m³
LED 8W / 800 lm

€ 100



IP54

0,460 Kg / 0,0050 m³
LED 2W / 230 lm

€ 90






- | | | | | | | | | | | | | | |
|--------|--------------|--------------------|--------|--------------|--------------------|--------|--------------|--------------------|--------|--------------|--------------------|--------|-----------------------------|
| 347837 | ■ Anthracit. | <small>new</small> | 347806 | ■ Anthracit. | <small>new</small> | 347776 | ■ Anthracit. | <small>new</small> | 347745 | ■ Anthracit. | <small>new</small> | 311715 | ■ White |
| 347851 | ■ Black | <small>new</small> | 347820 | ■ Black | <small>new</small> | 347790 | ■ Black | <small>new</small> | 347769 | ■ Black | <small>new</small> | 328614 | ■ Black |
| 347844 | ■ Coffee | <small>new</small> | 347813 | ■ Coffee | <small>new</small> | 347783 | ■ Coffee | <small>new</small> | 347752 | ■ Coffee | <small>new</small> | 347868 | ■ Coffee <small>new</small> |







Cute new

Rechargeable lamp with a refill base. Powder coated metal frame. Acrylic diffuser with downward light emission. Colors: white, black, coffee, chrome and gold.

-  LED source 2200 K / 2700 K, 50.000 h life.
-  Lamp with integrated switch.
-  Lamp with dimmer.
-  Lamp with touch dimmer.
-  Lamp with rechargeable battery included.



 IP65




 IP20


0,440 Kg / 0,0026 m³
LED 2,5W / 190 lm

1,920 Kg / 0,0092 m³

€ 85

€ 180

- | | | | | | |
|--------|--|--------------------|--------|---|--------------------|
| 346892 |  White | <small>new</small> | 348377 |  Black | <small>new</small> |
| 346922 |  Chrome | <small>new</small> | | | |
| 346908 |  Black | <small>new</small> | | | |
| 346915 |  Coffee | <small>new</small> | | | |
| 346939 |  Gold | <small>new</small> | | | |



Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 14 hours autonomy. Battery charging time 7 hours.


LED LED source 3000 K, 25.000 h life.

ON OFF Lamp with integrated switch.

+ Lamp with dimmer.

Hand icon Lamp with touch dimmer.

Battery icon Lamp with rechargeable battery included. 14 hours life.



IP54

0,550 Kg / 0,0078 m³
LED 1,8W / 150 lm

€ 55

286723 White
286730 Grey
286716 Black
286747 Coffee



Enya new


Portable lamp with rechargeable battery. Powder coated aluminum body. Black rubber handle. Tempered glass diffuser. Downward light emission. Switch with dimmer. Colors: white, black, coffee.

LED LED source 3000 K, 35.000 h life.

ON OFF Lamp with integrated switch.

Hand icon Lamp with touch dimmer.

Battery icon Lamp with rechargeable battery included.



IP54

1,490 Kg / 0,0086 m³
LED 5W / 250 Lm

€ 115



323251 ■ White new
323237 ■ Black new
323244 ■ Coffee new



Ipotesi

Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: white or black.

LED LED source 3000 K, 30.000 h life.



IP44

IP44

5,100 Kg / 0,1041 m³
LED 16W / 1700 Lm

4,940 Kg / 0,1379 m³
LED 16W / 1700 Lm

€ 335

€ 435

282244 ■ White
282251 ■ Black

300641 ■ White
300658 ■ Black



282244



282251



Twiggy new

Powder coated aluminum frame.
Satin acrylic diffuser. Equipped
with spike. Colors: black and coffee.

LED LED source 3000 K, 30.000 h life.




IP65	IP65	IP65	IP65	
0,290 Kg / 0,0031 m ³ LED 1,5W / 130 lm	0,031 Kg / 0,0028 m ³ LED 1,5W / 130 lm	0,210 Kg / 0,0023 m ³ LED 1,5W / 130 lm	0,230 Kg / 0,0020 m ³ LED 1,5W / 130 lm	Driver Not included Required
€ 50	€ 60	€ 45	€ 55	€ 12
348346 ■ Black <small>new</small> 348339 ■ Coffee <small>new</small>	348360 ■ Black <small>new</small> 348353 ■ Coffee <small>new</small>	347882 ■ Black <small>new</small> 347875 ■ Coffee <small>new</small>	347905 ■ Black <small>new</small> 347899 ■ Coffee <small>new</small>	276205 <small>new</small>



Doris

Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.



IP44


7,600 Kg / 0,5581 m³
E27 max 1x60W

€ 545

195506 White

4000 K
1020 lm

151991 € 2,00



IP44


4,050 Kg / 0,2306 m³
E27 max 1x60W

€ 325

195490 White

4000 K
1020 lm

151991 € 2,00



IP44


3,000 Kg / 0,1366 m³
E27 max 1x60W

€ 215

195483 White

4000 K
1020 lm

151991 € 2,00



IP44

1,210 Kg / 0,0318 m³
E27 max 1x60W

€ 127

214009 White


4000 K
1020 lm

151991 € 2,00



Sole

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.



IP44


4,500 Kg / 0,1460 m³
E27 max 1x 60W

€ 225

191614 White

4000 K
1020 lm

151991 € 2,00



IP44


3,900 Kg / 0,0741 m³
E27 max 1x 60W

€ 150

191621 White

4000 K
1020 lm

151991 € 2,00



IP44


2,700 Kg / 0,0322 m³
E27 max 1x 60W

€ 120

191638 White

4000 K
1020 lm

151991 € 2,00



IP44

1,200 Kg / 0,0139 m³
E27 max 1x 60W

€ 110

318820 White

4000 K
580 lm

151960 € 2,00




P. 802



Luna

Opal colour plastic frame-diffuser.
 Supplied with power cable, plug
 and picket for installation on the
 ground.



IP44


6,700 Kg / 0,1743 m³
 E27 max 1x60W

€ 290

191607 White

4000 K
 1020 lm

151991 € 2,00



IP44


4,700 Kg / 0,1005 m³
 E27 max 1x60W

€ 210

191584 White

4000 K
 1020 lm

151991 € 2,00



IP44

2,700 Kg / 0,0356 m³
 E27 max 1x60W

€ 150

191577 White

4000 K
 1020 lm

151991 € 2,00




P. 804



Sasso


Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.




1,500 Kg / 0,0444 m³
E27 max 1x 40W

€ 205

161778 White


 4000 K
1020 lm
151991 € 2,00




0,900 Kg / 0,0209 m³
E27 max 1x 40W

€ 145

161761 White

 4000 K
1020 lm
151991 € 2,00



0,710 Kg / 0,0123 m³
G9 max 1x 15W

€ 105


161754 White

 4000 K
530 lm
307879 € 6,00



Itaca

White powder painted metal base and bar. Plastic conical diffuser in opal color. Supplied with plug.



IP44

8,840 Kg / 0,1405 m³
E27 max 1x60W

€ 310

180953 White


4000 K
1020 lm

151991 € 2,00



Arcadia

Powder coated metal base and stem. PMMA white diffuser. Neoprene cable with plug. Finish: anthracite.




6,500 Kg / 0,0525 m³
E27 max 1x42W

€ 115

298610 ■ Anthracit.

4000 K
1020 lm

151991 € 2,00



2,940 Kg / 0,0247 m³
E27 max 1x42W

€ 150

298597 ■ Anthracit.

4000 K
1020 lm

151991 € 2,00



Agos

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.



LED LED source 3000/4000 K, 25.000 h life.



254388

326696

326689



1,100 Kg / 0,0127 m³
LED 6,5W / 670/730 lm

0,950 Kg / 0,0096 m³
LED 6,5W / 670/730 lm

€ 100

€ 80

- 254319 ■ Anthracit. 3000K
- 268422 ■ Anthracit. 4000K
- 326733 ■ Black 3000K
- 326757 ■ Black 4000K
- 326726 ■ Coffee 3000K
- 326740 ■ Coffee 4000K


- 254388 ■ Anthracit. 3000K
- 268439 ■ Anthracit. 4000K
- 326696 ■ Black 3000K
- 326719 ■ Black 4000K
- 326689 ■ Coffee 3000K
- 326702 ■ Coffee 4000K



Style

Powder coated aluminum body.
Opal color plastic shade. Integrated
LED source. Available finishes:
anthracite, white, coffee, grey or
black.

LED LED source 3000/4000 K, 30.000 h
life.




IP54

1,680 Kg / 0,0239 m³
LED 8,5W / 950/1050 lm

€ 190

318707	White	3000K
322483	White	4000K
322384	Grey	3000K
322353	Grey	4000K
246871	Anthracit.	3000K



IP54

1,200 Kg / 0,0122 m³
LED 8,5W / 950/1050 lm

€ 145

209906	Anthracit.	4000K
322230	Black	3000K
322216	Black	4000K
322452	Coffee	3000K
322438	Coffee	4000K

318691	White	3000K
322582	White	4000K
322551	Grey	3000K
322544	Grey	4000K
322612	Anthracit.	3000K

322599	Anthracit.	4000K
322537	Black	3000K
322506	Black	4000K
322575	Coffee	3000K
322568	Coffee	4000K



Sirio

Powder coated aluminum body.
Clear Pyrex glass diffuser. Available
finishes: anthracite, white, coffee,
grey or black.




115085

246963

115061

115108

213262




IP44

1,880 Kg / 0,0181 m³
G9 max 2x15W

€ 180

- 115085 White
- 246963 Grey
- 115061 Anthracit.
- 115108 Black
- 213262 Coffee



IP44

1,550 Kg / 0,0136 m³
G9 max 2x15W

€ 145

- 115092 White
- 246970 Grey
- 115078 Anthracit.
- 115115 Black
- 213279 Coffee

307879 4000 K
530 lm € 6,00

307879 4000 K
530 lm € 6,00




Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.




LED source 3000/4000 K, 50.000 h life.



9,220 Kg / 0,0540 m³
LED 8,5W / 560/580 lm

€ 350

246987 ■ Granite 3000K
187327 ■ Granite 4000K



6,800 Kg / 0,0377 m³
LED 8,5W / 560/580 lm

€ 275

246994 ■ Granite 3000K
157856 ■ Granite 4000K



Kurt

Powder-coated aluminum base and body. Clear tempered glass diffuser. Downward lights emission. Colors: anthracite, white, coffee or black.

LED LED source 3000/4000 K, 30.000 h life.



IP54

1,930 Kg / 0,0060 m³
LED 11W / 1150/1200 lm

€ 125




306841 306834 306872 306858

306841	White	3000K	306872	Black	3000K
294049	White	4000K	293172	Black	4000K
306834	Anthracit.	3000K	306858	Coffee	3000K
294025	Anthracit.	4000K	294001	Coffee	4000K



Tesla

Powder painted aluminum body.
 White plastic screen diffuser.
 Downward light emission. Available
 finishes: anthracite, white, coffee or
 black.




IP44

3,000 Kg / 0,0379 m³
 G9 max 4 x 15W

€ 155

153179 White
 153162 Anthracit.
 316055 Black
 326924 Coffee

4000 K
 530 lm
 307879 € 6,00



IP44

2,560 Kg / 0,0273 m³
 G9 max 4 x 15W


€ 145

153209 White
 153193 Anthracit.
 326917 Black
 316048 Coffee

4000 K
 530 lm
 307879 € 6,00

Gas


Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



1,790 Kg / 0,0216 m³
GU10 max 1x35W

€ 116

139470 ■ Anthracit.
322421 ■ Black
213101 ■ Coffee



253497

€ 3,00


P. 823



Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.


LED LED source 3000 K, 30.000 h life.



0,850 Kg / 0,0057 m³
LED 4,5W / 390 lm

€ 132

251257 ■ Anthracit.



0,720 Kg / 0,0083 m³
LED 4,5W / 390 lm

€ 132

251226 ■ Anthracit.



Base
Not included
Optional

€ 32

251295 ■ Anthracit.






Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.




IP65

1,250 Kg / 0,0054 m³
LED 8,5W / 710 Lm

€ 122

250953 ■ Anthracit.



IP65

1,010 Kg / 0,0029 m³
LED 8,5W / 710 Lm

€ 105

250977 ■ Anthracit.




Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



136035 136042 136028 136059 213361



IP44

1,150 Kg / 0,0092 m³
G9 max 1x 15W

€ 180

- 136035 White
- 136042 Grey
- 136028 Anthracit.
- 136059 Black
- 213361 Coffee

4000 K
530 lm
307879 € 6,00



Jedi

Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite or black.


LED LED source 3000 K, 30.000 h life.



306803




293202



1,280 Kg / 0,0065 m³
LED 25W / 2600 Lm

€ 155


306803 ■ Anthracit.
293202 ■ Black



1,030 Kg / 0,0150 m³
LED 19W / 2050 Lm

€ 125

306797 ■ Anthracit.
293196 ■ Black



0,760 Kg / 0,0036 m³
LED 12W / 1250 Lm

€ 90

306780 ■ Anthracit.
293189 ■ Black



Base
Not included
Optional

€ 13


308227 ■ Anthracit.
308234 ■ Black



Boeing ^{new}

Powder coated die-cast aluminum body. Diffuser made of an external smoked clear polycarbonate protection and satin opal acrylic inner element which orientate the light downward. Colors: anthracite, coffee, black.

LED LED source 3000 K, 50.000 h life.



IP65

4,000 Kg / 0,0232 m³
LED 14W / 1200 lm


€ 210



IP65

3,100 Kg / 0,0164 m³
LED 14W / 1200 lm

€ 180



IP65

2,200 Kg / 0,0097 m³
LED 14W / 1200 lm

€ 160



IP65

1,350 Kg / 0,0041 m³
LED 14W / 1200 lm


€ 140

- | | | | |
|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| 327266 ■ Anthracit. ^{new} | 327259 ■ Anthracit. ^{new} | 327242 ■ Anthracit. ^{new} | 346656 ■ Anthracit. ^{new} |
| 346731 ■ Black ^{new} | 346717 ■ Black ^{new} | 346694 ■ Black ^{new} | 346670 ■ Black ^{new} |
| 346724 ■ Coffee ^{new} | 346700 ■ Coffee ^{new} | 346687 ■ Coffee ^{new} | 346663 ■ Coffee ^{new} |



Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.



IP65

2,490 Kg / 0,0254 m³
E27 max 1x 42W


€ 160

109138 White
026961 Grey
026992 Anthracit.
004723 Black
163741 Coffee



4000 K
490 lm

153957 € 2,00



IP65

1,970 Kg / 0,0193 m³
E27 max 1x 42W


€ 138

109145 White
026954 Grey
026985 Anthracit.
004730 Black
163758 Coffee



4000 K
490 lm

153957 € 2,00



IP65

0,590 Kg / 0,0135 m³
E27 max 1x 42W

€ 125

248264 White
248288 Grey
248257 Anthracit.
248295 Black
248271 Coffee



4000 K
490 lm

153957 € 2,00






Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.

LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.




IP55

1,070 Kg / 0,0220 m³
E27 max 1x23W

€ 83

198644 White
198637 Grey
198620 Black

 4000 K
1020 lm

151991 € 2,00



Edo Outdoor

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.




142999



135762



213071




IP44

1,600 Kg / 0,0240 m³
GX53 max 1x15W

€ 132

135755 White
138510 Anthracit.
213071 Coffee

4000 K
1000 lm
154008 € 5,00



IP44

2,670 Kg / 0,0269 m³
GX53 max 1x15W

€ 132

142999 White
135762 Anthracit.
213088 Coffee

4000 K
1000 lm
154008 € 5,00

Marte


Powder coated aluminum body with anthracite finish. White acrylic diffuser.



2,500 Kg / 0,0193 m³
E27 max 1x 25W

€ 160

092225 ■ Anthracit.


 4000 K
580 lm

151960 € 2,00



Mercurio


Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



1,540 Kg / 0,0057 m³
G9 max 1x 15W

€ 160

114347 ■ Anthracit.


 4000 K
530 lm

307879 € 6,00



Pulsar

Cast aluminum body with powder coating. Satin opal polycarbonate diffuser. Colors: anthracite or coffee.



1,900 Kg / 0,0120 m³
E27 max 1x 42W

€ 200

135908 ■ Anthracit.
246888 ■ Coffee


4000 K
580 lm

151960 € 2,00



Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



1,500 Kg / 0,0164 m³
G9 max 1x 15W

€ 160

135205 ■ Anthracit.
246918 ■ Coffee

4000 K
530 lm

307879 € 6,00






Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

LED LED source 3000/4000 K, 25.000 h life.



IP44

1,100 Kg / 0,0103 m³
LED 9,5W / 1000/1100 lm

€ 127

246932	■ Anthracit.	3000K
172439	■ Anthracit.	4000K
322261	■ Black	3000K
322278	■ Black	4000K
269160	■ Coffee	3000K
246956	■ Coffee	4000K





Torre

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.




IP65

2,600 Kg / 0,0307 m³
E27 max 1x 15W

€ 180

321851 ■ Grey
321882 ■ Anthracit.
321639 ■ Black
321868 ■ Coffee




IP65

2,100 Kg / 0,0224 m³
E27 max 1x 15W

€ 168

321905 ■ Grey
162492 ■ Anthracit.
186955 ■ Black
321929 ■ Coffee



IP44

0,870 Kg / 0,0054 m³
E27 max 1x 15W

€ 144

321950 ■ Grey
158891 ■ Anthracit.
186979 ■ Black
321981 ■ Coffee



321950

158891

186979

321981

4000 K
580 lm

151960 € 2,00

4000 K
580 lm

151960 € 2,00

4000 K
580 lm

151960 € 2,00



Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.


LED Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



187877

187884

187891



IP55

2,150 Kg / 0,0220 m³
GX53 max 1x 10W

€ 115

187877 White
187884 Grey
187891 Black

4000 K
1000 lm
154008 € 5,00




P. 806 P. 806 P. 856

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, grey, black and coffee powder coating. Plastic diffuser with matt white finish.




IP44

1,360 Kg / 0,0087 m³
E27 max 1x 42W

€ 95

- 249469 White
- 249476 Grey
- 249452 Anthracit.
- 249483 Black
- 328829 Coffee

4000 K
580 lm
151960 € 2,00




IP44

7,250 Kg / 0,0384 m³
E27 max 2x 42W

€ 285

- 249506 White
- 249513 Grey
- 249490 Anthracit.
- 249520 Black
- 328836 Coffee


4000 K
580 lm
151960 € 2,00



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³

€ 40

145020 White



Cima


Totally die-cast aluminum frame.
 Anthracite, coffee or black and gold
 finish. Transparent acrylic diffuser.



246833

024097

246840



IP43

3,340 Kg / 0,1467 m³
 E27 max 2 x 52W

€ 330

246833 ■ Anthracit.
 024097 ■ Black
 246840 ■ Coffee

4000 K
 980 lm

153964 € 3,50



P. 857



Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Methacrylate non-yellowing diffuser.



120454



101514

LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.



2,500 Kg / 0,0446 m³
E27 max 1x 23W

€ 85

120454 ■ White
101514 ■ Black

4000 K
980 lm

153964 € 3,50



P. 857













Spotlights

Outdoors

Alphabetical index

Elio	926
Inside	927
Koala	920
Litio	926
O-Zone	916
Sirio	924
Starlight	918
Terra	925
Thor	914
Ulex	922

Typology index

<small>new</small> 	<small>new</small> 	<small>new</small> 
Thor 914	O-zone 916	Starlight 918
<small>new</small> 		
Koala 920	Ulex 922	Sirio 924
		
Terra 925	Elio 926	Litio 926
		
Inside 927		

Thor


Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser, 24 Vdc power supply DC, IP65 protection index, IK06 impact resistance. SMD LED technology; CCT 3000 K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50. Optionally available with anti-glare visor.


Source	LED SMD	LED life	50.000 h
Power	20W / 40W	Insulation class	III
Driver included	No	IP	65
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		

PRO

High-tech product with high quality materials, intended for professional use.


LED SMD OSRAM Driver not included




Power	Beam	Lumen	CCT	Finish	Code	€
20 W	28°	1600 lm	3000 K	Anthracite 	261331	215

1,490 Kg/0,0057 m³
Cable length 500 mm

LED SMD OSRAM Driver not included





Power	Beam	Lumen	CCT	Finish	Code	€
40 W	28°	2300 lm	3000 K	Anthracite 	261355	325

2,460 Kg/0,0108 m³
Cable length 500 mm

OPTIONAL Not included



Visor	Power	Finish	Code	€
	18W	Anthracite 	261362	18
	40W	Anthracite 	261379	29

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
40 W	24 Vdc	171 x 37 x 61 mm	272108	100
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210



P. 932





O-zone new

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.



325019

<p>1,250 Kg / 0,0060 m³ LED 19W / 1700 lm</p>	<p>0,800 Kg / 0,0060 m³ LED 13W / 1150 lm</p>	<p>0,090 Kg / 0,0012 m³</p>
<p>€ 200</p>	<p>€ 135</p>	<p>€ 10</p>
<p>337531 ■ Black</p>	<p><small>new</small> 325019 ■ Black</p>	<p><small>new</small> 345673 ■ Black <small>new</small></p>


Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

PRO High-tech product with high quality materials, intended for professional use.

Source	LED COB	LED life	50.000 h
Power	5,5W / 10W	Insulation class	III
Driver included	No	IP	68
Drivers available	On/Off	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K/ 4000 K		
CRI	≥90		


LED COB BRIDGELUX Driver not included



0,280 Kg/0,0005 m³

Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	30°	500 lm	3000 K	Dark Gray	248394	120
		600 lm	4000 K	Dark Gray	245041	120

LED COB BRIDGELUX Driver not included



0,950 Kg/0,0014 m³

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	30°	930 lm	3000 K	Dark Gray	248387	250
		1000 lm	4000 K	Dark Gray	245072	250

OPTIONAL Not included




	Power	Finish	Code	€
Visor	5,5W	Dark Gray	245096	34
	10W	Dark Gray	245102	34

	Finish	Code	€
Peg	Dark Gray	245089	17

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210





Koala new

Powder coated die-cast aluminum body. Clear tempered glass diffuser. Available with base for wall and floor fixing and with strap for trees and poles fixing. Color: black.

LED LED source 3000 K, 35.000 h life.




IP65	IP65	IP65	IP65
0,600 Kg / 0,0014 m ³ LED 7W / 570 lm	0,600 Kg / 0,0014 m ³ LED 7W / 570 lm	0,640 Kg / 0,0014 m ³ LED 7W / 570 lm	0,520 Kg / 0,0014 m ³ LED 3W / 300 lm
€ 75	€ 75	€ 80	€ 65
331386 ■ Black new	349596 ■ Black new	345666 ■ Black new	331355 ■ Black new

Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.


PRO High-tech product with high quality materials, intended for professional use.


Source	LED SMD	Insulation class	I
Power	8,5W / 15W	IP	65
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



0,660 Kg/0,0025 m³
Cable lenght 2000 mm


LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
8,5 W	30°	600 lm	3000 K	Anthracite 	261287	145





1,190 Kg/0,0042 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included



Power	Beam	Lumen	CCT	Finish	Code	€
15 W	30°	1200 lm	3000 K	Anthracite 	261294	220

OPTIONAL Not included





		Power	Finish	Code	€
Box	8,5 W	Anthracite 	268156	32	
	15 W	Anthracite 	268187	49	



		Power	Finish	Code	€
Peg	8,5 W	Anthracite 	268163	14	
	15 W	Anthracite 	268194	17	



		Power	Finish	Code	€
Visor	8,5 W	Anthracite 	268170	17	
	15 W	Anthracite 	268200	25	





Sirio new

Adjustable powder-coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



345628

345635

345642

345659


318233



P. 841



P. 886



IP65

1,070 Kg / 0,0021 m³
GX53 max 1x9W

€ 110

345628 White new

345642 Grey new

318233 Anthracite new

345659 Black new

345635 Coffee new

4000 K
1000 lm

154008

€ 5,00



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



106205




033037



163727



046211



IP65


1,230 Kg / 0,0086 m³
E27 max 1x42W

€ 90

033044 ■ Anthracit.
321622 ■ Coffee

4000 K
580 lm

151960 € 2,00



IP65

0,520 Kg / 0,0038 m³
GU10 max 1x28W

€ 52

106205 ■ White
033037 ■ Anthracit.
046211 ■ Black
163727 ■ Coffee

4000 K
430 lm

253497 € 3,00




P. 822

Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.


LED Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



0,360 Kg / 0,0027 m³
GU10 max 1x6W

€ 82


120218 ■ White
120201 ■ Black



253497 € 3,00




P. 820



Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



0,730 Kg / 0,0044 m³
GX53 max 1x10W

€ 90

145310 ■ White
145334 ■ Grey
145358 ■ Black



154008 € 5,00



P. 821





Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.


115412



115429



247045



IP54

0,370 Kg / 0,0015 m³
G9 max 1x 15W

€ 36

115412 ■ Anthracit.
115429 ■ Black
247045 ■ Coffee

4000 K
530 lm

307879 € 6,00
























Downlights

Outdoors

Alphabetical index

Bit	930
Floor	933
Gravity	937
Indio	931
Landing	938
Park	936
Rocket	941
Rocket-Mini	940
Rocket-Ultramini	941
Taurus	934
Thor	932
Way	939
Wire	930


Typology index

			 <small>new</small>
Bit 930	Wire 930	Indio 931	Thor 932
			
Floor 933	Taurus 934	Park Round 936	Park Square 936
			
Gravity Round 937	Gravity Square 937	Landing 938	Way 939
			
Way 939	Way 939	Rocket Mini 940	Rocket Mini 940
			 <small>new</small>
Rocket Mini 940	Rocket 941	Rocket 941	Rocket Ultramini 941
 <small>new</small>			
Rocket Ultramini 941			

Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 35.000 h life.



IP65

0,300 Kg / 0,0006 m³
LED 3W / 450 lm


€ 55

269023 White
269009 Anthracit.

Driver
Not included
Required

€ 12


276205



Wire

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 20.000 h life.



IP65

0,460 Kg / 0,0018 m³
LED 4W / 180 lm

€ 56

268989 White
255514 Anthracit.

IP65

0,220 Kg / 0,0009 m³
LED 1,5W / 90 lm

€ 38

268996 White
255521 Anthracit.






Indio

Recessed body made of powder coated die-cast aluminum.
Tempered white screen-printed glass diffuser.

LED LED source 3000 K, 35.000 h life.



IP65

1,090 Kg / 0,0023 m³
LED 8W / 920 lm

€ 144

255804 White

IP65

0,540 Kg / 0,0011 m³
LED 5W / 420 lm

€ 95

255781 White




Thor new

Linear projector for floor recessed installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, IP67 protection index, IK08 impact resistance, formwork included. Optical block adjustable by +/- 20° for asymmetric light effect. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.




LED source 3000 K, 50.000 h life.

62



521

62



310



3,100 Kg / 0,0115 m³
LED 19W / 1800 lm

€ 415

351285 Steel



2,000 Kg / 0,0075 m³
LED 10W / 900 lm

€ 250

new 351278 Steel new












P. 914



Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.

LED LED source 3000 K, 25.000 h life.


		
		
 IP67	 IP67	 IP67
0,960 Kg / 0,0049 m³ LED 12W / 1340 Lm	0,640 Kg / 0,0015 m³ LED 6W / 670 Lm	0,390 Kg / 0,0010 m³ LED 3,5W / 330 Lm
€ 106	€ 73	€ 55
255682 ■ Steel	255668 ■ Steel	255651 ■ Steel

Taurus

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, walkable (IP67, IK10), formwork included. Light modules individually adjustable +/- 30° using an external pin to narrow or direct the light beam. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

Source	LED SMD	Insulation class	I
Power	6W / 21W	IP	67
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		


S316 Item made of stainless steel 316.



1,460 Kg/0,0129 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
6W	400 lm	3000 K	Steel	277004	210



1,980 Kg/0,0071 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
11W	790 lm	3000 K	Steel	277011	320



3,250 Kg/0,0133 m³

LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€
12W	1200 lm	3000 K	Steel	277028	405



3,500 Kg/0,0242 m³

LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€
20W	1800 lm	3000 K	Steel	277035	530






Park

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass.

IP67	IP67	IP54
1,210 Kg / 0,0066 m³ E27 max 1x 28W	0,580 Kg / 0,0032 m³ GU10 max 1x 20W	0,900 Kg / 0,0032 m³ G9 max 1x 15W
€ 80	€ 57	€ 80
032825 Steel	032832 Steel	117881 Steel
4000 K 980 lm	4000 K 430 lm	4000 K 530 lm
153964 € 3,50	253497 € 3,00	307879 € 6,00



Gravity

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.

LED Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.

IP67 <small>INCLUSA</small>	IP67 <small>INCLUSA</small>	IP67 <small>INCLUSA</small>	IP67 <small>INCLUSA</small>
0,670 Kg / 0,0043 m³ GX53 max 1x 10W	0,270 Kg / 0,0019 m³ GU10 max 1x 6W	0,700 Kg / 0,0043 m³ GX53 max 1x 10W	0,270 Kg / 0,0019 m³ GU10 max 1x 6W
€ 85	€ 58	€ 85	€ 58
120324 ■ Black	120249 ■ Black	120386 ■ Black	120317 ■ Black
4000 K 1000 lm	4000 K 430 lm	4000 K 1000 lm	4000 K 430 lm
154008 € 5,00	253497 € 3,00	154008 € 5,00	253497 € 3,00



Landing



High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Resistant to 5000 kg impact.



120362



120287



0,740 Kg / 0,0043 m³
GX53 max 1x 10W

€ 125

120362 ■ Black



0,260 Kg / 0,0020 m³
GU10 max 1x 6W

€ 85


120287 ■ Black

4000 K
1000 lm
154008 € 5,00

4000 K
430 lm
253497 € 3,00




Bulbs LED GU10 3,5W and LED GX53 10W included. Settable CCT.



Way

Walkable recessed lamp. High-performance resin body and diffuser: resistant to corrosion, UV and to temperatures between -60° and +90°. Color: black.


LED Bulbs LED G9 2W 3000/4000 K included. Cod. **270104/270111**



0,100 Kg / 0,0007 m³
G9 max 1x1,7W

€ 31


269726 ■ B 3000K
269733 ■ B 4000K



0,080 Kg / 0,0007 m³
G9 max 1x1,7W

€ 31


269504 ■ B 3000K
269696 ■ B 4000K



0,080 Kg / 0,0007 m³
G9 max 1x1,7W

€ 31

269702 ■ B 3000K
269719 ■ B 4000K




Rocket Mini

Clear tempered glass diffuser.
Walkable. Integrated LED source.
Absence of visible screws. Available
versions with 1 or 2 lights close to
the ground or with a unique central
accent light.

LED LED source 4000 K, 50.000 h life.

IP68 Protection degree IP68.

S316 Item made of stainless steel 316.




IP68

0,280 Kg / 0,0008 m³
LED 2W / 200 lm

€ 100

212623 ■ Steel
212647 ■ Steel




IP68

0,330 Kg / 0,0008 m³
LED 2W / 200 lm

€ 130 / 150


222820 ■ Steel
222837 ■ Steel



Driver
Not included
Required

€ 75 / 80

226187 20W
226194 40W



Driver
Not included
Required



€ 190 / 210

226200 100W
226217 185W

Rocket

Walkable recessed fitting. Brushed steel body. Tempered glass diffuser.

LED LED source 3000/4000 K, 30.000 h life.



0,560 Kg / 0,0034 m³
LED 3W / 260/280 lm

0,560 Kg / 0,0034 m³
LED 3W / 260/280 lm

€ 135

€ 135




247144	Steel	3000K	247151	Steel	3000K
122014	Steel	4000K	122021	Steel	4000K



Rocket Ultramini new

Aluminum body. Clear tempered glass diffuser. Color: brushed steel.

LED LED source 3000 K, 35.000 h life.



0,210 Kg / 0,0006 m³
LED 2,5W / 150 lm

0,210 Kg / 0,0006 m³
LED 1,3W / 80 lm

Driver
Not included
Required

€ 65

€ 45

€ 10/12

325156	Steel	new	325132	Steel	new	276205	1W
						325163	2.4W






Light bulbs* and accessories




* No further promotions can be applied to bulbs recommended prices.


Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	480 lm	3000 K	80		25.000 h	10	101200	2,00
E14	4 W	380 lm	3000 K	80	TRIAC	15.000 h	10	188935	2,50
E14	4 W	520 lm	4000 K	80		25.000 h	10	153926	2,00
E14	4 W	420 lm	3000 K	90		25.000 h	10	271620	2,00




E14	4 W	300 lm	2200 K	80		15.000 h	10	151656	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	420 lm	3000 K	80		25.000 h	10	101217	2,00
E14	3,7 W	340 lm	3000 K	80	TRIAC	25.000 h	10	289229	2,50
E14	4 W	470 lm	4000 K	80		25.000 h	10	253411	2,00
E14	4 W	340 lm	3000 K	90		25.000 h	10	289212	2,00



E14	6 W	550 lm	3000 K	80		25.000 h	10	151731	2,00
E14	6 W	580 lm	4000 K	80		25.000 h	10	151946	2,00




E14	3,5 W	370 lm	3000 K	80		25.000 h	10	101262	2,00
-----	-------	--------	--------	----	--	----------	----	--------	------




E14	4 W	300 lm	3000 K	80		25.000 h	10	101255	2,50
-----	-----	--------	--------	----	--	----------	----	--------	------


Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
-------------	-------	------	-----	-----	----------	------	----------	------	---



E14	4 W	430 lm	3000 K	80		25.000 h	10	101248	2,00
E14	4 W	420 lm	3000 K	80	TRIAC	15.000 h	10	188911	2,50
E14	4 W	460 lm	4000 K	80		25.000 h	10	153940	2,00




E14	4 W	400 lm	2200 K	80		15.000 h	10	151663	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------




E14	4 W	380 lm	3000 K	80		25.000 h	10	151793	2,00
-----	-----	--------	--------	----	--	----------	----	--------	------


Bulbs E14




Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4W	450 lm	2700 K	80		25.000 h	10	270944	2,00
E14	4W	470 lm	3000 K	80		25.000 h	10	101224	2,00
E14	4W	430 lm	3000 K	90		25.000 h	10	271644	2,00
E14	3,7W	320 lm	3000 K	80	TRIAC	15.000 h	10	188928	2,50
E14	4W	490 lm	4000 K	80		25.000 h	10	153933	2,00




E14	4W	370 lm	2200 K	80		15.000 h	10	151649	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	370 lm	3000 K	80		25.000 h	10	101231	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	4W	430 lm	3000 K	80		15.000 h	10	326610	2,00
-----	----	--------	--------	----	--	----------	----	--------	------



E14	6W	540 lm	3000 K	80		25.000 h	10	151748	2,00
E14	6W	560 lm	4000 K	80		25.000 h	10	151953	2,00



Plastic 151731



Glass 101217



Glass 151793





















Plastic 151748






Glass satin 326610

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	490 lm	2700 K	80		25.000 h	10	271637	2,00
		E27	4 W	430 lm	3000 K	80		25.000 h	10	101279	2,00
		E27	3,9 W	340 lm	3000 K	80	TRIAC	15.000 h	10	188942	2,50
		E27	4 W	490 lm	4000 K	80		25.000 h	10	153957	2,00
		E27	4 W	380 lm	2200 K	80		15.000 h	10	151861	2,50
		E27	4 W	340 lm	3000 K	80		25.000 h	10	101286	2,00
		E27	6 W	550 lm	3000 K	80		25.000 h	10	151755	2,00
		E27	6 W	580 lm	4000 K	80		25.000 h	10	151960	2,00
		E27	4 W	480 lm	3000 K	80		25.000 h	10	101293	2,00
		E27	4,3 W	520 lm	4000 K	80		25.000 h	10	253428	2,00
		E27	8 W	930 lm	2700 K	80		25.000 h	10	270951	3,50
		E27	8 W	910 lm	3000 K	80		25.000 h	10	119571	3,50
		E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188973	5,00
		E27	8,3 W	980 lm	4000 K	80		25.000 h	10	153964	3,50
		E27	8 W	880 lm	3000 K	90		25.000 h	10	271613	3,50
		E27	10 W	1300 lm	3000 K	80		25.000 h	10	256528	4,50
		E27	10 W	1380 lm	4000 K	80		25.000 h	10	270920	4,50
		E27	10 W	1150 lm	2700 K	90		25.000 h	10	342870	4,50 new
		E27	4 W	530 lm	3000 K	80		25.000 h	10	335261	2,50 new
		E27	4 W	370 lm	2200 K	80		15.000 h	10	151687	2,50
		E27	8 W	900 lm	3000 K	80		25.000 h	10	123899	3,50
		E27	7,8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252209	5,00
		E27	8 W	1030 lm	4000 K	80		25.000 h	10	253459	3,50
		E27	9 W	970 lm	3000 K	80		25.000 h	10	151762	2,00
		E27	9 W	1020 lm	4000 K	80		25.000 h	10	151991	2,00

Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
	E27	8 W	900 lm	3000 K	80		25.000 h	10	305622	5,00
	E27	10 W	1150 lm	3000 K	80		25.000 h	10	305639	4,50
	E27	8 W	770 lm	3000 K	80		25.000 h	10	123882	3,50
	E27	14 W	1250 lm	2700 K	90		25.000 h		345857	15,50 <i>new</i>
	E27	14 W	1500 lm	3000 K	90		25.000 h		337135	15,50 <i>new</i>
	E27	14 W	1550 lm	4000 K	90		25.000 h		345864	15,50 <i>new</i>



Glass 101286

Plastic 151755

















Glass 123899

Plastic 151762

Glass 335261

Satin 305622

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	8 W	1050 lm	3000 K	80		25.000 h	10	101323	4,50
		E27	8 W	860 lm	3000 K	90		25.000 h	10	271606	4,50
		E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188966	7,00
		E27	8 W	1120 lm	4000 K	80		25.000 h	10	153971	4,50
		E27	4 W	550 lm	3000 K	80		25.000 h	10	345840	6,00 <i>new</i>
		E27	4 W	500 lm	2200 K	80		15.000 h	10	151717	8,00
		E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223933	8,00
		E27	8 W	950 lm	3000 K	80		25.000 h	10	101330	4,50
		E27	7,8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252186	7,00
		E27	8 W	1050 lm	4000 K	80		25.000 h	10	253442	4,50
		E27	14 W	1630 lm	3000 K	80		25.000 h	10	151779	4,00
		E27	14 W	1820 lm	4000 K	80		25.000 h	10	151977	4,00
		E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277790	7,00
		E27	7,9 W	1050 lm	3000 K	80		25.000 h	10	157597	7,00
		E27	8 W	900 lm	3000 K	80		25.000 h	10	135526	4,50



Glass 101323



Glass 345840



Plastic 101330



Plastic 151779



Glass satin 77790



Glass satin 135526

Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	1050lm	3000 K	80		25.000 h	10	101347	6,00
E27	8,2 W	860 lm	3000 K	90		25.000 h	10	271590	6,00
E27	8,2 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188959	7,00
E27	8 W	1070 lm	4000 K	80		25.000 h	10	153988	6,00
E27	4 W	480 lm	2200 K	80		15.000 h	10	151724	6,00
E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223926	7,00
E27	8 W	900 lm	2700 K	90		25.000 h	10	342863	6,00 new
E27	8 W	950 lm	3000 K	80		25.000 h	10	101354	6,00
E27	8 W	1030 lm	4000 K	80		25.000 h	10	253435	6,00
E27	18 W	2210 lm	3000 K	80		25.000 h	10	151786	6,00
E27	18 W	2300 lm	4000 K	80		25.000 h	10	152004	6,00
E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277813	9,50
E27	7,8 W	1050 lm	3000 K	80		25.000 h	10	157580	9,50



Glass 101347



Glass 101354



Plastic 151786

















Glass satin 277813



Glass satin 157580

Bulbs E27

	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	330 lm	2200 K	80	15.000 h	10	151700	4,00
		E27	4 W	440 lm	2200 K	80	15.000 h	10	151694	4,00
		E27	3,8 W	330 lm	2200 K	80	TRIAC 15.000 h	10	223919	5,00
		E27	5,1 W	360 lm	1800 K	80	15.000 h	10	201283	5,00
		E27	5,5 W	360 lm	1800 K	80	15.000 h	10	201269	9,50
		E27	4 W	360 lm	1800 K	80	15.000 h	10	201290	10,00
		E27	5,4 W	360 lm	1800 K	80	15.000 h	10	201276	10,00



151700

151694


201283

201269

201290

201276

Bulbs E27



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	7,5 W	600 lm	1800 K	80		15.000 h	10	201252	11,00
E27	6 W	320 lm	1800 K	80		15.000 h	1	130170	33,00
E27	4 W	320 lm	1800 K	80		15.000 h	1	129877	33,00
E27	3,8 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223940	33,00
E27	4,1 W	400 lm	2200 K	80		25.000 h	1	130187	25,00
E27	3,9 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223834	30,00
E27	4,1 W	360 lm	2200 K	80		25.000 h	1	237251	22,50
E27	8 W	700 lm	2200 K	80		25.000 h	1	130163	25,00



201252

130170

129877

130187

237251

130163



Nikita new

Bulb with clear glass, opal shaded in the upper part. Unique central linear filament. Glass color: white, smoked.



Bulbs LED E27.
CCT: 2200 K, CRI: ≥90




345826




345819



0,237 Kg / 0,0099 m³
LED 3W / 230lm / 100lm
€ 30





0,160 Kg / 0,0028 m³
LED 3W / 180lm / 80lm
€ 30



0,280 Kg / 0,0091 m³
LED 3W / 180lm / 80lm
€ 30




345802 White new 345826 White new 333922 White new
333915 Smok.Gra. new 345819 Smok.Gra. new 345833 Smok.Gra. new

Bulbs G4



Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G4	1,5 W	160 lm	3000 K	80		15.000 h	20	188980	4,50
G4	2 W	200 lm	3000 K	80		20.000 h	20	222257	4,00
G4	2 W	200 lm	3000 K	80	Phase-cut	20.000 h	20	266282	5,00

Bulbs G9







Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
G9	2,5 W	170 lm	3000 K	80		25.000 h	20	122168	3,50
G9	2,5 W	180 lm	4000 K	80		25.000 h	20	253381	3,50
G9	3 W	350 lm	2700 K	80		15.000 h	20	270968	3,50
G9	3 W	370 lm	3000 K	80		15.000 h	20	209043	3,50
G9	3 W	350 lm	3000 K	80	TRIAC	25.000 h	20	288215	5,00
G9	3 W	390 lm	4000 K	80		15.000 h	20	209036	3,50
G9	3,5 W	310 lm	3000 K	90		15.000 h	20	288208	3,50
G9	4 W	470 lm	2700 K	90		15.000 h	20	342887	6,00 new
G9	4 W	510 lm	3000 K	80		15.000 h	20	305486	6,00
G9	3,5 W	420 lm	3000 K	80	TRIAC	15.000 h	20	305431	8,50
G9	4 W	530 lm	4000 K	80		15.000 h	20	307879	6,00
G9	3,5 W	440 lm	4000 K	80	TRIAC	15.000 h	20	307886	8,50

Bulbs GX53

101385

123936









	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€	
		GX53	7W	730 lm	3000 K	80	25.000 h	10	101385	5,00	
		GX53	7W	760 lm	4000 K	80	25.000 h	10	253404	5,00	
		GX53	9W	910 lm	3000 K	80	25.000 h	10	123936	5,00	
		GX53	9W	890 lm	3000 K	80	TRIAC	25.000 h	10	252551	9,00
		GX53	9W	1000 lm	4000 K	80		25.000 h	10	154008	5,00
		GX53	9W	900 lm	4000 K	80	TRIAC	25.000 h	10	252568	9,00
		GX53	9W	880 lm	2700 K	90		25.000 h	10	342900	5,00 new
		GX53	9W	940 lm	3000 K	90		25.000 h	10	288383	5,00

Bulbs R7s












189109

307862



	Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€	
		R7s	6,9W	560 lm	3000 K	80	20.000 h	10	189109	13,00	
		R7s	5,9W	450 lm	3000 K	80	TRIAC	20.000 h	10	266770	15,00
		R7s	6,9W	580 lm	4000 K	80		20.000 h	10	272375	13,00
		R7s	5,9W	480 lm	4000 K	80	TRIAC	20.000 h	10	272382	15,00
		R7s	12,9W	760 lm	3000 K	80	20.000 h	10	189093	17,00	
		R7s	7,9W	580 lm	3000 K	80	TRIAC	20.000 h	10	266763	18,00
		R7s	12,9W	830 lm	4000 K	80		20.000 h	10	253480	17,00
		R7s	7,9W	640 lm	4000 K	80	TRIAC	20.000 h	10	266756	18,00
		R7s	13,5W	1700 lm	3000 K	80	15.000 h	10	307862	12,50	
		R7s	14 W	1600 lm	3000 K	80	TRIAC	15.000 h	10	307855	13,50
		R7s	13,5W	1700 lm	4000 K	80		15.000 h	10	296869	12,50
		R7s	14 W	1650 lm	4000 K	80	TRIAC	15.000 h	10	296876	13,50

Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€	
		GU10	4 W	340 lm	3000 K	90	62°	25.000 h	10	339771	3,00 new	
		GU10	5 W	430 lm	3000 K	90	50°	TRIAC	25.000 h	10	266251	4,50
		GU10	5 W	430 lm	4000 K	90	50°		25.000 h	10	253497	3,00
		GU10	5 W	450 lm	4000 K	90	50°	TRIAC	25.000 h	10	285566	4,50
		GU10	7 W	540 lm	3000 K	90	50°		25.000 h	10	123943	3,50
		GU10	7 W	460 lm	3000 K	90	50°	TRIAC	25.000 h	10	288239	5,00
		GU10	7 W	620 lm	3000 K	90	108°		25.000 h	10	101378	3,50
		GU10	7 W	650 lm	4000 K	90	108°		25.000 h	10	117652	3,50
		GU10	8 W	580 lm	3000 K	90	56°		25.000 h	10	189062	3,50
		GU10	8 W	620 lm	4000 K	90	56°		25.000 h	10	270975	3,50
		GU10	5 W	380 lm	2700 K	95	50°		25.000 h	10	307619	3,00
		GU10	5 W	410 lm	3000 K	90	50°		25.000 h	10	108292	3,00
		GU10	7 W	540 lm	4000 K	90	50°		25.000 h	10	224367	3,50
		GU10	7 W	600 lm	2700 K	95	108°		25.000 h	10	307626	3,50



Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€	
	GU10	12 W	930 lm	3000 K	90	20°		25.000 h	10	327037	13,50	new
	GU10	12 W	900 lm	3000 K	90	22°	TRIAC	25.000 h	10	326290	15,00	new
	GU10	12 W	1190 lm	4000 K	90	20°		25.000 h	10	327051	14,00	new
	GU10	12 W	980 lm	2700 K	90	38°		25.000 h	10	342894	14,00	new
	GU10	12 W	1120 lm	3000 K	90	40°		25.000 h	10	327044	13,50	new
	GU10	12 W	1000 lm	3000 K	90	40°	TRIAC	25.000 h	10	327075	18,00	new
	GU10	12 W	1120 lm	4000 K	90	40°		25.000 h	10	327068	14,00	new
	GU10	10 W	750 lm	3000 K	80	22°		15.000 h	10	189031	15,00	
	GU10	10 W	720 lm	3000 K	80	22°	TRIAC	15.000 h	10	288543	18,00	
	GU10	10 W	780 lm	4000 K	80	22°		15.000 h	10	253398	15,00	



242040



183794



189031

Kit emergency


Emergency kit for LED modules. Includes inverter and battery. From two to three hours autonomy and recharging time respectively of 12 and 24 hours. It operates for emergency only or as continuous light (continuous light combined with electronic power supply and dimmable electronic power supply). Insulation class II.

€ 135

221595 White



INVERTER



166




IP20

0,185 Kg / 0,0009 m³

⌀ 52 mm

GROUP BATTERY



185




0,305 Kg / 0,0010 m³

⌀ 65 mm

For further information please contact the technical office.


Ceiling roses

Magnetic Ceiling roses




1 cable

244235 € 13,00	244259 € 13,00	249315 € 15,00	249308 € 15,00	244242 € 13,00




1 cable

311265 € 14,00	328683 € 14,00	328706 € 16,00	328690 € 16,00	311272 € 14,00



6 cables


303390 € 14,50	303406 € 14,50	307091 € 21,00	307084 € 21,00	307077 € 14,50



8 cables


272429 € 16,50	272436 € 16,50	272443 € 23,50	272450 € 23,50	272467 € 16,50

Standard Ceiling roses




1 cable

122823 € 10,00	122830 € 10,00	249278 € 11,00	249261 € 11,00	123295 € 10,00



3 cables

285580 € 33,00	285597 € 33,00	285627 € 50,00	285610 € 50,00	285603 € 33,00




5 cables

285634 € 60,00	285641 € 60,00	285672 € 80,00	285665 € 80,00	285658 € 60,00

Ceiling roses


Recessed Ceiling roses



1 cable


				
301594 € 5,00	307107 € 5,00	307138 € 5,00	307121 € 5,00	307114 € 5,00

All in linear ceiling roses



4 cables


				
304038 € 60,00	328713 € 60,00	328744 € 70,00	328737 € 70,00	328720 € 60,00



6 cables


				
328751 € 90,00	304045 € 90,00	328782 € 110,00	328775 € 110,00	328768 € 90,00

Standard linear ceiling roses



3 cables

				
122854 € 33,00	122861 € 33,00	249292 € 55,00	249285 € 55,00	123301 € 33,00




5 cables


				
285689 € 60,00	285696 € 60,00	285726 € 75,00	285719 € 75,00	285702 € 60,00

Accessories

Bulb holders




				
249186 € 13,00	249193 € 13,00	249223 € 13,00	249216 € 13,00	249209 € 13,00



				
242569 € 5,00	249230 € 5,00	249254 € 5,00	249247 € 5,00	242576 € 5,00


Cables

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC




				
301624 € 11,00	301662* € 15,00	301655 € 12,00	301648 € 12,00	301631 € 11,00

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



				
301679 € 22,00	301716* € 30,00	301709 € 24,00	301693 € 24,00	301686 € 22,00

2x0,75 mm²
FEP T180°
PVC T90°
*only PVC



				
303062 € 30,00	306421 € 30,00	303093 € 32,00	303086 € 32,00	303079 € 30,00

Cable holders



				
143200 € 5,00	143224 € 5,00	249339 € 5,00	249322 € 5,00	143217 € 5,00



				
285887 € 5,00	285894 € 5,00	285924 € 5,00	285917 € 5,00	285900 € 5,00























































Topico

Pag 534

















































































Families' index

						
Angolo	 334	 476	 500			
						
Arizona	 156	 156	 278	 278	 278	
						
Axel	 478	 526	Binomio	 337	 337	 429
						
Birds	 105	 327	 421	 473	 497	
						
Bubble	 812	 854				
						
Candy	 158	 158	 280	 469		
						
Cantina	 137	 426				

Families' index

Indoor, outdoor

						
Carlton	 203	 203	 355	 355	 439	
						
Carta	 170	 170	 170	 170	 282	 282
						
	 385	 385	 468	 468	 519	 519
						
Chalet	 234	 234	 234	 444	 484	
						
Cima	 857	 910				
						
Clio	 806	 806	 856	 908	 908	
						
Corte	 215	 215	 215	 441		
						
Cotton	 159	 159	 159	 281	 281	 281



Craft 091 374 510



Cylinder 190 532




Dafne 857 857 911



Desk 090 090 090 374




Diamond 102 102 102 466



Diesis 126 459 511





































































Driftwood 235 235 484 526 526



Dubai 208 208 353 353 353 439

Families' index

Indoor, outdoor

						
Dynamite	 096	 096	 312	Easy	 458	 511
						
Edison	 120	 416		Elio	 820	 926
						
Equinoxe	 108	 108	 108	 108	 108	 108
						
	 425	 499				
						
Essence	 088	 390	 390			
						
Etere	 826	 904				
						
Filo	 084	 084	 392	 392	 456	 502
						
Firenze	 230	 230	 444	 485	 535	



Florian

220 220 220 442



Frame

076 076 076 247 247 247



501



Frida

120 419



Futura

460 514



Gas

823 891



Gemini

060 060 060 060 272 272



272



Gioconda

224 224 224 443



Glory

155 155 155 276 276 276

Families' index

Indoor, outdoor



Gun

810

834

834



Harem

233

233

446



Igor

101

420




Kepler

111

111

422



King

200

200

346

346

346



Koala

920

920

920

920



Lana

153

298

298



Linus

375

624



Lito

821

926



Lika

311 784 784 784 784 784



784 784 792




Lingotto

100 100 100 335 335 335



477 477



London

479 479 529



Look

078 078 300 300 300 300



381 506 698

Lumiere

































































178































































178 178 341 341 465 496

Families' index

Indoor, outdoor

						
Luna	 804	 804	 878	 878	 878	
						
Mapa	 168	 168	 168	 168	 168	 168
						
	 282	 384	 384	 384	 384	 470
						
	 470	 470	 470			
						
Maracas	 330	 330	 424			
						
Martinez	 202	 354				
						
Mix Up	 130	 290	 508			
						
Mouse	 316	 412	 412	 694		

						
Negresco	 218	 218	 442	Newton	 426	 516
						
Ninfea	 339	 339	 431	 431	 471	
						
Nodi	 175	 175	 322			
						
Nordik	 189	 189	 436	 480	 532	
						
Oak	 082	 310				
						
Oby	 317	 317	 415	 415		
						
Opera	 198	 198	 198	 440		
						
	 486	 534				

Families' index

Indoor, outdoor



Oracle Slim

068 068 068 068 074 074



074 242 242 242



Ovalino

157 157 284 284 382



Oz

064 064 244 362 452



O-Zone

818 916 Pan 191 430



Pashà

205 205 205



438 345 345 345



Pegaso


212 212 212 441 489 489



Penta ■ 340 ■ 340 ■ 431



Perlage ■ 106 ■ 106 ■ 106 ■ 106 ■ 106 ■ 324



■ 324 ■ 324 ■ 324 ■ 423 ■ 423 ■ 473



■ 473 ■ 498



Ping Pong ■ 336 ■ 336 ■ 428 ■ 428 ■ 472 ■ 505



Pure ■ 864 ■ 864



Queen ■ 488 ■ 488 ■ 488 ■ 534



Rain ■ 201 ■ 352 ■ 352

Families' index

Indoor, outdoor



Roma 438 486 344 344 344 344



Rudy 318 318 413 413



Set Up 192 - 194 - 196 192 - 194 - 196 192 - 194 - 196



292 - 294 - 296 292 - 294 - 296 292 - 294 - 296



434 434 482 482 530



192 292 434 482 530



Set Up Slim 194 294 Set Up Ultra Slim 196 296



Sirio 841 886 886 924



Sky

083

301

301

301

381



Smarties

154

154

154

277

277

277



277

385

469

469

469



Snow

805

855



Sole

802

802

802

802

877

877



877

877

Spike

308

697



Spot

316

412

412

694



Strauss

225

225

225

443

Families' index

Indoor, outdoor



Style 826 826 884



Swan 199 199 440



Terra 822 822 925 925



Thor 914 914 932 932



Toffee 837 866 866 866 866 866




Topico 148 283 283



Triumph 098 326 424 424



Tronco 828 898 898 898



Wally

463

517



Winery

315

416



Yoko

089

457

503



Code index

deal lux



Code index

SKU	Pag	020846	444	035666	143	059259	489	081526	216	092447	851
		020853	485	035680	143	059266	489	082059	175	092836	420
000206	470	020877	535	035697	143	059679	152	082073	175	092911	206
000657	344	022222	350	035710	143	059808	384	082158	205	092942	101
002880	535	022239	350	035727	153	059815	384	082172	205	093086	438
003528	516	023021	139	035826	199	059822	384	082196	205	093093	344
004716	828	023038	139	035840	199	059839	282	082240	852	093659	134
004723	898	024097	910	035864	440	060491	443	082257	205	093697	134
004730	898	024134	857	035949	437	060507	224	082264	438	093963	284
005386	396	025438	190	035956	437	060514	224	082288	438	093994	231
005881	215	026473	386	038025	382	060620	382	082783	351	094007	231
005898	215	026480	386	041742	522	061115	518	082790	351	094014	284
005911	232	026558	387	041827	209	061122	518	083070	794	094137	172
007021	396	026787	140	043562	168	061139	518	083087	794	094182	381
007045	396	026954	898	044255	226	061160	463	083117	794	094229	172
007960	298	026961	898	044279	270	061191	463	083124	794	094236	172
007977	298	026978	828	044286	270	061450	830	083131	794	094649	351
007984	298	026985	898	044293	270	061467	830	083148	794	094663	351
007991	298	026992	898	044422	227	061474	830	083179	794	094786	232
008363	201	027005	828	044453	227	061580	847	083186	794	095226	156
008370	352	027081	388	044491	487	061597	847	083193	794	095998	381
008455	352	027098	388	044590	475	066448	212	083223	794	096018	381
008608	299	027104	388	044606	475	066868	847	083230	794	096476	820
008615	299	027852	426	044767	207	068138	298	083247	794	096483	820
008622	299	027876	426	044774	207	068145	298	083254	796	096667	853
009087	168	028460	441	044910	443	068169	153	086736	158	096674	853
009131	470	030326	140	044927	224	068268	440	086743	158	096681	853
009148	168	030784	350	044934	224	068275	534	086781	280	096698	853
009155	470	031361	369	045030	464	068299	198	086804	469	096704	853
009223	277	031460	401	045047	464	068305	486	087368	447	096711	853
009537	367	031477	401	045115	161	073187	346	087375	447	096728	853
009933	368	031743	187	045122	161	073255	346	087757	442	096735	853
009940	368	031750	187	045191	418	073262	346	087764	218	097183	398
009957	368	031996	154	045214	418	073521	412	087771	218	097190	398
010861	275	032009	154	045627	389	073545	412	087818	180	097206	398
012865	230	032016	154	045634	389	073569	412	087863	344	097664	215
012872	230	032023	277	046167	822	073583	316	087870	344	097671	215
012889	485	032030	277	046181	822	073712	322	087979	200	098616	156
012902	444	032047	277	046211	925	074139	157	088013	200	100364	847
013046	447	032078	469	046471	522	074245	141	088020	200	100371	847
013060	447	032122	168	046723	522	074313	141	088266	369	100388	834
013657	464	032139	168	049229	369	074337	141	088273	369	100395	834
014166	369	032368	479	049236	369	074702	474	089805	527	100746	345
014609	528	032375	479	051406	487	074726	474	090481	157	100784	345
014814	385	032382	529	051444	370	075150	220	091006	270	100791	345
015286	516	032825	936	051741	525	075181	220	091013	270	100807	345
016399	426	032832	936	051765	525	075211	445	091129	369	100937	160
016863	186	033013	834	051840	387	075389	346	091136	369	100944	160
017297	396	033020	834	051857	387	075402	346	091518	823	100951	160
017303	396	033037	925	051864	387	075419	346	091525	823	101125	155
017310	396	033044	925	051963	368	077734	488	092188	848	101132	276
017327	397	033532	209	051970	368	077741	488	092195	848	101200	944
017334	397	033662	161	051987	368	077758	488	092201	848	101217	944
017518	370	033679	161	052786	153	077765	534	092218	840	101224	944
018508	275	033952	139	052809	172	077796	351	092225	902	101231	944
018515	840	034546	366	052816	172	077802	351	092300	834	101248	944
018522	840	035574	214	052991	352	077819	351	092317	834	101255	944
019734	155	035581	214	053004	352	080338	347	092324	810	101262	944
019741	155	035604	220	057187	215	080345	347	092355	847	101279	946
019758	276	035611	220	057194	215	080352	347	092393	850	101286	946
019765	276	035628	220	057200	441	080932	351	092409	850	101293	946
020228	823	035635	220	059211	441	081434	270	092416	851	101323	946
020822	230	035642	442	059235	212	081441	270	092423	851	101330	946
020839	230	035659	442	059242	212	081519	216	092430	851	101347	946

101354	946	114170	216	120898	184	129877	946	140933	307	150130	792
101378	956	114187	216	120904	184	129921	210	141794	78	150284	798
101385	955	114279	209	121130	396	130163	946	141800	78	150291	792
101491	857	114293	844	121147	396	130170	946	141817	78	150307	792
101514	911	114347	902	121154	396	130187	946	141855	78	150420	310
101552	857	114620	486	121161	396	131924	162	142241	403	150437	310
101606	113	114729	209	121178	396	132365	150	142258	403	150635	82
101613	113	114736	209	121338	396	132389	150	142265	395	151649	944
102047	134	114743	209	121352	401	133393	323	142272	395	151656	944
103174	185	115061	886	121406	527	134826	235	142289	395	151663	944
103204	437	115078	886	121437	527	134833	235	142296	395	151687	946
103983	186	115085	886	121963	831	134840	235	142302	842	151694	946
104928	78	115092	886	122014	941	134871	136	142579	403	151700	946
104935	78	115108	886	122021	941	135205	903	142586	403	151717	946
104942	78	115115	886	122045	858	135250	812	142692	400	151724	946
105710	383	115290	844	122083	120	135526	946	142708	400	151731	944
105727	383	115306	844	122106	120	135755	901	142906	86	151748	944
106205	925	115313	844	122168	954	135762	901	142913	86	151755	946
108094	462	115320	844	122557	185	135908	903	142999	901	151762	946
108117	462	115337	844	122564	185	135991	802	143200	960	151779	946
108292	956	115344	844	122663	810	136004	802	143217	960	151786	946
109138	898	115351	846	122687	810	136011	802	143224	960	151793	944
109145	898	115368	846	122823	958	136028	893	144238	806	151861	946
110233	529	115375	846	122830	958	136035	893	144245	806	151946	944
110240	529	115382	858	122854	958	136042	893	144252	806	151953	944
110356	524	115412	927	122861	958	136059	893	144276	831	151960	946
110363	524	115429	927	123080	831	136073	806	144283	830	151977	946
110417	122	115481	412	123295	958	136318	177	144917	397	151991	946
110424	122	115498	234	123301	958	136325	177	145020	908	152004	946
110431	122	115504	234	123745	849	137391	832	145068	908	153162	890
110448	479	115511	444	123769	849	137681	133	145228	856	153179	890
110455	479	115580	797	123776	849	137827	527	145303	821	153193	890
110462	122	115597	797	123783	849	138237	90	145310	926	153209	890
110530	479	115610	797	123882	946	138251	374	145327	821	153926	944
110554	479	115962	446	123899	946	138305	172	145334	926	153933	944
110745	142	115979	233	123936	955	138374	416	145341	821	153940	944
110752	142	116006	233	123943	956	138510	901	145358	926	153957	946
111452	532	116112	275	123974	776	138596	264	146775	856	153964	946
111841	180	116228	206	123981	776	138602	264	146782	856	153971	946
111858	180	116235	206	123998	776	138619	264	146799	856	153988	946
111865	180	116457	121	124001	776	138633	266	147642	454	154008	955
111872	214	116464	121	124018	776	138640	266	147659	454	155142	315
111896	214	116716	908	124025	776	138657	266	147666	776	155227	315
111902	172	117652	956	124070	644	138978	794	147673	776	155722	798
111919	172	117737	203	124087	644	139012	792	147680	776	155791	310
111957	112	117867	366	124117	644	139029	792	147765	832	155869	310
112268	112	117881	936	125503	343	139098	133	147772	832	155968	115
112305	184	118659	828	125510	343	139425	120	147796	832	156026	115
112312	184	118666	831	125831	136	139432	120	147819	832	156033	115
112336	184	119427	417	126883	381	139470	891	148151	116	156682	86
112343	184	119465	417	126890	381	140179	299	148175	116	156699	86
112626	426	119502	417	126906	83	140186	299	148502	116	156705	412
112695	426	119571	946	126913	83	140193	299	148847	806	156712	316
112701	137	120201	926	128207	484	140230	162	148854	806	156729	412
112732	137	120218	926	129082	122	140599	443	148861	806	156736	412
113302	120	120249	937	129099	122	140605	225	148878	806	156743	412
113319	120	120287	938	129433	833	140612	225	148908	416	156774	316
113753	844	120317	937	129457	833	140629	225	148939	526	156781	316
113760	844	120324	937	129464	824	140711	166	149585	172	157580	946
113791	845	120362	938	129471	824	140728	166	149592	172	157597	946
113975	234	120386	937	129488	824	140759	166	149622	323	157856	888
113982	796	120423	857	129570	484	140841	307	149738	842	158242	436
113999	796	120430	857	129600	235	140872	307	149745	842	158723	78
114019	796	120454	911	129709	210	140902	307	150116	792	158815	95

Code index

SKU	Pag	165004	345	179308	378	189727	670	192505	626	198149	335
		165011	198	179315	378	189734	670	192550	626	198156	335
158822	847	166247	203	179322	378	189741	670	192567	626	198620	900
158860	95	166285	354	179643	427	189758	670	192604	626	198637	900
158891	906	166360	202	179681	389	189765	670	192628	626	198644	900
158907	854	166889	217	179858	176	189772	670	192642	626	199375	229
159010	328	167121	414	180298	416	189789	670	192666	626	199382	229
159256	190	167152	414	180304	416	189796	670	192673	626	199405	229
159423	389	167244	222	180922	235	189802	670	192697	626	199412	229
159508	389	167251	222	180946	526	189819	670	192703	626	200118	108
159522	389	167268	222	180953	880	189826	670	192710	626	200125	108
159812	190	167398	222	182179	198	189833	670	192741	626	200132	425
159836	813	167404	222	186955	906	189840	670	192758	626	200149	425
159843	119	167411	222	186979	906	189857	670	193458	770	200194	321
159850	119	167497	116	187006	422	189864	670	193465	770	200200	321
159867	119	168036	811	187327	888	189871	670	193472	770	200217	321
159942	228	168050	811	187365	369	189888	670	193519	770	200231	321
159973	228	168111	811	187662	86	189895	670	193526	770	200248	321
159997	415	168135	811	187877	907	189901	670	193533	770	200255	321
160214	424	168753	219	187884	907	189918	670	193946	463	200330	424
160245	424	168777	219	187891	907	189925	670	193991	463	200354	330
160269	98	168906	227	187976	708	189932	670	194172	86	200361	330
160313	326	168913	439	187983	708	189949	670	194189	86	200484	322
160856	171	168920	355	187990	708	189956	670	194196	86	200491	175
160863	171	168937	355	188003	708	189963	670	194202	86	200996	353
161327	166	169576	708	188010	708	189970	670	194257	708	201016	353
161334	166	169583	708	188027	708	189987	670	194301	708	201023	439
161648	189	169590	708	188058	708	189994	670	194677	129	201252	946
161662	189	169606	708	188065	708	190006	670	194684	129	201269	946
161686	480	169613	708	188072	708	190013	670	194806	78	201276	946
161716	532	169620	708	188089	708	190020	670	195483	876	201283	946
161754	879	169637	708	188096	708	190037	670	195490	876	201290	946
161761	879	169644	708	188102	708	190044	670	195506	876	202396	742
161778	879	169705	708	188119	708	190051	670	195704	364	202921	812
161785	370	169712	708	188126	708	190068	670	195711	364	202945	812
161792	370	169729	708	188195	708	190075	670	195728	364	203072	652
162201	111	169736	708	188911	944	190082	670	195735	364	203089	652
162478	111	169972	708	188928	944	190099	670	195742	364	203102	652
162492	906	169989	708	188935	944	190105	670	195759	364	203126	652
162737	211	170145	708	188942	946	190181	670	195766	364	203171	398
162751	211	170152	708	188959	946	191171	626	195773	364	203188	398
163321	419	170589	78	188966	946	191188	626	196190	274	203195	398
163338	419	170923	369	188973	946	191508	626	196206	274	204581	652
163536	847	172408	829	188980	954	191577	878	196220	274	204598	652
163543	847	172439	904	189031	956	191584	878	196688	415	204611	652
163550	847	172804	343	189062	956	191607	878	196695	415	204635	652
163598	848	172828	343	189093	955	191614	877	196701	317	204888	460
163604	834	173245	90	189109	955	191621	877	196718	317	204895	460
163611	834	173252	374	189536	670	191638	877	196770	124	204949	514
163628	834	174204	151	189574	670	191997	626	196787	124	204956	514
163635	834	174211	151	189581	670	192277	742	197319	110	205281	117
163642	810	174228	151	189598	670	192284	742	197333	110	205298	117
163666	810	174235	151	189604	670	192291	742	197500	231	205304	117
163727	925	174396	188	189611	670	192307	742	197524	231	205311	117
163741	898	174402	188	189628	670	192314	742	197654	187	205977	302
163758	898	174792	411	189635	670	192321	742	197661	187	205984	302
164823	381	174808	411	189642	670	192338	742	197708	441	205991	302
164847	381	174822	411	189659	670	192345	742	197715	212	206004	302
164878	86	174846	411	189666	670	192352	742	197722	212	206011	302
164953	224	174921	329	189673	670	192376	742	197739	212	206028	302
164960	224	174976	329	189680	670	192383	742	197753	489	206035	302
164977	205	177199	533	189697	670	192406	742	198095	144	206042	302
164984	205	177205	533	189703	670	192437	626	198125	100	206196	784
164991	345	179292	378	189710	670	192482	626	198132	335	206202	784

206219	784	213361	893	222769	612	229041	413	235547	97	243924	307
206226	784	213491	439	222820	940	229058	318	236841	834	243931	307
206233	784	213507	355	222837	940	229065	318	236858	834	243948	307
206240	784	213521	203	222882	612	229072	318	236865	810	243986	780
206387	92	213569	354	222899	612	229089	318	236957	93	243993	780
206394	92	213583	202	222912	612	229461	68	236964	93	244013	780
206622	232	214009	876	222929	612	229478	68	237251	946	244181	782
206639	232	214474	156	222936	612	229485	68	237398	182	244198	782
206806	119	214481	156	222943	612	229492	68	237428	182	244204	782
206820	119	214498	278	222950	612	229508	68	237442	182	244235	958
206875	119	214504	278	222967	612	229515	68	237497	182	244242	958
207155	439	214511	278	222974	612	229676	695	237510	182	244259	958
207162	353	214672	380	223001	612	229683	695	237664	118	244549	644
207186	353	214689	380	223018	612	229706	694	237671	118	244556	644
207216	208	214696	380	223025	612	229720	694	237794	204	244563	644
207834	99	215693	437	223032	612	229768	694	237800	204	244570	644
207841	99	215709	437	223049	612	229782	694	237930	410	244587	644
207858	99	215761	268	223056	612	229997	792	238104	135	244594	644
208398	174	215778	268	223124	612	230580	792	238135	135	244624	96
208541	734	215785	268	223148	612	230702	247	238173	135	244648	96
208558	734	215969	208	223155	612	230726	247	238210	135	244662	312
208565	734	216027	734	223162	612	231228	121	238746	183	244808	758
208572	734	216263	734	223179	612	231259	121	238838	183	244822	758
208589	734	216270	626	223186	258	231273	121	238920	183	244846	758
208596	734	216287	626	223193	258	231297	121	238944	432	244853	758
208640	734	216317	734	223209	258	231341	96	238951	432	244884	311
208657	734	216324	734	223216	258	231372	96	238975	432	245041	918
208695	734	216416	626	223223	258	231396	96	239521	436	245072	918
208701	734	216423	626	223230	258	231433	96	239545	436	245089	918
208725	734	217253	742	223247	258	231471	312	239576	436	245096	918
208732	734	219875	188	223742	652	231495	312	239590	436	245102	918
208794	430	220826	626	223759	652	231556	128	239606	436	245331	481
208817	191	221489	129	223766	652	231563	128	240367	264	245348	481
209036	954	221496	129	223834	946	231570	128	240374	266	245393	481
209043	954	221502	826	223919	946	231587	128	241012	175	246390	782
209845	826	221519	826	223926	946	231594	128	241036	175	246451	708
209852	826	221595	957	223933	946	231600	128	241050	322	246468	708
209906	884	222097	74	223940	946	231631	698	241296	353	246499	708
211381	74	222103	74	224275	612	231662	698	241517	146	246505	708
211398	74	222110	74	224367	956	232041	133	241524	146	246512	708
211404	74	222257	954	224541	145	232690	125	241968	624	246529	708
211459	82	222509	662	224930	394	232713	125	241975	624	246536	708
211466	82	222523	662	224954	394	232720	125	241982	624	246543	708
211701	82	222530	662	224985	394	232744	125	241999	624	246550	708
211718	82	222547	662	224992	394	232966	314	242002	624	246567	708
211787	734	222554	662	225005	394	232980	314	242019	375	246574	708
211794	734	222561	662	225029	394	233031	314	242569	960	246581	708
211817	734	222578	662	225364	662	233062	300	242576	960	246598	708
211824	734	222585	662	226026	170	233079	300	242705	708	246604	708
212623	940	222592	662	226033	170	233192	300	243160	410	246611	708
212647	940	222608	662	226040	170	233215	300	243238	708	246628	708
213071	901	222615	662	226187	940	233321	300	243245	708	246796	813
213088	901	222622	662	226194	940	233352	300	243252	708	246819	857
213095	823	222639	662	226200	940	233666	375	243269	708	246826	857
213101	891	222646	662	226217	940	233765	301	243283	708	246833	910
213194	804	222653	662	227580	708	233772	301	243450	307	246840	910
213200	804	222660	662	227597	708	233826	301	243498	353	246857	826
213217	850	222677	662	227672	708	233833	301	243528	208	246864	826
213262	886	222684	662	227689	708	233840	375	243566	353	246871	884
213279	886	222691	662	227825	246	233970	301	243597	208	246888	903
213323	844	222707	662	227832	246	234007	301	243665	626	246895	708
213330	846	222714	662	229010	413	235455	97	243818	794	246901	708
213347	844	222745	612	229027	413	235486	97	243825	794	246918	903
213354	844	222752	612	229034	413	235516	97	243849	794	246925	829

Code index

SKU	Pag	249230	960	252568	955	257792	558	260136	192	266282	954
		249247	960	252971	734	257839	558	260235	192	266497	764
246932	904	249254	960	252988	734	257846	558	260242	192	266503	764
246949	829	249261	958	252995	734	257877	558	260327	434	266510	764
246956	904	249278	958	253008	734	257990	558	260334	434	266527	764
246963	886	249285	958	253015	734	258027	558	260341	434	266534	764
246970	886	249292	958	253381	954	258140	558	260358	434	266541	764
246987	888	249308	958	253398	956	258171	558	260433	482	266558	764
246994	888	249315	958	253404	955	258232	558	260440	482	266565	764
247007	708	249322	960	253411	944	258256	558	260457	192	266572	764
247045	927	249339	960	253428	946	258270	778	260464	192	266589	764
247083	842	249452	908	253435	946	258287	313	260471	192	266596	764
247144	941	249469	908	253442	946	258300	648	260488	192	266602	764
247151	941	249476	908	253459	946	258751	74	260600	402	266657	764
247229	60	249483	908	253480	955	258768	74	260617	402	266671	764
247236	60	249490	908	253497	956	258775	74	260624	402	266688	764
247243	60	249506	908	253558	662	258874	503	260631	402	266701	764
247250	60	249513	908	253589	76	258881	457	260648	402	266725	764
247267	60	249520	908	253596	76	258898	89	260655	402	266732	764
247274	60	249629	708	253664	64	258904	503	260662	402	266756	955
247281	60	249711	782	253671	64	258911	457	260679	402	266763	955
247618	708	249728	782	253688	244	258928	89	260853	558	266770	955
247625	708	249827	799	253695	362	259048	433	260860	558	267128	634
247779	342	249834	799	253886	644	259062	433	261164	276	267135	634
247847	782	250106	405	253893	644	259154	68	261188	276	267142	634
247854	782	250113	405	254272	248	259161	68	261195	176	267159	634
247939	662	250120	405	254289	248	259178	68	261287	922	267203	558
247946	662	250304	172	254319	882	259185	68	261294	922	267210	558
247953	662	250311	172	254388	882	259192	68	261331	914	267227	558
247960	662	250328	172	254944	612	259208	68	261355	914	267234	558
247977	662	250335	172	255019	247	259222	477	261362	914	267241	558
247984	662	250342	172	255514	930	259239	78	261379	914	267258	558
247991	662	250359	172	255521	930	259260	300	263434	84	267692	782
248165	780	250403	678	255651	933	259277	300	263441	84	267777	678
248172	780	250410	678	255668	933	259345	365	263519	284	267784	678
248189	780	250427	678	255682	933	259352	365	263632	146	267791	678
248196	780	250434	678	255781	931	259376	558	263649	146	267807	678
248257	898	250441	678	255804	931	259765	434	263656	146	267869	784
248264	898	250458	678	255934	268	259772	434	263663	84	267876	784
248271	898	250854	858	255941	268	259796	434	263670	84	267883	784
248288	898	250946	845	255996	708	259802	434	263687	84	267890	784
248295	898	250953	892	256030	708	259819	434	263700	84	267906	784
248370	780	250977	892	256047	708	259826	434	264523	152	267913	784
248387	918	251103	100	256061	708	259833	434	264547	152	267920	780
248394	918	251110	100	256078	708	259857	434	265278	463	267937	780
248530	311	251127	477	256085	708	259864	482	265285	463	267944	780
248554	182	251226	891	256092	708	259871	482	265292	517	267951	780
248592	780	251257	891	256115	708	259895	482	265575	390	267968	742
248608	780	251295	891	256122	708	259901	482	265643	390	267975	742
248783	768	251516	808	256146	708	259918	482	265803	279	267982	784
248790	768	251523	808	256528	946	259925	482	265827	279	268002	784
249018	768	251530	808	257235	365	259949	482	265841	279	268071	375
249025	768	251547	808	257242	365	259956	482	265896	558	268088	778
249032	768	251554	808	257617	558	259963	530	265957	68	268095	375
249049	768	251561	808	257624	558	259970	530	265971	242	268101	313
249056	135	251578	808	257631	558	259994	530	265988	242	268118	624
249063	135	251592	808	257648	558	260006	530	265995	242	268149	624
249070	135	252025	795	257655	558	260013	192	266008	242	268156	922
249087	135	252032	795	257662	558	260020	192	266015	242	268163	922
249186	960	252049	795	257686	558	260044	192	266022	242	268170	922
249193	960	252056	795	257709	558	260051	192	266121	558	268187	922
249209	960	252186	946	257716	558	260068	482	266145	558	268194	922
249216	960	252209	946	257730	558	260075	482	266183	558	268200	922
249223	960	252551	955	257747	558	260082	482	266251	956	268217	624

268231	624	270296	248	272375	955	277790	946	283036	558	285184	152
268293	845	270302	248	272382	955	277813	946	283043	558	285191	152
268309	845	270319	248	272429	958	277912	626	283050	700	285207	284
268316	845	270326	248	272436	958	277929	626	283067	700	285214	300
268354	858	270333	248	272443	958	277967	498	283104	558	285238	308
268422	882	270340	248	272450	958	278704	308	283111	558	285283	376
268439	882	270357	248	272467	958	279596	728	283258	700	285290	376
268989	930	270364	248	272474	644	279602	728	283333	459	285306	376
268996	930	270371	248	272481	644	279626	728	283524	700	285313	376
269009	930	270388	248	272498	644	279633	728	283531	700	285320	399
269023	930	270395	248	272504	644	279640	728	283548	700	285337	511
269115	812	270401	248	272511	644	279671	728	283555	700	285344	511
269122	812	270449	652	272528	644	279688	728	283562	700	285351	678
269139	826	270463	652	272535	644	279695	728	283579	700	285368	678
269146	826	270517	652	272542	644	279718	728	283586	700	285375	678
269153	829	270524	652	273167	742	279725	728	283593	700	285382	678
269160	904	270531	652	273174	742	279770	126	283609	700	285399	678
269221	845	270548	652	273631	327	279794	126	283616	700	285405	678
269313	842	270586	248	273648	105	279800	511	283623	700	285412	742
269320	842	270593	248	273655	421	280233	728	283630	700	285429	742
269337	76	270661	247	273662	497	280240	728	283647	700	285436	742
269351	76	270678	247	273679	473	280998	404	283654	700	285443	742
269375	76	270692	626	273693	333	281001	404	283661	700	285450	819
269382	76	270715	248	273709	333	281568	132	283678	700	285467	819
269399	362	270876	626	273914	376	281582	132	283685	700	285474	819
269405	362	270883	626	273945	376	282084	526	283692	700	285481	819
269412	244	270920	946	274508	696	282091	478	283708	700	285498	819
269429	244	270937	626	274515	696	282107	105	283715	700	285504	819
269436	64	270944	944	274768	756	282114	105	283722	700	285511	819
269443	64	270951	946	274775	756	282121	378	283739	700	285528	819
269450	64	270968	954	274782	756	282138	378	283746	700	285535	819
269467	64	270975	956	275178	108	282244	873	283753	700	285566	956
269474	452	271002	248	275215	108	282251	873	283760	700	285580	958
269481	452	271187	640	275369	89	282633	558	283777	700	285597	958
269498	452	271194	640	275376	89	282640	558	283784	423	285603	958
269504	939	271200	640	275543	181	282657	558	283791	106	285610	958
269696	939	271217	640	275567	181	282664	558	283807	106	285627	958
269702	939	271293	147	275581	181	282671	558	283814	106	285634	958
269719	939	271309	147	276182	686	282688	558	283821	106	285641	958
269726	939	271316	147	276205	930	282695	558	283920	678	285658	958
269733	939	271385	106	276243	686	282701	558	283937	678	285665	958
269825	247	271392	106	276267	700	282718	558	283944	678	285672	958
269832	60	271408	106	276274	700	282725	558	284002	94	285689	958
269849	60	271422	106	276281	700	282749	558	284019	94	285696	958
269856	68	271439	423	276304	634	282756	558	284286	334	285702	958
269863	68	271446	678	276311	634	282770	558	284309	500	285719	958
269870	68	271453	678	276328	558	282787	558	284316	476	285726	958
269986	434	271538	313	276335	626	282824	558	284330	334	285887	960
270005	482	271545	313	276342	626	282848	558	284354	500	285894	960
270012	192	271590	946	276366	612	282862	558	284361	476	285900	960
270029	192	271606	946	277004	934	282879	558	284460	91	285917	960
270036	434	271613	946	277011	934	282886	558	284477	374	285924	960
270043	192	271620	944	277028	934	282893	558	284484	510	285993	558
270050	192	271637	946	277035	934	282909	558	285061	68	286006	558
270173	634	271644	944	277219	378	282916	558	285078	68	286051	558
270180	634	271712	634	277226	378	282923	558	285085	88	286068	558
270197	634	271750	634	277233	378	282930	558	285092	88	286075	558
270203	634	272030	399	277240	378	282947	558	285108	390	286082	558
270210	634	272078	460	277257	378	282954	558	285115	390	286099	558
270241	248	272085	514	277288	292	282961	558	285122	126	286105	558
270258	248	272108	914	277370	108	282978	558	285139	132	286112	558
270265	248	272139	170	277387	108	282985	558	285146	132	286129	558
270272	248	272238	478	277394	108	282992	558	285153	132	286167	558
270289	248	272245	526	277417	308	283029	558	285160	132	286204	558

Code index

SKU	Pag	287874	728	292953	644	301631	960	303697	558	305813	784
		287881	728	293004	434	301648	960	303703	558	305837	784
286211	558	287898	728	293172	889	301655	960	303710	558	305844	760
286228	558	287904	728	293189	894	301662	960	303727	558	305851	760
286259	558	287911	728	293196	894	301679	960	303741	558	306421	960
286266	558	287928	728	293202	894	301686	960	303789	558	306452	512
286297	558	287935	728	293646	431	301693	960	303796	558	306469	512
286303	558	287942	728	293653	339	301709	960	303802	558	306537	108
286310	558	287959	644	293660	339	301716	960	303819	558	306544	108
286327	558	287966	644	293769	286	302225	395	303826	558	306551	108
286334	558	288147	728	293776	286	302232	395	303833	558	306575	248
286341	558	288208	954	293783	286	302256	648	303895	60	306582	248
286358	558	288215	954	293790	286	302263	648	304038	958	306599	248
286365	558	288239	956	294001	889	302270	648	304045	958	306605	248
286372	558	288260	338	294025	889	302287	648	304113	482	306612	248
286389	558	288277	338	294049	889	302294	648	304120	192	306629	248
286396	558	288338	558	294766	413	302348	612	304137	335	306636	248
286402	558	288383	955	294803	413	302355	612	304144	100	306643	248
286419	558	288390	130	294810	318	302362	612	304151	477	306650	248
286426	558	288406	130	294827	318	302379	612	304168	520	306667	248
286433	558	288420	130	295213	504	302539	678	304366	68	306674	248
286440	558	288437	130	295473	511	302546	678	304373	68	306681	248
286495	558	288444	130	295497	511	302553	678	304380	68	306698	248
286501	558	288451	130	295503	511	302560	678	304397	68	306780	894
286518	558	288475	130	295510	458	302577	678	304403	68	306797	894
286525	558	288543	956	295534	458	302584	678	304410	68	306803	894
286532	558	289151	455	295541	458	302591	678	304427	68	306810	408
286549	558	289168	455	296302	558	302607	678	304434	68	306827	408
286594	686	289212	944	296333	692	302614	678	304441	68	306834	889
286600	686	289229	944	296340	692	302621	678	304458	68	306841	889
286662	522	289281	558	296357	692	302744	678	304465	68	306858	889
286679	522	289298	558	296364	692	302751	678	304472	68	306872	889
286686	522	289304	558	296678	512	302768	678	304489	362	306940	431
286716	870	289489	331	296685	512	302942	686	304496	362	306957	339
286723	870	289496	331	296746	106	302959	686	304502	362	306964	339
286730	870	289786	164	296753	106	302966	686	304519	244	306988	498
286747	870	289861	164	296869	955	302973	686	304526	244	306995	105
287072	378	289878	164	296876	955	302980	686	304533	244	307008	105
287300	409	289908	164	297101	285	302997	686	304540	64	307015	372
287317	409	289915	164	297149	285	303000	686	304557	64	307022	372
287560	371	289939	164	297743	281	303017	686	304564	64	307039	372
287577	371	290614	558	297750	281	303062	960	304571	64	307046	372
287584	371	290959	499	297767	159	303079	960	304588	64	307053	372
287591	372	290966	499	297781	159	303086	960	304595	64	307060	372
287607	372	291093	459	298597	881	303093	960	304601	434	307077	958
287614	372	291109	459	298610	881	303314	306	304618	482	307084	958
287621	372	291345	75	299402	302	303321	306	304625	192	307091	958
287638	372	291376	75	299419	302	303390	958	304632	192	307107	958
287645	372	291406	75	299617	501	303406	958	304649	520	307114	958
287652	395	291789	408	299624	501	303499	558	304694	60	307121	958
287669	395	291796	408	300504	558	303505	558	304700	60	307138	958
287676	395	292205	248	300528	558	303512	558	304717	60	307145	652
287683	825	292236	248	300535	558	303529	558	304724	60	307152	652
287690	825	292250	248	300641	873	303574	558	304731	60	307169	825
287706	825	292403	423	300658	873	303598	558	304748	60	307176	825
287713	825	292410	423	300764	558	303604	558	304915	506	307206	286
287720	825	292441	473	300801	84	303611	558	304922	506	307213	286
287737	825	292458	473	300818	84	303628	558	305431	954	307244	248
287768	388	292465	473	300825	84	303635	558	305486	954	307404	130
287775	388	292472	473	301051	502	303642	558	305592	514	307411	130
287782	388	292830	290	301068	502	303659	558	305608	558	307428	130
287843	728	292847	290	301075	502	303666	558	305615	558	307510	558
287850	728	292922	558	301594	958	303673	558	305622	946	307527	558
287867	728	292939	644	301624	960	303680	558	305639	946	307534	558

307541	558	313252	428	317243	108	320618	558	322322	678	323657	720
307558	558	313283	336	317250	108	320625	558	322339	678	323671	720
307565	558	313290	336	317267	114	320717	558	322346	678	323688	720
307572	558	313313	505	317274	114	320724	558	322353	884	323718	720
307589	558	313320	472	317281	114	320731	558	322360	678	323725	720
307596	558	313412	843	317489	308	320748	558	322377	678	323732	720
307602	558	313429	843	317496	308	321042	80	322384	884	323763	720
307619	956	313436	843	317502	308	321059	80	322391	678	323770	720
307626	956	313443	843	317564	845	321172	104	322421	891	323794	720
307695	60	313450	843	317571	845	321189	837	322438	884	323800	720
307701	60	313467	838	317793	106	321196	837	322452	884	323817	720
307756	760	313474	838	317809	423	321202	837	322476	558	323831	720
307855	955	313481	838	317816	498	321462	138	322483	884	323961	720
307862	955	313498	838	317823	473	321479	138	322490	558	323985	720
307879	954	313504	838	317908	286	321509	413	322506	884	324005	720
307886	954	313511	836	317953	558	321516	318	322513	558	324807	720
308227	894	313528	836	317960	558	321523	318	322537	884	324814	720
308234	894	313535	836	317977	558	321530	413	322544	884	324821	720
309262	324	313542	836	317984	558	321547	371	322551	884	324838	720
309279	324	313559	836	317991	558	321554	371	322568	884	324845	720
309286	324	313566	836	318103	808	321561	371	322575	884	324852	720
309798	179	313771	114	318110	808	321585	514	322582	884	324869	720
309804	179	313788	114	318127	808	321615	286	322599	884	324876	720
309811	179	314099	414	318134	808	321622	925	322605	848	324883	720
310107	456	314105	414	318141	808	321639	906	322612	884	324890	720
310114	456	314129	414	318196	841	321646	845	322629	826	324906	720
310121	456	314136	414	318202	841	321653	558	322636	826	324913	720
310138	392	314143	178	318219	841	321660	266	322643	826	324920	720
310145	392	314167	178	318226	841	321684	264	322650	826	324937	720
310152	392	314174	178	318233	924	321691	845	322667	338	325019	916
310589	127	314198	496	318264	260	321707	266	322674	338	325132	941
310596	127	314204	465	318325	471	321714	558	322681	826	325156	941
310602	127	314228	341	318691	884	321738	264	322698	338	325163	941
310664	429	314235	341	318707	884	321745	266	322704	826	325750	558
310671	337	314334	431	318820	877	321752	264	322711	302	325767	558
310688	337	314716	320	318837	802	321769	266	322728	850	325804	67
310787	384	314723	320	319568	302	321776	264	322735	850	325828	67
310800	168	314815	340	319575	302	321783	86	322742	423	325835	67
310817	470	314822	340	319582	302	321806	558	322759	473	325934	644
310886	308	314921	66	319650	742	321813	86	322766	106	325941	644
310893	308	314938	66	319667	742	321844	558	322773	106	325958	644
311265	958	314945	145	319674	742	321851	906	322780	106	325965	644
311272	958	314952	145	319681	742	321868	906	322797	106	325972	644
311319	429	314969	145	319797	302	321882	906	322803	138	325989	644
311340	332	315805	348	319803	302	321905	906	322810	558	326214	855
311357	332	315812	348	320373	296	321929	906	322841	558	326221	855
311364	332	316048	890	320434	558	321950	906	322858	558	326238	805
311661	864	316055	890	320441	558	321967	558	322889	760	326245	805
311678	864	316307	558	320458	558	321981	906	322919	760	326290	956
311685	864	316680	338	320465	558	321998	558	322971	760	326351	108
311708	864	316697	338	320472	558	322056	558	323008	760	326368	108
311715	866	316789	372	320489	558	322070	558	323237	872	326610	944
311760	393	316871	859	320496	558	322087	686	323244	872	326627	842
311777	393	316895	859	320502	558	322094	686	323251	872	326634	842
311784	393	316901	859	320519	558	322100	686	323527	720	326658	515
312323	288	317007	338	320526	558	322124	686	323534	720	326665	515
312330	288	317090	385	320533	558	322193	829	323541	720	326672	515
312347	288	317106	385	320540	558	322209	829	323558	720	326689	882
312354	288	317113	282	320557	558	322216	884	323589	720	326696	882
312361	288	317120	282	320564	558	322230	884	323596	558	326702	882
312378	288	317137	519	320571	558	322261	904	323602	720	326719	882
312491	269	317144	519	320588	558	322278	904	323619	720	326726	882
313191	742	317151	468	320595	558	322285	858	323633	720	326733	882
313207	742	317168	468	320601	558	322308	858	323640	720	326740	882

Code index

SKU	Pag	327914	469	328614	866	332406	271	336787	406	340609	558
		327921	414	328621	859	332413	271	336794	406	340623	558
326757	882	327938	414	328638	859	332420	271	336800	406	340647	558
326788	856	327945	393	328645	859	332451	558	336817	406	340791	686
326795	806	328010	272	328652	843	332468	538	337135	946	340807	686
326801	806	328027	272	328669	843	332475	538	337142	742	340814	686
326849	842	328034	272	328676	843	332482	538	337371	714	340821	686
326856	842	328041	272	328683	958	332499	538	337388	714	340838	678
326863	825	328058	272	328690	958	332505	538	337395	714	340845	678
326870	825	328065	272	328706	958	332512	538	337401	714	340852	678
326887	808	328072	272	328713	958	332529	538	337418	714	340869	678
326894	808	328089	272	328720	958	332536	538	337425	714	340876	678
326917	890	328096	272	328737	958	332543	538	337517	694	340883	678
326924	890	328102	114	328744	958	332581	538	337524	696	340890	678
326955	844	328119	114	328751	958	332628	538	337531	916	340906	678
326962	828	328126	114	328768	958	332635	538	337548	818	340913	678
326979	846	328133	114	328775	958	332659	538	337579	686	340920	678
326986	844	328140	288	328782	958	332703	538	339047	172	340937	678
326993	844	328157	288	328799	308	332710	538	339054	172	340944	678
327037	956	328164	508	328812	308	332734	538	339061	172	340951	678
327044	956	328171	508	328829	908	332758	538	339252	192	340968	678
327051	956	328188	320	328836	908	332765	538	339269	192	340975	678
327068	956	328195	320	328942	272	332772	538	339276	192	340982	678
327075	956	328201	332	328959	272	332789	538	339283	194	340999	390
327242	896	328218	332	328966	272	332796	538	339290	194	341002	390
327259	896	328225	332	328973	272	332802	538	339306	194	341019	390
327266	896	328232	336	328980	272	332819	538	339313	196	341026	390
327402	164	328249	336	329260	272	332826	538	339320	196	341033	88
327419	164	328256	336	329444	598	332833	538	339337	196	341040	88
327426	164	328263	336	329451	598	332840	538	339368	538	341057	84
327433	164	328270	428	329468	598	332857	538	339375	538	341064	84
327440	164	328287	428	329475	598	332864	538	339382	538	341071	84
327457	164	328294	472	329505	598	332871	538	339399	538	341088	84
327471	760	328300	472	329512	598	332888	538	339405	538	341095	84
327488	760	328317	505	329529	598	332895	538	339412	538	341101	84
327495	760	328324	505	329536	598	332901	538	339429	538	341118	502
327501	784	328331	127	329574	598	332918	538	339726	86	341125	502
327518	784	328348	127	329581	598	332925	538	339733	86	341132	502
327525	558	328355	127	329598	598	332932	538	339740	86	341149	248
327532	558	328362	269	329604	598	332949	538	339757	86	341156	248
327549	558	328379	324	329635	598	333007	283	339771	956	341163	248
327556	558	328386	324	329642	598	333014	283	339788	652	341170	248
327563	260	328393	324	329666	598	333045	148	339795	652	341187	248
327570	260	328409	324	329673	598	333915	946	339863	558	341194	248
327600	260	328416	324	329703	598	333922	946	339887	700	341200	248
327686	260	328423	324	329710	598	334974	467	339894	700	341217	248
327693	260	328430	337	330358	598	334981	467	340005	700	341224	248
327716	431	328447	337	330365	598	334998	467	340012	700	341231	248
327754	742	328454	337	330730	558	335001	467	340029	700	341248	248
327761	742	328461	337	330754	558	335018	467	340036	700	341255	248
327778	392	328478	429	331225	798	335025	467	340043	558	341309	247
327785	392	328485	333	331256	754	335261	946	340067	558	341316	247
327792	392	328492	348	331263	754	336008	308	340081	558	341323	247
327808	324	328508	864	331355	920	336176	90	340104	558	341330	742
327815	324	328515	864	331386	920	336183	90	340180	558	341347	742
327822	324	328522	836	331690	395	336190	90	340197	558	341354	742
327839	100	328539	836	332062	558	336206	90	340241	558	341361	742
327846	100	328546	836	332079	558	336220	512	340265	558	341378	742
327853	335	328553	836	332086	558	336510	372	340364	558	341385	742
327860	335	328560	836	332093	558	336534	428	340388	558	341392	742
327877	477	328577	836	332109	558	336626	697	340401	558	341408	742
327884	159	328584	838	332116	558	336664	428	340425	558	341415	742
327891	281	328591	838	332239	644	336671	428	340562	558	341422	742
327907	469	328607	838	332246	644	336770	406	340586	558	341439	272

341446	272	342184	68	343310	78	345307	512	346137	196	346892	868
341453	272	342191	68	343457	102	345314	515	346144	196	346908	868
341460	272	342221	362	343464	102	345321	425	346151	196	346915	868
341477	272	342238	362	343471	102	345338	425	346168	196	346922	868
341484	272	342245	362	343488	466	345345	108	346175	196	346939	868
341491	272	342252	362	343501	598	345352	108	346182	196	347738	837
341507	272	342269	362	343518	598	345369	108	346199	196	347745	866
341514	272	342276	362	343525	598	345376	108	346205	196	347752	866
341521	60	342283	244	343532	598	345383	108	346212	652	347769	866
341538	60	342290	244	343617	164	345390	108	346229	652	347776	866
341545	60	342306	244	343624	164	345406	108	346236	652	347783	866
341552	60	342313	244	343631	164	345413	108	346243	652	347790	866
341569	60	342320	244	343648	164	345420	108	346250	652	347806	866
341576	60	342337	244	344751	558	345437	108	346267	652	347813	866
341583	60	342344	64	344768	558	345468	308	346274	652	347820	866
341590	60	342351	64	344775	494	345475	308	346281	652	347837	866
341606	60	342368	64	344782	558	345482	406	346298	652	347844	866
341613	60	342375	64	344799	558	345499	406	346304	652	347851	866
341620	60	342382	64	344805	760	345505	406	346328	644	347868	866
341637	60	342399	64	344812	760	345512	80	346335	644	347875	874
341644	784	342405	64	344829	760	345611	841	346342	644	347882	874
341668	784	342412	64	344836	760	345628	924	346359	644	347899	874
341675	784	342429	64	344843	754	345635	924	346366	644	347905	874
341682	784	342436	64	344850	754	345642	924	346373	644	348193	192
341705	784	342443	64	344867	754	345659	924	346380	644	348209	192
341712	784	342450	64	344874	754	345666	920	346397	644	348216	192
341729	784	342467	452	344881	648	345673	916	346403	644	348223	192
341736	784	342474	452	344898	648	345765	644	346410	644	348230	192
341743	784	342481	452	344904	648	345772	644	346427	644	348247	192
341750	784	342498	452	344911	648	345789	644	346434	644	348254	192
341767	784	342504	452	344928	648	345796	644	346441	644	348261	192
341774	784	342511	452	344935	648	345802	946	346458	644	348278	294
341781	302	342566	264	344942	697	345819	946	346465	644	348285	499
341798	302	342573	266	344966	714	345826	946	346472	644	348292	499
341842	780	342580	264	344973	714	345833	946	346489	644	348308	678
341859	780	342597	266	344980	598	345840	946	346496	644	348315	678
341866	780	342603	264	344997	598	345857	946	346502	644	348322	678
341873	780	342610	266	345000	598	345864	946	346519	644	348339	874
341880	242	342627	264	345017	598	345871	434	346526	471	348346	874
341897	242	342634	266	345024	598	345888	482	346533	431	348353	874
341903	242	342641	378	345031	598	345895	192	346540	166	348360	874
341910	242	342658	378	345048	598	345901	192	346557	166	348377	868
341927	242	342665	378	345055	598	345918	192	346564	166	348384	634
341934	242	342689	808	345062	598	345925	192	346571	166	348391	634
341941	242	342696	808	345079	598	345932	192	346588	166	348407	634
341958	242	342702	808	345086	598	345949	434	346595	166	348414	634
341965	242	342719	808	345093	598	345956	482	346601	166	348674	164
341972	242	342726	808	345130	395	345963	192	346618	166	348681	164
341989	242	342740	686	345147	395	345970	194	346625	166	348698	164
341996	242	342757	558	345154	372	345987	194	346632	166	349060	742
342009	68	342788	302	345161	372	345994	194	346656	896	349077	742
342016	68	342795	302	345178	372	346007	194	346663	896	349084	742
342023	68	342801	714	345185	372	346014	194	346670	896	349121	678
342030	68	342818	714	345192	372	346021	194	346687	896	349138	678
342047	68	342825	714	345208	372	346038	194	346694	896	349145	678
342054	68	342832	714	345215	58	346045	194	346700	896	349596	920
342061	68	342849	714	345222	58	346052	194	346717	896	351278	932
342078	68	342856	714	345239	58	346069	194	346724	896	351285	932
342108	68	342863	946	345246	58	346076	194	346731	896	351346	558
342115	68	342870	946	345253	58	346083	194	346762	652		
342122	68	342887	954	345260	58	346090	196	346779	652		
342139	68	342894	956	345277	58	346106	196	346847	192		
342160	68	342900	955	345284	58	346113	196	346854	78		
342177	68	342993	104	345291	58	346120	196	346861	78		


List of finishes



Clear



White



Opal



Iridescent



Fade Chrome



Steel




Silver



Chrome




Concrete




Aluminum



Grey




Nickel




Smoky Grey



Shaded Smoky Grey



Granite



Lead



Anthracite



Black



Ivory



Amber



Shaded Amber



Alabaster



Beige




Canvas



Wood




Dove Grey




Rope



Gold




Brass




Copper



Coffee



Antique Brass



Rust

Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

Technical icons



Class I Electrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.



Class II Electrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.



Class III Electrical safety guaranteed by very low power supply (less than 50 Volt). Earthing excluded.



Item not appropriate for direct or recessed installation on normally flammable surfaces.



Mark of conformity to European Community Safety regulations.

Symbols



Bulb included.



Items with LED lights: very low consumption, highly bright and focused light, strength and durability.



Integrated switch button.



Lamp with touch switch: switching on and dimming by touching the base with a finger.



Luminaire with dimmer.



Lamp with integrated USB socket.



Up-light included.



High-tech product with high quality materials, intended for professional use.



Product with UGR.



Item suitable for painting and varnishing.



Protection degree.



Item made of stainless steel 316.



Lamp with presence detector included PIR (Passive InfraRed).



Lamp with rechargeable battery included

Notes

-The indicated prices are public prices VAT excluded.

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website (www.ideal-lux.com).

-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.

-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.

-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check

photometry files for the actual Lumen of the single lighting fittings. For further information and updates.

-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.

-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

Ideal Lux s.r.l.

Headquarter

Via Taglio Destro, 32
30035 Mirano – Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

Warehouse

Via delle Industrie, 8/D
30036 Santa Maria di Sala – Venezia
8.00 - 12.00 / 13.00 - 17.00

E info@ideal-lux.com
T +39 041 5790500
F +39 041 8872349

🌐 [ideal.lux](https://www.ideal-lux.com)
📘 Ideal Lux

www.ideal-lux.com

Community Design Pending Nr. 001996372 002194993 002621862 002943449 003734342 004558609 006083655

Copyright 2025 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati



