

F A R O
BARCELONA

lighting&fan 2023

Check the current rates here
Consulta la tarifa vigente aquí



**For a sustainable
future of forests.**
Por un futuro sostenible
de los bosques.



Edition
A2023

Art Director / Graphics
Faro Art

Printing
Jiménez Godoy

All Rights Reserved
Reproduction without written
permission from the publisher is
strictly prohibited.

Photographers
Guillem F-H
Andrés Fraga
Ricard Badía
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martin Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters
BARCELONA
Dinámica 1,
08755, Castellbisbal
Tel +34 937 723 949
info@faro.es

Showrooms
BARCELONA
Princesa
Calle Princesa, 52
08003, Barcelona
Tel +34 93 238 73 73
info@faro.es

MADRID
docontract MAD
Calle Velázquez, 35, 4ºD
28001, Madrid
Tel +34 689 583 571
showroom@docontractmad.com

PARIS
7 rue d'uzès
75002, Paris
Tel +34 687 845 758
hajar.chegri@faro.es



TABLES

portables / portátiles

42_61

indoor / hogar

64_147

Table&Floor / Mesa y suelo

148_221

Suspended / Suspensión

222_241

Ceiling / Techo

242_389

Surface / Superficie

390_405

Spotlights / Focos

406_433

Recessed / Empotrables

434_439

Track / Carril



outdoor / exterior

442_527

Floor / Suelo

528_555

Spike&Projector / Estaca y Proyector

556_571

Suspended / Suspensión

572_577

Ceiling / Techo

578_639

Surface / Superficie

640_665

Recessed / Empotrables

fan / ventilación

666_811

bulbs / bombillas

812_817



Faro Barcelona exists to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives.

We believe in honest and accessible design. Design for everyone.

Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

OUR PURPOSE

designed for happiness

Xavier Martin
CEO

Carlos López
Chairman



Faro Barcelona is a conscious and inspiring brand.


We believe in the power of enthusiasm to move forward and surf the waves the best way we know while enjoying the process and radiating light around us.

We celebrate 75 years of light.

Faro Barcelona es una marca consciente e inspiradora.

Creemos en el poder de la ilusión y el entusiasmo para avanzar y surfear las olas de la mejor forma que sabemos hacerlo, disfrutando del proceso e irradiando luz a nuestro alrededor. Celebramos 75 años de luz.

A BRAND WITH SOUL



Meet the Team
Conoce al equipo




exclusive
online
collection



EXCLUSIVE ONLINE COLLECTION

shop.faro.es



Discover it
Descúbrela

PEOPLE

The value of a great team

At Faro Barcelona, sustainability starts from the inside, taking care of the well-being and personal growth of our team.

Equality and diversity

At Faro Barcelona all people are great and equal, whatever their gender, age, religion or sexual orientation. Women, as well as men, play an important role: 76% of our team and 49% of our leaders are women.

Community support

For over a decade, we have been collaborating in social projects of foundations such as Caritas, providing our help to ensure a better quality of life for the people helped by these organisations. Since 2008, we have had our own social project with Hook, each luminaire sold feeds a child in Africa for one year.

Supporting new talent

We collaborate with universities and design schools to help new talents emerge into their professional development. Projects such as Reborn, a second life for waste (La Llotja), Design Make It with 3D printing (CIM UPC), are some of the collaborations we have carried out.

Social innovation

We take part in disruptive social innovation research and develop products and services that solve social problems such as the ageing of the population. We have a positive impact on people's quality of life, contributing to their well-being and comfort through quality, accessible and sustainable lighting and design.



El valor de un gran equipo humano

En Faro Barcelona la sostenibilidad empieza en el interior, cuidando el bienestar y crecimiento personal de nuestro equipo.

Igualdad y diversidad

En Faro Barcelona todas las personas son grandes e iguales, sean del género, edad, religión u orientación sexual que sean. La mujer, igual que el hombre, desempeña un papel importante: el 76% de nuestro equipo y el 49% de nuestros líderes son mujeres.

Apoyo a la comunidad

Llevamos más de una década colaborando en proyectos sociales de fundaciones como Cáritas aportando nuestra ayuda para garantizar una mejor calidad de vida de las personas que ayudan estas organizaciones. Desde 2008, tenemos nuestro propio proyecto social con Hook, cada luminaria vendida alimenta durante una año a un niño en África.

Apoyo a los nuevos talentos

Colaboramos con universidades y centros de diseño para ayudar a los nuevos talentos en su desarrollo profesional. Proyectos como Reborn, una segunda vida para los desechos (La Llotja), Diseño Make It con impresión 3D (CIM UPC), son algunas de las colaboraciones que hemos realizado.

Innovación social

Participamos en investigaciones de innovación social disruptiva y desarrollamos productos y servicios que resuelven problemáticas sociales como el envejecimiento de la población. Impactamos positivamente en la calidad de vida de las personas, contribuyendo a su bienestar y confort a través de la iluminación y el diseño de calidad, accesible y sostenible.



Our sustainability journey focuses on two main objectives: reducing our negative impact on the planet and maximising our positive social impact. Nuestro camino hacia la sostenibilidad se centra en dos grandes objetivos: reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

SUSTAINABILITY

TURN OFF THE LIGHT



Discover more
Descubre más

PLANET

Sustainable packaging

At Faro Barcelona, we have a sustainable packaging decalogue. Our packaging is made of recycled cardboard boxes printed in one ink and without staples to ease the disassembly and the right recycling. We have eliminated single-use plastics and replaced them with recyclable paper bags and we use recycled cardboard shavings to protect the product during transport in 60% of our shipments. All our packaging meets Drop Test ISTA-2C quality standards to ensure products arrive in perfect condition.



More sustainable logistics and transport

We have optimised the packaging size of each product to reduce the amount of packaging material and the carbon footprint of transport. FMCG products are transported in stacks, which means a greatly reduced carbon footprint. We have opened a new logistics centre in China to supply our Asia-Oceania market in a more sustainable way and reduce carbon emissions from transport.

Sustainable workspaces

We use green electricity in our offices. We produce 70% of the energy we consume with our own photovoltaic installation, ensuring that the energy is from renewable sources. In addition, our headquarters are designed to maximise the use of solar energy and natural light.

Supporting new talent Team committed to sustainability

At Faro Barcelona we have an internal sustainability committee that promotes different sustainability actions and monitors them.



Embalaje sostenible

En Faro Barcelona disponemos del decálogo de embalaje sostenible. Nuestros embalajes son cajas de cartón reciclado impresas a una sola tinta y sin grapas para facilitar así el desmontaje y su correcto reciclaje. Hemos eliminado los plásticos de un solo uso y sustituido por bolsas de papel reciclable y utilizamos virutas de cartón reciclado para la protección del producto durante el transporte en el 60% de nuestros envíos. Todos nuestros embalajes cumplen los estándares de calidad de Drop Test ISTA-2C para asegurar que los productos lleguen en perfecto estado.

Logística y transporte más sostenible

Hemos optimizado el tamaño del embalaje de cada producto para reducir la cantidad de material de embalaje y la emisión de carbono derivado del transporte. Los productos de gran consumo se transportan apilados, lo que implica una gran reducción de huella de carbono. Hemos abierto un nuevo centro logístico en China para abastecer a nuestro mercado Asia-Oceania de una forma más sostenible y reduciendo las emisiones de carbono derivadas del transporte.

Espacios de trabajo sostenibles

En nuestras oficinas utilizamos energía eléctrica verde. Producimos un 70% de la energía que consumimos con nuestra propia instalación fotovoltaica, asegurando que la energía es de fuente renovable. Además, nuestra sede cuenta con un diseño pensado para el máximo aprovechamiento de la energía solar y la luz natural.

Equipo comprometido con la sostenibilidad

En Faro Barcelona contamos con un comité de sostenibilidad interno que promueve diferentes acciones de sostenibilidad y realiza su seguimiento.



PRODUCT

Sustainability from conceptualisation

In our eco-design decalogue we set out the main guidelines we follow to make our designs more sustainable. We work with external consultants to reduce the environmental impact of our production processes, guaranteeing the quality and safety of our products. We are training our design team in circular design techniques for the more sustainable development of all our products.

A longer useful life

We work to design timeless, repairable and long-lasting products in order to reduce their environmental impact. We research new methods to ensure that our designs last longer, are easier to repair and recycle.

Standardisation and modularity

We work on the standardisation of components for a more efficient use of resources and more sustainable production. We develop modular collections that allow us greater versatility and more efficient logistics and transport.

More sustainable processes and materials

One of the major challenges towards a more sustainable production is the choice of materials as it represents more than 70% of the product's carbon footprint. The use of recycled materials or materials with a lower environmental impact, the implementation of new techniques and the reduction of the number of materials used, help us to achieve more sustainable manufacturing. Control of the supply chain

We share our sustainability vision and commitments with all our suppliers.

We, therefore have a supplier code of conduct to ensure a more sustainable supply chain.



Sostenibilidad desde la conceptualización

En nuestro decálogo de eco-diseño recogemos las principales directrices que seguimos para que nuestros diseños sean más sostenibles. Trabajamos con asesorías externas para reducir el impacto ambiental de nuestros procesos productivos, garantizando la calidad y seguridad de nuestros productos. Estamos formando a nuestro equipo de diseño en técnicas de diseño circular para el desarrollo más sostenible de todos nuestros productos.

Una mayor vida útil

Trabajamos en el diseño de productos atemporales, reparables y duraderos con el fin de reducir su impacto medioambiental.

Investigamos nuevos métodos para garantizar que nuestros diseños sean más duraderos, fáciles de reparar y de reciclar.

Estandarización y modularidad

Trabajamos en la estandarización de componentes para un uso más eficiente de los recursos y una producción más sostenible. Desarrollamos colecciones modulares que nos permiten mayor versatilidad y una logística y transporte más eficientes.

Procesos y materiales más sostenibles

Uno de los grandes retos hacia una producción más sostenible es la elección de los materiales ya que representa más del 70% de la huella de carbono del producto.

El uso de materiales reciclados o con menor impacto ambiental, la implementación de nuevas técnicas y la reducción del número de materiales usados, nos ayuda a conseguir una fabricación más sostenible.

Control de la cadena de suministro

Compartimos nuestra visión y compromisos de sostenibilidad con todos nuestros proveedores. Por ello, disponemos del código de conducta de proveedores para garantizar una cadena de suministro más sostenible.



This year we have achieved certification of our carbon footprint calculation in accordance with the ISO14064-1 international standard, a major milestone on our path to sustainability.

Thanks to this certification, we know the real volume of greenhouse gas emissions generated by our activity and it allows us to identify areas for improvement and implement compensation strategies through different programs.

Este año hemos logrado la certificación del cálculo de la huella de carbono conforme al estándar internacional ISO14064-1, un gran hito en nuestro camino hacia la sostenibilidad.

Gracias a esta certificación conocemos el volumen real de emisiones de gas invernadero que genera nuestra actividad y nos permite identificar áreas de mejora e implementar estrategias de compensación a través de diferentes programas.


Certificación huella de carbono

CARBON FOOTPRINT CERTIFICATION






exclusive
online
collection




Buddy
by Andreu Carulla

exclusive
online
collection




Inviting
by Bohman&Folienius


exclusive
online
collection



Hook
by Oiko Design Office




Fuji
by Isaac Piñeiro




Brot
by Yembarastudio




Mine
by Nahtrang



Whizz
by Christoph F.W.




Bu-Oh
by Estudi Ribaudí



Lotus
by Estudi Ribaudí



Mute
by Nahtrang




Han
by Goulafiguera

A wide-angle photograph of a large audience seated in a theater, facing a stage. The audience is diverse in age and is seated in rows of dark chairs. The stage is lit with blue and white lights, and a speaker is visible on the left side. The theater's architecture features blue walls and a curved ceiling with recessed lighting. The word "AWARDS" is overlaid in white, serif font in the center of the image.

AWARDS

Diseñadores, artistas,
creadores. Ellos hacen de
nuestro mundo un lugar
mejor gracias a su ingenio,
talento y creatividad.



Cristopher F. Wagner



Goula/Figuera



Marina Milà




Àlex & Manel Lluscà



Conillas



Jordi Llopis



Oiko Design Office



Lucid



Jordi Busquets



Jordi Blasi



Ernest Perera Studio



Adolfo Abejón



Aldanondoydez



Xjer Studio



Nutcreatives

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.



Andreu Carulla



Alegre Design




Bohman&Folenius



Faro Lab



Isaac Piñeiro



Nahrang



Pepe Llaudet



Estudi Ribaudí



Cristina Borràs



Yembarastudio



Roger Vancells



Héctor Serrano





ARCO
BARCELONA

SHOWROOM

Barcelona · Madrid · Paris

Q-LAB


Quality & innovation
Calidad e innovación

At Faro Barcelona, we control the quality of our products and services from conception and design to functionality and reliability tests.

Our quality management system is based on ISO9001. Legislative compliance with safety regulations under EN60598 and ERP energy efficiency regulations.

En Faro Barcelona controlamos la calidad de nuestros productos y servicios desde la concepción y el diseño hasta los ensayos de funcionalidad y fiabilidad.

Nuestro sistema de gestión de calidad está basado en la ISO9001. Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.



Parametrical Lab

Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber



Quality inspections Lab

Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Technical Assistance Service (TAS)

Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts



Ceiling Fan Lab

Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room



Assistance during installation
Acompañamiento
en instalación y obra

Consultancy and Advice
Consultoría y Asesoramiento

**Product
customisation**
Personalización
de productos

**Lighting
projects**

**Lighting
calculations**
Cálculos
lumínicos

**Digital documentation: Dialux
(ULD, IES, LDT) Revit / BIM
(RFA) 3D files, IGS (SketchUp)**
Documentación digital: Dialux
(ULD, IES, LDT) Revit / BIM
(RFA) 3D files, IGS (SketchUp)

Advice on product selection
Asesoramiento en selección de
productos

**Lighting and fan projects
department**
Departamento de proyectos de
iluminación y ventilación

Incident management
Gestión de incidencias

**Technical
service**

**Custom &
Special developments**

Technical support service
Servicio de atención técnica

Remote access to installations for configuration / changes
Acceso remoto a las instalaciones para configuración / cambios

Remote installation management
Gestión remota de instalaciones

Energy consumption monitoring
Monitorización de consumo energético

Scene and group definition
Definición de escenas y grupos

Scene and group definition
Definición de escenas y grupos

**Control
& Connectivity**

Scalable installations
Instalaciones escalables

Turnkey project
Proyecto llave en mano

System Control design and planning
Diseño y planificación del sistema de control

Configuración de equipos para luminarias Plug&Play
Plug&Play equipment configuration for luminaires

Automation (sensors, timetables, circadian cycle)
Automatización (sensores, horarios, ciclo circadiano)

Solutions to connect to the control system (wired, wireless or remote devices)
Soluciones para conectarse al sistema de control (dispositivos cableados, inalámbricos o remotos)

SERVICES






Download here
Descárgalo aquí

Portable
Portátil



Buddy
46



Candela
50



Hook
48



Lampanot
52




Take Away
45

Table
Mesa



1968
68



Academy
90




Akane
106



Anouk
78



Artis
122



Banker
82



Baobab
82



Berni
132



Bliss
76



Conga
114



Drum
108



Eterna
74



Gru
82



Guadalupe
94




Hoshi
70



Hotel
134



Inviting
66




Ito
78




Jellyfish
92



Lao
104



Lena
80



Levita
96



Linda
126



Link
102



Loop
98



Luang
828



Lula
74



Lupe
128



Mambo
110



Mine
73




Moma
144



Montreal
116



Nidia
76



Niko
72



Otto
80




Rem
120



Samba
112



Savoy
118




Snap
80



Stood
100




Sweet
145



Sumba
76



Tatawin
84



Ten
71



Tree
130



Venice
86



Vesper
124



Volta
136

Clip
Pinza



Inviting
66



Lena
334




Loop
98



Pepper
334



Stood
280



Studio
335

Floor
Suelo



Academy
90



Artis
122



Akane
106



Berni
132



Black
146



Conga
115



Drum
108



Guadalupe
94




Guest
142



Hotel
134



Jellyfish
92



Lao
104



Levita
96



Linda
126



Link
102



Loop
98



Luang
88



Lupe
128



Mambo
111



Moma
144



Montreal
116



Papua
146



Rem
120



Samba
113



Savoy
118



Stand Up
138



Stood
100



Sweet
145



Tatawin
84



Tree
130



Vesper
124



Volta
136



Venice
86




Whizz
140


Surface
Superficie



Academy
250




Board
370



Celia
364



Chera
376



Confetti
246



Costas
258



Cotton
356



Cove
378



Diula
381



Eaco
377



Elsa
378



Eres
350



Flash
254



Han
269



Homs
362



Hudson
363



Kamen
379



Kera
362



Levita
264



Linda
367



Liria
381




Lise
372



Loa
363




Loop
282



Luang
244



Luna
379



Magritte
380




Marina
363



Marlin
364



Maya
256




May
260



Moy
262



Nash
374



Noon
346




Olaf
374



Oslo
374



Oton
352



Ovo
350



Pure
271



Ras
366



Retro
367




Roda
324



Saba
324



Sahara
324



Sera
362



Slim
268



Snap
366



Snow
378



Stan
372



Stood
280




Tatawin
257



Ten
361



Tera
379



Tou
368



Venice
252



Volga
386



Whizz
266

**Reader
Lector**




Artis
296



Aurea
330



Bel
336



Berni
318



Blome
307



Boc
332



Boken
336



Conga
290




Corb
348



Duas
328



Essential
326



Eterna
298



Flin
333



Fold
308



Frame
302



Guadalupe
272



Guest
270




Handy
322



Hanna
326




Hotel
310



Joy
263



Juliet
334



Kale
337



Klee
274



Le Petit
331



Lead
337



Leser
336



Loke
333



Lupe
304



Magos
265



Mambo
294




Moma
327



Montreal
288



Mood
276



Niko
278




Nit
345



Orleans
402



Pixie
339



Press
338



Rem
300



Remake
366



N

Rob
332




Ron
306



Room
312



Samba
284



Sami
337



Savoy
286



Smile
347



Suau
340



Sumba
292



Sweet
320



Tila
344



Tira
327



Vesper
316



Volta
314



Well
348

Bath
Baño



Bianca
382




Brume
382



Danubio
388




Edge
384



Gala
384



Lago
384



Moy
262



Nilo
389



Perla
382

Ceiling
Techo



Ami
238



Bic
238



Cocotte
228



Dolme
228



Haru
234



Iris
237



Janet
234



Link
230



Mega
238



Natsu
234



Orleans
230



Pote
234



Rel
233



Seven
236



Shoku
224



Side
226



Stan
235



Sven
233



Tecto
232



Tender
228



Bath
Baño



Brume
240



Foro
238



Kao
239



Logos
239



Tola
240



Vuk
240



Zon
239

Suspended
Colgante



Aina
212



Art
204



Charlotte
200



Claire
206



Clara
204



Cocotte
176



Confetti
152



Conga
194



Cosmos
210



Costas
184



Crater
200



Danka
210



Dolme
176



Flash
150



Fusta
198



Haka
188



Halita
204



Hotel
198



Kombo
178



Lang
206



Levita
168



Liana
207



Linda
198



Liz
204



Loop
164



Lou
206



Magma
200



Mambo
192



Margot
200



Marina
205



Marlin
205



Mine
172



Mou
207



Naos
180



Nido
207



Ora
208



Pam
210



Plat
205



Pluma
182



Retro
166



Rose
202



Sabi
208



Saigon
160



Saipan
186



Samba
194



Savoy
196



Seven
212



Side
183



Slim
166



Stan
208



Stood
162



Tatawin
156



Sumba
186



Tree
198



Tupai
186



Venice
154



Vesper
196



Vico
158



Whizz
170



Winch
205

Bath
Baño



Brume
202

**Spot
Foco**



Coco
398




Lao
396



Link
404



Orleans
402



Ring
404



Stan
394



Stone
400


**Recessed
Empotrable**




Argón
419



Clear
422



Click
422



Croc
832



Domino
408



Ebba
424




Fox
426



Fresh
428



Gas
420



Hyde
414




Koi-2
421



Loke
333




Luan
433



Moist
427




Nais
421



Navi
411



Neon
420




Neu
410




Nord
410



Plas
412




Radón
418



Radón
418



Radón
418



Signal
410



Son
432



Stan
424




Suau
340



Ted
433



Tod
433



Wabi
424



Wet
422

**Track
Carril**



Link
436



Orleans
436



Plot
438



Stan
438


Portable
Portátil



Argus
58



Balda
60



Brot
460



Cage
58



Cat
458



Fuji
44



Kasp
54



Kerala
58



Task
60



Toc
56



Versus
456



Voila
60

Post
Sobremuro



Block
466



Blubs
482



Datna
472



Giza
478



Mauren
488



Mila
486



Mistu
482



Moon
482



Muffin
482



Muga
478



Nala
488



Naya
498



Rush
508



Screen
512



Spy-1
500



Twist
470



Wilma
479

Pole
Farola



Beret
520



Blubs
522



Bu-Oh
518



Datna
518



Grop
520



Mistu
522



Muffin
522



Nautica
526



Plaza
520



Rush
510



Screen
514



Tram
518

Floor
Suelo



Akane
452



Saigon
446



Toc
56

Bollard
Baliza



Agra
498



Alp
496



Balic
464



Bast
504



Beret
480



Bezel
504



Block
466



Brot
460



Blubs
484



Bu-Oh
494



Cast
468



Das
496



Datna
472



Gina
500



Grow
492



Giza
478



Kila
474



Klamp
502



Logar
481



Lotus
466



Mistu
484



Moon
484



Muga
478



Muffin
484



Nanda
480



Onze
479



Plim
476



Rush
508



Saura
502



Screen
512



Soleil
502



Shelby
470



Spy-2
500



Sticker
472



Totem
462



Tram
472



Twist
470



Wilma
479

Spike
Estaca



Andy
544



Balder
544



Bambou
538



Bezel
540



Flow
548



Foc
542



Leaf
530



Piccola
537



Plom
544



Saigon
534



Seth
542



Slot
546



Sobek
544



Spy-1
540



Toni
536



Tono
545




Voila
60

Suspended
Colgante



Blubs
570



Mistu
570



Moon
570



Muffin
570



Nautica
571



Saigon
558



Scuba
568



Wilma
571

Ceiling
Techo



Anga
574



Dakron
574



Goz
577



Kila
577



Mauren
488



Olot
576



Tami
576



Tasa
577



Yen
576

Recessed
Empotrable



Carter
648




Crosby
655



Curtis
655



Dang
643



Dart
646



Edel
662



Esca
645




Falls
664



Frol
644



Galo
642



Geiser
659



Gron
644



Grund
652



Kane
656



Led-18
661



Lio
662



Liso
645



Nase
642



Nat
650



Racing
648



Salt
661



Sedna
651



Soun
650



Spark-1
648



Stripe-1
645



Stripe-2
644



Suria
660




Taro
662



Tecno
662



Tras
657



Uve
643

Projector
Proyector



Alfa
550



Foc
555



Lit
555



Muur
552



Noboru
486




Oko
554



Plom
554



Project
550



Slot
546



Toran
554

Surface
Superficie



Aday
620



Alp
614



Ancora
612



Argot
597



Axel
614



Balic
583



Blind
624




Block
586



Blubs
594



Bonn
607



Borda
600



Bracket
614



Bronx
582



Brow
632



Bruc
623



Bu-Oh
610



Cabo
600



Canon
625



Cela
608



Dado
597



Datna
592




Derby
609



Doro
616



Dragma
612



Drak
632



Ele
626




Estay
609



Estoril
599



Fedón
608



Flow
548



Fred
606



Future
610



Gina
627



Grada
637



Grant
636



Half
586



Hikari
605



Kaula
620



Keenan
634



Kerala
590



Kila
592



Klamp
630



Kubick
605



Lace
623



Lacre
624



Lako
616




Ling
623



Log
624



Loth
633



Lotus
610



Lur
605



Mask
584



Mistu
594



Mol
606




Moon
594



Muffin
594



Must
638




Nahir
600



Nairobi
626



Nala
602



Natron
607



Nautica
598



Negus
607



Noray
600



Olan
625



Orwell
590



Oval
615




Pals
584



Pivot
602



Pol
606



Pomo
602



Proa
628



Path
636



Pill
632



Pill
632



Steps
628



Sticker
612



Suma
630



Sun
604



Sunset
625



Quart
615



Scuba
588



Tacana
617



Taima
627



Takua
615



Tamashi
602




Tane
622



Tejo
607



Thon
618



Timon
600



Tinia
626



Toc
596



Toluca
617



Tom
604



Tond
618



Tone
580



Tram
586



Twist
584



View
612



Wally
599



West
622



Wilma
596




Wood
627

XL



Andros
691



Aoba
695



Attos
689



Century
703



Cies
693



Just Fan
697



Kauai
687




Khios
683



Lantau
699



Manhattan
685



Tilos
701

L



Alo
705



Aloha
759




Amelia
723



Barth
727




Cocos
716



Cuba
760



Gotland
731



Heywood
719



Hydra
717




Ibiza
756



Icaria
755



Ice
745



Indus
714



Islot
735



Lama
713



Lantau
741



Lombok
758



Luzon
747



Mallorca
757




Malvinas
715



Meno
730



Milos
729



Morea
711



Nias
752



Palk
751



Pemba
750



Punt
763




Polaris
749



Poros
739



Polea
746



Rodas
737



Samos
733



Saona
734



Sioux
748



Siros
732



Tonic
709



Tonsay
753




Vulcano
707


M




Cooper
767



Deco Fan
775




Eco indus
788




Eterfan
771




Fraser
789



Iزارو
761



Just Fan
773




Mini Eterfan
769



Mini Tube
777



Nassau
781



Panay
785




Tube
779



Typhoon
765




Winche
783



Yakarta
787


S



Cebu
798



Chicago
801



Easy
797



Feroe
792




N

Heywood
802




Hvar
799



Just Fan
805




Keiki
809



Lisboa
796



Mediterraneo
803



Mini Icaria
791



Mini Indus
800



N


Mini Lantau
795



Mini Mallorca
793




Palao
807



Vedra
808

portables
portátiles



Fuji

74465

● Satin Black/Negro Satinado

Material

Body Aluminium+PC/Aluminio+PC
Diff Opal White PC/PC Blanco Opal
Shade Aluminium/Aluminio

Light Source

SMD LED 2W 2700K 90lm

Dimmable W

0.5w 25lm / 1w 45lm / 1.5w 90lm

CRI

>80

Class

III

Voltage (V/Hz)

5V DC

IP

44

IK


04

Battery incl.

Yes
 6h Charge Max. 10h Worktime

USB

USB-C




25lm

45lm

90lm



PRICES



Take Away by Nahtrang



Accessories/Accesorios



Wall lamp/Aplique

01017

● Beech/Haya

Material

Body Wood/Madera



30lm



55lm



100lm

Take Away

01015

● Matt White/Blanco Mate

01016

● Matt Black/Negro Mate

Material

Body ABS+Wood/ABS+Madera

Diff White TPU/TPU Blanco

Light Source

COB LED 2W 2700K 100lm

Dimmable W

0,5w 30lm / 1w 55lm / 1,5w 100lm

CRI

>80

Class

III

Voltage (V/Hz)

5V DC

IP

20


Battery incl.

Yes

5h Charge Max. 5h Worktime

USB

MICRO USB





reddot winner 2021



exclusive
online
collection



Buddy

20210

20209

20208

- Opal White/Blanco Opal + Green/Verde
- Opal White/Blanco Opal + Blue/Azul
- Opal White/Blanco Opal + Dark Grey/Gris Oscuro

Material

Body PC

Diff Opal PC/PC Opal

Shade PC

Light Source

SMD LED 3W 2700K 260lm

CRI

>80

Class

III

Voltage (V/Hz)

5V DC

IP

20


Battery incl.

Yes

9h Charge Max. Max. 10h Worktime

USB

PIN MAGNETICO







reddot award 2018
winner



Green
Product Award
Winner 2018

exclusive
online
collection



Hook

28369

28365

- Matt Black/Negro Mate
- Brown/Marrón

Material

Body Recycled PP/PP Reciclado

Diff Opal PP/PP Opal

Light Source

1 E27 max. 5W

Bulb incl.

Yes

Recom. Bulb

17462

Class


II

IP

20

Cable

4.2 MT



Accessories/Accesorios



Magazine Rack/Revistero

28366



Shelf/Estantería

28367



Wall lamp/Aplique

28368



PRICES



exclusive
online
collection



IN
&OUT

Candela

70790

● Terracotta/Terracota

Material

Body Polystone

Diff Opal PC/PC Opal

Light Source

SMD LED 3W 3000K 290lm

CRI

=80

Class

III

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67


Battery incl.

Yes

8 a 10h Charge Max. 6h Worktime

USB

NO





Lampanot by Cristina Borràs

exclusive
online
collection



Lampanot

70496

● Matt White/Blanco Mate

Material

Body PEMD

Diff Opal PEMD/PEMD Opal

Light Source

SMD LED 1W 3000K 80lm

CRI

>80

Class

III

Voltage (V/Hz)

5V DC/50-60Hz

IP

54


Battery incl.

Yes


2h Charge Max. 4h Worktime

USB

MINI USB







IN & OUT

SOLAR



2700K



3000K

Kasp 300

71912

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150lm

Dimmable K

2700 - 3000K

CRI

>80

Class

III

IP

65


Battery incl.

Yes

20h Charge Max. 20h Worktime

USB

USB-C



IN & OUT

SOLAR



2700K



3000K

Kasp 500

71913

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150lm

Dimmable K

2700 - 3000K

CRI

>80

Class

III

IP

65


Battery incl.

Yes

20h Charge Max. 20h Worktime

USB

USB-C



Wall accessory/Accesorio applique

71914

● Black/Negro

Material

Body Aluminium/Aluminio



PRICES



Kasp wall Ref. 71912+71914



Toc 380

70775

70776

70777

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 180lm

Class

III

Voltage (V/Hz)

5V DC

IP

54

Battery incl.

Yes

5h Charge Max. 9h Worktime

USB

MICRO USB



Toc 1500

70786

- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 5W 3000K 468lm

Class

III

Voltage (V/Hz)

5V DC/50-60Hz

IP

54

Battery incl.

Yes


9h Charge Max. 9h Worktime

USB

JACK



Wall
596







Cage

75608

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 2700K 990lm

CRI >=80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Cable 2 MT



Argus

70784

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 2W 3000K 220lm

CRI >80

Class III


Voltage (V/Hz) 5V DC

IP 54

Battery incl. Yes

5h Charge Max. 9h Worktime

USB MICRO USB



Kerala

74454

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 5W 3000K 400lm

Dimmable W 100lm / 250lm / 400lm

CRI >80

Class III

IP 54

Battery incl. Yes

8h Charge Max. 6h Worktime

USB MICRO USB



100lm




250lm



400lm




Wall
590





Cage portable Ref. 75608



IN & OUT



16lm



103lm



263lm

Task

70914

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 263lm

Dimmable W

16lm / 103lm / 263lm

CRI

>=80

Class

III

Voltage (V/Hz)

5V DC

IP

54

Battery incl.

Yes

5h Charge Max. 6h Worktime

USB

USB-C



IN & OUT

Balda 400

70498

● Matt White/Blanco Mate

Material

Body PEMD

Diff Opal PEMD/PEMD Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

II

IP

55

Cable

1.8 MT



IN & OUT

Balda 500

70499

● Matt White/Blanco Mate

Material

Body PEMD

Diff Opal PEMD/PEMD Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

II

IP

55

Cable

1.8 MT



IN & OUT



Voila

71565

● Matt Black/Negro Mate

Material

Body ABS

Diff Opal PEMD/PEMD Opal

Light Source

RGB LED 2W 3000K

Class

III

Voltage (V/Hz)

5V DC

IP

44

Battery incl.

Yes

10h Charge Max. 7h Worktime

USB

MICRO USB





indoor interior



Tatawin floor lamp Ref. 20336-119
designed by Adolfo Abejón

indoor

interior

table & floor
mesa y suelo



reddot award 2019
winner



exclusive
online
collection



Inviting

57315
57316
57317

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Yellow/Amarillo

Material

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente


Light Source SMD LED 6W 410lm
Dimmable K 2700 - 4800K
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Cable 1.9 MT



180° 90°



Driver ✓



Inviting

57312
57313
57314

- Matt White/Blanco Mate
- Black/Negro
- Yellow/Amarillo


Material

Body Aluminium+Steel/Aluminio+Acero
Diff Transparent/Transparente

Light Source SMD LED 6W 410lm
Dimmable K 2700 - 4800K
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Cable 1.9 MT



Wall
248



PRICES



1968 by Jordi Busquets

exclusive
online
collection



1968

28372

● Walnut/Nogal

Material **Body** Wood/Madera
Shade Textile/Textil

Light Source SMD LED 8W 3000K 800lm


CRI >80

Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2.8 MT







Hoshi

28387

28388

- Satin Gold/Oro Satinado + Matt Black/Negro Mate
- Black/Negro + Copper/Cobre

Material

Body Steel/Acero

Diff Opal PC/PC Opal

Light Source

SMD LED 12W 3000K 930lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20


Cable

2 MT



PRICES

Ten

 by Faro Lab





Ten

62156

62157

62168

62169

-  Shiny Copper/Cobre Brillo
-  Satin Gold/Oro Satinado
-  Matt White/Blanco Mate
-  Matt Black/Negro Mate

Material

Body Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17464

Class

II

IP

20

Cable

1.5 MT




Wall
361



PRICES





Niko Glass

01007A ●● Matt White/Blanco Mate + Wood/Madera

Material Diff Opal Glass/Cristal Opal

Niko PC

01025A ●● Matt White/Blanco Mate + Wood/Madera

Material Body Aluminium+Wood/Aluminio+Madera

Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 500lm


Dimmable W 1w 80lm / 4w 250lm / 7w 500lm

CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20



Wall
278



Mine by Nahrang



Mine Glass

28378

● Matt White/Blanco Mate + Wood/Madera

28379

● Dark Grey/Gris Oscuro + Wood/Madera

Material

Diff Opal Glass/Cristal Opal

Mine PC

28211

● Matt White/Blanco Mate + Wood/Madera

28212

● Dark Grey/Gris Oscuro + Wood/Madera

Material

Body Aluminium+Wood/Aluminio+Madera

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

II

IP

20

Cable


2 MT




Suspended
172



PRICES






Eterna by Lucid Product Design
24008-13 ●● Shiny Chrome/Cromo Brillo + White/Blanco
24008-14 ●● Shiny Chrome/Cromo Brillo + Beige
24008-15 ●● Shiny Chrome/Cromo Brillo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.8 MT



Wall
298



*Structures and shades also sold separately 822-824
 Estructuras y pantallas también se venden por separado 822-824




Lula S by Marina Milà
28380 ●● Matt White/Blanco Mate + White/Blanco
28382 ●● Matt Black/Negro Mate + White/Blanco


Material **Body** Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.7 MT



Lula M by Marina Milà
28383 ●● Matt White/Blanco Mate + White/Blanco
28385 ●● Matt Black/Negro Mate + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.7 MT





Eterna table lamp Ref. 24008-14
designed by Lucid



Sumba table S by Faro Lab
64317-71 ●● Black/Negro + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17426

Class II

IP 20


Cable 1.5 MT



Suspended
186



Wall
292



Bliss
28401 ●● Ash tree/Fresno + White/Blanco

Material Body Wood/Madera
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT



Nidia
68423 ●● Satin Nickel/Níquel Satinado + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT






Sumba table lamp Ref. 64317-71
designed by Faro Lab



Anouk induction

53416 NEW ● Shiny White/Blanco Brillo

Material Body ABS
Diff Translucent/Translúcido
Light Source SMD LED 8W
Dimmable K 2700K-6500K
Class II
Voltage (V/Hz) 100V-240V/50-60Hz




Anouk

53415 ● Matt Black/Negro Mate

Material Body ABS
Diff Translucent/Translúcido
Light Source SMD LED 8W 4000K 530lm
CRI >80
Class II
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20

Cable 1.5 MT




Ito

52071 ● Matt Black/Negro Mate

Material Body ABS+Aluminium/ABS+Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 5W 3000K 390lm
CRI >80
Class II
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20

Cable 1.8 MT







Otto

52064

52065

- Matt Black/Negro Mate
- Matt White/Blanco Mate

Material Body ABS+Silicone/ABS+Silicona

Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 4000K 500lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 1.8 MT



Lena

52057

52058

- Shiny White/Blanco Brillo
- Shiny Black/Negro Brillo

Material Body Aluminium+ABS+Silicone/Aluminio+ABS+Silicona

Diff Translucent Glass/Cristal Translúcido

Light Source SMD LED 3W 4000K 300lm

CRI >80


Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 70°

Cable 1.8 MT



Snap

57400

57401

- White/Blanco
- Dark Grey/Gris Oscuro

Material Body Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 20

Cable 1.8 MT



Wall
366



PRICES



Snap desk lamp Ref. 57400



Banker

68334

● Old Gold/Oro Viejo + Green/Verde

Material Body Steel/Acero

Diff Glass/Cristal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.9 MT



Gru

51916

● Matt White/Blanco Mate

51917

● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.7 MT



Baobab

51908

● Matt White/Blanco Mate

51909

● Matt Black/Negro Mate

51910

● Grey/Gris

Material Body Steel/Acero

Light Source 1 E14 max. 8W


Bulb incl. No

Recom. Bulb 17461

Class II

IP 20

Cable 1.7 MT



PRICES






Tatawin table

- 20337-116 Satin Black/Negro Satinado + Opal
- 20337-117 Satin Black/Negro Satinado + Shiny Black/Negro Brillo



Material	Body Steel/Acero
	Shade Glass/Cristal
Light Source	1 E27 G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
IP	20
Cable	1.5 MT 150°



Tatawin floor

- 20336-119 Satin Black/Negro Satinado + Opal
- 20336-120 Satin Black/Negro Satinado + Shiny Black/Negro Brillo


Material	Body Steel/Acero
	Shade Glass/Cristal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	2 MT 150°





Tatawin floor lamp Ref. 20336-119
designed by Adolfo Abejón

exclusive
online
collection




Venice table

- 64276-115 ● Blue/Azul
- 64276-111 ● White/Blanco
- 64276-112 ● Shiny Black/Negro Brillo
- 64276-114 |||| Black & White Gloss/Blanco y Negro Brillo
- 64276-113 ● Pink/Rosa

Material Body Steel/Acero
Shade Ceramic/Cerámica

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17063
Class II
IP 20
Cable 1.5 MT
150°




Venice floor

- 64275-115 ● Blue/Azul
- 64275-111 ● White/Blanco
- 64275-112 ● Shiny Black/Negro Brillo
- 64275-114 |||| Black & White Gloss/Blanco y Negro Brillo
- 64275-113 ● Pink/Rosa

Material Body Steel+Ceramic/Acero+Cerámica
Shade Ceramic/Cerámica

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17063
Class II
IP 20
Cable 2 MT
150°





Venice table lamp Ref. 64276-111
designed by Adolfo Abejón



Luang table S

- 23001-57 ● Black/Negro + Beige
- 23001-58 ● Black/Negro + Camel

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class II

IP 20

Cable 1.9 MT



Luang table M

- 23002-57 ● Black/Negro + Beige
- 23002-58 ● Black/Negro + Camel

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.9 MT



Luang floor

- 23003-59 ● Black/Negro + Beige
- 23003-60 ● Black/Negro + Camel

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT





Luang floor lamp Ref. 23003-60
designed by Faro Lab

exclusive
online
collection



Adjustable
Shade



Academy table

28202 Shiny Chrome/Cromo Brillo

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 350lm

CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT



Academy floor

28205 Matt White/Blanco Mate

28204 Shiny Chrome/Cromo Brillo

Material Body Aluminium+Steel/Aluminio+Acero

Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 550lm



CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT



PRICES




Academy floor lamp Ref. 28205
designed by Nahtrang



Jellyfish table

24522 ●● Matt Black/Negro Mate + Matt Gold/Oro Mate


Material	Body Steel/Acero Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 6W 3000K 500lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
Cable	1.8 MT




Jellyfish floor

24521 ●● Matt Black/Negro Mate + Matt Gold/Oro Mate

Material	Body Steel/Acero Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 6W 3000K 500lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
Cable	4.3 MT





Jellyfish floor lamp Ref. 24521
designed by Nahrang

Guadalupe by Faro Lab



Guadalupe table

- 20033-80 Matt Black/Negro Mate + Beige
- 20033-81 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.5 MT



Guadalupe floor

- 20034-80 Matt Black/Negro Mate + Beige
- 20034-81 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 20

Cable 3.5 MT




Wall
272





Guadalupe floor lamp Ref. 20034-81
designed by Faro Lab



Levita table

- 29692D  Shiny Gold/Oro Brillo
- 29697  Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 2700K 570lm

Dimmable W 1w 95lm / 4w 380lm / 6w 570lm


CRI >80

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

Cable 2 MT



Levita floor

- 29693D  Shiny Gold/Oro Brillo
- 29698  Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 2700K 570lm

Dimmable W 1w 95lm / 4w 380lm / 6w 570lm



CRI >80

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

Cable 2 MT






indoor

Table & Floor / Mesa y Suelo



Levita floor lamp Ref. 29698
designed by Nahtrang



Loop table

- 29398 ●● Matt Black/Negro Mate + Ash tree/Fresno
- 29568 ●● Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Diff Translucent/Translúcido
Shade Wood/Madera

Light Source SMD LED 6W 2700K 600lm

Dimmable W 1w 100lm / 3w 300lm / 6w 600lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT



Loop floor

- 29399 ●● Matt Black/Negro Mate + Ash tree/Fresno
- 29569 ●● Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Diff Translucent/Translúcido
Shade Wood/Madera

Light Source SMD LED 6W 2700K 600lm

Dimmable W 1w 100lm / 3w 300lm / 6w 600lm



CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT





Loop floor lamp Ref. 29569
designed by Estudi Ribaudí

Stood by Lucid Product Design



Stood table

29846 Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 2 MT



Stood floor

29847 Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 2 MT



PRICES






Link table

- 29881 Matt White/Blanco Mate
- 29882 Matt Black/Negro Mate
- 29898 Bronze/Bronce


Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class II
IP 20
Cable 1.9 MT




Link floor

- 29883 Matt White/Blanco Mate
- 29884 Matt Black/Negro Mate
- 29899 Bronze/Bronce


Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class II
IP 20
Cable 1.9 MT



Ceiling
230




Spot
404



Track
436




Wall
404



PRICES



Link floor lamp Ref. 29899
designed by Estudi Ribaudí



Lao table

- 29047 ●● Matt Black/Negro Mate + Shiny Black/Negro Brillo
- 29048 ●● Matt White/Blanco Mate + Shiny White/Blanco Brillo

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 400lm



CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT



Lao floor

- 29049 ●● Matt Black/Negro Mate + Shiny Black/Negro Brillo

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 400lm




CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cable 2 MT



PRICES



Akane by Pepe Llaudet



Akane 350

28370 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.7 MT



Akane 595

28371 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 1.7 MT





Akane floor lamp Ref. 28371
designed by Pepe Llaudet

Drum by Nahtrang



Drum table

- 24020-31 Matt Black/Negro Mate + Beige
- 24020-32 Matt Black/Negro Mate + Grey/Gris

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT



Drum floor

- 24023-33 Matt Black/Negro Mate + Beige
- 24023-34 Matt Black/Negro Mate + Grey/Gris

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17464

Class II

IP 20


Cable 2.1 MT





Drum table lamp Ref. 24020-31
designed by Nahrang

Mambo by Faro Lab



Mambo table S




64317-47 ●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT ⏻

Mambo table

64311-48 ●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT ⏻






Switch

Mambo floor64313-49  Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
IP	20
Cable	1.8 MT



Samba by Faro Lab




Samba table S

- 64316-35 White/Blanco + Beige
- 64316-36 White/Blanco + Yellow/Amarillo
- 64316-37 White/Blanco + Green/Verde
- 64317-35 Black/Negro + Beige
- 64317-36 Black/Negro + Yellow/Amarillo
- 64317-37 Black/Negro + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT




Samba table

- 64310-38 Matt White/Blanco Mate + Beige
- 64310-39 Matt White/Blanco Mate + Yellow/Amarillo
- 64310-40 Matt White/Blanco Mate + Green/Verde
- 64311-38 Matt Black/Negro Mate + Beige
- 64311-39 Matt Black/Negro Mate + Yellow/Amarillo
- 64311-40 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT






Switch

Samba floor

64312-41	●● Matt White/Blanco Mate + Beige
64312-42	●● Matt White/Blanco Mate + Yellow/Amarillo
64312-43	●● Matt White/Blanco Mate + Green/Verde
64313-41	●● Matt Black/Negro Mate + Beige
64313-42	●● Matt Black/Negro Mate + Yellow/Amarillo
64313-43	●● Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20
Cable 1.8 MT



PRICES

Suspended
194Wall
284



Conga table S



- 64316-01 White/Blanco + White/Blanco
- 64316-02 White/Blanco + Beige
- 64317-03 Black/Negro + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT
	⏻

Conga table

- 64310-04 Matt White/Blanco Mate + White/Blanco
- 64310-05 Matt White/Blanco Mate + Beige
- 64311-06 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT
	⏻






Switch

Conga floor

- 64312-07 Matt White/Blanco Mate + White/Blanco
- 64312-08 Matt White/Blanco Mate + Beige
- 64313-09 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.8 MT



Suspended
194

Wall
290

Montreal by Nahrang



Montreal table

- 24034-04 ●● Matt White/Blanco Mate + White/Blanco
- 24034-05 ●● Matt White/Blanco Mate + Beige
- 24035-04 ●● Shiny Chrome/Cromo Brillo + White/Blanco
- 24035-05 ●● Shiny Chrome/Cromo Brillo + Beige
- 24035-06 ●● Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT



Montreal floor

- 24036-07 ●● Matt White/Blanco Mate + White/Blanco
- 24036-08 ●● Matt White/Blanco Mate + Beige
- 24037-07 ●● Shiny Chrome/Cromo Brillo + White/Blanco
- 24037-08 ●● Shiny Chrome/Cromo Brillo + Beige
- 24037-09 ●● Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 2.1 MT








Savoy table

- 20304-82 White/Blanco + White/Blanco
- 20305-83 Matt Black/Negro Mate + Black/Negro
- 20305-84 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 2 MT



Savoy floor

- 20306-85 Matt White/Blanco Mate + White/Blanco
- 20307-86 Matt Black/Negro Mate + Black/Negro
- 20307-87 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20
Cable 2 MT



Suspended
196



Wall
286





Savoy table lamp Ref. 20305-84
designed by Isaac Piñeiro




Rem table

- 29684-04 Satin Nickel/Níquel Satinado + White/Blanco
- 29684-05 Satin Nickel/Níquel Satinado + Beige
- 29684-06 Satin Nickel/Níquel Satinado + Black/Negro
- 29685-04 Satin Bronze/Bronce Satinado + White/Blanco
- 29685-05 Satin Bronze/Bronce Satinado + Beige
- 29685-06 Satin Bronze/Bronce Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.6 MT



Rem floor


- 29686-07 Satin Nickel/Níquel Satinado + White/Blanco
- 29686-08 Satin Nickel/Níquel Satinado + Beige
- 29686-09 Satin Nickel/Níquel Satinado + Black/Negro
- 29687-07 Satin Bronze/Bronce Satinado + White/Blanco
- 29687-08 Satin Bronze/Bronce Satinado + Beige
- 29687-09 Satin Bronze/Bronce Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.9 MT



Wall
300







Artis table

68488  Bronze/Bronce + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 2.4 MT



Artis floor

68489  Bronze/Bronce + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 3.2 MT



Wall
296






Artis floor lamp Ref. 68489
designed by Alex & Manel Llusçà



Vesper table

- 29984 Matt White/Blanco Mate + Beige
- 29985 Brown/Marrón + Beige




Material	Body Steel/Acero
	Diff Beige Textile/Textil Beige
	Shade Textile/Textil
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.7 MT



Vesper floor


- 29979 Brown/Marrón + Beige

Material	Body Steel/Acero
	Diff Beige Textile/Textil Beige
	Shade Textile/Textil
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
IP	20
Cable	3.5 MT




indoor

Table & Floor / Mesa y Suelo



Vesper floor lamp Ref. 29979
designed by Nahtrang


Linda by Estudi Ribaudí



Linda table

- 29307 Matt White/Blanco Mate + Beige
 29311 Matt Black/Negro Mate + Beige


Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	2 MT
	⏻



Linda floor


- 29312 Matt Black/Negro Mate + Beige


Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	2.8 MT
	⏻



Suspended
198


Wall
367





Linda floor lamp Ref. 29312
designed by Estudi Ribaudí

Lupe by Jordi Busquets



Lupe table

29997 Shiny Chrome/Cromo Brillo + Beige

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT
360°



Lupe

20034-88 Matt Black/Negro Mate + Beige
29998 Shiny Chrome/Cromo Brillo + Beige

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463

Class II


IP 20

Cable 3.5 MT
360°





Lupe floor lamp Ref. 20034-88
designed by Jordi Busquets



Tree table

- 29866 ●● Matt Black/Negro Mate + Black/Negro
 29867 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 1.8 MT



Tree floor

- 29868 ●● Matt Black/Negro Mate + Black/Negro
 29869 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 2 MT






Tree floor lamp Ref. 29868
designed by Estudi Ribaudí



Berni table

- 29332 Matt White/Blanco Mate + White/Blanco
 29333 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero Diff White Steel/Acero Blanco Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT




Berni floor

- 29335 Matt White/Blanco Mate + White/Blanco
 29336 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.5 MT



Wall
318






Berni floor lamp Ref. 29335
designed by Nahrang



Hotel table

- 29942 Matt White/Blanco Mate + White/Blanco
 29947 Matt Black/Negro Mate + Black/Negro


Material	Body Steel/Acero Diff White/Blanco Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.9 MT 350° 35°



Hotel floor


- 29948 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero Diff Black/Negro Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.9 MT



Suspended
198

Wall
310





Hotel floor lamp Ref. 29948
designed by Alex & Manel Illusca



Volta table

- 20025 Matt White/Blanco Mate + White/Blanco
- 20026 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 2 MT



Volta floor

- 20029 Matt White/Blanco Mate + White/Blanco
- 20030 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II



IP 20

Cable 2 MT



Wall
314





Volta floor lamp Ref. 20030
designed by Estudi Ribaudí

Stand Up by Estudi Ribaudí

exclusive
online
collection



Adjustable
Shade



Stand Up

- 57211-01 ●● Matt Black/Negro Mate + White/Blanco
- 57211-02 ●● Matt Black/Negro Mate + Black/Negro
- 57211-03 ●● Matt Black/Negro Mate + Grey/Gris

Material Body Aluminium/Aluminio

Shade Textilene

Light Source 1 E27 max. 15W



Bulb incl. No


Recom. Bulb 17463

Class II

IP 20

Cable 2 MT







Whizz

20164-95

●● Black/Negro + Satin Gold/Oro Satinado

20164-96

●● Satin Gold/Oro Satinado + Black/Negro

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17496

Class

II

IP

20

Cable


3.4 MT



Suspended
170



Wall
266



PRICES



Whizz floor lamp Ref. 20164-95
designed by Cristoph F.W.



Guest

01046

● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17429


Class II


IP 20

Cable 1.8 MT



PRICES







Moma table

- 68500 Shiny Chrome/Cromo Brillo + White/Blanco
- 68501 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.9 MT



Moma floor

- 68503 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 2.1 MT



Wall 327



Sweet

 by Estudi Ribaudí


Sweet table

29955 ●● Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Diff Black Textile/Textil Negro
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.9 MT



Sweet floor

29958 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17464


Class II

IP 20

Cable 1.7 MT



Wall
320



PRICES



Papua

68462

68463

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 2 MT



Black

29764

- Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17464

Class II

IP 20

Cable 2.5 MT





Black floor lamp Ref. 29764



Tatawin suspended Ref. 20339-116
designed by Adolfo Abejón

indoor

interior

suspended
suspensión



Flash

20201

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 10W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz



IP

20

Cable

1.5 MT

Driver ✓



Flash 4L

20203

● Matt White/Blanco Mate

20207

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 38W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

20

Cable

1.5 MT

Driver ✓




indoor



Suspension / Suspensión



Flash suspended Ref. 20203
designed by Estudi Ribaudí




Confetti 300

68600-50  White & Black/Blanco y Negro
 68600-52  Multicolored shavings/Virutas multicolor

Material **Body** Aluminium/Aluminio
Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT




Confetti 400

68600-51  White & Black/Blanco y Negro

Material **Body** Aluminium/Aluminio
Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT




indoor

Suspension / Suspensión



exclusive
online
collection



Venice

- 64255 Shiny White/Blanco Brillo
- 64256 ● Shiny Black/Negro Brillo
- 64258 |||| Black & White Gloss/Blanco y Negro Brillo
- 64257 ● Gloss pink/Rosa brillante
- 64259 NEW ● Blue/Azul

Material Body Steel+Ceramic/Acero+Ceramica
Shade Ceramic/Cerámica

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20


Cable 2.5 MT



Table&Floor
86



Wall
252



indoor

Suspension / Suspensión



Venice suspended Ref. 64256
designed by Adolfo Abejón

Tatawin by Adolfo Abejón

NEW



Tatawin lineal S

20338-116

● ○ Satin Black/Negro Satinado + Opal

20338-117

● ● Satin Black/Negro Satinado + Shiny Black/Negro Brillo

Material

Body Steel/Acero

Shade Glass/Cristal

Light Source

3 E27 G45 max. 15W

Bulb incl.

No

Recom. Bulb

17462

Class


II

IP

20

Cable

2 MT



Tatawin S

20339-116

● ○ Satin Black/Negro Satinado + Opal

20339-117

● ● Satin Black/Negro Satinado + Shiny Black/Negro Brillo

Material

Body Steel/Acero

Shade Glass/Cristal

Light Source

1 E27 G45 max. 15W

Bulb incl.

No

Recom. Bulb

17462

Class


II

IP

20

Cable

2 MT



Tatawin lineal M

20338-119

● ○ Satin Black/Negro Satinado + Opal

20338-120

● ● Satin Black/Negro Satinado + Shiny Black/Negro Brillo

Material

Body Steel/Acero

Shade Glass/Cristal

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


II

IP

20

Cable

2 MT



Tatawin M

20339-119

● ○ Satin Black/Negro Satinado + Opal

20339-120

● ● Satin Black/Negro Satinado + Shiny Black/Negro Brillo

Material

Body Steel/Acero

Shade Glass/Cristal

Light Source

1 E27 max. 15W

Bulb incl.

No

Class



II

IP

20

Cable

2 MT



indoor

Suspension / Suspensión





Vico 600

61101

● Matt Black/Negro Mate

Vico 600 canopy recessed

61105

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 15W 2700K 1500lm

CRI >=90



Class II

Voltage (V/Hz) 220V-240V/50Hz

IP 20

Cable 2 MT

TRIAC L DIM Driver ✓



*More dimmable options under request/Otras opciones de regulación bajo pedido



Vico 1150

61103

● Matt Black/Negro Mate

Vico 1150 canopy recessed

61104

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 30W 2700K 2800lm

CRI >=90



Class II

Voltage (V/Hz) 220V-240V/50Hz

IP 20

Cable 2 MT

TRIAC L DIM Driver ✓



*More dimmable options under request/Otras opciones de regulación bajo pedido

Joint kit accessory/Acesorio kit unión



61117

● Matt Black/Negro Mate

Material

Body Steel/Acero



PRICES

indoor

Suspension / Suspensión



Vico suspended Ref. 61104
designed by Faro Lab

Saigon by Nahrang




Saigon in 700

- 20116 ● Matt Black/Negro Mate + Beige
- 20117 ● Matt Black/Negro Mate + White/Blanco
- 20118 ● Matt Black/Negro Mate + Terracotta/Terracota
- 20119 ● Matt Black/Negro Mate + Black/Negro
- 20120 ● Matt Black/Negro Mate + Yellow/Amarillo
- 20121 ● Matt Black/Negro Mate + Garnet/Granate
- 20122 ● Matt Black/Negro Mate + Green/Verde
- 20123 ● Matt Black/Negro Mate + Brown/Marrón

Material Body Steel/Acero
 Diff Beige Papyrus/Papiro Beige
 Shade Textile ribbon/Cinta textil

Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20
Cable 1.6 MT




Saigon in 1300

- 20124 ● Matt Black/Negro Mate + Beige
- 20125 ● Matt Black/Negro Mate + White/Blanco
- 20126 ● Matt Black/Negro Mate + Terracotta/Terracota
- 20127 ● Matt Black/Negro Mate + Black/Negro
- 20128 ● Matt Black/Negro Mate + Yellow/Amarillo
- 20129 ● Matt Black/Negro Mate + Garnet/Granate
- 20130 ● Matt Black/Negro Mate + Green/Verde
- 20131 ● Matt Black/Negro Mate + Brown/Marrón

Material Body Steel/Acero
 Diff Beige Papyrus/Papiro Beige
 Shade Textile ribbon/Cinta textil

Light Source 4 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20
Cable 1.6 MT



PRICES






Stood 29848

●● Matt Black/Negro Mate + Cherry/Cerezo

Material	Body Steel/Acero Shade Wood/Madera
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	2 MT



Stood 5L 29849

●● Matt Black/Negro Mate + Cherry/Cerezo


Material	Body Steel/Acero Shade Wood/Madera
Light Source	5 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	2 MT



Table&Floor
100



Wall
280



PRICES







Loop




29397

29567

-  Matt Black/Negro Mate + Ash tree/Fresno
-  Matt Black/Negro Mate + Cherry/Cerezo

Material	Body Steel/Acero
	Shade Wood/Madera
Light Source	SMD LED 18W 2700K 1050lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20
Cable	1.2 MT

Driver 





Loop suspended Ref. 29397
designed by Estudi Ribaudí



Slim

24504

● Matt White/Blanco Mate

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 40W 3000K 1150lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

20


Cable

1.5 MT

Driver ✓



Wall
268



Retro

20046

●● Matt Copper/Cobre Mate + Matt Black/Negro Mate

20050

●● Matt Black/Negro Mate + Shiny Chrome/Cromo Brillo

Material

Body Steel/Acero

Light Source

1 E14 max. 8W

Bulb incl.

No

Recom. Bulb

17461

Class


I

IP

20

Cable

1.6 MT



Retro 12L

20047

●● Matt Copper/Cobre Mate + Matt Black/Negro Mate

20048

●● Matt Black/Negro Mate + Shiny Chrome/Cromo Brillo

20051

●● Matt Black/Negro Mate + Satin Gold/Oro Satinado

Material

Body Steel/Acero

Light Source

12 E14 max. 8W

Bulb incl.

No

Recom. Bulb

17461

Class

I

IP


20

Cable

3 MT



Wall
367







Levita

29691

● Shiny Gold/Oro Brillo

29696

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 14W 2700K 530lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

20

Cable

1.5 MT



Driver ✓



Table&Floor
96



Wall
264



Levita pendant floor

29694

● Shiny Gold/Oro Brillo

29699

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 2700K 250lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

20

Cable

1.5 MT


⏻ Driver ✓



*Max. ceiling height 3mts./Altura max. techo 3mts.







Whizz

20160

20161

- Black/Negro + Satin Gold/Oro Satinado
- Satin Gold/Oro Satinado + Black/Negro

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17496

Class II

IP 20


Cable 1.5 MT



Floor
140



Wall
266



Whizz pendant floor

20166-95

20166-96

- Black/Negro + Satin Gold/Oro Satinado
- Satin Gold/Oro Satinado + Black/Negro

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17496

Class II

IP 20

Cable 3.4 MT



PRICES

indoor

Suspension / Suspensión



Whizz suspended Ref. 20166-95
designed by Cristoph F.W.



Mine Glass

28375

28376

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Diff Opal Glass/Cristal Opal

Mine PC

28209

28210

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 20

Cable 4 MT



Table
73



indoor

Suspension / Suspensión





Mine Glass Space

- 28375-1L Matt White/Blanco Mate
- 28376-1L Dark Grey/Gris Oscuro

Material Diff Opal Glass/Cristal Opal

Mine PC Space

- 28209-1L Matt White/Blanco Mate
- 28210-1L Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 2 MT



Mine Glass Space 2L

- 28375-2L Matt White/Blanco Mate
- 28376-2L Dark Grey/Gris Oscuro

Material Diff Opal Glass/Cristal Opal

Mine PC Space 2L

- 28209-2L Matt White/Blanco Mate
- 28210-2L Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 4 MT



Mine Glass Space 3L

- 28375-3L Matt White/Blanco Mate
- 28376-3L Dark Grey/Gris Oscuro

Material Diff Opal Glass/Cristal Opal

Mine PC Space 3L

- 28209-3L Matt White/Blanco Mate
- 28210-3L Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 6 MT



**Mine Glass Space 4L**

28375-4L ● Matt White/Blanco Mate
 28376-4L ● Dark Grey/Gris Oscuro

Material Diff Opal Glass/Cristal Opal

Mine PC Space 4L

28209-4L ● Matt White/Blanco Mate
 28210-4L ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
 Diff Opal PC/PC Opal

Light Source 4 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 8 MT

**Mine Glass Space 5L**

28375-5L ● Matt White/Blanco Mate
 28376-5L ● Dark Grey/Gris Oscuro

Material Diff Opal Glass/Cristal Opal

Mine PC Space 5L

28209-5L ● Matt White/Blanco Mate
 28210-5L ● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
 Diff Opal PC/PC Opal

Light Source 5 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 10 MT

Hook accessory/Accesorio gancho



28373

● Matt White/Blanco Mate



28374

● Dark Grey/Gris Oscuro

Tell us your needs and we will make it happen
Dinos tus necesidades y lo hacemos realidad

Send your demand on / envíanos tu petición a customize@faro.es





Dolme by Xjer Studio

64099 ● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 23W 3000K 1260lm

CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz


IP 20

Cable 1.6 MT

Driver ✓



Ceiling
228



Cocotte 430 by Jordi Llopis

64262 ● Shiny White/Blanco Brillo

64263 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 30W 3000K 1300lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✓



Ceiling
228



Cocotte 550 by Jordi Llopis

64260 ● Shiny White/Blanco Brillo

64261 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 36W 3000K 1700lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✓



Ceiling
228



PRICES


indoor

Suspension / Suspensión



Dolme suspended Ref. 64099
designed by Xjer Studio


Kombo by Nutcreatives



Kombo 120

- 68591-1L ● Grey/Gris
- 68592-1L ● Beige/Beige


Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT



Kombo 200

- 68593-1L ● Grey/Gris
- 68594-1L ● Beige/Beige

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT



Kombo 400

- 68595-1L ● Grey/Gris
- 68596-1L ● Beige/Beige
- 68597-1L ● Terracotta/Terracota

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión



Kombo suspended Ref. 68591-1L
designed by Nutcreatives

Naos by Àlex & Manel Lluscà



Naos 233

64500

● Beige

Material Body Steel+Glass/Acero+Cristal

Diff Opal Glass/Cristal Opal

Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20

Cable 1.8 MT



Naos 400

64501

● Beige

Material Body Steel+Glass/Acero+Cristal

Diff Opal Glass/Cristal Opal

Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463


Class I

IP 20

Cable 1.8 MT



Two-colour ring accessory incl. / Accesorio anillo dos colores incl.




indoor

Suspension / Suspensión



Naos suspended Ref. 64501
designed by Alex & Manel Llusçà

Pluma by Nahrang



Pluma

64172

●● Matt Black/Negro Mate + Matt Gold/Oro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 6W 3000K 450lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

20


Cable

1.5 MT

Driver ✓



Side by Àlex & Manel Llusçà



Side 200

62138

62139

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb

17443

Class

II

IP


20

Cable

1.5 MT



Ceiling
226



PRICES

Costas by Àlex & Manel Lluscà




Costas 600

68590-69

●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	II
IP	20
Cable	1.5 MT



Costas 1000


68590-70

●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	II
IP	20
Cable	1.5 MT




Wall
258



Hook accessory incl. / Accesorio gancho incl.







Saipan

65134-76

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT




Tupai

65134-77

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT



Sumba by Faro Lab

65134-72

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT




Table
76



Wall
292








Haka 250

65134-73

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT




Haka 300

65134-74

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT




Haka 530

65134-75

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
IP	20
Cable	2 MT



PRICES




Mambo by Faro Lab



Mambo 210

64315-47 ●● Matt Black/Negro Mate + Rattan/Ratán



Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.7 MT



Mambo 320

64315-48 ●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.7 MT



Mambo 450

64315-49 ●● Matt Black/Negro Mate + Rattan/Ratán


Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.7 MT



Table&Floor
110



Wall
294




indoor

Suspension / Suspensión




Mambo by Faro Lab



Mambo 210 displaced canopy

64314-47 ●● Matt Black/Negro Mate + Rattan/Ratán


Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT



Mambo 320 displaced canopy

64314-48 ●● Matt Black/Negro Mate + Rattan/Ratán


Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT



Mambo 450 displaced canopy


64314-49 ●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20
Cable	1.5 MT



indoor

Suspension / Suspensión



Mambo suspended Ref. 64314-48
designed by Faro Lab




Samba by Faro Lab

- 64315-44 ●● Matt Black/Negro Mate + Beige
- 64315-45 ●● Matt Black/Negro Mate + Yellow/Amarillo
- 64315-46 ●● Matt Black/Negro Mate + Green/Verde




Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.7 MT





Samba displaced canopy by Faro Lab

- 64314-44 ●● Matt Black/Negro Mate + Beige
- 64314-45 ●● Matt Black/Negro Mate + Yellow/Amarillo
- 64314-46 ●● Matt Black/Negro Mate + Green/Verde



Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT





Conga by Faro Lab

- 64315-54 ●● Matt Black/Negro Mate + White/Blanco
- 64315-55 ●● Matt Black/Negro Mate + Beige
- 64315-56 ●● Matt Black/Negro Mate + Black/Negro



Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.7 MT




Conga displaced canopy by Faro Lab

- 64314-54 ●● Matt Black/Negro Mate + White/Blanco
- 64314-55 ●● Matt Black/Negro Mate + Beige
- 64314-56 ●● Matt Black/Negro Mate + Black/Negro




Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión



Samba suspended Ref. 64315-45
designed by Faro Lab



Savoy by Isaac Piñero
 20308-89 ● White/Blanco + White/Blanco
 20309-90 ● Black/Negro + Black/Negro
 20309-91 ● Black/Negro + Green/Verde

Material Body Steel/Acero
 Diff Opal PMMA/PMMA Opal
 Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17464

Class II


IP 20

Cable 0.8



Table&Floor
118

Wall
286



Vesper 400 by Nahrang
 29988 ● Matt White/Blanco Mate + Beige

Material Body Steel/Acero
 Diff Opal PC/PC Opal
 Shade Textile/Textil

Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I



IP 20

Cable 2 MT



Table&Floor
124

Wall
316



Vesper 600 by Nahrang
 29986 ● Matt White/Blanco Mate + Beige
 29987 ● Brown/Marrón + Beige

Material Body Steel/Acero
 Diff Opal PC/PC Opal
 Shade Textile/Textil

Light Source 2 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 20

Cable 2 MT



PRICES

indoor

Suspension / Suspensión





Hotel by Àlex & Manel Llusçà

29944

●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel/Acero
Diff White/Blanco
Shade Textile/Textil


Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20
Cable 1 MT



Table&Floor
134



Wall
310




Fusta by Àlex & Manel Llusçà

28394

●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel+Wood/Acero+Madera
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.7 MT



Linda by Estudi Ribaudí

29309

●● Matt White/Blanco Mate + Beige

29313

●● Matt Black/Negro Mate + Beige

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.2 MT



Table&Floor
126



Wall
367



Tree by Estudi Ribaudí

29864

●● Matt Black/Negro Mate + Black/Negro

29865


●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20
Cable 1.3 MT



Table&Floor
130



indoor

Suspension / Suspensión



Hotel suspende Ref. 29944
designed by Alex & Manel Llusca




Crater

68461

●● Matt Black/Negro Mate + Matt Gold/Oro Mate

Material Body Aluminium/Aluminio
Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.5 MT



Magma


28398

28399

29468

●● Matt White/Blanco Mate + Matt Silver/Plata Mate
 ●● Matt White/Blanco Mate + Matt Gold/Oro Mate
 ●● Black/Negro + Matt Gold/Oro Mate

Material Body Fiber glass/Fibra de vidrio
Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 2 MT




Margot

68561

68564

●● Matt Black/Negro Mate + Wood/Madera
 ●● Matt White/Blanco Mate + Wood/Madera

Material Body Steel+Wood/Acero+Madera
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.2 MT




Charlotte

68562

68563

● Dark Grey/Gris Oscuro
 ● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.2 MT







Brume by Àlex & Manel Llusçà
40078 ● Anthracite/Antracita

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 3W 2700K 200lm

CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Cable 1 MT


Driver ✓



Ceiling
240



Wall
382



Rose
65082 ● Matt Black/Negro Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17429

Class II

IP 20

Cable 1.5 MT



Rose 4L
65081 ● Matt Black/Negro Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 4 E27 max. 15W

Bulb incl. No

Recom. Bulb 17429

Class I

IP 20



indoor

Suspension / Suspensión



Brume suspended Ref. 40078
designed by Alex & Manel Llusca




Art

64137
65134

- Old Gold/Oro Viejo
- Black/Negro

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17425
Class I
IP 20
Cable 1.5 MT




Liz

65080

- Old Gold/Oro Viejo

Material **Body** Steel+Glass/Acero+Cristal
Diff Transparent/Transparente
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 1.3 MT




Clara

64128

- ● Matt Black/Negro Mate + Transparent/Transparente

Material **Body** Steel/Acero
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 2 MT




Halita

65071

- ● Old Gold/Oro Viejo + Transparent/Transparente

Material **Body** Steel+Glass/Acero+Cristal
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión




Marlin

64133

●● Old Gold/Oro Viejo + Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 1.5 MT



Plat


68145

● Matt Black/Negro Mate

68146

● Matt White/Blanco Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17271
Class II
IP 20
Cable 1.5 MT





Marina

60004

● Matt Black/Negro Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class II
IP 20
Cable 1.5 MT




Winch polley by Àlex & Manel Llusçà

66205

● Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20
Cable 1.5 MT







Lou

62800
62801

- Shiny Black/Negro Brillo
- Shiny Green/Verde Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20
Cable 0.9 MT




Lang

62804
62805

- Shiny Black/Negro Brillo
- Shiny Green/Verde Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426
Class I
IP 20
Cable 1.4 MT




Claire

62802
62803

- Shiny Black/Negro Brillo
- Shiny Green/Verde Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426
Class I
IP 20
Cable 1.4 MT




**Mou**

62806

● Shiny Black/Negro Brillo


Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20
Cable 1.1 MT

**Liana**

68569

● Black/Negro + Natural Hemp/Cáñamo Natural


Material Body Steel/Acero
Shade Hemp/Cáñamo
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.2 MT

**Nido**


68153

● Matt Black/Negro Mate + Brown/Marrón

Material Body Steel/Acero
Shade Cane/Caña
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cable 1.5 MT



PRICES





Ora

29894
29895

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source SMD LED 4W 3000K 350lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 120°
Cable 1.5 MT
 Driver ✓



Sabi

64320
64321

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente
Light Source SMD LED 3W 2700K 280lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°
Cable 1.2 MT
 Driver ✓





Stan

43754
43755
43756

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20
Cable 1.2 MT



indoor

Suspension / Suspensión



Stan suspended Ref. 43756



Cosmos

64224  Bronze/Bronce

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 5W 3000K 360lm

CRI >80


Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 180°

Cable 1.4 MT

Driver 



Pam 165

64159  Matt White/Blanco Mate
64160  Black/Negro + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 11W 3000K 900lm

CRI >80


Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 120°

Cable 1.5 MT

Driver 



Pam 250

64162  Black/Negro + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 3000K 1875lm

CRI >80


Class II



Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 120°

Cable 1.5 MT

Driver 



Danka

64223  Satin Gold/Oro Satinado + Matt Black/Negro Mate

Material Body Steel+Aluminium/Acero+Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 6W 3000K 530lm

CRI >80


Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 60°

Cable 3 MT

Driver 



PRICES





Aina

64174

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source

SMD LED 40W 2700K 3000lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

44

Cable

1.3 MT

Driver ✓



Seven 400

68283

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


20

Cable

0.9 MT



Ceiling
236



Seven 500

68284

●● White/Blanco + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

20

Cable

0.9 MT



PRICES



Soluciones de instalación

Installation solutions

Standard requests



See standard combination pages 215-219
Ver tabla combinaciones en páginas 215-219

Special requests



Send your demand on / envíanos tu petición a
customize@faro.es

3 lights / *lucos*

5 lights / *lucos*

7 lights / *lucos*

Kombo



68591-3L ● ●
68592-3L ● ●

68591-5L ● ●
68592-5L ● ●

68591-7L ● ●
68592-7L ● ●



68593-3L ● ●
68594-3L ● ●

68593-5L ● ●
68594-5L ● ●

68593-7L ● ●
68594-7L ● ●



68595-3L ● ●
68596-3L ● ●
68597-3L ● ●

68595-5L ● ●
68596-5L ● ●
68597-5L ● ●

68595-7L ● ●
68596-7L ● ●
68597-7L ● ●

Mambo



64314-47-3L ● ●

64314-47-5L ● ●

64314-47-7L ● ●



64314-48-3L ● ●

64314-48-5L ● ●

64314-48-7L ● ●



64314-49-3L ● ●

64314-49-5L ● ●

64314-49-7L ● ●



3 lights / luces

5 lights / luces

7 lights / luces

Conga



64314-54-3L ● ●
 64314-55-3L ● ●
 64314-56-3L ● ●



64314-54-5L ● ●
 64314-55-5L ● ●
 64314-56-5L ● ●



64314-54-7L ● ●
 64314-55-7L ● ●
 64314-56-7L ● ●


Samba



64314-44-3L ● ●
 64314-45-3L ● ●
 64314-46-3L ● ●



64314-44-5L ● ●
 64314-45-5L ● ●
 64314-46-5L ● ●



64314-44-7L ● ●
 64314-45-7L ● ●
 64314-46-7L ● ●

Retro



20046-3L ●
 20050-3L ●



20046-5L ●
 20050-5L ●



20046-7L ●
 20050-7L ●

Plat



68145-3L ●
 68146-3L ●



68145-5L ●
 68146-5L ●



68145-7L ●
 68146-7L ●



3 lights / luces

5 lights / luces

7 lights / luces

Art



64135-3L ●
64137-3L ●



64135-5L ●
64137-5L ●



64135-7L ●
64137-7L ●

Liz



65080-3L ●



65080-5L ●



65080-7L ●

Marlin



64133-3L ●



64133-5L ●



64133-7L ●

Clara



64128-3L ●



64128-5L ●



64128-7L ●



3 lights / luces

5 lights / luces

7 lights / luces

Claire



62802-3L ●
62803-3L ●



62802-5L ●
62803-5L ●



62802-7L ●
62803-7L ●

Lang



62804-3L ●
62805-3L ●



62804-5L ●
62805-5L ●



62804-7L ●
62805-7L ●

Whizz



20160-3L ●
20161-3L ●



20160-5L ●
20161-5L ●



20160-7L ●
20161-7L ●



3 lights / luces

5 lights / luces

7 lights / luces

Tatawin S



20340-116-3L ● ●
20340-117-3L ● ●



20340-116-5L ● ●
20340-117-5L ● ●



20340-116-7L ● ●
20340-117-7L ● ●

Tatawin M



20340-119-3L ● ●
20340-120-3L ● ●




20340-119-5L ● ●
20340-120-5L ● ●



20340-119-7L ● ●
20340-120-7L ● ●


Venice



exclusive
online
collection



64255-115-3L NEW ● ●
64255-111-3L NEW ● ●
64255-112-3L NEW ● ●
64255-113-3L NEW ● ●
64255-114-3L NEW ● |||



64255-115-5L NEW ● ●
64255-111-5L NEW ● ●
64255-112-5L NEW ● ●
64255-113-5L NEW ● ●
64255-114-5L NEW ● |||



64255-115-7L NEW ● ●
64255-111-7L NEW ● ●
64255-112-7L NEW ● ●
64255-113-7L NEW ● ●
64255-114-7L NEW ● |||




Canopy recessed
Florón empotrable

With frame
Con marco




64231 ●



Trimless
Sin marco



64232



Compatible in these situations / Compatibles en estas situaciones.

<p>✓ Electrical wire+Turnbuckle <i>Cable eléctrico+ Tensor independiente</i></p>	<p>✓ Canopy with lamp holder <i>Florón con portálamparas E14 / E27</i></p>	<p>✗ Canopy with turnbuckle <i>Florón con tensor</i></p>	<p>✗ Canopy with driver <i>Florón con driver</i></p>
---	---	---	---

Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.

Hook
Gancho



68602 ●

***Track connector for suspension**
Conector carril para suspensión

Track
Carril



64231 ●
 64231 ●



*Accessories compatible with all pendants with bulb and without turnbuckle.
Accesorios compatibles con todos los colgantes con bombilla y sin tensor/es

Suspended 5 Mt. cable with plug (hook incl.)
Colgante con clavija 5 Mt. de cable (gancho incl.)

Conga



68604-54 ●●



68604-55 ●●



68604-56 ●●

Samba



68604-44 ●●



68604-45 ●●



68604-46 ●●

Kombo



68604-62 ●●
68604-63 ●●



68604-64 ●●
68604-65 ●●



68604-66 ●●
68604-67 ●●
68604-68 ●●

Mambo



68604-47 ●●



68604-48 ●●



68604-49 ●●





prir...

Groenlândia

Europa

África

Oceia Índic

Ásia

Oceia Pacífic

Oceania

Antártida

indoor

interior

ceiling
techo



Shoku 350

- 64277 ●● White/Blanco + White/Blanco
- 64278 ●● White/Blanco + Black/Negro
- 64279 ●● Black/Negro + Black/Negro
- 64280 ●● Light Grey/Gris Claro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal White PMMA/PMMA Blanco Opal


Light Source SMD LED 24W 2700K

CRI >90

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20



Shoku 600

- 64281 ●● White/Blanco + White/Blanco
- 64282 ●● Black/Negro + Black/Negro

Material Body Aluminium/Aluminio
Diff Opal White PMMA/PMMA Blanco Opal


Light Source 40W 2700K

CRI >90

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20





Shoku 350 ceiling Ref. 64278
designed by Ernest Perera Studio

Side by Àlex & Manel Llusçà



Side 200

- 62132
- 62133
- 62134
- 62135

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal



Light Source 1 G9 max. 6W

Bulb incl. No

Recom. Bulb 17443

Class I

IP 20



Side 390

- 62140
- 62141
- 62142
- 62143

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 15W 3000K 1200lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✓



Side 450

- 62144
- 62145
- 62146
- 62147

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 17W 3000K 1600lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✓







Dolme by Xjer Studio

- 64096 ● Matt Black/Negro Mate
- 64097 ● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 3000K 1900lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

Driver ✔



Suspended
176



Tender

- 20094 ●● Matt Black/Negro Mate + Oak/Roble
- 20095 ●● Matt White/Blanco Mate + Oak/Roble

Material Body Steel+Wood/Acero+Madera
Diff Opal PC/PC Opal

Light Source SMD LED 24W 3000K 1369lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✔



Cocotte 430 by Jordi Llopis

- 64250 ● Shiny White/Blanco Brillo
- 64251 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 30W 3000K 1300lm



CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✔



Cocotte 550 by Jordi Llopis

- 64182 ● Shiny White/Blanco Brillo
- 64183 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 36W 3000K 1700lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✔



Suspended
176



PRICES






Link by Estudi Ribaudí

- 29877 ● Matt White/Blanco Mate
- 29878 ● Matt Black/Negro Mate

Material **Body** Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Spot
404




Track
436



Table&Floor
102





Wall
404



Orleans by Nahrang

- 43529 ● Matt White/Blanco Mate
- 43531 ● Shiny Chrome/Cromo Brillo


Material **Body** Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Orleans 2L by Nahrang

- 43533 ● Matt Black/Negro Mate
- 43534 ● Shiny Chrome/Cromo Brillo


Material **Body** Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20




Spot
402



Track
436





Orleans ceiling Ref. 43533
designed by Nahrang



Tecto


63270

63271

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class I
IP 20



Tecto 2L


63272

63273

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class I
IP 20



Tecto AR11


63274

63275

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 G53 AR11 max. 15W
Bulb incl. No
Recom. Bulb 97411
Recom. Equip 98111020
Class III
IP 20



Tecto 2L AR11


63276

63277

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 2 G53 AR11 max. 30W
Bulb incl. No
Recom. Bulb 97411
Recom. Equip 98111020
Class III
IP 20



indoor

Ceiling / Techo




Sven R

63268

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20




Sven SQ

63269

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Rel 100

64200


● Matt White/Blanco Mate

64201

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 25W 2700K 2230lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 60°

Driver



Rel 75

64198


● Matt White/Blanco Mate

64199

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 15W 2700K 1340lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 60°

Driver



PRICES



Haru

64206

64207

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 350lm

CRI >80


Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 120°

Driver ✔



Natsu

64204

64205

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 30W 3000K 1500lm

CRI >80


Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 120°

Driver ✔



Pote

63124

63125

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Janet

65137

- White/Blanco + Satin Gold/Oro Satinado

Material Body Steel/Acero


Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class I

IP 20





Stan

43746
43747
43758

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado



Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class II
IP 20



*Accessories page 392/Accesorios en página 392



Seven 400

68323

● ● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source SMD LED 20W 1313lm

Dimmable K 3000 - 4000 - 6000K

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20



Driver ✓



Seven 400

68298

● ● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Seven 500

68317

● ● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source 3 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 20



Suspended
212



PRICES

**Iris 225**

63393

● Satin Nickel/Níquel Satinado

Material**Body** PS**Diff** Opal PC/PC Opal**Light Source**

SMD LED 13W 3000K 1500lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓

**Iris 295**

63394

● Satin Nickel/Níquel Satinado

Material**Body** Aluminium/Aluminio**Diff** Opal PS/PS Opal**Light Source**

SMD LED 20W 3000K 1600lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓

**Iris 380**

63395

● Satin Nickel/Níquel Satinado

Material**Body** Aluminium/Aluminio**Diff** Opal PS/PS Opal**Light Source**

SMD LED 30W 3000K 2900lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓



PRICES



Bic

63408

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 60W 3000K 4000lm


CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

TRIAC C DIM Driver ✓



Mega

63410

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 52W 2700K 3600lm


CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

TRIAC C DIM Driver ✓



Ami

63397

● Matt White/Blanco Mate

63398

● Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 15W 2700K 1200lm


CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

Driver ✓



Foro

63404

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 3000K 2000lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver ✓



indoor

Ceiling / Techo



Kao

63399

Shiny Chrome/Cromo Brillo

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 35W 3000K 2800lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

44

Driver



Zon

63291

Matt White/Blanco Mate

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 18W 3000K 2000lm

CRI

85

Class

II


Voltage (V/Hz)

220V-240V/50Hz

IP

54

TRIAC C DIM Driver



Logos 270

62965

Matt White/Blanco Mate

62980

Satin Nickel/Níquel Satinado

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17437

Class

II

IP

44



Logos 350 2L

62966

Matt White/Blanco Mate

62981

Satin Nickel/Níquel Satinado

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17437

Class

II

IP

44





Vuk

64188

64188N

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 40W 2700K 3000lm

CRI

>80

Class

II


Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

Driver ●



Tola 270

62968

62983

● Matt White/Blanco Mate

● Satin Nickel/Níquel Satinado

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17437

Class

II

IP

44



Tola 320

62969

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17437

Class

II

IP

44



Brume by Àlex & Manel Lluscà

40077

● Anthracite/Antracita

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 3W 2700K 200lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP

44


Driver ●



Suspended
202



Wall
382



indoor

Ceiling / Techo



Brume ceiling Ref. 40077
designed by Alex & Manel Llusca



Tatawin wall lamp Ref. 20335-116
designed by Adolfo Abejón

indoor

interior

Surface Superficie

exclusive
online
collection



Luang

23004-57

23004-58

- Black/Negro + Beige
- Black/Negro + Camel

Material **Body** Steel/Acero
Shade Papyrus/Papiro


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17462

Class I

IP 20








Confetti 300 H70

62173-50 White & Black/Blanco y Negro
 62173-52 Multicolored shavings/Virutas multicolor

Material Body Aluminium/Aluminio
 Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463E
Class II
IP 20




Confetti 300 H140

62174-50 White & Black/Blanco y Negro
 62174-52 Multicolored shavings/Virutas multicolor

Material Body Aluminium/Aluminio
 Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463E
Class II
IP 20




Confetti 450 H70

62173-51 White & Black/Blanco y Negro

Material Body Aluminium/Aluminio
 Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464E
Class II
IP 20




Confetti 450 H140

62174-51 White & Black/Blanco y Negro

Material Body Aluminium/Aluminio
 Shade Recycled PET/PET Reciclado

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464E
Class II
IP 20



PRICES

exclusive
online
collection





reddot award 2019
winner



exclusive
online
collection



Inviting

57318 NEW
57319 NEW
57320 NEW

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Yellow/Amarillo

Material

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente


Light Source SMD LED 6W 410lm
Dimmable K 2700 - 4800K
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Cable 1.9 MT



180° 90°



Driver



Inviting

57302
57300
57301

- Yellow/Amarillo
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente


Light Source SMD LED 6W 410lm
Dimmable K 2700 - 4800K
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Cable 1.9 MT



180° 90°



Driver



PRICES




exclusive
online
collection



Academy

28200

 Shiny Chrome/Cromo Brillo

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 4W 3000K 350lm

CRI

>80

Class


I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

   Driver 



exclusive
online
collection

**Desliz**

28480

28481

- Satin Nickel/Níquel Satinado + White/Blanco
- Matt White/Blanco Mate + White/Blanco

Material**Body** Steel/Acero**Diff** Opal PMMA/PMMA Opal**Shade** Textile/Textil**Light Source**

SMD LED 11W 2700K 800lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



180°

Driver 

PRICES

exclusive
online
collection




Venice

- 64270 White/Blanco
- 64271 Black/Negro
- 64272 Pink/Rosa
- 64273 Black & White Gloss/Blanco y Negro Brillo
- 64274 Blue/Azul

Material **Body** Aluminium/Aluminio
 Shade Ceramic/Cerámica

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20





exclusive
online
collection



Flash

20204

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 10W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

20


350° 90°  Driver 



PRICES







2 Installation Modes / 2 Modos de instalación



Maya

- 40102 ●● Matt Black/Negro Mate + Shiny Black/Negro Brillo
- 40103 ●● Matt White/Blanco Mate + Beige/Beige
- 40104 ●● Matt Black/Negro Mate + Terracotta/Terracota

Material Body Aluminium+Steel/Aluminio+Acero

Diff Opal Glass/Cristal Opal

Light Source SMD LED 8W 2700K 580lm


CRI >90

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20

Cable 1.5 MT





Tatawin

20335-116

20335-117

- Satin Black/Negro Satinado + Opal
- Satin Black/Negro Satinado + Shiny Black/Negro Brillo

Material

Body Aluminium/Aluminio

Shade Glass/Cristal

Light Source

1 E27 G45 max. 15W

Bulb incl.

No

Recom. Bulb


17462

Class

II

IP

20



Suspended Table&Floor
156 84



PRICES



Costas 400 H70

62173-78 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Aluminium/Aluminio
Shade Rattan/Ratán


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17071E

Class II

IP 20



Costas 600 H70

62173-69 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Aluminium/Aluminio
Shade Rattan/Ratán


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17071E

Class II

IP 20



Costas 400 H140

62174-78 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Aluminium/Aluminio
Shade Rattan/Ratán


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17072E

Class II

IP 20



Costas 600 H140

62174-69 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Aluminium/Aluminio
Shade Rattan/Ratán


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17072E



Class II

IP 20



PRICES







May

- 40095 White/Blanco
- 40096 Black/Negro
- 40097 Blue/Azul
- 40098 Coral
- 40099 Green/Verde





Material Body Steel/Acero
Diff Opal White Glass/Cristal Blanco Opal
Light Source COB LED 4W 2700K 300lm
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 44
 Driver







Moy

- 40090  Satin Gold/Oro Satinado
- 40091  Shiny Chrome/Cromo Brillo
- 40092  Bronze/Bronce
- 40093  Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 4W 3000K 300lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



Joy by Nahrang



Joy


64027

64028

- Matt Black/Negro Mate
- Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 3W 3000K 280lm
CRI	>80
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20

Driver ✓



PRICES




Levita

29690

 Shiny Gold/Oro Brillo

29695

 Matt Black/Negro Mate

Material

Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 2700K 570lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver 




Suspended Table&Floor


168



96





Magos by Faro Lab




Magos

- 20330 ● Black/Negro
- 20331 ● Maple/Arce
- 20332 ● Walnut/Nogal

Material	Body Aluminium+ABS/Aluminio+ABS
	Diff Opal PC/PC Opal
Light Source	SMD LED 14W 2700K 600lm
Bulb incl.	No
Reader	3W, 2700K, 160lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



PRICES



Whizz extensible

- 20167 ●● Black/Negro + Satin Gold/Oro Satinado
- 20168 ●● Satin Gold/Oro Satinado + Black/Negro

Material **Body** Steel/Acero
 Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17496

Class II

IP 20

Cable 2 MT
 180°



Whizz

- 20165-95 ●● Black/Negro + Satin Gold/Oro Satinado
- 20165-96 ●● Satin Gold/Oro Satinado + Black/Negro

Material **Body** Steel/Acero
 Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17496

Class II

IP 20


Cable 3.4 MT



Floor
140



Suspended
170



indoor

Surface / Superficie



Slim by Àlex & Manel Llusçà



Slim

24502

● Matt White/Blanco Mate

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 20W 3000K 1150lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP


20

180°

↻ Driver ✓



Han

 by Goulafiguera


Han

01001

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 6W 2700K 500lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓



PRICES



Guest

01045

● Matt Black/Negro Mate


Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429
Class I
IP 20



PRICES



Floor
142



Pure by Nahrang



Pure

24527

24528

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Transparent PMMA/PMMA Transparente

Light Source

SMD LED 6W 3000K 451lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

20

Driver ✓



PRICES

Guadalupe by Faro Lab



Guadalupe

20031-80

● Black/Negro + Beige

20031-81

● Black/Negro + Green/Verde

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I


IP

20

360°



Table&Floor
94



Guadalupe reader

20032-80

● Black/Negro + Beige

20032-81

● Black/Negro + Green/Verde

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

1W, 3000K, 100lm

Driver incl.

Yes

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

360°



PRICES

indoor

Surface / Superficie



Guadalupe wall lamp Ref. 20031-80
designed by Faro Lab



Klee right

20065

●● Textured Grey/Gris Texturizado + Black/Negro

Material Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA Opal

Light Source COB LED 10W 2700K 1021lm

Dimmable W 6w 690lm / 10w 1021lm



CRI >=90

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 45°



Klee Left

20066

●● Textured Grey/Gris Texturizado + Black/Negro

Material Body Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA Opal

Light Source COB LED 10W 2700K 1021lm

Dimmable W 6w 690lm / 10w 1021lm



CRI >=90

Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Beam angle 45°








Mood SQ

20060

● Oak/Roble + Black/Negro

Material Body Steel+Wood/Acero+Madera
Light Source SMD LED 2W 3000K 105lm
CRI >80
Class II
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20
Beam angle 45°

⏻ Driver ✓




Mood RCT

20061

● Oak/Roble + Black/Negro

Material Body Steel+Wood/Acero+Madera
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 6W 3000K 67lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20

⏻ Driver ✓




Mood RCT reader

20062


● Oak/Roble + Black/Negro

Material Body Steel+Wood/Acero+Madera
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 6W 3000K 67lm
CRI >80
Class II
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20


⏻ Driver ✓



PRICES



Mood wall lamp Ref. 20061
designed by Nahrang



1W 80lm

4W 250lm

7W 500lm



Niko Glass right

01009A ● ● Matt White/Blanco Mate + Wood/Madera

Material Diff Opal Glass/Cristal Opal

Niko PC right

01027A ● ● Matt White/Blanco Mate + Wood/Madera

Material Body Aluminium+Wood/Aluminio+Madera

Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 500lm


Dimmable W 1w 80lm / 4w 250lm / 7w 500lm

CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20



Niko Glass left

01014A ● ● Matt White/Blanco Mate + Wood/Madera

Material Diff Opal Glass/Cristal Opal

Niko PC left

01026A ● ● Matt White/Blanco Mate + Wood/Madera

Material Body Aluminium+Wood/Aluminio+Madera

Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 500lm



Dimmable W 1w 80lm / 4w 250lm / 7w 500lm

CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20







Stood
29844

●● Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class II

IP 20

20°



Stood clip
29845

●● Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class II

IP 20

Cable 2.4 MT





Stood wall lamp Ref. 29844
designed by Lucid Product Design



Loop

29395

29565

- ● Matt Black/Negro Mate + Ash tree/Fresno
- ● Matt Black/Negro Mate + Cherry/Cerezo

Material

Body Steel/Acero

Shade Wood/Madera

Light Source

SMD LED 6W 2700K 500lm

CRI

>80

Class


II

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20



Loop Articulated

29396

29566

- ● Matt Black/Negro Mate + Ash tree/Fresno
- ● Matt Black/Negro Mate + Cherry/Cerezo

Material

Body Steel/Acero

Shade Wood/Madera

Light Source

SMD LED 6W 2700K 500lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP


20



Suspended Table&Floor

164

98






Loop wall lamp Ref. 29395
designed by Estudi Ribaudí



Samba

64306-35	● ● White/Blanco + Beige
64306-36	● ● White/Blanco + Yellow/Amarillo
64306-37	● ● White/Blanco + Green/Verde
64307-35	● ● Black/Negro + Beige
64307-36	● ● Black/Negro + Yellow/Amarillo
64307-37	● ● Black/Negro + Green/Verde

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	20



Suspended Table
194




Floor
112



Samba reader

64308-35	● ● Matt White/Blanco Mate + Beige
64308-36	● ● Matt White/Blanco Mate + Yellow/Amarillo
64308-37	● ● Matt White/Blanco Mate + Green/Verde
64309-35	● ● Matt Black/Negro Mate + Beige
64309-36	● ● Matt Black/Negro Mate + Yellow/Amarillo
64309-37	● ● Matt Black/Negro Mate + Green/Verde

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 3000K, 280lm
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



PRICES



Samba wall lamp Ref. 64306-35
designed by Faro Lab



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Savoy

20300-92

20301-93

20301-94

●● Matt White/Blanco Mate + White/Blanco

●● Matt Black/Negro Mate + Black/Negro

●● Matt Black/Negro Mate + Green/Verde

Material

Body Steel/Acero

Diff Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

II

IP


20



Suspended Table&Floor

196

118



Savoy reader

20302-92

20303-93

20303-94

●● White/Blanco + White/Blanco

●● Black/Negro + Black/Negro

●● Black/Negro + Green/Verde

Material

Body Steel/Acero

Diff Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 160lm

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver ✓





Savoy wall lamp Ref. 20301-94
designed by Isaac Piñeiro



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Montreal

- 24030-01 ●● Matt White/Blanco Mate + White/Blanco
- 24030-02 ●● Matt White/Blanco Mate + Beige
- 24031-01 ●● Shiny Chrome/Cromo Brillo + White/Blanco
- 24031-02 ●● Shiny Chrome/Cromo Brillo + Beige
- 24031-03 ●● Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class II

IP 20



Table&Floor
116



Montreal reader

- 24032-01 ●● White/Blanco + White/Blanco
- 24032-02 ●● White/Blanco + Beige
- 24033-01 ●● Chrome/Cromo + White/Blanco
- 24033-02 ●● Chrome/Cromo + Beige
- 24033-03 ●● Chrome/Cromo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Reader 3W, 2700K, 150lm

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20 Driver





Montreal wall lamp Ref. 24032-01
designed by Nahrang



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Conga

64306-01

64306-02

64307-03

- White/Blanco + White/Blanco
- White/Blanco + Beige
- Black/Negro + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


20



Suspended Table&Floor

194

115



Conga reader

64308-01

64308-02

64309-03

- Matt White/Blanco Mate + White/Blanco
- Matt White/Blanco Mate + Beige
- Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 280lm

Class


I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20





Conga wall lamp Ref. 64309-03
designed by Faro Lab



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Sumba

64307-71

●● Black/Negro + Rattan/Ratán

Material

Body Steel/Acero

Shade Rattan/Ratán

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17426

Class

I

IP

20


ⓧ Driver ⓧ



Suspended
186



Table
76



Sumba reader

64309-71

●● Matt Black/Negro Mate + Rattan/Ratán

Material

Body Steel/Acero

Shade Rattan/Ratán

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17426

Reader

3W, 3000K, 280lm

Driver incl.

Yes

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

ⓧ Driver ✓





Sumba wall lamp Ref. 64307-71
designed by Faro Lab





Mambo

64307-47

●● Matt Black/Negro Mate + Rattan/Ratán


Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	20



Suspended Table&Floor
221



110




Mambo reader

64309-47

●● Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 3000K, 280lm
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20

Ⓢ Driver ✓



PRICES

*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Mambo wall lamp Ref. 64309-47
designed by Faro Lab

Artis by Àlex & Manel Llusçà



Artis

- 68490-01 Old Bronze/Bronce Envejecido + White/Blanco
- 68490-02 Old Bronze/Bronce Envejecido + Beige
- 68490-03 Old Bronze/Bronce Envejecido + Black/Negro
- 68491-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68491-02 Shiny Chrome/Cromo Brillo + Beige
- 68491-03 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Artis reader

- 68492-01 Old Bronze/Bronce Envejecido + White/Blanco
- 68492-02 Old Bronze/Bronce Envejecido + Beige
- 68492-03 Old Bronze/Bronce Envejecido + Black/Negro
- 68493-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68493-02 Shiny Chrome/Cromo Brillo + Beige
- 68493-03 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Reader 1W, 3000K, 140lm

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20



Driver



Artis articulated

- 68494-01 Bronze/Bronce + White/Blanco
- 68494-02 Bronze/Bronce + Beige
- 68494-03 Bronze/Bronce + Black/Negro
- 68495-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68495-02 Shiny Chrome/Cromo Brillo + Beige
- 68495-03 Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I


IP 20

Table & Floor
122





Artis wall lamp Ref. 68493-01
designed by Alex & Manel Llusçà






*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824


Eterna by Lucid Product Design






Eterna

- 24005-10  Shiny Chrome/Cromo Brillo + White/Blanco
- 24005-11  Shiny Chrome/Cromo Brillo + Beige
- 24005-12  Shiny Chrome/Cromo Brillo + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
IP	20




Eterna reader




- 24006-10  Chrome/Cromo + White/Blanco
- 24006-11  Chrome/Cromo + Beige
- 24006-12  Chrome/Cromo + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W, 2700K, 90lm
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20

Driver 





Eterna reader

- 24007-10  Chrome/Cromo + White/Blanco
- 24007-11  Chrome/Cromo + Beige
- 24007-12  Chrome/Cromo + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W, 2700K, 90lm
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20

Driver 





Eterna wall lamp Ref. 24007-10
designed by Lucid Product Design



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Rem

29680-19	●● Matt Nickel/Níquel Mate + White/Blanco
29680-20	●● Matt Nickel/Níquel Mate + Beige
29680-21	●● Matt Nickel/Níquel Mate + Black/Negro
29681-19	●● Old Gold/Oro Viejo + White/Blanco
29681-20	●● Old Gold/Oro Viejo + Beige
29681-21	●● Old Gold/Oro Viejo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 20



Table&Floor
120



Rem reader

29682-19	●● Matt Nickel/Níquel Mate + White/Blanco
29682-20	●● Matt Nickel/Níquel Mate + Beige
29682-21	●● Matt Nickel/Níquel Mate + Black/Negro
29683-19	●● Old Gold/Oro Viejo + White/Blanco
29683-20	●● Old Gold/Oro Viejo + Beige
29683-21	●● Old Gold/Oro Viejo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Reader 4W, 3000K, 120lm

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20





Rem wall lamp Ref. 29683-20
designed by Alex & Manel Lluscà



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824

Frame by Nahtrang



Frame

20170-01	●● Matt Nickel/Níquel Mate + White/Blanco
20170-02	●● Matt Nickel/Níquel Mate + Beige
20170-03	●● Matt Nickel/Níquel Mate + Black/Negro
20171-01	●● Old Gold/Oro Viejo + White/Blanco
20171-02	●● Old Gold/Oro Viejo + Beige
20171-03	●● Old Gold/Oro Viejo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Frame reader

20172-01	●● Matt Nickel/Níquel Mate + White/Blanco
20172-02	●● Matt Nickel/Níquel Mate + Beige
20172-03	●● Matt Nickel/Níquel Mate + Black/Negro
20173-01	●● Old Gold/Oro Viejo + White/Blanco
20173-02	●● Old Gold/Oro Viejo + Beige
20173-03	●● Old Gold/Oro Viejo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Reader 3W, 3000K, 100lm

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Ⓜ Driver ✓





Frame wall lamp Ref. 20170-03
designed by Nahrang



*Structures and shades also sold separately 820-824 / Estructuras y pantallas también se venden por separado 820-824



Lupe

20031-88

● ● Black/Negro + Beige

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I


IP

20

360°



Table&Floor
128



Lupe reader

20032-88

29996

● ● Black/Negro + Beige

● ● Shiny Chrome/Cromo Brilllo + White/Blanco

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

1W, 3000K, 100lm

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

360°





Lupe wall lamp Ref. 29996
designed by Jordi Busquets



Ron

- 64400-10 ● Dark Grey/Gris Oscuro + White/Blanco
- 64400-11 ● Dark Grey/Gris Oscuro + Beige
- 64400-12 ● Dark Grey/Gris Oscuro + Black/Negro

Material Body Steel/Acero
 Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Blome by Estudi Ribaudí



Blome

62099

62100

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Steel/Acero
Diff Opal Glass/Cristal Opal
Shade Textilene

Light Source

SMD LED 3W 3000K 150lm

CRI

>90

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver ✓



PRICES



Fold

64302

64303

●● Matt White/Blanco Mate + White/Blanco

●● Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20



Fold reader

64304

64305

●● Matt White/Blanco Mate + White/Blanco

●● Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 200lm

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver







Fold wall lamp Ref. 64303
designed by Nutcreatives



Hotel

29940

29945

-  Shiny Chrome/Cromo Brillo + White/Blanco
-  Shiny Chrome/Cromo Brillo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


20



Suspended Table&Floor

198



134



Hotel reader

29941

29946

-  Shiny Chrome/Cromo Brillo + White/Blanco
-  Shiny Chrome/Cromo Brillo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

1W, 3500K, 80lm

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver 





Hotel wall lamp Ref. 29940
designed by Alex & Manel Llusçà



Room

29974

29975

● Satin Nickel/Níquel Satinado + White/Blanco

● Satin Nickel/Níquel Satinado + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20



Room reader

29976

● Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 160lm

Class


I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20



Indoor

Surface / Superficie



Room wall lamp Ref. 29976
designed by Àlex & Manel Llusçà



Volta

20021

● ● Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20



Volta reader

20023

● ● Satin Nickel/Níquel Satinado + White/Blanco

20024

● ● Satin Nickel/Níquel Satinado + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 200lm

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP


20



Driver



Table&Floor
136







Vesper

29980

29981

● Matt White/Blanco Mate + Beige

● Brown/Marrón + Beige

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E14 max. 8W

Bulb incl.

No

Recom. Bulb

17461

Class

I

IP


20



Suspended Table&Floor

196

124



Vesper reader

29982

29983

● Matt White/Blanco Mate + Beige

● Brown/Marrón + Beige

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E14 max. 8W

Bulb incl.

No

Recom. Bulb

17461

Reader

1W, 3000K, 120lm

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver ✓





Vesper wall lamp Ref. 29982
designed by Nahrang



Berni

29326

29328

- Matt White/Blanco Mate + White/Blanco
- Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I


IP

20



Table&Floor

132



Berni reader

29329

29330

29331

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro
- Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 200lm

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20



Driver ✓





Berni wall lamp Ref. 29330
designed by Nahrang
Project by Elena Castells Poch



Sweet

29936

29952

29953

- Satin Nickel/Níquel Satinado + White/Blanco
- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

20



Table&Floor
145



Sweet reader

29935

29950

29951

- Satin Nickel/Níquel Satinado + White/Blanco
- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

1 E27 max. 2W

Bulb incl.

No

Recom. Bulb

17463

Reader

4W, 3000K, 120lm

Class



I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

20



indoor

Surface / Superficie



Sweet wall lamp Ref. 29951
designed by Estudi Ribaudí

Handy by Jordi Blasi




Handy

28413

● ● Matt White/Blanco Mate + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	20



Handy right


28414

● ● Matt White/Blanco Mate + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 3000K, 40lm
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



Driver ✓



Handy Left


28415

● ● Matt White/Blanco Mate + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 3000K, 40lm
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



Driver ✓







Handy wall lamp Ref. 28414
designed by Jordi Blasi



Sahara



62705

62706

-  Shiny Chrome/Cromo Brillo + Beige
-  Shiny Chrome/Cromo Brillo + White/Blanco


Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20


Saba

68544

-  Satin Nickel/Niquel Satinado + Black/Negro


Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20




Roda

62988

-  Satin Nickel/Niquel Satinado + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20



indoor

Surface / Superficie






Hanna

64301

● ● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	20





Hanna reader

64300

● ● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 3000K, 250lm
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20




Essential

29341

● ● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W, 2700K, 200lm
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



**Moma**

68504

Shiny Chrome/Cromo Brillo + White/Blanco

68505

Shiny Chrome/Cromo Brillo + Black/Negro

Material**Body** Steel/Acero**Shade** Textile/Textil**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20

**Table&Floor**
144**Moma reader**

68506

Shiny Chrome/Cromo Brillo + White/Blanco

68507

Shiny Chrome/Cromo Brillo + Black/Negro

Material**Body** Steel/Acero**Shade** Textile/Textil**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

1W, 6000K, 80lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

**Tira**

64322

Matt White/Blanco Mate + White/Blanco

64323

Matt Black/Negro Mate + Black/Negro

Material**Body** Steel+Aluminium+Silicone/Acero+Aluminio+Silicona**Shade** Textile/Textil**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 280lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

20



PRICES

Duas by Faro Lab




Duas



68467

68468

- Matt White/Blanco Mate + Shiny White/Blanco Brillo
- Matt Black/Negro Mate + Shiny Black/Negro Brillo

Material	Body Steel/Acero
Light Source	COB LED 3W 2700K 240 lm
CRI	>=80
Class	I
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
Beam angle	45°





Duas wall lamp Ref. 68467
designed by Faro Lab



Aurea

62115

● Matt White/Blanco Mate

Material

Body Steel/Acero

Diff Opal PC/PC Opal

Light Source

SMD LED 8W 2700K 300lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

350° 90°  Driver 



Le Petit

 by Àlex & Manel Llusçà



Thanks to MIKMAX



Le Petit

62161	●	Matt White/Blanco Mate
62162	●	Matt Black/Negro Mate
62163	●	Satin Gold/Oro Satinado
62164	●	Bronze/Bronce

Material	Body Steel/Acero
Light Source	SMD LED 4W 3000K 130lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20



PRICES





Boc

62707
62708
62709
62710
62711

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Nickel/Níquel Satinado
- Shiny Chrome/Cromo Brillo
- Bronze/Bronce

Material Body Steel/Acero
Light Source HIGH POWER LED 3W 3000K 130lm
CRI >80
Class II
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20





Rob

68497
68499
68508 NEW
68509 NEW

- Bronze/Bronce
- Satin Nickel/Níquel Satinado
- White/Blanco
- Black/Negro

Material Body Steel+Aluminium/Acero+Aluminio
Light Source HIGH POWER LED 3W 3000K 160lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20





Rob Shade

68496
68498

- Bronze/Bronce + Opal
- Satin Nickel/Níquel Satinado + Opal

Material Body Steel+Aluminium/Acero+Aluminio
Shade PMMA
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Reader 3W, 3000K, 160lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20





Flin

64318

● Matt White/Blanco Mate

64319

● Matt Black/Negro Mate

Material

Body Steel+Aluminium+Silicone/Acero+Aluminio+Silicona

Light Source

HIGH POWER LED 3W 3000K 280lm

CRI

>80

Class

I

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20

Beam angle

30°
350° 90° Driver



Loke

40994

● Shiny Chrome/Cromo Brilllo

41019

● Matt White/Blanco Mate

41020

● Matt Black/Negro Mate

Material

Body Aluminium+Steel/Aluminio+Acero

Light Source

HIGH POWER LED 3W 3000K 150lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20

Beam angle

30°
350° 90° Driver



Loke recessed

40996

● Shiny Chrome/Cromo Brilllo

Material

Body Aluminium+Steel/Aluminio+Acero

Light Source

HIGH POWER LED 3W 3000K 150lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP


20

Beam angle

30°

Cut out

ø60
350° 90° Driver



PRICES



Pepper


64168

64169

- Beige
- Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462
Class II
IP 20

Cable 1.7 MT
 360° 180°



Lena clip


52059

52061

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body PC+Aluminium+Silicone/PC+Aluminio+Silicona
Light Source SMD LED 3W 4000K 300lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°

Cable 1.8 MT
 360° 360° Driver ✓




Juliet

41025N

- Shiny Chrome/Cromo Brillo

Material Body Aluminium+Steel/Aluminio+Acero
Light Source SMD LED 3W 3000K 150lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°

Driver ✓



PRICES

Studio by Nahrang



Studio

51133	● Matt Black/Negro Mate
51134	● Shiny Chrome/Cromo Brillo
51135	● Shiny White/Blanco Brillo

Material Body Aluminium+ABS/Aluminio+ABS

Light Source 1 E14 max. 8W


Bulb incl. No

Recom. Bulb 17461

Class II

IP 20

Cable 1.6 MT




Accessories/Accesorios



Wall accessory/Accesorio aplique

51129 ● Black/Negro



PRICES






Bel

41028

41029

41030

-  Shiny Chrome/Cromo Brillo
-  Matt White/Blanco Mate
-  Matt Black/Negro Mate

Material

Body Aluminium+Steel/Aluminio+Acero

Light Source

HIGH POWER LED 3W 3000K 150lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20

Beam angle



30°



Boken

41031

41032

-  Matt White/Blanco Mate
-  Matt Black/Negro Mate

Material

Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona

Light Source

HIGH POWER LED 3W 3000K 150lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20

Beam angle

30°



Leser

41026

-   Matt Nickel/Níquel Mate + Matt Black/Negro Mate

Material

Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona

Light Source

COB LED 5W 3000K 300lm

CRI

>80

Class

II

Voltage (V/Hz)


100V-240V/50-60Hz

IP

20

Beam angle

36°




**Sami**

41023

● Matt White/Blanco Mate

Material	Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source	HIGH POWER LED 3W 2700K 120lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	20
Beam angle	30°

Driver ✓


**Kale**

62703

● Matt Black/Negro Mate

Material	Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source	HIGH POWER LED 3W 3000K 180lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
Beam angle	45°

Driver ✓


**Lead**

62704

●● Old Gold/Oro Viejo + Brown/Marrón


Material	Body Aluminium+Leather/Aluminio+Piel
Light Source	COB LED 3W 3000K 180lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
Beam angle	45°

Driver ✓





PRICES

Press by Jordi Blasi




Press

- 62350  Shiny White/Blanco Brillo + Matt Black/Negro Mate
- 62351  Matt Black/Negro Mate + Shiny Black/Negro Brillo
- 62352  Shiny Red/Rojo Brillo + Matt Black/Negro Mate
- 62353  Shiny Yellow/Amarillo Brillo + Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source SMD LED 3W 3000K 180lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20

350°  90°  Driver 



Pixie

 by Nahrang


Pixie

24015

24016

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

HIGH POWER LED 2W 2700K 90lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP


20

Beam angle

45°



Driver ✓








PRICES


Suau by Nahtrang




Suau recessed

- 62111  Bronze/Bronce
- 62114  Satin Gold/Oro Satinado
- 62126  Satin Nickel/Niquel Satinado
- 62128  Matt Black/Negro Mate
- 62129  Matt White/Blanco Mate

Material Body Steel/Acero
Light Source HIGH POWER LED 3W 3000K 140lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°


Cut out 80x155x43
   Driver




Suau USB





- 62116  Matt Black/Negro Mate
- 62117  Matt White/Blanco Mate

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°




    Driver




Suau

- 62104  Bronze/Bronce
- 62118  Matt Black/Negro Mate
- 62120  Matt White/Blanco Mate
- 62121  Grey/Gris

Material Body Steel/Acero
Light Source HIGH POWER LED 3W 3000K 140lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°

   Driver









Suau tray left

- 62124 ● Matt White/Blanco Mate
62125 ● Grey/Gris



Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°



Suau tray right


- 62122 ● Matt White/Blanco Mate
62123 ● Grey/Gris

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 30°





Suau wall lamp Ref. 62125
designed by Nahrang



2 Installation Modes / 2 Modos de instalación



Tila

62360

62361

- Ivory White/Blanco Marfil
- Black/Negro

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 G45 max. 15W

Bulb incl.

No

Recom. Bulb



17462

Class

II

IP



20



Nit by Goulafiguera



Nit Left

- 01003  Matt White/Blanco Mate
01004  Matt Black/Negro Mate



Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.7 MT



Nit right

- 01005  Matt White/Blanco Mate
01006  Matt Black/Negro Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.7 MT



PRICES

Thanks to MIKMAX



Noon

62355

● Matt White/Blanco Mate

Material

Body Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb



17462

Class

I

IP

20



Smile

 by Jordi Busquets


Smile

62130

62131

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb



17463

Class

II

IP

20



PRICES



Well

64030

● Matt White/Blanco Mate

Material

Body Aluminium+PP/Aluminio+PP

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 7W 2700K 340lm

CRI

>=90

Class

I



Voltage (V/Hz)

100V-240V/50Hz

IP

20

⏻ Driver ✓



Corb

40135

● Matt White/Blanco Mate

40136

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316


Class

I

IP


20

⏻



PRICES






Eres

64026 ● Matt White/Blanco Mate


Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20



Ovo 190 by Estudi Ribaudí

62105 ● Matt White/Blanco Mate


Material Body Steel/Acero
Light Source 1 R7S 78mm max. 8W
Bulb incl. No
Recom. Bulb 17499
Class I
IP 20
 ↗ 20°



Ovo 240 by Estudi Ribaudí

62108 ● Matt White/Blanco Mate

Material Body Steel/Acero
Light Source 1 R7S 118mm max. 15W
Bulb incl. No
Recom. Bulb 17497
Class I
IP 20
 ↗ 20°





Eres wall lamp Ref. 64026

Thanks to Salto Proyectos de Arquitectura Photo by Architectural Matter

NEW



Otton RCT vertical

66400-97 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66400-98 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



NEW



Otton R vertical

66400-101 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66400-102 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



NEW



Otton SQ 200

66400-105 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66400-106 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20





NEW



Otton RCT vertical 2L

66401-99 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66401-100 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



NEW



Otton R vertical 2L

66401-103 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66401-104 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



NEW



Otton RCT Horizontal 2L

66401-107 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66401-108 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



NEW



Otton R Horizontal 2L

66401-109 ●● Matt White/Blanco Mate + Linen/Lino

Material Shade Linen/Lino

66401-110 ●● Matt White/Blanco Mate + Jute/Yute

Material Shade Jute/Yute

Body Steel/Acero


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20







Cotton RCT vertical 2L

- 66405 Matt White/Blanco Mate + Beige
- 66406 Matt White/Blanco Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Cotton R vertical

- 66407 Matt White/Blanco Mate + Beige
- 66408 Matt White/Blanco Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



Cotton R vertical 2L

- 66409 Matt White/Blanco Mate + Beige
- 66410 Matt White/Blanco Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



indoor

Surface / Superficie






Cotton RCT vertical

- 66403 Matt White/Blanco Mate + Beige
- 66404 Matt White/Blanco Mate + Black/Negro


Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20



Cotton SQ 200

- 66411 Matt White/Blanco Mate + Beige
- 66412 Matt White/Blanco Mate + Black/Negro


Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20



Cotton RCT Horizontal 2L

- 66413 Matt White/Blanco Mate + Beige
- 66414 Matt White/Blanco Mate + Black/Negro


Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20



Cotton R Horizontal 2L

- 66415 Matt White/Blanco Mate + Beige
- 66416 Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 20








Ten 140

- 62170 Matt White/Blanco Mate
- 62171 Matt Black/Negro Mate
- 62172 Old Gold/Oro Viejo

Material	Body Aluminium/Aluminio
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20



**Ten 70**

62150	●	Matt White/Blanco Mate
62151	●	Matt Black/Negro Mate
62152	●	Old Gold/Oro Viejo
62153	●	Satin Gold/Oro Satinado
62154	●	Shiny Copper/Cobre Brillo
62155	●	Satin Nickel/Níquel Satinado


Material	Body Aluminium/Aluminio
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20



Table
71



PRICES






Homs

63167

● Matt White/Blanco Mate

Material Body Steel/Acero
Light Source 1 R7S 78mm max. 8W
Bulb incl. No
Recom. Bulb 17499
Class I
IP 20

↗ 20°



Kera


62300

● Shiny White/Blanco Brillo

62301

● Shiny Black/Negro Brillo

Material Body Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20



Sera


62302

● Shiny White/Blanco Brillo

62303

● Shiny Black/Negro Brillo

Material Body Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20



**Loa**

62809

●● Matt Black/Negro Mate + Matt Black/Negro Mate

Material**Body** Steel/Acero**Shade** Steel/Acero**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20

**Hudson**

62810

● Shiny Black/Negro Brillo

Material**Body** Steel/Acero**Diff** Transparent Glass/Cristal Transparente**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20

**Marina**

60005

● Matt Black/Negro Mate

Material**Body** Steel/Acero**Diff** Transparent Glass/Cristal Transparente**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17428

Class

II

IP

20

**Suspended**
205

PRICES




Celia

40070

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class II
IP 20
Cable 1.8 MT



Marlin


65133

●● Matt Black/Negro Mate + Old Gold/Oro Viejo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429
Class I
IP 20



Suspended
205









Ras

62807

● Shiny Black/Negro Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 2 MT



Snap

57402

● BLANCO CREMA


57403

● Dark Grey/Gris Oscuro

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20



Table 80





List

60000

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20





Linda by Estudi Ribaudí

29306

●● Matt White/Blanco Mate + Beige

29310

●● Matt Black/Negro Mate + Beige

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


20



Suspended Table&Floor

198

126



Retro

20045

●● Matt Copper/Cobre Mate + Matt Black/Negro Mate

20049

●● Matt Black/Negro Mate + Shiny Chrome/Cromo Brillo

Material

Body Steel/Acero

Light Source

1 E14 max. 8W

Bulb incl.

No

Recom. Bulb

17461

Class

I



IP

20



Suspended

166





Tou 350

01205

01207

● Bordeaux/Burdeos

● Grey/Gris

Material

Body Aluminium+Foam/Aluminio+Espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Textil

Light Source SMD LED 7W 2700K 450lm



CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Driver ✓



Tou 450

01206

01208

● Bordeaux/Burdeos

● Grey/Gris

Material

Body Aluminium+Foam/Aluminio+Espuma

Diff Opal PMMA/PMMA Opal

Shade Textile/Textil

Light Source SMD LED 10W 2700K 750lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 20

Driver ✓



PRICES





Board 350

01040

● Blackboard/Pizarra

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 7W 2700K 450lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓



Board 450

01041

● Blackboard/Pizarra

Material

Body Steel/Acero

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 10W 2700K 750lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

20

Driver ✓








Lise

29888

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Light Source COB LED 2W 2700K 740lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Beam angle 80°
 Driver ✓



Stan

43748

● Matt White/Blanco Mate

43749

● Matt Black/Negro Mate

43759

● Satin Gold/Oro Satinado



Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Ceiling
235



Recessed
424




Spot
392



Suspended
208



Track
438



Stan 2L

43750

● Matt White/Blanco Mate

43751


● Matt Black/Negro Mate

43760

● Satin Gold/Oro Satinado



Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



PRICES





Nash 210

62819

62821

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 8W 3000K 450lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

20

Driver



Nash 370

62820

62822

● Matt White/Blanco Mate

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 16W 3000K 990lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

20

Driver



Oslo

63284

● Matt White/Blanco Mate

Material

Body Plaster/Yeso

Light Source

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb


17466

Class

I

IP

20



Olaf

63278

● Matt White/Blanco Mate

Material

Body Plaster/Yeso

Diff Opal PC/PC Opal

Light Source

2 E14 max. 8W

Bulb incl.

No

Recom. Bulb


17461

Class

I

IP

20



indoor

Surface / Superficie



Nash wall lamp Ref. 62820




Cheras 2

63173

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 R7S 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I
IP	20





Cheras 3

63174

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20




Cheras 4


63175

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 R7S 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I
IP	20





PRICES

**Eaco 1**

63176

● Matt White/Blanco Mate


Material	Body Plaster/Yeso
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20

**Eaco 2**

63177

● Matt White/Blanco Mate


Material	Body Plaster/Yeso
Light Source	2 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20


**Eaco 3**

63178

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 R7S 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I
IP	20






Snow

63285

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20




Elsa

63279

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Diff Opal PC/PC Opal
Light Source SMD LED 8W 3000K 300lm
CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20

Driver ✓




Cove

63480

● White/Blanco

Material Body Plaster/Yeso
Light Source SMD LED 4W 3000K 270lm
CRI >80
Class I
Voltage (V/Hz) 230V/50-60Hz
IP 20

Driver ✓




PRICES

**Tera**

63184

● Matt White/Blanco Mate




Material	Body Plaster/Yeso
Light Source	SMD LED 6W 2700K 530lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
	Driver ✓

**Luna**

63225

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
	Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 5W 2700K 300lm
CRI	>80
Class	II
Voltage (V/Hz)	220V-240V/50-60Hz
IP	20
	Driver ✓

**Kamen**

63311

● Beige

63312

● Grey/Gris

Material	Body Concrete/Cemento
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20



PRICES



Magritte 300

- 61080 Satin Nickel/Níquel Satinado
- 61083 Old Gold/Oro Viejo
- 61086 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 6W 3000K 380lm

CRI >80

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20
↖ 90°
... Driver ✓



Magritte 450

- 61081 Satin Nickel/Níquel Satinado
- 61084 Old Gold/Oro Viejo
- 61087 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 8W 3000K 500lm

CRI >80

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20
↖ 90°
... Driver ✓



Magritte 600

- 61082 Satin Nickel/Níquel Satinado
- 61085 Old Gold/Oro Viejo
- 61088 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 12W 3000K 750lm

CRI >80

Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 20
↖ 90°
... Driver ✓



**Liria**

63156

● Satin Nickel/Níquel Satinado

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20

**Diula 2L**

62986

● Satin Nickel/Níquel Satinado

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Light Source**

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

20

**Diula**

62987

●● Satin Nickel/Níquel Satinado + White/Blanco

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class


I

IP





20



PRICES




Perla by Àlex & Manel Lluscà

- 40085  Old Gold/Oro Viejo
- 40086  Shiny Chrome/Cromo Brillo
- 40087  Bronze/Bronce
- 40088  Black/Negro


Material	Body Steel/Acero
	Diff Opal Glass/Cristal Opal
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II
IP	44



Bianca by Àlex & Manel Lluscà

- 63510  Shiny Chrome/Cromo Brillo

Material	Body Aluminium/Aluminio
	Diff Opal Glass/Cristal Opal
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II
IP	44



Brume by Àlex & Manel Lluscà

- 40076  Anthracite/Antracita

Material	Body Steel/Acero
	Diff Opal Glass/Cristal Opal
Light Source	SMD LED 3W 2700K 200lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
IP	44


Driver 



Ceiling
240



Suspended
202






Perla wall lamp Ref. 40086
designed by Alex & Manel Llusca



NEW






Gala

63504

63505

63506 NEW

-  Shiny Chrome/Cromo Brillo
-  Satin Gold/Oro Satinado
-  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 G9 max. 6W

Bulb incl. No

Recom. Bulb 17495

Class II

IP 44



Lago

63503

-  Shiny Chrome/Cromo Brillo

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 G9 max. 6W

Bulb incl. No

Recom. Bulb 17495

Class II

IP 44



Edge 900

63502

-  Shiny Chrome/Cromo Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 18W 4000K 1300lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



PRICES

indoor

Surface / Superficie





Volga 310

63507

63512

-  Shiny Chrome/Cromo Brillo
-  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 5W 3000K 350lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44



Driver 



Volga 600

63508

63513

-  Shiny Chrome/Cromo Brillo
-  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 12W 3000K 850lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



Volga 900

63509

63514

-  Shiny Chrome/Cromo Brillo
-  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 18W 3000K 1300lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 





PRICES





Danubio 285

- 63600  Shiny Chrome/Cromo Brillo
- 63603  Bronze/Bronce

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source SMD LED 9W 2700K 600lm


CRI >80

Class II



Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



Danubio 395

- 63601  Shiny Chrome/Cromo Brillo
- 63604  Bronze/Bronce

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source SMD LED 12W 2700K 800lm


CRI >80

Class II



Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



Danubio 575

- 63602  Shiny Chrome/Cromo Brillo
- 63605  Bronze/Bronce

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source SMD LED 18W 2700K 1080lm


CRI >80

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver 



**Nilo 600**

63316

63318

- Matt Black/Negro Mate
- ◐ Shiny Chrome/Cromo Brillo

Material**Body** Aluminium/Aluminio**Diff** Opal PMMA/PMMA Opal**Light Source**

SMD LED 12W 3000K 950lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

44

Driver ✓

**Nilo 900**

63317

63319

- Matt Black/Negro Mate
- ◐ Shiny Chrome/Cromo Brillo

Material**Body** Aluminium/Aluminio**Diff** Opal PMMA/PMMA Opal**Light Source**

SMD LED 18W 3000K 1400lm

CRI

>80

Class

II


Voltage (V/Hz)

100V-240V/50-60Hz

IP

44

Driver ✓



PRICES



Stan spotlight Ref. 43762

indoor

interior

Spotlights Focos



Stan LED

43726

43727

- Matt White/Blanco Mate + Matt Black/Negro Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source COB LED 12W 2700K 1200lm
CRI >90
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20
 350° 90° Driver ✓



Stan

43722

43723

43762

- Matt White/Blanco Mate + Matt Black/Negro Mate
- Matt Black/Negro Mate + Matt Black/Negro Mate
- Satin Gold/Oro Satinado

Material Body Aluminium+ABS/Aluminio+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20
 350°



Ceiling
235



Recessed
424



Suspended
208



Track
438



Wall
372

Accessories/Accesorios



Ring/Anillo

43728

43729

- Matt White/Blanco Mate
- Matt Gold/Oro Mate


Material Body ABS



Honey comb/Panel de abeja

43730

Material Body Aluminium/Aluminio



Linear spread lens/Lente difusor eliptica

43732

Material Body Glass/Cristal



Spread lens/Lente difusor

43731

Material Body Glass/Cristal








Stan

43740
43741

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20






Stan 2L

43742
43743

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20





Stan 3L


43744
43745

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



PRICES





Lao

29039
29040

- Matt Black/Negro Mate + Shiny Black/Negro Brillo
- Matt White/Blanco Mate + Shiny White/Blanco Brillo

Material

Body Aluminium+ABS/Aluminio+ABS

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 4W 3000K 400lm

CRI

>80

Class



I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

20



Lao 2L

29042

- Matt White/Blanco Mate + Shiny White/Blanco Brillo

Material

Body Aluminium+ABS/Aluminio+ABS

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 9W 3000K 400lm

CRI

>80

Class


I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

20



Lao 3L

29043
29044

- Matt Black/Negro Mate + Shiny Black/Negro Brillo
- Matt White/Blanco Mate + Shiny White/Blanco Brillo

Material

Body Aluminium+ABS/Aluminio+ABS

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 13W 3000K 400lm

CRI

>80

Class



I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

20





Lao spotlight 3L Ref. 29043
designed by Nahrang




Coco

40660
40661
40662
40663

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt Black/Negro Mate + Green/Verde
- Matt Black/Negro Mate + Terracotta/Terracota

Material Body ABS+Steel/ABS+Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20

350° 45°




Coco 2L

40664
40665

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body ABS+Steel/ABS+Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20

350° 45°




Coco 3L

40666
40667

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body ABS+Steel/ABS+Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20

350° 45°





Stone by Àlex & Manel Lluscà



Stone

43500

●● Grey/Gris + Matt Black/Negro Mate

Material

Body Concrete+Steel/Cemento+Acero

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

20
350° 90°



Stone 2L

43501

●● Grey/Gris + Matt Black/Negro Mate

Material

Body Concrete+Steel/Cemento+Acero

Light Source

2 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

20
350° 90°



Stone 3L

43502

●● Grey/Gris + Matt Black/Negro Mate

Material

Body Concrete+Steel/Cemento+Acero

Light Source

3 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

20
350° 90°





Stone spotlight Ref. 43500
designed by Alex & Manel Llusçà

Orleans by Nahtrang





Orleans

43520
43521
43522

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Shiny Chrome/Cromo Brillo + Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20





Orleans 2L

43523
43525

- Matt White/Blanco Mate
- Shiny Chrome/Cromo Brillo + Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20




Orleans 3L

43527
43528

- Matt Black/Negro Mate
- Shiny Chrome/Cromo Brillo + Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



PRICES



Orleans spotlight 2L Ref. 43523
designed by Nahrang





Ring

40550

40551

- Matt White/Blanco Mate + Shiny Chrome/Cromo Brillo
- Dark Grey/Gris Oscuro + Shiny Chrome/Cromo Brillo

Material **Body** Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Link by Estudi Ribaudí




29873

29874

29897

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Bronze/Bronce

Material **Body** Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20





Link 2L by Estudi Ribaudí

29875

29876



- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material **Body** Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



indoor

Spotlights / Focos




Link spotlight Ref. 29874
designed by Estudi Ribaudí



indoor

interior

Recessed Empotrables



Domino

63313

● Matt White/Blanco Mate

Material

Body Plaster/Yeso

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 6W 2700K 200lm

CRI

>=80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

20

Cut out

265x160

Driver ✓








Neu

63286

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 GU5.3 MR16 max. 8W
Bulb incl. No
Recom. Bulb 97686227
Socket incl. Yes
Recom. Socket
Class III
IP 20
Cut out $\varnothing 160$
 $\nearrow 30^\circ$




Nord

63290

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 18W 3000K 1400lm
CRI >80
Recom. Driver 98310118LC
Class III
IP 20
Cut out $\varnothing 305$

Driver ☒



*Drivers info pag. 818-819



Signal


02100101

● Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 3W 3000K 102lm
CRI >80
Recom. Driver 98310103
Class III
IP 65
Beam angle 36°
Cut out $\varnothing 49$

Driver ☒

Recessed box/Caja de empotrar
 02100101C ● Black/Negro



Material Body PVC

*Drivers info pag. 818-819



**Navi**

63481

● White/Blanco

Material	Body Plaster/Yeso
Light Source	SMD LED 10W 3000K 630lm
CRI	>80
Class	II
Voltage (V/Hz)	100V-240V/50-60Hz
Cut out	273x273
	Driver ✓



270/10.6"



60/2.3"



PRICES




*Drivers info pag. 818-819

Plas SQ

63283

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112lm
CRI >80
Recom. Driver 98310103
Class III
Voltage (V/Hz) /50-60Hz
IP 20
Cut out 155x110
 Driver ☒





*Drivers info pag. 818-819

Plas RCT

63490

● White/Blanco

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 2700K 200lm
CRI >80
Driver incl. Yes
Recom. Driver 98310103
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
Cut out 248x113
 Driver ●




*Drivers info pag. 818-819

Plas oval

63281

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112lm
CRI >80
Recom. Driver 98310103
Class III
Voltage (V/Hz) /50-60Hz
IP 20
Cut out 175x110
 Driver ☒




*Drivers info pag. 818-819

Plas linear

63282

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112lm
CRI >80
Recom. Driver 98310103
Class III
Voltage (V/Hz) /50-60Hz
IP 20
Cut out 231x85
 Driver ☒








Hyde R Orientable

- 40118 Matt White/Blanco Mate
- 40119 Matt Black/Negro Mate


- Material** **Body** Steel/Acero
- Light Source** 1 GU10 max. 8W
- Bulb incl.** No
- Recom. Bulb** 17316
- Socket incl.** No
- Recom. Socket** 43065
- IP** 20
- Cut out** $\varnothing 83$
↙ 30°



Hyde R

- 40114 Matt White/Blanco Mate
- 40115 Matt Black/Negro Mate


- Material** **Body** Steel/Acero
- Light Source** 1 GU10 max. 8W
- Bulb incl.** No
- Recom. Bulb** 17316
- Socket incl.** No
- Recom. Socket** 43065
- IP** 44
- Cut out** $\varnothing 83$



Hyde R Orientable Trimless

- 40110 Matt White/Blanco Mate
- 40111 Matt Black/Negro Mate


- Material** **Body** Steel/Acero
- Light Source** 1 GU10 max. 8W
- Bulb incl.** No
- Recom. Bulb** 17316
- Socket incl.** No
- Recom. Socket** 43065
- IP** 20
- Cut out** $\varnothing 83$
↙ 30°



**Hyde SQ Orientable**



40120 ● Matt White/Blanco Mate
 40121 ● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 83x83
 ↙ 30°

**Hyde SQ**


40116 ● Matt White/Blanco Mate
 40117 ● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 44
Cut out 83x83

**Hyde SQ Orientable Trimless**

40112 ● Matt White/Blanco Mate
 40113 ● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 102x93
 ↙ 30°




PRICES



Hyde SQ Orientable 2L

40126 Matt White/Blanco Mate
 40127 Matt Black/Negro Mate



Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 83x165
 ↙ 30°



Hyde SQ 2L

40124 Matt White/Blanco Mate
 40125 Matt Black/Negro Mate


Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 44
Cut out 83x165



Hyde SQ Orientable Trimless 2L

40122 Matt White/Blanco Mate
 40123 Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 182x93
 ↙ 30°



indoor

Recessed / Empotrables





Radon SQ


43396

43406

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø80

↗ 30°



Radón RCT


43397

43407

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 80x170

↗ 30°



Radon R


43398

43408

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø80

↗ 30°



PRICES

**Argon SQ**


43402

● Matt White/Blanco Mate

43412

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17316
Socket incl.	No
Recom. Socket	43065
IP	20
Cut out	100x100 ↖ 60°

**Argon RCT**



43403

● Matt White/Blanco Mate

43413

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
Light Source	2 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17316
Socket incl.	No
Recom. Socket	43065
IP	20
Cut out	220x102 ↖ 60°

**Argon R**


43401

● Matt White/Blanco Mate

43411

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17316
Socket incl.	No
Recom. Socket	43065
IP	20
Cut out	ø100 ↖ 60°



PRICES



Neon SQ

43400

● Matt White/Blanco Mate

43410

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio

Light Source 1 GU10 max. 8W

Bulb incl. No



Recom. Bulb 17316

Socket incl. No

Recom. Socket 43065

IP 20

Cut out 70x70



Neon R

43399

● Matt White/Blanco Mate

43409

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio

Light Source 1 GU10 max. 8W

Bulb incl. No


Recom. Bulb 17316

Socket incl. No

Recom. Socket 43065

IP 20

Cut out ø65



Gas

43404

● Matt White/Blanco Mate

43405

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio

Light Source 1 GU10 max. 8W

Bulb incl. No


Recom. Bulb 17316

Socket incl. No

Recom. Socket 43065

IP 20

Cut out ø76



**Nais Orientable**

- 02111001 ● White/Blanco
 02111002 ● Black/Negro

Material **Body** Aluminium+Steel/Aluminio+Acero
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 7W 2700K 625lm

CRI >=90

Recom. Driver 98310620


Class III

IP 23

Beam angle 36°

Cut out ø76

 15° Driver 



*Drivers info pag. 818-819

**Nais**

- 02121001 ● White/Blanco
 02121002 ● Black/Negro

Material **Body** Aluminium+Steel/Aluminio+Acero
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 7W 2700K 625lm

CRI >=90


Class III

IP 23

Beam angle 36°

Cut out ø60

Driver 



*Drivers info pag. 818-819

**Koi**

- 42921 ● Matt White/Blanco Mate

Material **Body** PC
Diff Opal PC/PC Opal

Light Source SMD LED 6W 3000K 400lm



CRI >80


Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cut out ø72

 15° Driver 





NEW



Click

43600
43601

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 3W 2700K 252lm


CRI 85

Class II

Voltage (V/Hz) 100V-240V/50-60Hz

IP 20

Cut out 80
90° 350° Driver



Wet

02100801

- Matt White/Blanco Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente



Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17316

IP 44

Cut out 65



Clear

02100301

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 7W 3000K 403lm

CRI >80


Recom. Driver 98310620

Class III

IP 65

Beam angle 36°


Cut out 60



*Drivers info pag. 818-819







*Accessories page 392/Accesorios en página 392








Stan recessed

- 43752 ● Matt White/Blanco Mate
- 43753 ● Matt Black/Negro Mate
- 43761 ● Satin Gold/Oro Satinado




- Material** Body Aluminium+ABS/Aluminio+ABS
- Light Source** 1 GU10 max. 8W
- Bulb incl.** No
- Recom. Bulb** 97685327
- Class** I
- IP** 20
- Cut out** $\varnothing 50$
350° 90°



Ebba

- 42919 ● Satin Nickel/Niquel Satinado

- Material** Body Aluminium/Aluminio
- Diff** Opal PMMA/PMMA Opal
- Light Source** SMD LED 4W 3000K 304lm
- CRI** >80
- Class** II
- Voltage (V/Hz)** 220V-240V/50-60Hz
- IP** 44
- Cut out** $\varnothing 63$
- Driver



Wabi

- 43900 ● Matt White/Blanco Mate

- Material** Body Aluminium/Aluminio
- Diff** Transparent PC/PC Transparente
- Light Source** COB LED 10W 600lm
- Dimmable K** 1800 - 3200K
- CRI** ≥ 90
- Class** III
- IP** 20
- Beam angle** 60°
- Cut out** $\varnothing 70$



*Drivers info pag. 818-819



indoor

Recessed / Empotrables





Fox

02101001

● Matt White/Blanco Mate

02101002

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 5W 2700K 500lm

CRI

>80

Class

III

IP

20

Beam angle

25°

Cut out

ø35



*Drivers info pag. 818-819



Fox Trimless

02101101

● Matt White/Blanco Mate

02101102

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 5W 2700K 500lm

CRI

>=90

Class

III

IP


20

Beam angle


25°

Cut out

ø45



*Drivers info pag. 818-819



Fox 50 Orientable

02101301

● Matt White/Blanco Mate

02101302

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 5W 2700K 500lm

CRI

>80

Class

III

IP


20

Beam angle

25°

Cut out

ø45



*Drivers info pag. 818-819





*Drivers info pag. 818-819

Fox 50

02101501

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 2700K 535lm

CRI

>80

Recom. Driver

98310620

Class

III

IP

20

Beam angle

36°

Cut out

ø40



Driver ⊗



*Drivers info pag. 818-819

Fox 65

02101601

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 10W 2700K 680lm

CRI

>80

Recom. Driver

98310620

Class

III

IP

20

Beam angle


36°

Cut out

ø55



Driver ⊗



Moist

02100901

● Matt White/Blanco Mate

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316

Class


II

IP

44

Cut out

78x78



PRICES




Fresh IP44

- 02200501 Matt White/Blanco Mate
- 02200502 Matt Black/Negro Mate
- 02200503 Matt Gold/Oro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class II
IP 44
Cut out ø83




Fresh

- 02100501 Matt White/Blanco Mate
- 02100502 Matt Black/Negro Mate
- 02100503 Matt Gold/Oro Mate

Material Body Aluminium/Aluminio

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class II
IP 20
Cut out ø83




Fresh Trimless

- 02100701 Matt White/Blanco Mate
- 02100702 Matt Black/Negro Mate

Material Body Aluminium/Aluminio

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class II
IP 20
Cut out ø90








Fresh E27 Trimless

02300101 ● White/Blanco

Material Body Aluminium/Aluminio
Light Source 1 E27 max. 8W
Bulb incl. No
Recom. Bulb 17464
Class I
IP 20
Cut out ø90




Fresh Washer

02100601 ● Matt White/Blanco Mate
 02100602 ● Matt Black/Negro Mate
 02100603 ● Matt Gold/Oro Mate




Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class II
IP 20
Cut out ø83



Fresh IP65

02101401 ● Matt White/Blanco Mate
 02101402 ● Matt Black/Negro Mate


Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class I
IP 65
Cut out ø83



Fresh IP65 Trimlees

02400101 ● Matt White/Blanco Mate
 02400102 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class I
IP 65
Cut out ø83







Son 112


42928

● Matt White/Blanco Mate

Material **Body** Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 8W 2700K 580lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20
Cut out ø100

Driver ✓



Son 220

42929 2700K

● Matt White/Blanco Mate


42930 4000K

● Matt White/Blanco Mate

Material **Body** Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 2000lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 20
Cut out ø205

Driver ✓



**Ted**

42926

● Matt White/Blanco Mate

Material**Body** Aluminium/Aluminio**Diff** Opal PMMA/PMMA Opal**Light Source**

SMD LED 15W 3000K 1200lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44


Beam angle

160°

Cut out

ø150

Driver ✓

**Tod**

42927

● Matt White/Blanco Mate

Material**Body** Aluminium/Aluminio**Diff** Opal PMMA/PMMA Opal**Light Source**

SMD LED 20W 3000K 2000lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44


Beam angle

160°

Cut out

ø160

Driver ✓

**Luan**

42931

● Matt White/Blanco Mate

Material**Body** Aluminium/Aluminio**Diff** Opal PMMA/PMMA Opal**Light Source**

SMD LED 40W 3000K 3200lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

44

Cut out

ø375

Driver ✓





indoor

interior

Track Carril



Orleans by Nahrang

43536 ● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I


IP 20
 350° 90°



Ceiling
230



Spot
402



Link by Estudi Ribaudí

29871 ● Matt White/Blanco Mate

29872 ● Matt Black/Negro Mate

29896 ● Bronze/Bronce

Material Body Steel+ABS/Acero+ABS

Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 20
 350° 90°



Ceiling
230




Spot
404



Table&Floor
102



Wall
404



indoor

Track / Carril







Stan LED

43724
43725

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source COB LED 12W 2700K 1200lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
350° 90° Driver ✓



Stan

43720
43721
43757

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado

Material Body Aluminium+ABS/Aluminio+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20
350°



Ceiling
235



Recessed
424




Spot
392



Suspended
208



Wall
372



*Accessories page 392/Accesorios en página 392




Plot

64202
64203


- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Steel+ABS/Acero+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316
Class I
IP 20
350° 90°







Accessories/Accesorios



Surface track 1mt/Carril de superficie 1mt

- 64210A ● White/Blanco
- 64212A ● Black/Negro
- 64214A ● Grey/Gris


Material Body Aluminium/Aluminio



Surface track 2mts/Carril de superficie 2mts

- 64211A ● White/Blanco
- 64213A ● Black/Negro
- 64215A ● Grey/Gris

Material Body Aluminium/Aluminio



**outdoor
exterior**



Saigon floor lamp Ref. 71575-09
designed by Nahrang

outdoor

exterior

floor
suelo

Saigon by Nahtrang



Saigon out C100

71569-10 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium+Concrete/Aluminio+Cemento

Diff Opal PEMD/PEMD Opal

Shade PP

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 44

Cable 2 MT



Portable
562



Saigon out 1950 C70

71569-09 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio

Diff Opal PEMD/PEMD Opal

Shade PP

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT




Suspended
558



Portable
562



Spike
532



Saigon out 1200 C70

71575-09 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio

Diff Opal PEMD/PEMD Opal

Shade PP

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



PRICES



Saigon floor lamp Ref. 71569-10
designed by Nahrang

Saigon by Nahtrang



Saigon out W100


71569-08 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium+Concrete/Aluminio+Cemento
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



Portable
564



Saigon out 1950 W70

71569-07 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT




Suspended
558



Portable
564



Spike
532



Saigon out 1200 W70

71575-07 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT




Suspended
558



Portable
564



Spike
532





Saigon floor lamp Ref. 71569-08
designed by Nahtrang



Saigon out 1950 T70

71569-05 ● Dark Grey/Gris Oscuro + Cream/Crema

71569-06 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Textilene

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 1200 T70

71575-05 ● Dark Grey/Gris Oscuro + Cream/Crema

71575-06 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Textilene

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Suspended
558



Portable
564



Spike
532



PRICES



Saigon floor lamp Ref. 71575-05
designed by Nahrang

Saigon by Nahrang



Saigon out 2100 R45

71569-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 1300 R45

71575-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 670 R45

71576-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT




Suspended
560



Portable
566



Spike
534






Saigon out 2000 R55

71569-01 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT




Saigon out 1150 R55

71575-01 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



Saigon out 500 R55

71576-01 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PEMD

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT




Suspended 560




Portable 566






Spike 534



Akane by Pepe Llaudet



Akane

- 71262  Matt Black/Negro Mate + Green/Verde
- 71263  Matt Black/Negro Mate + Beige
- 71264  Matt Black/Negro Mate + Dark Brown/Marrón Oscuro

Material Body Steel/Acero

Shade PP

Light Source E27 max. 12W


Bulb incl. No

Recom. Bulb 17425

Class II

IP 44

Cable 5 MT



*Only for glass LED bulbs, models A60, ST64, G95 and G125
Sólo para bombillas LED de vidrio, modelos A60, ST64, G95 y G125






Akane floor Ref. 71264
designed by Pépe Llaudet



2.5mts. cable extension accessory / *Accesorio extensión de cable 2.5mts.*

71244



Cadaques

71242

● ● Dark Grey/Gris Oscuro + Beige

71243

● ● Dark Grey/Gris Oscuro + Blue/Azul

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Shade Textilene

Light Source

SMD LED 18W 2700K 500lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

44

Cable

3 MT

Driver 





Cadaques floor Ref. 71242
designed by Faro Lab

Versus by Pepe Llaudet



Versus

74423

● Matt White/Blanco Mate

Material

Body PEMD

Diff Matt White/Blanco Mate

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


II

IP

44

Cable

3 MT




Large structure / Estructura grande

74424

● Black/Negro

Material

Body Steel/Acero




Small structure / Estructura pequeña

74422

● Black/Negro

Material

Body Steel/Acero





Versus floor Ref. 74423
designed by Pepe Llaudet



Saigon out R55 by Nahtrang

71584-02 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT



Cat by Nahtrang

71562 ● Matt Black/Negro Mate
71563 ● Matt White/Blanco Mate
71564 ● Red/Rojo

Material Body Aluminium/Aluminio
Diff Matt White PEMD/PEMD Blanco Mate

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 54


Cable 5 MT



Wall accessory/Accesorio aplique

71556 ● Black/Negro



Material Body Aluminium/Aluminio









reddot winner 2021




Brot 900
71253 ● Black/Negro
Light Source SMD LED 2W 2700K 620lm

Brot 1800
71254 ● Black/Negro
Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 3W 2700K 930lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
Driver ✓



Brot 900 portable
71256 ● Black/Negro
Light Source SMD LED 10W 2700K 620lm

Brot 1800 portable
71257 ● Black/Negro
Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 21W 2700K 930lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
Cable 1.8 MT
Driver ✓



outdoor

Floor / Suelo





Totem 285

75550 2700K

75551 3000K

● Grey Cement/Cemento Gris

● Grey Cement/Cemento Gris

Material

Body Concrete/Cemento

Light Source

SMD LED 6,5W370lm

CRI

>=80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

55

IK

06

Driver ✓



Totem 611

75552 2700K

75553 3000K

● Grey Cement/Cemento Gris

● Grey Cement/Cemento Gris

Material

Body Concrete/Cemento

Light Source

SMD LED 6,5W370lm

CRI

>=80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

55

IK

06

Driver ✓







2700K



3000K



4000K



Balic

70295

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Prism Glass/Cristal Prismático

Light Source

SMD LED 8W 813/870/896lm

CRI

>=80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

Driver ✓



Wall
583



PRICES





Lotus 350 by Estudi Ribaudí

71224 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1120lm

CRI >80



Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Driver ✓



Lotus 650 by Estudi Ribaudí

71225 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1120lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Driver ✓



Block 350 by Àlex & Manel Llusçà

74141 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No



Recom. Bulb 17463

Class I

IP 65

IK 05

SEA SIDE SUITABLE



Block 700 by Àlex & Manel Llusçà

74142 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17462

Class I

IP 65

IK 06

SEA SIDE SUITABLE








Cast 300

74155

● Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 550lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
IK 06

Driver ✓




Cast 500

74156

● Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 550lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
IK 06

Driver ✓







Twist 300 by Estudi Ribaudí
71286 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 500lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Wall
584



Twist 500 by Estudi Ribaudí
71287 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 500lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Shelby 330 by Conillas
75537 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 600lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Shelby 630 by Conillas
75538 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 600lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



outdoor

Floor / Suelo



Twist post lamp Ref. 71286
designed by Estudi Ribaudí



Sticker by Lucid Product Design

75541 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 10W 3000K 623lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ●



Wall
612



Tram 630 by Estudi Ribaudí

75531 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source E27 15W

Recom. Bulb 17463

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65



Pole
518



Wall
586



Datna 300 by Àlex & Manel Llusçà

74441 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44



Pole
518



Wall
592



Datna 600 by Àlex & Manel Llusçà

74442 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



PRICES





Kila 400

71746

71747

71748

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


65



Ceiling
577



Wall
592



Kila 700

71749

71750

71751

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

65







Plim 1

71299

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 250lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Driver ✓



Plim 2

71300

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 250lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Driver ✓



Plim 3

71301

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 250lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Driver ✓







Muga 295

75603

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 810lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ✓



Muga 500

75604

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 810lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ✓



Giza 265

70767

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 15W 3000K 500lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 05

Driver ✓



Giza 650

70768

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 15W 3000K 500lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 05

Driver ✓



outdoor

Floor / Suelo



Onze

70761

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 54



Wilma 270

74997

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44



Suspended
571



Wall
596



Wilma 340

75001

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



Wilma 820

75003

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44





Beret 500

75522

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 8W 4000K 350lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 54

IK 04

Driver ✓



Beret 900

75523

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 8W 4000K 350lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 54

IK 04

Driver ✓



Nanda 500

71216

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 500lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Driver ✓



PRICES



Nanda 800

71217

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 500lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Driver ✓



Logar 650

75605

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 12W 3000K 580lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Driver ✓



Logar 900

75606

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 23W 3000K 1340lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Driver ✓





Muffin 259 by Àlex & Manel Llusçà
74433S-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
522



Suspended
570



Wall
594



Mistu 310 by Faro Lab
74433S-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
522



Suspended
570



Wall
594



Blubs 240 by Estudi Ribaudi
74433S-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
524



Suspended
570



Wall
594



Moon 300 by Faro Lab
74433S-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
484



Suspended
570



Wall
594







Muffin 559 by Àlex & Manel Llusçà
74434B-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Mistu 600 by Faro Lab
74434B-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal






Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Blubs 540 by Estudi Ribaudí
74434B-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal





Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Moon 610 by Faro Lab
74434B-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



outdoor

Floor / Suelo



Muffin bollard Ref. 74434B-04
designed by Alex & Manel Llusca



Noboru

70576

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 16W 3000K 690lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50Hz

IP

65


IK

08

Beam angle

36°

Driver ✓



Mila

70771

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 18W 4000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

65

Driver ✓



Sete

75521

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 6W 3000K 155lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Driver ✓







Mauren

70993

● Brass/Latón

Material

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP

44

SEA SIDE SUITABLE



Surat

72310

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

54



Nala

70772

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

54



Wall
602







Shadow 250

72311 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Shadow 450

72312 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓







Grow

71206

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 9W 3500K 720lm

CRI

85

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

65


Driver ✓



Flowerpot/Macetero

71208

● Dark Grey/Gris Oscuro







Bu-Oh 265

71213 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 310lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65


Driver ✓



Pole
518



Wall
610



Bu-Oh 560

71214 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 310lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓







Alp 500

74451

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 350lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 180°

Driver ✔



Alp 800

74452

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 350lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 180°

Driver ✔



Das 300

75519

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 8W 3000K 480lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 06

Beam angle 180°

Driver ✔



Das 650

75520

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 8W 3000K 480lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 06

Beam angle 180°

Driver ✔







Naya 200

71198

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 8W 3000K 180lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 120°

Driver ✓



Naya 500

71199

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 8W 3000K 180lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 120°

Driver ✓



Agra 200

70755

● Dark Grey/Gris Oscuro

70756

● Brown/Marrón

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 9W 3000K 420lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ✓



Agra 650

70753

● Dark Grey/Gris Oscuro

70754

● Brown/Marrón

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 9W 3000K 420lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ✓



outdoor

Floor / Suelo





Gina

71352

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class


I

IP

44



Wall
627



Chandra

72298

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 7W 3000K 195lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Beam angle

30°

Driver ✓



Spy 145

70782

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 6W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

Beam angle

30°

350°
Driver ✓



Spy 435

70783

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 6W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

Beam angle

30°

350°
Driver ✓







Klamp

74411

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 44



Wall
630



Soleil

70785

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 2W 3000K 140lm

CRI >80


Class III

IP 54

IK 07

7h Charge Max. 3h Worktime

PIR Driver



Saura

70774

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 2W 3000K 225lm

CRI >80


Class III

IP 54

Beam angle 180°

8h Charge Max. 2.5h Worktime

PIR Driver



PRICES

outdoor

Floor / Suelo





Bezel

70247

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 8W 2700K 349lm

CRI

>=90

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

65

IK

06


Cable

1.2 MT

Driver ✓



Spike
540



Bast

70292

● Dark Grey/Gris Oscuro

Material

Body Aluminium+PC/Aluminio+PC
Diff Transparent PC/PC Transparente

Light Source

SMD LED 25W 3000K 2100lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

65



IK

10

Beam angle

360°

Driver ✓



180° Accessory / Accesorio 180°

70293

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio



outdoor

Floor / Suelo



Bezel bollard Ref: 70247

505

Rush&Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*




CASAMBI




Different optics to choose from



360° LENS
Optical efficiency 97%
Optimal installation ratio 2:1
(Pole distance to pole height)



360° WIDE LENS
Optical efficiency 96%
Optimal installation ratio 4,5:1
(Pole distance to pole height)



ASSYMETRICAL LENS
Optical efficiency 93%
Optimal installation ratio 4:1
(Pole distance to pole height)



Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLÖH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

| IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional




Rush 14W	CCT	FLUX	LENS
750000	2700K	830lm	360°
750000C	2700K	830lm	360°
750000D	2700K	830lm	360°
750001	2700K	980lm	360° WIDE
750001C	2700K	980lm	360° WIDE
750001D	2700K	980lm	360° WIDE
750002	2700K	795lm	180°
750002C	2700K	795lm	180°
750002D	2700K	795lm	180°
750010	3000K	830lm	360°
750010C	3000K	830lm	360°
750010D	3000K	830lm	360°
750011	3000K	980lm	360° WIDE
750011C	3000K	980lm	360° WIDE
750011D	3000K	980lm	360° WIDE
750012	3000K	795lm	180°
750012C	3000K	795lm	180°
750012D	3000K	795lm	180°
750020	4000K	830lm	360°
750020C	4000K	830lm	360°
750020D	4000K	830lm	360°
750021	4000K	980lm	360° WIDE
750021C	4000K	980lm	360° WIDE
750021D	4000K	980lm	360° WIDE
750022	4000K	795lm	180°
750022C	4000K	795lm	180°
750022D	4000K	795lm	180°



Rush 20W	CCT	FLUX	LENS
750100	2700K	1147lm	360°
750100C	2700K	1147lm	360°
750100D	2700K	1147lm	360°
750101	2700K	1355lm	360° WIDE
750101C	2700K	1355lm	360° WIDE
750101D	2700K	1355lm	360° WIDE
750102	2700K	1103lm	180°
750102C	2700K	1103lm	180°
750102D	2700K	1103lm	180°
750110	3000K	1147lm	360°
750110C	3000K	1147lm	360°
750110D	3000K	1147lm	360°
750111	3000K	1355lm	360° WIDE
750111C	3000K	1355lm	360° WIDE
750111D	3000K	1355lm	360° WIDE
750112	3000K	1103lm	180°
750112C	3000K	1103lm	180°
750112D	3000K	1103lm	180°
750120	4000K	1147lm	360°
750120C	4000K	1147lm	360°
750120D	4000K	1147lm	360°
750121	4000K	1355lm	360° WIDE
750121C	4000K	1355lm	360° WIDE
750121D	4000K	1355lm	360° WIDE
750122	4000K	1103lm	180°
750122C	4000K	1103lm	180°
750122D	4000K	1103lm	180°





STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
 Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
 MacAdam Steps
 Risk Group
 Lumen maintenance
 Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush 38W	CCT	FLUX	LENS
750200	2700K	3322lm	360°
750200C	2700K	3322lm	360°
750200D	2700K	3322lm	360°
750201	2700K	3079lm	360° WIDE
750201C	2700K	3079lm	360° WIDE
750201D	2700K	3079lm	360° WIDE
750202	2700K	2397lm	180°
750202C	2700K	2397lm	180°
750202D	2700K	2397lm	180°
750210	3000K	3322lm	360°
750210C	3000K	3322lm	360°
750210D	3000K	3322lm	360°
750211	3000K	3079lm	360° WIDE
750211C	3000K	3079lm	360° WIDE
750211D	3000K	3079lm	360° WIDE
750212	3000K	2397lm	180°
750212C	3000K	2397lm	180°
750212D	3000K	2397lm	180°
750220	4000K	3322lm	360°
750220C	4000K	3322lm	360°
750220D	4000K	3322lm	360°
750221	4000K	3079lm	360° WIDE
750221C	4000K	3079lm	360° WIDE
750221D	4000K	3079lm	360° WIDE
750222	4000K	2397lm	180°
750222C	4000K	2397lm	180°
750222D	4000K	2397lm	180°



Rush 38W	CCT	FLUX	LENS
750300	2700K	2972lm	360°
750300C	2700K	2972lm	360°
750300D	2700K	2972lm	360°
750301	2700K	2921lm	360° WIDE
750301C	2700K	2921lm	360° WIDE
750301D	2700K	2921lm	360° WIDE
750302	2700K	2576lm	180°
750302C	2700K	2576lm	180°
750302D	2700K	2576lm	180°
750310	3000K	2972lm	360°
750310C	3000K	2972lm	360°
750310D	3000K	2972lm	360°
750311	3000K	2921lm	360° WIDE
750311C	3000K	2921lm	360° WIDE
750311D	3000K	2921lm	360° WIDE
750312	3000K	2576lm	180°
750312C	3000K	2576lm	180°
750312D	3000K	2576lm	180°
750320	4000K	2972lm	360°
750320C	4000K	2972lm	360°
750320D	4000K	2972lm	360°
750321	4000K	2921lm	360° WIDE
750321C	4000K	2921lm	360° WIDE
750321D	4000K	2921lm	360° WIDE
750322	4000K	2576lm	180°
750322C	4000K	2576lm	180°
750322D	4000K	2576lm	180°





STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLÖH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

| IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen 14W	CCT	FLUX	LENS
751000	2700K	712lm	360°
751000C	2700K	712lm	360°
751000D	2700K	712lm	360°
751001	2700K	856lm	360° WIDE
751001C	2700K	856lm	360° WIDE
751001D	2700K	856lm	360° WIDE
751002	2700K	695lm	180°
751002C	2700K	695lm	180°
751002D	2700K	695lm	180°
751010	3000K	712lm	360°
751010C	3000K	712lm	360°
751010D	3000K	712lm	360°
751011	3000K	856lm	360° WIDE
751011C	3000K	856lm	360° WIDE
751011D	3000K	856lm	360° WIDE
751012	3000K	695lm	180°
751012C	3000K	695lm	180°
751012D	3000K	695lm	180°
751020	4000K	712lm	360°
751020C	4000K	712lm	360°
751020D	4000K	712lm	360°
751021	4000K	856lm	360° WIDE
751021C	4000K	856lm	360° WIDE
751021D	4000K	856lm	360° WIDE
751022	4000K	695lm	180°
751022C	4000K	695lm	180°
751022D	4000K	695lm	180°



Screen 20W	CCT	FLUX	LENS
751100	2700K	990lm	360°
751100C	2700K	990lm	360°
751100D	2700K	990lm	360°
751101	2700K	1225lm	360° WIDE
751101C	2700K	1225lm	360° WIDE
751101D	2700K	1225lm	360° WIDE
751102	2700K	965lm	180°
751102C	2700K	965lm	180°
751102D	2700K	965lm	180°
751110	3000K	990lm	360°
751110C	3000K	990lm	360°
751110D	3000K	990lm	360°
751111	3000K	1225lm	360° WIDE
751111C	3000K	1225lm	360° WIDE
751111D	3000K	1225lm	360° WIDE
751112	3000K	965lm	180°
751112C	3000K	965lm	180°
751112D	3000K	965lm	180°
751120	4000K	990lm	360°
751120C	4000K	990lm	360°
751120D	4000K	990lm	360°
751121	4000K	1225lm	360° WIDE
751121C	4000K	1225lm	360° WIDE
751121D	4000K	1225lm	360° WIDE
751122	4000K	965lm	180°
751122C	4000K	965lm	180°
751122D	4000K	965lm	180°





STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA 350mA
Bollard mA 500mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h

Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

Beacon mA 350mA
Bollard mA 500mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h

DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature


IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen 38W	CCT	FLUX	LENS
751200	2700K	2370lm	360°
751200C	2700K	2370lm	360°
751200D	2700K	2370lm	360°
751201	2700K	2692lm	360° WIDE
751201C	2700K	2692lm	360° WIDE
751201D	2700K	2692lm	360° WIDE
751202	2700K	1819lm	180°
751202C	2700K	1819lm	180°
751202D	2700K	1819lm	180°
751210	3000K	2370lm	360°
751210C	3000K	2370lm	360°
751210D	3000K	2370lm	360°
751211	3000K	2692lm	360° WIDE
751211C	3000K	2692lm	360° WIDE
751211D	3000K	2692lm	360° WIDE
751212	3000K	1819lm	180°
751212C	3000K	1819lm	180°
751212D	3000K	1819lm	180°
751220	4000K	2370lm	360°
751220C	4000K	2370lm	360°
751220D	4000K	2370lm	360°
751221	4000K	2692lm	360° WIDE
751221C	4000K	2692lm	360° WIDE
751221D	4000K	2692lm	360° WIDE
751222	4000K	1819lm	180°
751222C	4000K	1819lm	180°
751222D	4000K	1819lm	180°

Screen 38W	CCT	FLUX	LENS
751300	2700K	2661lm	360°
751300C	2700K	2661lm	360°
751300D	2700K	2661lm	360°
751301	2700K	2145lm	360° WIDE
751301C	2700K	2145lm	360° WIDE
751301D	2700K	2145lm	360° WIDE
751302	2700K	1656lm	180°
751302C	2700K	1656lm	180°
751302D	2700K	1656lm	180°
751310	3000K	2661lm	360°
751310C	3000K	2661lm	360°
751310D	3000K	2661lm	360°
751311	3000K	2145lm	360° WIDE
751311C	3000K	2145lm	360° WIDE
751311D	3000K	2145lm	360° WIDE
751312	3000K	1656lm	180°
751312C	3000K	1656lm	180°
751312D	3000K	1656lm	180°
751320	4000K	2661lm	360°
751320C	4000K	2661lm	360°
751320D	4000K	2661lm	360°
751321	4000K	2145lm	360° WIDE
751321C	4000K	2145lm	360° WIDE
751321D	4000K	2145lm	360° WIDE
751322	4000K	1656lm	180°
751322C	4000K	1656lm	180°
751322D	4000K	1656lm	180°





STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Simulation performed with Rush/Simulación realizada con Rush



Rush H.3700 mm

38W


3000K

Ref. 750210

Optics 360°

Luminaire interdistance/Interdistancia entre luminarias 10mt.

Simulation performed with Rush/Simulación realizada con Rush



Rush H.3100 mm

38W

3000K

Ref. 750311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.

**Screen** H.3700 mm

38W

3000K

Ref. 751312

Optics 180°

Luminaire interdistance/Interdistancia entre luminarias 10mt.

**Screen** H.3100 mm

38W

3000K

Ref. 751311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.



Bu-Oh 2500 by Estudi Ribaudí
71209 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 42W 3000K 2700lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65


Driver ✓



Bollard
494



Wall
610



Tram 2500 by Estudi Ribaudí
75532 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 43W 3000K 3000lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

IK 05


Driver ✓



Beacon
472



Wall
586



Datna 2500 by Àlex & Manel Llusçà
74444E ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 37W 3000K 2700lm

CRI 85

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44


Driver ✓



Bollard
472



Wall
592



outdoor

Floor / Suelo



Bu-oh pole lamp Ref. 71209
designed by Estudi Ribaudí



Grop 2000

75602

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 27W 3000K 1300lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Driver ✓



Beret 1800

75524

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 16W 4000K 625lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 54

IK 04

Driver ✓



Bollard
480



Plaza

75607

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 24W 3000K 1120lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 08


Driver ✓



outdoor

Floor / Suelo





Mistu 2L by Faro Lab

74435F2-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Post
482



Suspended
570



Wall
594



Muffin 2L by Àlex & Manel Llusçà

74435F2-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Post
482



Suspended
570



Wall
594



Blubs 2L by Estudi Ribaudí

74435F2-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Post
482



Suspended
570



Wall
594



PRICES





Mistu 3L by Faro Lab
74436F3-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Muffin 3L by Àlex & Manel Lluscà
74436F3-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Blubs 3L by Estudi Ribaudí
74436F3-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal


Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44





Muffin pole lamp Ref. 74436F3-04
designed by Alex & Manel Llusçà



Nautica 1L

71116

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 33



Suspended
571



Wall
598



Nautica 2L

71117

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 33



Nautica 3L

71118

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 33



outdoor

Floor / Suelo





Saigon spike Ref. 71575P-09
designed by Nahtrang

outdoor

exterior

Spike & Projectors Estacas y Proyectores

exclusive
online
collection



Leaf

70233

● Grey/Gris

Material

Body Recycled ABS/ABS Reciclado

Diff Opal PC/PC Opal

Light Source

GU10 8W

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP

44


IK


10

Cable

0.5 MT

SEA SIDE
SUITABLE

Driver 





Saigon by Nahrang




Saigon out C70

71575P-09 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PP

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



Floor
444



Suspended
558



Portable
562




Saigon out W70

71575P-07 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



Floor
446



Suspended
558



Portable
564




Saigon out T70

71575P-05 ● Dark Grey/Gris Oscuro + Cream/Crema

71575P-06 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Textilene

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



Floor
448



Suspended
558



Portable
564





Saigon spike Ref. 71575P-09
designed by Nahtrang



Saigon out 1500 R45

71575P-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 870 R45

71576P-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 1350 R55

71575P-01 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 730 R17

71576P-03 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT



Saigon out 1370 R17

71575P-03 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT







Toni

71528

● Matt Black/Negro Mate

Material

Body PC

Diff Transparent PC/PC Transparente

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class

II


IP

65


Cable

2.5 MT

SEA SIDE
SUITABLE



Piccola by Faro Lab




Piccola

70245

70246

- Matt Black/Negro Mate
- Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 6W 2700K 360lm
CRI	>80
Class	I
Voltage (V/Hz)	100V-240V/50-60Hz
IP	65
IK	08
Cable	1.5 MT
	Driver ✓



NEW



Bambou 1068

75556 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source LIGHT MODULE 8W 2200K 606lm

CRI >=80

Class I

Voltage (V/Hz) 200V-250V/50-60Hz


IP 65

IK 06

Beam angle 360°

Cable 0.2 MT

Driver ✓



Bambou 1268

75557 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source LIGHT MODULE 8W 2200K 606lm

CRI >=80

Class I

Voltage (V/Hz) 200V-250V/50-60Hz


IP 65

IK 06

Beam angle 360°

Cable 0.2 MT

Driver ✓







NEW

Bezel

70248

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 8W 2700K 349lm

CRI

>=90

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

65

IK

06



Cable

1.2 MT

Driver ✓



Bollard
504



NEW

Spy 145

70787

● Dark Grey/Gris Oscuro

Material

Body Aluminium+PC/Aluminio+PC

Diff Opal Glass/Cristal Opal

Light Source

COB LED 6W 3000K 495lm

Class

I

Voltage (V/Hz)

220V-240V/50Hz

IP

65

IK

05

Beam angle


30°

Cable

2 MT

350°

Driver ✓



NEW

Spy 435

70788

● Dark Grey/Gris Oscuro

Material

Body Aluminium+PC/Aluminio+PC

Diff Opal Glass/Cristal Opal

Light Source

COB LED 6W 3000K 495lm

Class

I

Voltage (V/Hz)

220V-240V/50Hz

IP

65

IK

05

Beam angle


30°

Cable

2 MT

350°

Driver ✓



PRICES

outdoor

Spike&Projector / Estaca y Proyector





Seth 280

70227

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 2700K 450lm

CRI >80

Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Beam angle 40°

Cable 2 MT

Driver ●



Seth 600

70226

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 2700K 450lm

CRI >80

Class II


Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Beam angle 40°

Cable 2 MT

Driver ●



Foc 210 spike

70158

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50Hz

IP 65

Beam angle 36°

Cable 0.5 MT

Driver ●



Foc 520 spike

70159

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50Hz

IP 65

Beam angle 36°

Cable 0.5 MT

Driver ●



Projector
555



PRICES





Sobek

70151

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 550lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65


IK

06

Beam angle

50°

Driver



Balder

70469

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 3W 3000K 110lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67


Beam angle

50°

Cable

2 MT

Driver



Plom

70913

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source

COB LED 9W 3000K 635lm

Dimmable W

200lm / 635lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

64



Cable

0.3 MT

↺ 90 Driver



Projector
554



Andy

71613

● Satin Gold/Oro Satinado

Material

Body Steel/Acero
Diff Transparent PC/PC Transparente

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class


I

IP

65

Cable

2 MT



outdoor

Spikes & Projectors / Estacas y Projectores



Tono

73150

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

97685327

Class


I

IP

44

Cable

2 MT



Garten lampholder

73111

● Matt Black/Negro Mate

Material

Body ABS

Light Source

1 E27 PAR38 max. 15W

Bulb incl.

No

Recom. Bulb

17400

Class


II

IP

54

Cable

2.5 MT



Garten plug

73100

● Matt Black/Negro Mate

Material

Body ABS

Class

I

Voltage (V/Hz)


220V-240V/50-60Hz

IP

44

Cable

2.5 MT



Accessories/Accesorios



Connection box T

75801

IP

68



Connection box

75800

IP

68



Slot by Lucid Product Design



Slot 200

70035

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Beam angle 28°

Driver ✓



Slot 500

70036

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 08

Beam angle 28°

Driver ✓



Slot 200 spike

70037

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65

IK 08

Beam angle 28°

Cable 1.5 MT

Driver ✓



Slot 500 spike

70038

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65

IK 08

Beam angle 28°

Cable 1.5 MT

Driver ✓



PRICES

outdoor

Spike&Projector / Estaca y Proyector



Slot spike Ref. 70037
designed by Lucid Product Design



Flow

71546

71547

● Matt Black/Negro Mate

● Beige

Material

Body PC

Diff Opal PC/PC Opal

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class

II


IP

65

Cable

2.5 MT

SEA SIDE SUITABLE 360° 160°



Spike accessory 60cm / Accesorio estaca 60cm

71548

71549

● Matt Black/Negro Mate

● Beige

Material

Body Aluminium/Aluminio






Flow spike Ref. 71547+71548
designed by Alegre Design



Alfa by Àlex & Manel Llusçà

70025 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 13W 3000K 845lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 65
Beam angle 80°
 Driver ✓



Project 73 by Àlex & Manel Llusçà

71383 ● Grey/Gris
 71390 ● Dark Grey/Gris Oscuro


Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source 1 GU10 max. 5W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 65
 340° 90°




Project 165 by Àlex & Manel Llusçà

71389 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source 1 E27 PAR38 max. 15W
Bulb incl. No
Recom. Bulb 17398
Class I
IP 65
 340° 90°









Muur 210

71770

● Dark Grey/Gris Oscuro

- Material** Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
- Light Source** SMD LED 21W 3000K 1337lm
- CRI** >=80
- Class** I
- Voltage (V/Hz)** 220V-240V/50-60Hz
- IP** 65
- IK** 06
- Beam angle** 36°






Visor accessory / Accesorio visera



71770V

● Dark Grey/Gris Oscuro





Muur 250

71771

● Dark Grey/Gris Oscuro

- Material** Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
- Light Source** SMD LED 29W 3000K 1877lm
- CRI** >=80
- Class** I
- Voltage (V/Hz)** 220V-240V/50-60Hz
- IP** 65
- IK** 06
- Beam angle** 36°




Visor accessory / Accesorio visera



71771V

● Dark Grey/Gris Oscuro







Oko

70161

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 20W 3000K 1400lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

65


IK

08

Beam angle

30°

Driver ✓



Plom

70912

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PMMA/PMMA Transparente

Light Source

COB LED 9W 3000K 635lm

Dimmable W

200lm / 635lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

64

90° Driver ✓



Spike
544



Toran

70140

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 4W 4000K 345lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

IK

08

Beam angle

115°

Driver ✓





Lit

70260 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 1 GU10 max. 5W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 54
↔ 45°



Foc 150

70156 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800lm



CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Beam angle 36°
↔ 45° Driver ✓



Foc 580

70157 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800lm


CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Beam angle 36°
↔ 45° ↔ 45° Driver ✓





outdoor

exterior

Suspended Suspensión

Saigon by Nahtrang








Saigon out C70

- Cone** 71579C-09 NEW ● Dark Grey/Gris Oscuro + Beige
Hole 71579H-09 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio
 Diff Opal PEMD/PEMD Opal
 Shade PP

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 3 MT







Saigon out W70 cone cap

- Cone** 71579C-07 ● Dark Grey/Gris Oscuro + Brown/Marrón
Hole 71579H-07 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
 Diff Opal PEMD/PEMD Opal
 Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 3 MT







Saigon out T70 Cone cap

- Cone** 71579C-05 ● Dark Grey/Gris Oscuro + Cream/Crema
Cone 71579C-06 ● Dark Grey/Gris Oscuro + Brown/Marrón
Hole 71579H-05 ● Dark Grey/Gris Oscuro + Cream/Crema
Hole 71579H-06 ● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
 Diff Opal PEMD/PEMD Opal
 Shade Textilene

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 44
Cable 3 MT





Saigon suspended lamp Ref. P1579H-05
designed by Nahrang

Saigon by Nahrang



Saigon out R45 Cone cap

Cone 71579C-04 ● Dark Grey/Gris Oscuro + White/Blanco
Hole 71579H-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
 Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT



Floor
450



Portable
566



Spike
534



Saigon out R55

71579-02 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
 Shade PEMD

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
451



Portable
566



Spike
534



Saigon out R17 cone cap

Cone 71579C-03 ● Dark Grey/Gris Oscuro + White/Blanco
Hole 71579H-03 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio
 Shade PEMD

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463

Class II

IP 44


Cable 3 MT



Portable
566



Spike
534



outdoor

Suspended / Suspensión



Saigon suspended lamp Ref. 71579-02
designed by Nahtrang



Saigon out C100 portable

71584-10 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PP

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 44

Cable 3 MT



Floor
444



Saigon out C70 portable

71584-09 NEW ● Dark Grey/Gris Oscuro + Beige

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade PP

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
444



Suspended
558



Spike
532



outdoor

Suspended / Suspensión



Saigon by Nahtrang



*Rope not included / Cuerda no incluida

Saigon out W100 portable

71584-08 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Class II

IP 44

Cable 3 MT



Floor
446



*Rope not included / Cuerda no incluida

Saigon out W70 portable

71584-07 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Synthetic wicker/Mimbre sintético

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
446



Suspended
558



Spike
532



*Rope not included / Cuerda no incluida



Saigon out T70 portable

71584-05 ●● Dark Grey/Gris Oscuro + Cream/Crema

71584-06 ●● Dark Grey/Gris Oscuro + Brown/Marrón

Material Body Aluminium/Aluminio
Diff Opal PEMD/PEMD Opal
Shade Textilene

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
448



Suspended
558



Spike
532



PRICES

outdoor

Suspended / Suspensión



Saigon portable Ref. 71584-08
designed by Nahtrang

Saigon by Nahtrang



*Rope not included / Cuerda no incluida

Saigon out R45 portable

71584-04 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
450



Suspended
560



Spike
534



*Rope not included / Cuerda no incluida

Saigon out R55 portable

71584-01 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT




Floor
451



Suspended
560



Spike
534



*Rope not included / Cuerda no incluida

Saigon out R17 portatil

71584-03 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 3 MT



Suspended
560



Spike
534




outdoor

Suspended / Suspensión



Saigon portable Ref. 71584-01
designed by Nahtrang



Scuba 600

75753

Chrome/Cromo

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Opal PC/PC Opal

Light Source SMD LED 20W 3000K 3200lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 66

IK 10


Beam angle 120°

Cable 3 MT

Driver ✓



Wall
588



Scuba 1200

75754

Chrome/Cromo

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Opal PC/PC Opal

Light Source SMD LED 36W 3000K 5760lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 66

IK 10

Beam angle 120°

Cable 3 MT

Driver ✓



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio



outdoor

Suspended / Suspensión





Muffin by Àlex & Manel Llusçà

74427C-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
522



Post
482



Wall
594



Mistu by Faro Lab

74427C-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
522



Post
482



Wall
594



Blubs by Estudi Ribaudí

74427C-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
484




Pole
522



Post
482



Wall
594



Moon by Faro Lab

74427C-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
484



Post
482



Wall
594



outdoor

Suspended / Suspensión



Nautica 260

71106

● Matt White/Blanco Mate + Matt Copper/Cobre Mate

71138

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 33

Cable 1 MT



Nautica 340

71139

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 33

Cable 1 MT



Pole
526



Wall
598



Wilma 800

75002

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 44

Cable 1.5 MT



Post
479



Wall
596



PRICES



outdoor

exterior

Ceiling Techo



NEW



Anga 240

72352
72353

- White/Blanco
- Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal White PMMA/PMMA Blanco Opal

Light Source SMD LED 18W 2700K 1300lm

CRI >=80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 44

IK 04

Driver ✓



NEW



Anga 295

72354
72355

- White/Blanco
- Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal White PMMA/PMMA Blanco Opal

Light Source SMD LED 24W 2700K 1794lm

CRI >=80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 44

IK 04

Driver ✓



Dakron

70722

- Matt White/Blanco Mate

Material **Body** ABS
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class II

IP 65

IK 10

SEA SIDE
SUITABLE



PRICES





Yen

70690

● Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

54



Olot

71372

● Matt White/Blanco Mate

71374

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

44



Tami

70799

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 600lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

54

Beam angle

40°

↖ 20° Driver ✓





Tasa

70806

70821

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 97687127

Class I

IP 44



Kila 200

71740

71741

71742

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 65



Bollard
474



Wall
592



Goz

70575

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 9W 3000K 500lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Beam angle 40°

Driver ✓



PRICES




outdoor

exterior

Surface Superficie

exclusive
online
collection



Tone

71538

● Matt White/Blanco Mate

71539

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 20W 3000K 1200lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

07

Driver ✓





outdoor




Surface / Superficie




Bronx by Àlex & Manel Lluscà



Bronx

- 71194  Brown/Marrón
- 71195  White/Blanco
- 71196  Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	44






2700K



3000K



4000K



Balic

70294

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Prism Glass/Cristal Prismático

Light Source

SMD LED 8W 813/870/896lm

CRI

>=80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

Driver CCT OPTIONS ● 2700K ● 3000K ● 4000K



Bollard
464





Mask by Lucid Product Design

71279 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 15W 3000K 550lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

IK 06

SEA SIDE SUITABLE Driver ✓



Pals by Faro Lab

70290 ● Matt White/Blanco Mate

70291 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 65

IK 06



Twist by Estudi Ribaudí

71285 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 500lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Beacon
468



PRICES

outdoor

Surface / Superficie





Block 135 by Àlex & Manel Llusçà
74139 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17462

Class I

IP 65

IK 06

SEA SIDE SUITABLE



Beacon
466



Tram by Estudi Ribaudí
75533 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44



Beacon
470



Pole
518



Half by Nahrang
71536 ● Matt White/Blanco Mate
71537 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 20W 3000K 1350lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65


IK 05

Driver ✓



outdoor

Surface Superficie



Block wall lamp Ref. 74139
designed by Alex & Manel Llusçà



Scuba 600

75750

Chrome/Cromo

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Opal PC/PC Opal

Light Source SMD LED 20W 3000K 3200lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 66

IK 10


Beam angle 120°

Cable 3 MT

Driver ✓



Suspended
568



Scuba 1200

75751

Chrome/Cromo

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Opal PC/PC Opal

Light Source SMD LED 36W 3000K 5760lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 66

IK 10

Beam angle 120°

Cable 3 MT

Driver ✓



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio





Scuba wall lamp Ref. 75751



Kerala

74453

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 13W 3000K 600lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

54

Driver ✓



Portable
58



Orwell

75700

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 8W 3000K 450lm

CRI

>80

Class

I



Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓



Orwell camera

75701

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 13W 480lm

Dimmable W

4w 95lm / 13w 480lm

Dimmable K

3000 - 6500K

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓



outdoor

Surface / Superficie





Kila

71743

71744

71745

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 65



Ceiling
577



Bollard
472



Datna by Àlex & Manel Llusçà

74440

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44



Bollard
470



Pole
518



outdoor

Surface / Superficie





Muffin by Àlex & Manel Lluscà

74432A-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
482




Pole
522



Post
480



Suspended
570



Mistu by Faro Lab

74432A-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
482




Pole
522



Post
480



Suspended
570



Blubs by Estudi Ribaudí

74432A-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
482




Pole
522



Post
480



Suspended
570



Moon by Faro Lab

74432A-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
482



Post
480



Suspended
570



outdoor

Surface / Superficie



Blub's wall lamp Ref. 74432A-03
designed by Estudi Ribaudí



Toc

70780

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 8W 3000K 600lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Driver ✓



Portable
56



Wilma 280

74998

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44



Post
477



Suspended
571



Wilma 320

75000

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44





Argot

71424

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

44



Dado

71606

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17462

Class

I

IP

23



PRICES



Nautica 310

71110 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 33



Pole
526



Suspended
571



Nautica 280

71128 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 33



Nautica 350

71129 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 33





Estoril 260

71140

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class I

IP 33

IK 06



Estoril 310

71141

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 33

IK 06



Wally

74261

● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



PRICES



Timon

70996  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 44

SEA SIDE SUITABLE



Noray

70999  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 65

IK 03

SEA SIDE SUITABLE



Nahir

70992  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 44

SEA SIDE SUITABLE



Borda

70997  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 44

SEA SIDE SUITABLE



Cabo

70998  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 65

IK 05

SEA SIDE SUITABLE



PRICES

outdoor

Surface Superficie



Nahir wall lamp Ref. 70992



Nala

70773

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

54



Post
486



Tamashi

71303

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17428

Class

I

IP

65



Pomo

71306

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17426

Class


I

IP

65

IK

06



Pivot

71304

● Matt White/Blanco Mate

71305

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 500lm

CRI

>80

Class

I

Voltage (V/Hz) 100V-240V/50-60Hz


IP

65

IK

06

Driver







Sun

70823

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 4.4W 3000K 275lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Driver ✓



Tom 190

70665

● Matt White/Blanco Mate

70666

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 7W 3000K 400lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓



Tom 220

70682

● Dark Grey/Gris Oscuro

70683

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓





Hikari

71274

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 10W 3000K 400lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

10

Driver ✓



Kubick

70689

● Dark Grey/Gris Oscuro

70715

● Grey/Gris

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

44



Lur

70827

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 12W 3000K 950lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Driver ✓





Mol

70720

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463

Class

I

IP

44



Pol

70829

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 8W 3000K 550lm

CRI

>80

Class

I


Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Driver ✓



Fred 200

70663

● Dark Grey/Gris Oscuro

70664

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 7W 3000K 400lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓



Fred 245

70667

● Dark Grey/Gris Oscuro

70668

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓



outdoor

Surface / Superficie



Natron

70887

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17437

Class I

IP 54

IK 06



Tejo

70573

70573B

● Dark Grey/Gris Oscuro
● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 54

IK 06



Negus

70696

● Grey/Gris

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 54

IK 10



Bonn

70697

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44





Cela

72280

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 54



Cela stripped

72281

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class II

IP 54



Fedon

70714

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 54





Estay

72010
72011

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



Derby 200

72000
72001

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



Derby 283

72002

- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



PRICES



Bu-Oh by Estudi Ribaudí

- 71212 ● Dark Grey/Gris Oscuro
71215 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 310lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65


Driver ✓



Bollard
492



Pole
518



Lotus by Estudi Ribaudí

- 71222 ● Matt White/Blanco Mate
71223 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1700lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65

IK 08

Driver ✓



Bollard
466



Future by Estudi Ribaudí

- 71516 ● Matt White/Blanco Mate
71517 ● Dark Grey/Gris Oscuro

Material Body PC
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17437

Class II

IP 44

SEA SIDE
SUITABLE





Lotus wall lamp Ref. 71223
designed by Estudi Ribaudí



Sticker by Lucid Product Design

75540 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 13W 3000K 770lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 55

Driver ✓



Bollard
470



View by Estudi Ribaudí

71519 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 54

SEA SIDE
SUITABLE



Dragma by Àlex & Manel Llusçà

71362L ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 15W 3000K 500lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 65

Driver ✓



Ancora by Àlex & Manel Llusçà

74401 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 44



outdoor

Surface / Superficie



Sticker wall lamp Ref. 75540
designed by Lucid Product Design




Alp 130

74450

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 8W 3000K 350lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 54
 Driver ✓



Axel


71272

● Matt White/Blanco Mate

71273

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 6W 3000K 360lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
IK 07
 Driver ✓




Bracket

72272

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 6W 3000K 270lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 44
 Driver ✓





Quart

70579

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 30W 3000K 1200lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50Hz

IP

65

Driver ✓



Takua

71277

● Dark Grey/Gris Oscuro

71308

● Matt White/Blanco Mate

71309

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 450lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65

IK

06

Driver ✓



Oval

71276

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 450lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

65



IK

06

Driver ✓



PRICES



Lako

71909

71910

71911

71898

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca + Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático

Light Source

SMD LED 8W 3000K 600lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz




IP

65

Beam angle

90°

Driver



Doro 220

71900

71901

71902

71899

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca + Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático

Light Source

SMD LED 2W 3000K 1000lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

65

Driver



Doro 380

71903

71904

71905

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático

Light Source

SMD LED 20W 3000K 1800lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

65

Driver





Doro 500


71906

71907

71908

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático
Light Source SMD LED 28W 3000K 2700lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 65
 Driver ✓




Toluca

71052

- Satin Aluminium/Aluminio Satinado

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 16W 3000K 900lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 65
IK 09
 Driver ✓






Tacana

71049

- Satin Aluminium/Aluminio Satinado

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source SMD LED 24W 3000K 1700lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 65
IK 09
 Driver ✓





Tond 1L

71915 2700K

71916 3000K

● Dark Grey/Gris Oscuro

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 6W 195lm

CRI

>=80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

54




IK

06

Beam angle

50°

Driver



Tond 2L

71917 2700K

71918 3000K

● Dark Grey/Gris Oscuro

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2x6W 542lm

CRI

>=80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

54



IK

06

Beam angle

50°

Driver



Thon 1L

70283

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 15W 3000K 825lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

55

Beam angle

18°

Driver



Thon 2L

70284

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 30W 3000K 1538lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz


IP

55

Beam angle

18°

Driver



outdoor

Surface / Superficie



Tond wall lamp Ref. 71918



Kaula 100

70405

● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L/Acero inoxidable 316L

Diff Opal PMMA/PMMA Opal

Light Source SMD LED 9W 3000K 800lm


CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 44

Driver ✓



Kaula 180

70406

● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L/Acero inoxidable 316L

Diff Opal PMMA/PMMA Opal

Light Source SMD LED 16W 3000K 650lm



CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 44

Driver ✓



Aday 113

70644

● Matt White/Blanco Mate

70645

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 3000K 450lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 54

IK 08

Driver ✓



Aday 175

70646

● Matt White/Blanco Mate

70647

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 13W 3000K 787lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz


IP 54

IK 08

Driver ✓



PRICES





Tane

72269

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 7W 3000K 280lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Driver ✓



West 1

70888

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 54



West 2

70899

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 54



PRICES



Lace

70811

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2x3W 4000K 315lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz



IP

54

Beam angle

110°

Driver ✓



Bruc

70828

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 13W 3000K 830lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz



IP

54

IK

06

Driver ✓



Ling

70812

● Dark Grey/Gris Oscuro

70813

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2x3W 4000K 630lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz


IP

54

Beam angle

110°

Driver ✓





Lacre

70802

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb



17463

Class

I

IP

54



Log

70264

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 9W 3000K 600lm

CRI

>80

Class

I




Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓



Blind

70267

● Matt White/Blanco Mate

70268

● Rust Brown/Marrón Oxido

70634

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 6W 3000K 180lm

CRI

>80

Class

I


Voltage (V/Hz)


220V-240V/50-60Hz

IP

65

Driver ✓





Olan

70269
70270
70637

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 200lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

IK 06

Driver ✓



Sunset

70686
70687

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 3000K 260lm



CRI >80

Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 54

Driver ✓



Canon

70566N
70567N

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 4W 3000K 130lm

CRI >80


Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 44

Beam angle 120°

Driver ✓



PRICES




Nairobi

70830

70832

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 6W 3000K 380lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 54
 Driver ✓




Tinia

71353

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 44




Ele

74419

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 6W 3000K 450lm
CRI >80
Class I
Voltage (V/Hz) 220V-240V/50-60Hz
IP 54
Beam angle 95°
 Driver ✓





Gina

71363
71366
71367

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente


Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44



Taima

71388

- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 310lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 180°



Wood

74455

- Dark Grey/Gris Oscuro + Wood/Madera

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 600lm


CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

Beam angle 95°





Proa by Àlex & Manel Lluscà

74400 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44



Steps 2L by Estudi Ribaudí

75500 ● Matt White/Blanco Mate

75501 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 2 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44



Steps 4L by Estudi Ribaudí

75502 ● Matt White/Blanco Mate

75503 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 4 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44





Proa wall lamp Ref. 74400
designed by Alex & Manel Llusçà




Klamp 1L by Àlex & Manel Lluscà
74407 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 44




Bollard
498



Klamp 2L by Àlex & Manel Lluscà
74408 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 44



Suma
70749 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class I
IP 44



outdoor

Surface / Superficie



Klamp1 wall lamp Ref. 74407
designed by Alex & Manel Llusca



Pill

70824

70825

70826

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

COB LED 3,5W 3000K 110lm

CRI

>80

Class

I



Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

Driver



Drak

72330

- Brass/Latón

Material

Body Aluminium/Aluminio

Diff Transparent PMMA/PMMA Transparente

Light Source

SMD LED 4,5W 3000K 160lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

44

IK

08

SEA SIDE SUITABLE Driver



Brow

70408

70409

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body PC

Diff Opal PMMA/PMMA Opal

Light Source

COB LED 3W 3000K 100lm

CRI

>80

Class

II


Voltage (V/Hz)


220V-240V/50Hz

IP

44

Driver





Loth 1L

70285

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 6W 3000K 165lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 67

IK 10

Driver ✓



Loth 2L

70286

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 13W 3000K 235lm

CRI >80



Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 67

IK 10

Driver ✓



Loth 4L

70287

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 13W 3000K 400lm

CRI >80


Class I

Voltage (V/Hz) 220V-240V/50-60Hz

IP 67

IK 10

Driver ✓





Keenan 1



70546

● Matt Nickel/Níquel Mate

Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 1W 6500K 20lm
CRI >80
Recom. Driver 98111020
Class III
Voltage (V/Hz) 12V DC
IP 67
IK 08

SEA SIDE SUITABLE Driver ☒



Keenan 2


70547

● Matt Nickel/Níquel Mate

Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 1W 6500K 40lm
CRI >80
Recom. Driver 98111020
Class III
Voltage (V/Hz) 12V DC
IP 67
IK 08

SEA SIDE SUITABLE Driver ☒



Keenan 4


70564

● Matt Nickel/Níquel Mate


Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 1W 6500K 80lm
CRI >80
Recom. Driver 98111020
Class III
Voltage (V/Hz) 12V DC
IP 67
IK 08

SEA SIDE SUITABLE Driver ☒







Grant SQ

70655

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65


IK

10

Beam angle

120°

SEA SIDE SUITABLE Driver ✓



Grant R

70656

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65lm

CRI

>80

Class

II

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65



IK

10

Beam angle

120°

SEA SIDE SUITABLE Driver ✓



Path

70501

● Matt White/Blanco Mate

70508

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 9W 3000K 390lm

CRI

>80

Class

I


Voltage (V/Hz)


100V-240V/50-60Hz

IP

44

Driver ✓





Grada 157

70906

● Dark Grey/Gris Oscuro

70907

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 3W 3000K 86lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓



Grada 250

70908

● Dark Grey/Gris Oscuro

70909

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 6W 3000K 208lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓



Grada 600

70910

● Dark Grey/Gris Oscuro

70911

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 12W 3000K 443lm

CRI

>80

Class

I


Voltage (V/Hz)

220V-240V/50-60Hz

IP

54

Driver ✓





Must 96

70657

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 3000K 80lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓



Must 158

70658

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 220lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓



Must 217

70659

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 4W 3000K 240lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz


IP

65

IK

10

SEA SIDE SUITABLE Driver ✓







outdoor

exterior

Recessed Empotrables



Galo R

70265

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 3W 3000K 200lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

54

IK



05

Cut out

73x60

ASYMMETRIC
ASIMÉTRICO

Driver



Nase SQ

70395

● Matt White/Blanco Mate

70398

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 100lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44



Beam angle

120°

Cut out

92x87

Driver



Nase RCT

70396

● Matt White/Blanco Mate

70399

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 3W 3000K 100lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

Beam angle


120°

Cut out

132x90

ASYMMETRIC
ASIMÉTRICO

Driver



PRICES



Dang

70446

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Glass/Acero inoxidable 316L+Cristal

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 3W 3000K 80lm

CRI

>80

Recom. Driver

98324006

Class

III

Voltage (V/Hz)

24V DC/50-60Hz

IP

67

IK

05

Beam angle


40°

Cut out


ø88

SEA SIDE SUITABLE

Driver ✘



*Drivers info pag. 818-819



Uve

70397

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 3000K 70lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

IK

08


Beam angle

120°

Cut out

ø78

Driver ✔



PRICES



Frol

70135

● Satin Nickel/Níquel Satinado

Material **Body** Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal

Light Source SMD LED 1W 3000K 55lm

CRI >80


Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Cut out 92x92

Driver ✓ 



Gron

70134

● Satin Nickel/Níquel Satinado

Material **Body** Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal

Light Source SMD LED 1W 3000K 70lm

CRI >80


Class II

Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Cut out 105x66

Driver ✓ 



Stripe

72092

● Dark Grey/Gris Oscuro

72093

● Matt White/Blanco Mate

72094

● Matt White/Blanco Mate

72095

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 50lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 54

IK 07

Cut out 230x89

Driver ✓





Liso

71490

71491

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44

Cut out 230x89



Recessed box/Caja de empotrar

71482



Esca

71480

71481

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 44

Cut out 230x89



Recessed box/Caja de empotrar

71482



Stripe grid

72094

72095

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 70lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 54


IK 07

Cut out 230x89x85

Driver



PRICES



Dart SQ

- 70272 2700K
- 70273 2700K
- 70272N NEW 3000K
- 70273N NEW 3000K

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body PC
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 2W 70lm

CRI >80

Class II


Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Beam angle 100°

Cut out ø68

Driver



Choose required mounting accesory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

- 70276 ● Black/Negro



Surface box/Caja de superficie

- 70274 ● White/Blanco
- 70275 ● Black/Negro



Dart RCT

- 70277 2700K
- 70278 2700K
- 70277N NEW 3000K
- 70278N NEW 3000K

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body PC
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 5W 275lm

CRI >80

Class II


Voltage (V/Hz) 220V-240V/50-60Hz

IP 65

Beam angle 100°

Cut out 160x68

Driver



Choose required mounting accesory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

- 70281 ● Black/Negro



Surface box/Caja de superficie

- 70279 ● White/Blanco
- 70280 ● Black/Negro



outdoor

Recessed / Empotrables





Spark

70162

● Dark Grey/Gris Oscuro

70163

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 5W 3000K 230lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65



IK

10

Cut out

95x65

Driver  



Racing

70403

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 4000K 30lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

IK

08


Beam angle

45°

Cut out

ø76

ASYMMETRIC ASIMETRICO Driver  



Carter

70402

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 4000K 30lm

CRI

>80

Class

II

Voltage (V/Hz)

220V-240V/50-60Hz

IP

44

IK

08


Beam angle

45°

Cut out

ø76


ASYMMETRIC ASIMETRICO Driver  



outdoor

Recessed / Empotrables





Soun 105

70833

● Dark Grey/Gris Oscuro

70834

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 5W 3000K 280lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65

IK

08


Beam angle

120°

Cut out

220x95

Driver 



Soun 193

70900

● Dark Grey/Gris Oscuro

70901

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 8W 3000K 630lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65

IK

08


Beam angle

120°

Cut out

183x225

Driver 



Nat

70271

● Matt White/Blanco Mate

70638

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 330lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

65


IK


08

Cut out

215x65x70

ASYMMETRIC ASIMÉTRICO Driver 





Sedna SQ 90

70146 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 1W 3000K 30lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65

IK 08

Beam angle 70°

Cut out 80x75

ASYMMETRIC ASIMÉTRICO Driver ✓ 



Sedna RCT

70147 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 3W 3000K 90lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65

IK 08

Beam angle 70°

Cut out 125x58

ASYMMETRIC ASIMÉTRICO Driver ✓ 



Sedna SQ 140

70148 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 3W 3000K 90lm

CRI >80

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 65


IK 08

Beam angle 70°

Cut out 128x112

ASYMMETRIC ASIMÉTRICO Driver ✓ 





Grund 37

70726
70730

- Satin Stainless/Inoxidable Satinado
- Anodized Black/Negro Anodizado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 2W 3000K 152lm

CRI

>90

Recom. Driver

98310206E

Class

III

IP

67

IK


08

Beam angle

15°

Cut out

ø32



SEA SIDE SUITABLE



*Drivers info pag. 818-819



Grund 80

70728
70731

- Satin Stainless/Inoxidable Satinado
- Anodized Black/Negro Anodizado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 420lm

CRI

>90

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

ø60



SEA SIDE SUITABLE



*Drivers info pag. 818-819



Grund 92

70729
70732

- Satin Stainless/Inoxidable Satinado
- Anodized Black/Negro Anodizado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 13W 3000K 846lm

CRI

>90

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

ø68




SEA SIDE SUITABLE



*Drivers info pag. 818-819







Grund 37

70733

70735

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 2W 2700K

CRI

>90

Recom. Driver

98310206E

Class

III

IP

67

IK


08

Beam angle

15°

Cut out

ø32



SEA SIDE SUITABLE



*Drivers info pag. 818-819



Grund 80

70734

70736

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 2700K

CRI

>90

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

ø60




SEA SIDE SUITABLE



*Drivers info pag. 818-819





Crosby

70459N

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 1W 3000K 13lm

CRI

>80

Class

I

Voltage (V/Hz)

120V-240V/50-60Hz

IP

67

IK

08

Beam angle


120°

Cut out

ø80

SEA SIDE SUITABLE

Driver ✓



Crosby 24V

70453

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 2W 3000K 77lm

CRI

>80

Recom. Driver

98324006

Class

III

Voltage (V/Hz)

24V DC/50-60Hz

IP

67

IK

08

Beam angle


120°

Cut out

ø80

SEA SIDE SUITABLE

Driver ✗



*Drivers info pag. 818-819



Curtis

70462N

● Satin Stainless/Inoxidable Satinado

Material

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2W 3000K 180lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67

IK

08


Cut out

ø80


SEA SIDE SUITABLE

ASYMMETRIC ASIMÉTRICO

Driver ✓



PRICES



Kane 1

70660 3000K

● Satin Stainless/Inoxidable Satinado

70660W NEW 2700K

● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L/Acero inoxidable 316L

Diff Opal Glass/Cristal Opal

Light Source COB LED 3W 3000K 120lm

CRI >80

Recom. Driver 98324006

Class III



Voltage (V/Hz) 24V DC/50-60Hz

IP 67

IK 08

Beam angle 120°


Cut out ø40



SEA SIDE SUITABLE

Driver  

*Drivers info pag. 818-819



Kane 2

70661 3000K

● Satin Stainless/Inoxidable Satinado

70661W NEW 2700K

● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L/Acero inoxidable 316L

Diff Opal Glass/Cristal Opal

Light Source COB LED 3W 3000K 120lm

CRI >80

Recom. Driver 98324006

Class III



Voltage (V/Hz) 24V DC/50-60Hz

IP 67

IK 08

Beam angle 120°


Cut out ø40



SEA SIDE SUITABLE

Driver  

*Drivers info pag. 818-819



Kane 3

70662 3000K

● Satin Stainless/Inoxidable Satinado

70662W NEW 2700K

● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L/Acero inoxidable 316L

Diff Opal Glass/Cristal Opal

Light Source COB LED 3W 3000K 120lm

CRI >80

Recom. Driver 98324006

Class III



Voltage (V/Hz) 24V DC/50-60Hz

IP 67

IK 08

Beam angle 120°

Cut out ø40



SEA SIDE SUITABLE

Driver  

*Drivers info pag. 818-819





Tras 2L Orientable

71701 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 4W 3000K 462lm

CRI >=90

Class III

Voltage (V/Hz) 24V DC


IP 67

IK 08

Beam angle 13°


Cut out ø82

Driver ⊗ 



Recessed box/Caja de empotrar

71703



Tras 4L

71702 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 8W 3000K 924lm

CRI >=90

Class III

Voltage (V/Hz) 24V DC


IP 67

IK 09

Beam angle 13°


Cut out ø82

Driver ⊗ 



Recessed box/Caja de empotrar

71703



Tras 12L

71716 13° ● Black/Negro

71717 40° ● Black/Negro

Material Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 25W 3000K 2580lm

CRI >=90

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 10

Cut out 250x235

Driver ⊗ 



*Drivers info pag. 818-819





Geiser 80 GU10

70304 ● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17324
Class I
IP 67
IK 08

Cut out ø116



Geiser 80

70305 ● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 7W 3000K 400lm
CRI >80
Class I
Voltage (V/Hz) 100V-240V/50-60Hz
IP 67
IK 08
Beam angle 38°

Cut out ø116



Geiser 80 GU10

70310 ● Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 67
IK 08

Cut out ø120





Geiser 130

70302 10°

70303 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 400lm

CRI

>80

Class

I

Voltage (V/Hz)

220V-240V/50-60Hz

IP

67


IK

08

Cut out

ø90

SEA SIDE SUITABLE 20° Driver



Geiser 180

70308 10°

70309 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 15W 3000K 900lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67


IK

08

Cut out

ø165

SEA SIDE SUITABLE 25° Driver



Geiser 260

70306 10°

70307 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 29W 3000K 1800lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67


IK

08

Cut out

ø200

SEA SIDE SUITABLE 20° Driver





Suria 120

70588 24°

70592N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 3W 3000K 175lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 67

IK 08

Cut out ø100

SEA SIDE SUITABLE Driver



Suria 180

70589 24°

70593N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 12W 3000K 1280lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 67

IK 08

Cut out ø165

SEA SIDE SUITABLE Driver



Suria 220

70586 24°

70587 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material **Body** Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 24W 3000K 1870lm

CRI >80

Class I


Voltage (V/Hz) 100V-240V/50-60Hz

IP 67

IK 08

Cut out ø209

SEA SIDE SUITABLE Driver





Led18 R

71496N 6000K
71498N 3000K

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 3W 51lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50-60Hz

IP 67

IK 08

Cut out ø90

SEA SIDE SUITABLE Driver ✓



Led18 SQ

71499N

- Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 3W 3000K 51.4lm

CRI >80

Class I


Voltage (V/Hz) 220V-240V/50-60Hz

IP 67

IK 08

Cut out 80x80

SEA SIDE SUITABLE Driver ✓



Salt

70591

- Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 9W 3000K 500lm

CRI >=90

Class I

Voltage (V/Hz) 100V-240V/50-60Hz


IP 67

IK 08

Beam angle 45°

Cut out ø170

SEA SIDE SUITABLE **ASYMMETRIC ASIMETRICO** Driver ✓



PRICES



Taro

70449

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 280lm

CRI

>80

Class

I

Voltage (V/Hz)

100V-240V/50-60Hz

IP

67

IK

08


Beam angle

30°

Cut out

ø90

SEA SIDE SUITABLE Driver  



Tecno

71489N

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17324

Class

I

IP

67


IK

08

Cut out

ø100

SEA SIDE SUITABLE 



Lio

71495

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel/Acero inoxidable
Diff Opal Glass/Cristal Opal

Light Source

1 GX53 max. 6W

Bulb incl.

No

Recom. Bulb

17340

Class

I

IP

67


IK

10

Cut out

ø90

SEA SIDE SUITABLE 



Edel

70455

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+ABS/Acero inoxidable 316L+ABS
Diff Opal Glass/Cristal Opal

Light Source

SMD LED 18W 4000K 600lm

CRI

85

Class

III

Voltage (V/Hz)

24V DC/50-60Hz

IP

68

IK

08


Beam angle

25°

Cut out

ø156

SUBMERSIBLE SUMERGIBLE Driver  



outdoor

Recessed / Empotrables





Falls 290 Orientable

71730 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 8W 3000K 672lm

Beam angle 25°

Falls 290 Orientable

71731 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 8W 3000K 669lm

Beam angle 30x60°

Material **Body** Stainless steel 316L/Acero inoxidable 316L

CRI >=90

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 09

Cut out 310x52

Driver



Falls 500 Orientable

71732 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 16W 3000K 1367lm

Beam angle 25°

Falls 500 Orientable

71733 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 16W 3000K 1413lm

Beam angle 30x60°

Material **Body** Stainless steel 316L/Acero inoxidable 316L

CRI >=90

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 09

Cut out 520x53

Driver





Falls 290

71734 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 6W 2700K 190lm

Falls 290

71735 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 6W 3000K 200lm

Falls 500

71736 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 12W 2700K 291lm

Falls 500

71737 ● Satin Stainless/Inoxidable Satinado

Light Source SMD LED 11W 3000K 316lm

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Glass/Cristal

CRI >=90

Class III

Voltage (V/Hz) 24V DC

IP 67

IK 09

Cut out 310x52

Driver  



Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Glass/Cristal

CRI >=90

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 09

Cut out 520x53

Driver  



fan ventilación



Why a Fan?

The ceiling fan has become an essential element in the interior design of a space, providing style, functionality, efficiency and sustainability.

El ventilador de techo se ha convertido en un elemento imprescindible en el interiorismo de un espacio, aportando estilo, funcionalidad, eficiencia y sostenibilidad.




Healthy & environmental friendly Saludable y sostenible

It improves the air quality and contributes to our well-being and health. It does not emit toxic gases dangerous to the environment.
Mejora la calidad del aire contribuyendo a nuestro bienestar y salud. No emite gases tóxicos.




Cost-effective Eficiente

It ventilates and cool spaces with energy consumption 50% lower than other systems.
Ventila y refresca los espacios con un consumo energético un 50% más bajo que otros sistemas.



Summer and Winter use Uso verano e invierno

The rotation of the blades creates a refreshing breeze in summer and eliminates air stratification in winter.
La rotación de las aspas crea una brisa refrescante en verano y elimina la estratificación del aire en invierno.




Best Choice

**Over 40 years of experience in fan, we are your best choice.
Con más de 40 años de experiencia en la ventilación de techo, somos tu
mejor elección.**



**Engine guaranteed
for 15 years.**

**Motor con garantía
de 15 años.**



High performance.

Altas prestaciones.



**Wide range.
Over 80 designs.**

**Amplia gama.
Más de 80 diseños.**



**DC motor.
Better performance.**

**Motor DC. Un mejor
rendimiento.**

Smart fan connection guide Guía conexión smart fan



Add a device.
In this case a ceiling fan.

Añade un dispositivo.
En este caso un ventilador de techo.



Enter your WIFI password.
Make sure you are connected to a 2.4 GHz network.

Introduce la contraseña de tu WIFI.
Asegúrate de estar conectado a una red de 2.4 GHz.



Pair your fan.
Choose the option of new fan to make the connection.

Empareja tu ventilador.
Elige la opción de nuevo ventilador para realizar la conexión.



Configure the fan.
Select the mode you want to use your fan in.

Configura el ventilador.
Selecciona el modo en el que quieres usar tu ventilador.



Regulate the light on your fan.
You can modify the light emitted by your fan through the app.

Regula la luz de tu ventilador.
Podrás modificar la luz emitida por tu ventilador a través de la app.



Regulates fan speed.
You can modify the speed of your fan through the app.

Regula la velocidad del ventilador.
Podrás modificar la velocidad de tu ventilador a través de la app.

Compatible con / Compatible with




Smart Fan

Download app
Descarga la app

WIZ

Available on the iPhone
App Store

ANDROID APP ON
Google play



Fan integration

in automation projects.

Compatible with:
Compatible con:



and other control systems with
0-10V/1-10V y otros sistemas de
control con 0-10V/1-10V.



34162
Gateway 0-10V/1-10V fans
Pasarela 0-10V/1-10V fans

Integration gateway in automation
systems for Faro WP fans by 0-10V /
1-10 V speed and light control.

Pasarela de integración en sistemas
domóticos para ventiladores Faro WP
por control 0-10V/1-10V en velocidad y
luz.



**up to 128 fans per
gateway.**
hasta 128 ventiladores
por pasarela.



Size it to your space

Size is really important when selecting your ceiling fan. If a fan is too large, it can overwhelm the space. On the flip side, if the fan is too small, the airflow may be inadequate for that area.

El tamaño es realmente importante al seleccionar el ventilador de techo. Si un ventilador es demasiado grande, puede saturar el espacio. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área.



XL

28 m² o más/or more
300 SQ.FT or more



más/over ø165 CM.
over ø56 INCH.

L

17,6-28 m²
190-300 SQ.FT



ø 132-164CM.
ø50-54 INCH.

M

13-17,6 m²
140-190 SQ.FT



ø107-131 CM.
ø44-48 INCH.

S

13 m² o menos/or less
140 SQ.FT or less



ø106 CM. o menos/or less
ø42 INCH. or less



TECHNOLOGY

SYSTEM



Custom Fans

We personalise and adapt fan functions to your project needs.
Personalizamos y adaptamos las funciones del ventilador a las necesidades de tu proyecto.



How you want to control your fan

Múltiples opciones de control



Our fans around the world

Adaptado a cualquier parte del mundo



We adapt fan speeds to your needs

Velocidad personalizada



We modify the memory of your fan

Memoria personalizada

Tell us your needs and we will make it happen
Dinos tus necesidades y lo hacemos realidad


Send your demand on / envíanos tu petición a fanprojects@faro.es

	S	M	L	XL	DC Motor	Smart Optional	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Alo (Light)			•					•	•		•		incl.				•
Alo			•					•		•			incl.				•
Aloha			•					•		•		•	incl.				•
Amelia (Light) NEW			•			•		•	•		•		incl.				•
Amelia NEW			•			•		•		•	•		incl.				•
Andros				•	•			•		•			incl.				•
Aoba				•				•		•			incl.				•
Attos				•	•	•		•	•		•		incl.				•
Barth			•		•			•	•		•		incl.				•
Cebu	•							•	•				incl.				•
Century				•	•			•	•		•		incl.				•
Chicago	•								•				incl.				•
Cies				•	•	•		•		•		•	incl.				•
Cocos			•		•	•		•	•		•		incl.				•
Cooper		•			•	•		•		•			incl.				
Cuba			•					•		•			optional		incl.	•	•
Decofan		•			•	•		•		•		•	incl.				
Easy	•							•	•				incl.			•	•
Eco Indus		•						•		•			optional	incl.			•
Eterfan		•			•	•		•		•		•	incl.				
Factory	•							•		•					incl.		•
Fraser		•			•	•		•	•		•		incl.				
Grid			•		•			•		•		•	incl.				
Gotland			•		•	•		•		•			incl.				•
Heywood S NEW	•					•		•		•			incl.				•
Heywood L NEW			•			•		•		•			incl.				•
Hvar	•				•	•		•	•		•		incl.				•
Hydra			•		•			•	•			•	incl.				•
Ibiza			•					•		•			incl.				•
Icaria			•					•	•				incl.				•
Ice			•					•	•		•		incl.				•
Indus			•							•				incl.			
Islot			•		•	•		•		•			incl.				
Izaro			•		•	•		•	•		•		incl.				•
Just Fan S	•				•	•		•		•		•	incl.				•
Just Fan M		•			•	•		•		•		•	incl.				•
Just Fan XL				•	•	•		•		•		•	incl.				•
Kauai				•	•	•		•		•			incl.				•
Keiki	•							•		•				incl.			•
Khios XXL				•	•			•	•		•		incl.				
Komodo		•						•	•						incl.		•
Lama			•					•		•			incl.				
Lantau L			•		•	•		•		•			incl.				•
Lantau L (Light)			•		•	•		•	•		•		incl.				•
Lantau XL				•	•	•		•		•			incl.				•
Lantau XL (Light)				•	•	•		•	•		•		incl.				•
Lisboa	•							•	•				optional		incl.	•	•


	S	M	L	XL	DC Motor	Smart Optional	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Lombok			•					•	•				optional		incl.		•
Luzon			•							•			incl.				•
Mallorca			•					•		•			incl.				•
Malvinas			•		•			•		•				incl.			•
Manhattan				•	•			•	•		•		incl.				•
Mediterráneo	•								•						incl.		
Meno			•					•		•			incl.				•
Milos			•		•	•		•		•			incl.				•
Mini Eterfan		•			•	•		•		•		•	incl.				
Mini Icaria	•							•	•				incl.				•
Mini Indus	•									•				incl.			
Mini Lantau	•					•		•		•			incl.				•
Mini Mallorca	•							•		•			incl.				•
Mini Tube		•			•	•		•		•		•	incl.				
Mini Ufo	•							•	•				incl.				
Morea			•		•			•		•			incl.				•
Nassau		•			•	•		•		•			incl.				•
Nias			•		•			•		•			incl.			•	
Nuu			•		•	•		•		•			incl.				•
Nuu (Light)			•		•			•	•		•		incl.				•
Oboe	•							•		•							•
Palao	•							•	•				optional		incl.		•
Palk			•		•			•	•				incl.				•
Panay		•							•				incl.				•
Pemba			•		•			•		•		•	incl.				
Polaris			•		•	•		•	•		•		incl.				•
Polea			•		•	•		•		•			incl.				•
Poros			•		•	•		•	•		•		incl.				•
Punt		•			•	•			•		•		incl.				•
Samos			•		•	•		•		•			incl.				
Saona			•		•	•		•	•		•		incl.				•
Sioux			•		•	•	•	•		•			incl.				•
Siros			•		•	•		•		•			incl.				•
Rodas			•		•	•		•	•		•		incl.				•
Tabarca			•					•	•				incl.				•
Tilos				•	•			•	•				incl.				•
Tonic			•		•			•		•	•		incl.				•
Tonsay			•					•	•				incl.				
Tube		•				•		•		•		•	incl.				
Typhoon		•			•	•	•	•				•	incl.				•
Vanu				•				•	•				incl.			•	•
Vedra	•							•		•			optional	incl.			•
Vulcano			•					•	•		•		incl.				•
Winche		•			•	•	•	•				•	incl.				•
Yakarta		•						•		•			optional		incl.		•




Suitable for high ceilings
Ideal para techos altos



High airflow
Alto flujo de aire



Programmable from 1-4-8h
Programable de 1-4-8h



Light output. 1700lm 30w
Rendimiento lumínico.
1700lm 30w

KHIOS



PRICES

XXL
SIZE

ø305
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER


REMOTE
CONTROL



34250A
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Aluminium/Aluminio
W 16-47-70-93-116-140
RPM 38-56-64-70-74-77
Airflow m3 min
V/Hz 220V-240V/50-60Hz

Light SMD LED 32W 3000K 2200lm
CRI >80
Driver incl. Yes
Diff PC




A	A1
670/26.38"	630/24.8"
B	C
200/7.87"	300/11.81"
D	E
170/6.7"	240/9.45"
F	G
ø3050/120.1"	1400/55.12"



Suitable for high ceilings
Ideal para techos altos



Color temp. adjustable
Temp. de color regulable



High airflow
Alto flujo de aire

MANHATTAN



PRICES

ø244
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER


REMOTE
CONTROL

INCLINING
ROOF



33496
Body Satin Nickel/Níquel Satinado
Blades Satin Stainless/Inoxidable Satinado


Material Body	Steel/Acero	Light	SMD LED 20W 3000K
Material Blades	Aluminium/Aluminio	Dimmable K	2700 - 3300 - 4600K
W	15-20-25-30-35-56	CRI	>=90
RPM	50-55-60-65-70-78	Driver incl.	Yes
Airflow	269.12 m3 min	Diff	PC
V/Hz	220V-240V/50-60Hz		
Opt. downrod	Page 810		



A	A1
360/14.17"	325/12.8"
B	C
200/7.87"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø2440/96.1"	1160/45.67"



2 downrods incl. 4.9" / 9.8"
2 tijas incl. 125mm / 250mm



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



Natural wood
Madera natural

KAUAI



PRICES

ø240
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



34200A


34200WPA

Body Dark Brown/Marrón Oscuro

Blades Pine/Pino

***Smart Fan**

Material Body Steel/Acero
Material Blades Wood/Madera
W 13.4-17-20.7-35.7-54.5
RPM 79-86-93-110-126
Airflow 254.85 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 125-250mm



A	A1
480/18.9"	430/16.93"
B	C
170/6.69"	210/8.27"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1000/39.37"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-12 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-12 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Ideal para techos altos



Color temp. adjustable
Temp. de color regulable



Smart option
Opción inteligente

ATTOS



ø213 <small>CM</small>	 <small>> 28 M2 > 300 SQ.FT</small>	DC <small>MOTOR</small>	<small>OPTION</small> SMART <small>100-240V 50-60Hz</small>	 <small>SUMMER WINTER</small>	 <small>REMOTE CONTROL</small>	 <small>INCLINING ROOF</small>
----------------------------------	--	-----------------------------------	--	--------------------------------------	---------------------------------------	---------------------------------------




33494
33494WP *Smart Fan
Body Matt White/Bianco Mate
Blades Matt White/Bianco Mate



33495
33495WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 5-7-12-18-28-44
RPM 30-44-58-72-86-103
Airflow 155.81 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810

Light SMD LED 18W 3000K 1200lm
 2700K/1000lm - 3300/1100lm -
 4600K/1200lm
Dimmable K
CRI >=90
Driver incl. Yes
Diff PC



A	A1
340/13.39"	210/8.27"
B	C
120/4.72"	130/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø2130/83.9"	1020/40.16"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-28 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-28 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Ideal para techos altos



3 opt heights. 48" / 35" / 23"
3 opciones alturas 1220mm /
900mm / 600mm



High airflow
Alto flujo de aire

ANDROS



PRICES

ø213
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33461A
Body White/Blanco
Blades White/Blanco



33462A
Body Brown/Marrón
Blades Brown/Marrón



33465A
Body Satin Nickel/Níquel Satinado
Blades Satin Nickel/Níquel Satinado



33414A NEW
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Optional downrod/Tijas opcionales



34002 1220/48" Satin Nickel
Níquel Satinado



34001 900/35.4" Satin Nickel
Níquel Satinado



34000 600/23.6" Satin Nickel
Níquel Satinado

34008 1220/48" Dark Brown
Marrón Oscuro

34007 900/35.4" Dark Brown
Marrón Oscuro

34006 600/23.6" Dark Brown
Marrón Oscuro

34011 1220/48" Matt White
Blanco Mate

34010 900/35.4" Matt White
Blanco Mate


34009 600/23.6" Matt White
Blanco Mate

34014 1220/48" Matt Black
Negro Mate

34013 900/35.4" Matt Black
Negro Mate

34012 600/23.6" Matt Black
Negro Mate


Material Body Steel/Acero
Material Blades Aluminium/Aluminio
W 4-6-10-15-22-35
RPM 30-41-53-64-74-88
Airflow 406.4 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 600-900-1220mm
Opt. downrod Page 810



A	A1
460/18.11"	425/16.73"
B	C
220/8.66"	240/9.45"
D	E
50/2"	150/5.91"
F	G
ø2130/83.9"	950/37.4"




Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



High airflow
Alto flujo de aire

CIES



<p>ø210 CM</p>	<p>> 28 M2 > 300 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>WITH PROGRAMMER</p>	<p>INCLINING ROOF</p>
--------------------	--------------------------------------	---------------------	---	--------------------------	----------------------------	---------------------------



33512A
33512WPA ***Smart Fan**
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo




with light/con luz

SMD LED 15W 3000K 900lm >80 Driver incl. Yes
Diff ABS

33512WPA-1 ***Smart Fan**
33512A-1
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo

Material Body Steel/Acero
Material Blades ABS
W 6-9-15-28-44
RPM 54-67-79-98-112
Airflow 344.4 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
430/16.93"	380/14.96"
B	C
250/9.84"	230/9.06"
D	E
50/2"	148/5.83"
F	G
ø2108/83"	930/36.61"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-27 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-27 del receptor. El precio del receptor es con el descuento PRO35.



3 downrods incl. 8" / 12" / 20"
3 tijas incl. 203mm / 305mm /
510mm



Wood
Madera

AOBA




<p>∅180 CM</p>	<p> > 28 M2 > 300 SQ.FT </p>	<p> REMOTE CONTROL </p>
--------------------	---	----------------------------------




33349
Body Matt Black/Negro Mate
Blades Reddish Walnut/Nogal Rojizo

Material Body Steel/Acero
Material Blades Wood/Madera
W 30-70-88
RPM 74-125-152
Airflow 120 m3 min
V/Hz 220V-240V/50-60Hz
Accesories ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
Downrods 203-305-510mm



A	A1
520/20.47"	410/16.14"
B	C
200/7.87"	230/9.06"
D	E
145/5.7"	160/6.3"
F	G
∅1800/70.9"	780/30.71"



Smart option
Opción inteligente



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 101mm / 203mm /
457mm

JUSTFAN

— Conillas



ø178
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33430
33430WP ***Smart Fan**
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro



33432
33432WP ***Smart Fan**
Body Matt Black/Negro Mate
Blades Black/Negro




ø1280
773




ø810
805

Material Body Steel/Acero
Material Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175.28 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 101-203-457mm




A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø1780/70.1"	890/35.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-01 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-01 del receptor. El precio del receptor es con el descuento PRO35.



High airflow
Alto flujo de aire



Wood
Madera

LANTAU



PRICES

<p>∅168 CM</p>	<p>> 28 M2 > 300 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	--------------------------------------	---------------------	---	--------------------------	---------------------------	---------------------------



33464DC **DC Motor**
33464DCWP NEW *Smart Fan
 Body Satin Nickel/Níquel Satinado
 Blades Dark Walnut/Nogal Oscuro



33504DC **DC Motor**
33504DCWP NEW *Smart Fan
 Body Matt Nickel/Níquel Mate
 Blades Pine/Pino



with light/con luz

33463
 Body Satin Nickel/Níquel Satinado
 Blades Dark Walnut/Nogal Oscuro

SMD LED 15W 3000K 900lm >80 Driver incl. Yes
 Diff Glass/Cristal

33505DC **DC Motor**
33505DCWP NEW *Smart Fan
 Body Matt Nickel/Níquel Mate
 Blades Pine/Pino




∅1320
741



∅1070
795

Material Body Steel/Acero
Material Blades Wood/Madera
W 6-9-11-17-24-35
RPM 75-89-98-115-129-146
Airflow 261.6 m3 min
V/Hz 220V-240V/50Hz
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 810




A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	
D	E
70/2.8"	150/5.91"
F	G
∅1680/66.1"	840/33.07"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-36 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-36 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Apto ideal para techos altos



3 optional downrod
Opcional 3 tjas

TILOS



PRICES

ø 168
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33466A

Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Optional downrod/Tijas opcionales ⊗



34005 1220/48" Dark Brown Marrón Oscuro




34004 900/35.4" Dark Brown Marrón Oscuro




34003 600/23.6" Dark Brown Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264.05 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810


Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463
Diff Glass/Cristal



A	A1
500/19.69"	440/17.32"
B	C
290/11.42"	220/8.66"
D	E
60/2.4"	140/5.51"
F	G
ø1685/66.3"	750/29.53"



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente

CENTURY



PRICES

ø165
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33553A
33553WPA ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33554A
33554WPA ***Smart Fan**
Body Satin Nickel/Níquel Satinado
Blades Grey/Gris

Material Body Steel/Acero
Material Blades Plywood
W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233.41 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810

Light SMD LED 15W 3000K 1200lm
CRI >80
Driver incl. Yes
Diff PMMA



A	A1
330/12.99"	250/9.84"
B	C
170/6.69"	150/5.91"
D	E
50/2"	130/5.12"
F	G
ø1650/65"	750/29.53"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-10 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-10 del receptor. El precio del receptor es con el descuento PRO35.

Thanks to Beti Guasch y Estudi Nou Arquitectes photo by Sara Adroer



Wood
Madera

704

ALO



<p>ø152 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	--	--------------------------	---------------------------	---------------------------



33718
Body Matt Black/Negro Mate
Blades Pine/Pino



33728
Body Matt White/Blanco Mate
Blades Pine/Pino




with light/con luz

33719
Body Matt Black/Negro Mate
Blades Pine/Pino

SMD LED 17W 3000K 600lm >80 Driver incl. Yes
Diff Glass/Cristal

33727
Body Matt White/Blanco Mate
Blades Pine/Pino

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 14-30-56
- RPM** 80-113-155
- Airflow** 129.29 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
335/13.19"	320/12.6"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1520/59.8"	760/29.92"



Smart option
Opción inteligente



Glass diffuser
Difusor de cristal



Light performance 2000lm
Rendimiento lumínico 2000lm

VULCANO



PRICES

Ø **152**
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33549

33549WP

***Smart Fan**

Body Matt White/Bianco Mate

Blades Matt White/Bianco Mate

Material Body Steel/Acero

Material Blades ABS

W 5-8-10.5-14.7-16.9-21.4

RPM 80-108-126-149-161-180

Airflow 177.88 m³ min

V/Hz 220V-240V/50-60Hz


Opt. downrod Page 810

Light SMD LED 21W 3000K 2000lm

CRI >80

Driver incl. Yes

Diff Glass/Cristal




A	A1
330/12.99"	250/9.84"
B	C
123/4.84"	284/11.18"
D	E
55/2.2"	139/5.47"
F	G
ø1524/60"	645/25.39"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-20 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-20 del receptor. El precio del receptor es con el descuento PRO35.



Accessory cap
Tapa accesorio



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente

TONIC



PRICES

<p>ø 152 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
----------------------------	--	----------------------------	---	--------------------------	---------------------------	---------------------------




33552
33552WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33551
33551WP *Smart Fan
Body White/Blanco
Blades White/Blanco

Material Body	Steel/Acero	Light	SMD LED 15W 3000K 1200lm
Material Blades	ABS	CRI	>80
W	5-7-9-11-14-18	Driver incl.	Yes
RPM	100-120-140-160-180-200	Diff	PC
Airflow	180.57 m3 min		
V/Hz	220V-240V/50-60Hz		
Opt. downrod	Page 810		



A	A1
310/12.2"	250/9.84"
B	C
190/7.48"	180/7.09"
D	E
50/2"	130/5.12"
F	G
ø1520/59.8"	670/26.38"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-17 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-17 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

MOREA



PRICES

Ø 152
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




33511
33511WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Dark Walnut/Nogal Oscuro




33519
33519WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Pine/Pino

Material Body Steel/Acero
Material Blades ABS
W 3-7-12-17-38
RPM 58-105-131-148-195
Airflow 211.7 m³ min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/2"	148/5.83"
F	G
Ø1520/59.8"	750/29.53"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-05 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-05 del receptor. El precio del receptor es con el descuento PRO35.



High airflow
Alto flujo de aire

LAMA



PRICES

<p>ø 143 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>
---------------------	--	--------------------------	---------------------------




33506
Body Satin Nickel/Níquel Satinado
Blades Pine/Pino



33507
Body Matt Black/Negro Mate
Blades Reddish Walnut/Nogal Rojizo

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 16-27-44
- RPM** 84-114-143
- Airflow** 178.83 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer



A	A1
272/10.71"	220/8.66"
B	C
120/4.72"	180/7.09"
D	E
25/1"	190/7.48"
F	G
ø1430/56.3"	610/24.02"

INDUS



ø140
CM
> 17,6-28 M2
190-300 SQ.FT
WALL
CONTROL



33001
Body White/Blanco
Blades White/Blanco



33002
Body Shiny Chrome/Cromo Brillo
Blades Shiny Chrome/Cromo Brillo




ø1200
788



ø920
800

Material Body Steel/Acero
Material Blades Steel/Acero
W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155.52 m3 min
V/Hz 220V-240V/50Hz



A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	180/7.09"
D	E
120/4.7"	145/5.71"
F	G
ø1400/55.1"	555/21.85"

MALVINAS



PRICES

Ø140
CM



> 17,6-28 M2
190-300 SQ.FT



SUMMER
WINTER



WALL
CONTROL



INCLINING
ROOF




33110
Body Dark Grey/Gris Oscuro
Blades Walnut/Nogal
+Reddish Mahogany/Caoba Rojizo



33111
Body Brown/Marrón
Blades Mahogany/Caoba
+Reddish Mahogany/Caoba Rojizo

Material Body Steel/Acero
Material Blades MDF
W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176.22 m3 min
V/Hz 220V-240V/50Hz



A	A1
600/23.62"	500/19.69"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
Ø1400/55.1"	590/23.23"

COCOS



PRICES

ø137
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




Smart option
Opción inteligente



33548
33548WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	SMD LED 20W 3000K 1600lm
Material Blades	ABS	CRI	>80
W	7-10-13-17-24-29	Driver incl.	Yes
RPM	66-88-104-115-138-146	Diff	PC
Airflow	234 m3 min		
V/Hz	230V/50-60Hz		
Opt. downrod	Page 810		



A	A1
260/10.24"	200/7.87"
B	C
90/3.54"	200/7.87"
D	E
55/2.2"	140/5.51"
F	G
ø1370/53.9"	585/23.03"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-11 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-11 del receptor. El precio del receptor es con el descuento PRO35.

HYDRA



PRICES

ø 133
CM


> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

WITH
PROGRAMMER


INCLINING
ROOF



33725
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro




33726
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




Programmable from 1-4-8h
Programable de 1-4-8h

Material Body Steel/Acero
Material Blades Plywood
W 5-7-10-13-18-25
RPM 99-116-134-154-172-193
Airflow 175.99 m3 min
V/Hz 220V-240V/50Hz
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 810

Light SMD LED 22W 3000K 1200lm
CRI >80
Driver incl. Yes
Diff ABS



A	A1
340/13.39"	300/11.81"
B	C
130/5.12"	250/9.84"
D	E
70/2.8"	130/5.12"
F	G
ø1330/52.4"	540/21.26"



Smart option
Opción inteligente



132 CM	> 17,6-28 M2 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
------------------	-------------------------------	--------------------	---	------------------	--------------------	-------------------




33809
33809WP *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Oak/Roble Oscuro



33810
33810WP *Smart Fan
Body Matt White/Blanco Mate
Blades Maple/Arce

Material Body Steel/Acero
Material Blades Wood/Madera
W 5.7-7.1-11.7-17.4-22.9-30.6
RPM 68-92-115-133-145-158
Airflow 128 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
268/10.55"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø1320/52"	

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-33 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-33 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente

720

NEW AMELIA

— Héctor Serrano



PRICES

Ø **132**
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33760
33760WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




33761
33761WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate




33762
33762WP *Smart Fan
Body Grey/Gris
Blades Grey/Gris

Material Body Steel/Acero
Material Blades ABS
W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 50/60Hz/50-60Hz
Downrods 200



A	A1
320/12.6"	270/10.63"
B	C
100/3.94"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	635/25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-31 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente

NEW AMELIA

— Héctor Serrano



PRICES

ø **132**
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33760-22

33760WP-22

*Smart Fan

Body Matt White/Blanco Mate

Blades Matt White/Blanco Mate



33761-23

33761WP-23

*Smart Fan

Body Matt Black/Negro Mate

Blades Matt Black/Negro Mate



33762-24

33762WP-24


*Smart Fan

Body Grey/Gris

Blades Grey/Gris


Material Body Steel/Acero
Material Blades ABS
W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 50/60Hz/50-60Hz
Downrods 200

Light SMD LED 20W 965lm
2700K/796lm -3500K/965lm
Dimmable K -5000K/915lm
CRI >80
Driver incl. Yes
Diff PC



A	A1
430/16.93"	270/10.63"
B	C
219/8.62"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-37 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-37 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente

NEW AMELIA

— Héctor Serrano



PRICES

ø **132**
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33760-25

33760WP-25

***Smart Fan**

Body Matt White/Blanco Mate

Blades Matt White/Blanco Mate



33761-26

33761WP-26

***Smart Fan**

Body Matt Black/Negro Mate

Blades Matt Black/Negro Mate



33762-27

33762WP-27

***Smart Fan**

Body Grey/Gris

Blades Grey/Gris

Material Body Steel/Acero

Material Blades ABS

W 5-7-10-15-19-28

RPM 69-99-123-143-162-189

Airflow 153 m3 min

V/Hz 50/60Hz/50-60Hz

Downrods 200

Light

SMD LED 20W 2700K 1056lm

CRI


>80

Driver incl.

Yes

Diff

Glass/Cristal



A	A1
510/20.08"	270/10.63"
B	C
297/11.69"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-31 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-31 del receptor. El precio del receptor es con el descuento PRO35.



Adjustable intensity
Intensidad regulable



Programmable from 1-4-8h
Programable de 1-4-8h

BARTH



<p>ø132 CM</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>DIM</p>	<p> SUMMER WINTER</p>	<p> WITH PROGRAMMER</p>	<p> INCLINING ROOF</p>
---------------------------	---	----------------------------	-------------------	---------------------------	-----------------------------	----------------------------




34260
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



34261
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Plywood
W 4-6-9.5-14-25
RPM 95-130-165-195-235
Airflow 240 m3 min
V/Hz 220V-240V/50-60Hz

Light SMD LED 24W 6000K 2400lm
Dimmable K 2700 - 4350 - 6000K
CRI >80
Driver incl. Yes
Diff PP



A	A1
291/11.46"	220/8.66"
B	C
136/5.35"	
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"



Smart option
Opción inteligente



Small and aesthetic motor
Motor pequeño y estético

MILOS



PRICES



Ø **132**
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



34100


34100WP

***Smart Fan**

Body Matt Black/Negro Mate

Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Plywood
W 4-6-10-16-28-34
RPM 50-73-96-118-143-188
Airflow 116.1 m³ min
V/Hz 220V-240V/50-60Hz



A	A1
270/10.63"	260/10.24"
B	C
120/4.72"	70/2.76"
D	E
60/2.4"	140/5.51"
F	G
Ø1320/52"	600/23.62"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-06 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-06 del receptor. El precio del receptor es con el descuento PRO35.

MENO



PRICES

<p>ø135 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>WITH PROGRAMMER</p>	<p>INCLINING ROOF</p>
--------------------	--	--------------------------	----------------------------	---------------------------




Programmable from 1-2-4-8h
Programable de 1-2-4-8h



33782
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

- Material Body** ABS
- Material Blades** ABS
- W** 22-43-85
- RPM** 108-162-235
- Airflow** 192 m3 min
- V/Hz** 220V-240V/50-60Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
320/12.6"	275/10.83"
B	C
160/6.3"	260/10.24"
D	E
60/2.4"	150/5.91"
F	G
ø1350/53.1"	540/21.26"



Ø132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER


INCLINING
ROOF



33446
33446WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




33447
33447WP ***Smart Fan**
Body Black/Negro
Blades Walnut/Nogal



Programmable from 1-4-8h
Programable de 1-4-8h

- Material Body** Steel/Acero
- Material Blades** ABS
- W** 4-6-10-17-23-30
- RPM** 95-121-148-177-198-214
- Airflow** 218.9 m3 min
- V/Hz** 220V-240V/50-60Hz
- Accesories** ☒ 33974 DC Wall Control
- Opt. downrod** Page 810



A	A1
250/9.84"	250/9.84"
B	C
130/5.12"	170/6.69"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	580/22.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-03 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-03 del receptor. El precio del receptor es con el descuento PRO35.

SIROS



PRICES

ø132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Small and aesthetic motor
Motor pequeño y estético



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33804
33804WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 6-12-19-25-38
RPM 85-108-129-150-180
Airflow 188 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
250/9.84"	280/11.02"
B	C
80/3.15"	204/8.03"
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	580/22.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-16 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-16 del receptor. El precio del receptor es con el descuento PRO35.

SAMOS



PRICES

Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33729
33729WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 4-6-10-17-23-31
RPM 104-130-160-196-214-236
Airflow 116.14 m3 min
V/Hz 220V-240V/50-60Hz
Accessories ☒ 33974 DC Wall Control
Downrods 152-254mm
Opt. downrod Page 810



A	A1
355/13.98"	300/11.81"
B	C
170/6.69"	165/6.5"
D	E
70/2.8"	130/5.12"
F	G
Ø1320/52"	570/22.44"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-14 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-14 del receptor. El precio del receptor es con el descuento PRO35.

SAONA



PRICES

Ø **132**
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

OPTION
SMART
100-240V
50-60Hz

SUMMER WINTER

WITH PROGRAMMER

INCLINING ROOF



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente




Programmable from 1-3-6h
Programable de 1-3-6h



33803
33803WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 5-8-14-21-38
RPM 85-105-126-155-180
Airflow 188 m3 min
V/Hz 220V-240V/50-60Hz

Light SMD LED 36W 2475lm
Dimmable K 3000 - 4000 - 6000K
CRI >80
Driver incl. Yes
Diff PC



A	A1
330/12.99"	250/9.84"
B	C
150/5.91"	330/12.99"
D	E
58/2.3"	150/5.91"
F	G
Ø1320/52"	490/19.29"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-15 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-15 del receptor. El precio del receptor es con el descuento PRO35.

ISLOT



PRICES

Ø132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Thanks to MIKMAX




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33802
33802WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 6-9-15-23-38
RPM 109-140-168-200-235
Airflow 185 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
280/11.02"	230/9.06"
B	C
100/3.94"	300/11.81"
D	E
70/2.8"	150/5.91"
F	G
Ø1320/52"	520/20.47"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-23 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-23 del receptor. El precio del receptor es con el descuento PRO35.




Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h



Glass diffuser
Difusor de cristal

RODAS



PRICES

Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

DIM

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33522
33522WP
Body Matt White/Bianco Mate
Blades Pine/Pino
+White/Blanco

*Smart Fan




33523
33523WP
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro
+Dark Oak/Roble Oscuro

*Smart Fan



Material Body Steel/Acero
Material Blades Plywood
W 7-9-12-16-21-26
RPM 130-145-160-178-194-210
Airflow 246 m3 min
V/Hz 220V-240V/50-60Hz
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 810

Light SMD LED 20W 3000K 1200lm
Dimmable W 5-20w
CRI >=90
Driver incl. Yes
Diff Glass/Cristal




A	A1
370/14.57"	250/9.84"
B	C
230/9.06"	310/12.2"
D	E
70/2.8"	160/6.3"
F	G
Ø1320/52"	580/22.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-29 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-29 del receptor. El precio del receptor es con el descuento PRO35.




Adjustable intensity
Intensidad regulable



High airflow
Alto flujo de aire



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h



Glass diffuser
Difusor de cristal

POROS



PRICES

ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

DIM

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33524

33524WP


***Smart Fan**

Body Matt White/Bianco Mate

Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera
W 7-9-12-15-20-26
RPM 120-132-145-160-174-185
Airflow 240 m3 min
V/Hz 220V-240V/50-60Hz
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 810

Light SMD LED 15W 2700K 900lm
Dimmable W 5-15w
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
370/14.57"	280/11.02"
B	C
160/6.3"	180/7.09"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	560/22.05"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-26 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-26 del receptor. El precio del receptor es con el descuento PRO35.

Thanks to María Villalón Studio Photo by Alberto Monteagudo



LANTAU



PRICES

<p>ø132 CM</p>	<p>> 17,6-28 M² 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------------	---	----------------------------	---	--------------------------	---------------------------	---------------------------



33370DC **DC Motor**
33370DCWP NEW *Smart Fan
 Body Satin Nickel/Níquel Satinado
 Blades Dark Walnut/Nogal Oscuro



33373DC **DC Motor**
33373DCWP NEW *Smart Fan
 Body Satin Nickel/Níquel Satinado
 Blades Pine/Pino



33516DC **DC Motor**
33516DCWP NEW *Smart Fan
 Body Matt Black/Negro Mate
 Blades Dark Walnut/Nogal Oscuro



33561DC NEW **DC Motor**
33561DCWP NEW *Smart Fan
 Body Matt White/Blanco Mate
 Blades Pine/Pino



33562DC NEW **DC Motor**
33562DCWP NEW *Smart Fan
 Body Brown/Marrón
 Blades Pine/Pino

with light/con luz

SMD LED 15W 3000K 900lm >80 Driver incl. Yes
 Diff Glass/Cristal



33518DC **DC Motor**
33518DCWP NEW *Smart Fan
 Body Satin Nickel/Níquel Satinado
 Blades Dark Walnut/Nogal Oscuro

33560DC **DC Motor**
33560DCWP NEW *Smart Fan
 Body Satin Nickel/Níquel Satinado
 Blades Pine/Pino




ø1680
699



ø1070
795

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 5-8-12-17-27-35
- RPM** 82-102-125-145-170-188
- Airflow** 147.56 m³ min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33974 DC Wall Control
- Opt. downrod** Page 810



A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	660/25.98"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-35 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-35 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



Minimal design
Diseño minimal

NUU

— Estudi Ribaudí



ø132 CM	 > 17,6-28 M2 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER WINTER	 WITH PROGRAMMER	 INCLINING ROOF
-------------------	-----------------------------------	--------------------	---	----------------------	------------------------	-----------------------



33721
33721WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




with light/con luz

SMD LED 15W 3000K 600lm >80 Driver incl. Yes
Diff PC

33722
33722WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 5-8-11-14-21-35
RPM 106-126-147-165-186-212
Airflow 104.58 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
330/12.99"	290/11.42"
B	C
160/6.3"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
ø1320/52"	600/23.62"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-13 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-13 del receptor. El precio del receptor es con el descuento PRO35.



Music player bluetooth
Altavoz bluetooth



Aesthetic light kit
Kit de luz estético

ICE

— Estudi Ribaudí



<p>ø132 CM</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
---------------------------	---	---------------------------	----------------------------	----------------------------




33460
Body White/Blanco
Blades White/Blanco
 +Maple/Arce



Material Body Steel/Acero
Material Blades MDF
W 13-25-55
RPM 75-135-180
Airflow 157.52 m3 min
V/Hz 220V-240V/50Hz
Opt. downrod Page 810

Light SMD LED 15W 3000K 800lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
385/15.16"	270/10.63"
B	C
210/8.27"	230/9.06"
D	E
65/2.6"	150/5.91"
F	G
ø1320/52"	555/21.85"



132
CM


> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz


SUMMER
WINTER


WITH
PROGRAMMER


INCLINING
ROOF



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33724
33724WP *Smart Fan
Body Brown/Marrón
Blades Walnut/Nogal
+Black/Negro



Material Body Steel/Acero
Material Blades Plywood
W 5-7-10-14-20-33
RPM 86-102-119-131-151-167
Airflow 111.3 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
372/14.65"	254/10"
B	C
118/4.65"	228/8.98"
D	E
56/2.2"	130/5.12"
F	G
ø1322/52"	547/21.54"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-21 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-21 del receptor. El precio del receptor es con el descuento PRO35.



2 downrods incl. 4.13" / 5.98"
2 tijas incl. 105mm / 152mm

33750
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

- Material Body** Steel/Acero
- Material Blades** ABS
- W** 23-42-65
- RPM** 90-120-155
- Airflow** 215.73 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Downrods** 105-152mm
- Opt. downrod** Page 810



A	A1
285/11.22"	235/9.25"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	140/5.51"
F	G
ø1320/52"	590/23.23"

SIoux



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

IP44
OUTDOOR

SUMMER
WINTER

WITH
PROGRAMMER


INCLINING
ROOF



2 downrods incl. 5" / 10"
2 tijas incl. 127mm / 254mm



IP44 outdoor
IP44 exterior



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33770
33770WP ***Smart Fan**
Body White/Blanco
Blades White/Blanco

Material Body Steel/Acero
Material Blades ABS
W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164.32 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 127-254mm
Opt. downrod Page 810



A	A1
320/12.6"	260/10.24"
B	C
200/7.87"	220/8.66"
D	E
70/2.8"	170/6.69"
F	G
Ø1320/52"	590/23.23"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-22 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-22 del receptor. El precio del receptor es con el descuento PRO35.

POLARIS



PRICES

Ø **132**
CM

> 17,6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h

33346
33346WP *Smart Fan
Body White/Blanco
Blades White/Blanco

Material Body Steel/Acero
Material Blades ABS
W 4-9-16-23-35
RPM 86-108-130-145-175
Airflow 163 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810

Light SMD LED 18W 3000K 1500lm
CRI >80
Driver incl. Yes
Diff PC



A	A1
350/13.78"	275/10.83"
B	C
180/7.09"	170/6.69"
D	E
50/2"	130/5.12"
F	G
Ø1320/52"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-07 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-07 del receptor. El precio del receptor es con el descuento PRO35.

PEMBA



<p>ø132 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>
--------------------	--	---------------------	--------------------------	---------------------------



Direct to the ceiling
Directo al techo



Suitable for low ceilings
Ideal techos bajos

with light/con luz


Light SMD LED 15W 3000K 800lm
CRI >95
Driver incl. Yes
Diff PC



33471N-3
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo

33471N
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo

Material Body Steel+ABS/Acero+ABS
Material Blades ABS
W 3-5-9-14-21-32
RPM 50-76-102-127-157-180
Airflow 191.14 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
215/8.46"	
B	C
250/9.84"	
D	E
170/6.69"	
F	G
ø1320/52"	
570/22.44"	

PALK




<p>ø 132 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>DC MOTOR</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	--	---------------------	--------------------------	---------------------------	---------------------------



33470
Body Satin Nickel/Níquel Satinado
Blades Maple/Arce

Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	Plywood	Bulb incl.	No
W	3-5-8-13-21-32	Rec. Bulb	17461
RPM	50-77-104-131-158-185	Diff	Glass/Cristal
Airflow	198.22 m3 min		
V/Hz	220V-240V/50-60Hz		
Opt. downrod	Page 810		



A	A1
390/15.35"	325/12.8"
B	C
140/5.51"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	570/22.44"

NIAS



<p>ø132 CM</p>	<p> > 17,6-28 M2 190-300 SQ.FT </p>	<p> DC MOTOR </p>	<p> SUMMER WINTER </p>	<p> REMOTE CONTROL </p>
--------------------	---	--	---	--



33472N
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro


with light/con luz

Light SMD LED 15W 3000K 800lm
CRI >=90
Driver incl. Yes
Diff PC



33472N-6
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades Plywood
W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195.39 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
190/7.48"	
B	C
155/6.1"	140/5.51"
D	E
	170/6.69"
F	G
ø1320/52"	630/24.8"

TONSAY



ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL




33385
Body Satin Nickel/Níquel Satinado
Blades Grey/Gris
+Mahogany/Caoba



33386
Body Dark Brown/Marrón Oscuro
Blades Cedro
+Wengue/Wengué

Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	Plywood	Bulb incl.	No
W	10-24-46	Rec. Bulb	17463
RPM	83-132-180	Diff	Glass/Cristal
Airflow	145.63 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
305/12.01"	
B	C
300/11.81"	238/9.37"
D	E
	190/7.48"
F	G
ø1320/52"	535/21.06"



ICARIA



PRICES

ø132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33700
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33701
Body Satin Nickel/Níquel Satinado
Blades Grey/Gris
+Maple/Arce



33702
Body Brown/Marrón
Blades Bleached Oak/Roble Emblanquecido
+Mahogany/Caoba




33705
Body Old Gold/Oro Viejo
Blades Brown/Marrón
+Oak/Roble



ø1070
791

Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	15-30-56	Rec. Bulb	17463
RPM	100-150-205	Diff	Glass/Cristal
Airflow	155.62 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
415/16.34"	330/12.99"
B	C
280/11.02"	270/10.63"
D	E
50/2"	150/5.91"
F	G
ø1320/52"	520/20.47"




<p>ø132 CM</p>	<p>> 17,6-28 M2 190-300 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	--	--------------------------	---------------------------	---------------------------



33284
Body White/Blanco
Blades White/Blanco

- Material Body** Steel/Acero
- Material Blades** Plywood
- W** 16-29-49
- RPM** 113-162-212
- Airflow** 149.57 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
330/12.99"	270/10.63"
B	C
170/6.69"	175/6.89"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	570/22.44"



33350
Body White/Blanco
Blades White/Blanco
+Maple/Arce




33351
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
+Bleached Oak/Roble Emblanquecido



ø1070
793


- Material Body** Steel/Acero
- Material Blades** MDF
- W** 15-30-56
- RPM** 100-150-205
- Airflow** 154.3 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
380/14.96"	330/12.99"
B	C
180/7.09"	250/9.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	520/20.47"




Glass diffuser
Difusor de cristal



33019
Body Dark Brown/Marrón Oscuro
Blades Pine/Pino

Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	Wood/Madera	Bulb incl.	No
W	14-29-58	Rec. Bulb	17463
RPM	85-135-185	Diff	Glass/Cristal
Airflow	123.72 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
500/19.69"	246/9.69"
B	C
330/12.99"	285/11.22"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	541/21.3"

ALOHA



<p>Ø 132 CM</p>	<p> > 17,6-28 M2 190-300 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	---	---------------------------	----------------------------	----------------------------



33710
Body Dark Brown/Marrón Oscuro
Blades Walnut/Nogal
 +Dark Walnut/Nogal Oscuro


with light/con luz

- Light** 3 E27 max. 15W
- Bulb incl.** No
- Rec. Bulb** 17426
- Diff** Glass/Cristal



33710-13
Body Dark Brown/Marrón Oscuro
Blades Walnut/Nogal

- Material Body** Steel/Acero
- Material Blades** Plywood
- W** 15-32-58
- RPM** 80-125-180
- Airflow** 128.95 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
350/13.78"	285/11.22"
B	C
130/5.12"	240/9.45"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	530/20.87"



Ø132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS




33352
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33352B
Body Old Gold/Oro Viejo
Blades Brown/Marrón

- Material Body** Steel/Acero
- Material Blades** ABS
- W** 20-34-65
- RPM** 73-99-145
- Airflow** 127.45 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
510/20.08"	450/17.72"
B	C
350/13.78"	370/14.57"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	600/23.62"



Ø130 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-------------------	----------------------------------	--------------------	--	----------------------	------------------------	-----------------------



Glass diffuser
Difusor de cristal



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h

33514
33514WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades White/Blanco
+Maple/Arce



Material Body Steel/Acero
Material Blades Plywood
W 5-10-16-25-37
RPM 100-142-165-192-226
Airflow 190.12 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810

Light SMD LED 15W 2700K 850lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
420/16.54"	270/10.63"
B	C
260/10.24"	230/9.06"
D	E
70/2.8"	150/5.91"
F	G
Ø1300/51.2"	540/21.26"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151-30 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151-30 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h

PUNT



PRICES

Ø 130
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33814
33814WP *Smart Fan
Body White/Blanco
Blades Matt White/Blanco Mate



33815
33815WP *Smart Fan
Body Black/Negro
Blades Matt Black/Negro Mate



33816
33816WP *Smart Fan
Body White/Blanco
Blades Maple/Arce



33817
33817WP *Smart Fan
Body Black/Negro
Blades Walnut/Nogal



with light/con luz

SMD LED 18W 3000-4000-6500K1300lm Driver incl. Yes
Diff Glass/Cristal


33814-20
33814WP-20 *Smart Fan
Body White/Blanco
Blades Matt White/Blanco Mate

33815-21
33815WP-21 *Smart Fan
Body Black/Negro
Blades Matt Black/Negro Mate

33816-20
33816WP-20 *Smart Fan
Body White/Blanco
Blades Maple/Arce

33817-21
33817WP-21 *Smart Fan
Body Black/Negro
Blades Walnut/Nogal


Material Body Steel/Acero
Material Blades ABS
W 9-12-16-21-30-33
RPM 100-118-132-152-168-176
Airflow 173 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-24 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-24 del receptor. El precio del receptor es con el descuento PRO35.



IP44 outdoor
IP44 exterior



Smart option
Opción inteligente

TYPHOON

— Jordi Busquets



PRICES
ø 130
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

IP44
OUTDOOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33480
33480WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33489
33489WP *Smart Fan
Body Grey/Gris
Blades Grey/Gris



33490
33490WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



with light/con luz


SMD LED 19W 3000K 900lm >80 Driver incl. Yes
Diff ABS

33480-14
33480WP-14 *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

33489-15
33489WP-15 *Smart Fan
Body Grey/Gris
Blades Grey/Gris


33490-16
33490WP-16 *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183.09 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
390/15.35"	370/14.57"
B	C
200/7.87"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1300/51.2"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-18 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-18 del receptor. El precio del receptor es con el descuento PRO35.



Aesthetic motor
Motor estético



Smart option
Opción inteligente



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 100mm / 200mm /
450mm

COPPER

— Conillas



ø **128**
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33451

33451WP

***Smart Fan**

Body Matt Black/Negro Mate

Blades Walnut/Nogal

Material Body Steel/Acero

Material Blades PC


W 4-6-9-13-22-32

RPM 51-77-103-129-155-185

Airflow 145.66 m3 min

V/Hz 220V-240V/50-60Hz


Downrods 100-200-450mm




A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.

Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.




Additional kit
Kit adicional



Smart option
Opción inteligente

MINI ETERFAN

— Conillas 



PRICES

ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33382
33382WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32020
32020WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32025
32025WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32026
32026WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32027
32027WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32028
32028WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32029
32029WP *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente



32030
32030WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal



33382-9
33382WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32026-10
32026WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32029-9
32029WP-9 *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente

32020-9
32020WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente


32027-10
32027WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32030-10
32030WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

32025-9
32025WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente

32028-10
32028WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz




A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Additional kit
Kit adicional



Smart option
Opción inteligente

ETERFAN

— Conillas



PRICES

ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33381
33381WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32000WP *Smart Fan
32000
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32001
32001WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32002
32002WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32003
32003WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32004
32004WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32005
32005WP *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente



32006
32006WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal



33381-9
33381WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32000-9
32000WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente

32001-9
32001WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente

32002-10
32002WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente


32003-10
32003WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32004-10
32004WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

32005-9
32005WP-9 *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente

32006-10
32006WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
640/25.2"	760/29.92"
B	C
630/24.8"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Additional kit
Kit adicional



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 100mm / 200mm /
450mm

JUSTFAN

— Conillas



PRICES

ø128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33394
33394WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33395
33395WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33398
33398WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal



33399
33399WP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



32100
32100WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



33417
33417WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate



33418
33418WP *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal



33394-9
33394WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33399-10
33399WP-10 *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal

33418-10
33418WP-10 *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate

33395-10
33395WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

32100-10
32100WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

33398-10
33398WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33417-10
33417WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate




ø1780
697



ø810
805

Material Body Steel/Acero
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 100-200-450mm




A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Aesthetic glass
Cristal estético



Additional kit
Kit adicional

DECOFAN

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33394D
33394DWP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33395D
33395DWP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33398D
33398DWP *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal



33399D
33399DWP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal


33394D-9
33394DWP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33395D-10
33395DWP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

33398D-10
33398DWP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33399D-10
33399DWP-10 *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal

Material Body Steel/Acero
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz
Downrods 100-200-450mm




A	A1
450/17.72"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.




Additional kit
Kit adicional



Smart option
Opción inteligente

MINI TUBE

— Conillas 



PRICES

<p>ø 128 CM</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>
---------------------	-----------------------------------	---------------------	---	--------------------------	---------------------------



33393
33393WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32038
32038WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32039
32039WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32040
32040WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32041
32041WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32042
32042WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32043
32043WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal

33393-9
33393WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32038-9
32038WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente

32039-9
32039WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente


32040-10
32040WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32041-10
32041WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32042-10
32042WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

32043-10
32043WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate


Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz



*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.




Additional kit
Kit adicional



Smart option
Opción inteligente

TUBE

— Conillas 



PRICES

ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33374
33374WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32033
32033WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32034
32034WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32035
32035WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32036
32036WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32037
32037WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32060
32060WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal

33374-9
33374WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32033-9
32033WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente

32034-9
32034WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente


32035-10
32035WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32036-10
32036WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32037-10
32037WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

32060-10
32060WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V-240V/50-60Hz




A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



High airflow
Alto flujo de aire

NASSAU



PRICES

<p>ø 128 CM</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>DC MOTOR</p>	<p>OPTION SMART 100-240V 50-60Hz</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	-----------------------------------	---------------------	---	--------------------------	---------------------------	---------------------------




33478
33478WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33487
33487WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate


Optional downrod/Tijas opcionales



33479
Body Dark Brown/Marrón Oscuro

33488
Body Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222.41 m3 min
V/Hz 220V-240V/50-60Hz




A	A1
400/15.75"	370/14.57"
B	C
170/6.69"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	575/22.64"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-04 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-04 del receptor. El precio del receptor es con el descuento PRO35.



Ref.33481 IP44 outdoor
Ref.33481 IP44 exterior



Smart option
Opción inteligente



ø127 CM	 13-17 M2 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
-------------------	--	--------------------	---	---	--	--



33481
33481WP *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Brown/Marrón Oscuro



33482
33482WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Brown/Marrón




with light/con luz

SMD LED 15W 3000K 800lm >80 Driver incl. Yes
Diff ABS

33481-7 *Smart Fan
33481WP-7 *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro

33482-8 *Smart Fan
33482WP-8 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades ABS
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183.01 m3 min
V/Hz 220V-240V/50-60Hz
Opt. downrod Page 810



A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
ø1270/50"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-08 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-08 del receptor. El precio del receptor es con el descuento PRO35.



PANAY




<p>ø 122 CM</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	-----------------------------------	---------------------------	---------------------------



33607
Body White/Blanco
Blades White/Blanco
 +Maple/Arce




33608
Body Matt Nickel/Niquel Mate
Blades Grey/Gris
 +Mahogany/Caoba



Material Body Steel/Acero
Material Blades MDF
W 14-30-58
RPM 95-150-200
Airflow 116.2 m3 min
V/Hz 220V-240V/50Hz
Opt. downrod Page 810

Light 2 E14 max. 8W
Bulb incl. No
Rec. Bulb 17461
Diff Glass/Cristal



A	A1
280/11.02"	180/7.09"
B	C
150/5.91"	210/8.27"
D	E
65/2.6"	130/5.12"
F	G
ø1220/48"	495/19.49"





<p>ø 121 CM</p>	<p>13-17 M2 140-190 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>INCLINING ROOF</p>	<p>DIRECT CEILING MOUNTING</p>	<p>CONTROLLED BY CHAINS</p>
----------------------------	-----------------------------------	--------------------------	---------------------------	--	---------------------------------




33711
Body Old Gold/Oro Viejo
Blades Dark Oak/Roble Oscuro
 +Bleached Oak/Roble Emblanquecido



33712
Body White/Blanco
Blades White/Blanco
 +Maple/Arce



33713
Body Brown/Marrón
Blades Mahogany/Caoba
 +Dark Walnut/Nogal Oscuro



with light/con luz

3 E27 max. 60W **Bulb incl. No Rec. Bulb** 17463


33711-11
Body Old Gold/Oro Viejo
Blades Dark Oak/Roble Oscuro




33712-12
Body White/Blanco
Blades White/Blanco




33713-13
Body Brown/Marrón
Blades Mahogany/Caoba



- Material Body** Steel/Acero
- Material Blades** Plywood
- W** 14-23-51
- RPM** 115-150-205
- Airflow** 94.57 m3 min
- V/Hz** 220V-240V/50Hz
- Accesories** ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
- Opt. downrod** Page 810



A	A1
350/13.78"	300/11.81"
B	C
130/5.12"	
D	E
60/2.4"	130/5.12"
F	G
ø1210/47.6"	465/18.31"



33005
Body Matt White/Blanco Mate
Blades White/Blanco




ø1400
714



ø920
800

- Material Body** Steel/Acero
- Material Blades** Steel/Acero
- W** 16-26-68
- RPM** 150-225-322
- Airflow** 189.47 m3 min
- V/Hz** 220V-240V/50Hz



A	A1
320/12.6"	270/10.63"
B	C
160/6.3"	190/7.48"
D	E
60/2.4"	130/5.12"
F	G
ø1200/47.2"	485/19.09"

FRASER



PRICES

ø 120
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER



Glass diffuser
Difusor de cristal




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h


33756
33756WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	16W 3000K 850lm
Material Blades	ABS	CRI	>=80
W	5-8-11-16-22-32	Driver incl.	Yes
RPM	103-126-145-166-182-209	Diff	Glass/Cristal
Airflow	212 m3 min		
V/Hz	220V-240V/50-60Hz		
Accesories ☒	33928 Wall Control 3 speeds		



A	A1
310/12.2"	230/9.06"
B	C
190/7.48"	155/6.1"
D	E
	150/5.91"
F	G
ø1180/46.5"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-09 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-09 del receptor. El precio del receptor es con el descuento PRO35.



Glass diffuser
Difusor de cristal

MINI ICARIA



ø107 CM	 < 13 M2 < 140 SQ.FT	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
-------------------	----------------------------	----------------------	-----------------------	-----------------------




33695
Body Old Gold/Oro Viejo
Blades Brown/Marrón
 +Oak/Roble



33696
Body Satin Nickel/Níquel Satinado
Blades Transparent/Transparente



33697
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
 +Oak/Roble



33698
Body White/Blanco
Blades White/Blanco
 +Maple/Arce




33699
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
 +Maple/Arce



ø1320
755

Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	16-24-35	Rec. Bulb	17461
RPM	135-175-210	Diff	Glass/Cristal
Airflow	101.09 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☉	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
405/15.94"	270/10.63"
B	C
280/11.02"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	425/16.73"

FEROE



PRICES

<p>ø 107 CM</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> REMOTE CONTROL</p>	<p> INCLINING ROOF</p>
----------------------------	--	-----------------------------------	-----------------------------------



Glass diffuser
Difusor de cristal




33600
Body White/Blanco
Blades White/Blanco
+Maple/Arce



Material Body Steel/Acero
Material Blades MDF
W 10-21-41
RPM 80-145-180
Airflow 64.16 m3 min
V/Hz 220V-240V/50Hz
Opt. downrod Page 810

Light 2 E14 max. 8W
Bulb incl. No
Rec. Bulb 17461
Diff Glass/Cristal



A	A1
320/12.6"	210/8.27"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	420/16.54"

MINI MALLORCA



PRICES

ø 107
CM

< 13 M2
< 140 SQ.FT

REMOTE
CONTROL

INCLINING
ROOF




33604
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Black/Negro



ø1320
757

Material Body Steel/Acero
Material Blades MDF
W 10-21-41
RPM 80-145-180
Airflow 64.16 m3 min
V/Hz 220V-240V/50Hz
Opt. downrod Page 810



A	A1
235/9.25"	200/7.87"
B	C
90/3.54"	220/8.66"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	420/16.54"



MINI LANTAU



ø107 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
-------------------	----------------------------	--------------------	---	----------------------	-----------------------	-----------------------



33508DC **DC Motor**
33508DCWP NEW ***Smart Fan**
 Body Matt Nickel/Níquel Mate
 Blades Walnut/Nogal



33509DC **DC Motor**
33509DCWP NEW ***Smart Fan**
 Body Matt Nickel/Níquel Mate
 Blades Pine/Pino



33517DC **DC Motor**
33517DCWP NEW ***Smart Fan**
 Body Matt Black/Negro Mate
 Blades Walnut/Nogal




ø1680
699



ø1320
741

Material Body Steel/Acero
Material Blades Wood/Madera
W 3-5-7-10-15-21
RPM 72-104-131-164-193-224
Airflow 143.2 m3 min
V/Hz 220V-240V/50Hz
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 810



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-34 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-34 del receptor. El precio del receptor es con el descuento PRO35.

LISBOA



PRICES

Ø 107
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER


INCLINING
ROOF

DIRECT
CEILING
MOUNTING


CONTROLLED
BY CHAINS



33102
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
 +Dark Walnut/Nogal Oscuro



Material Body	Steel/Acero	Light	3 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	27-35-47	Rec. Bulb	17462
RPM	130-185-235	Diff	Glass/Cristal
Airflow	99.96 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
460/18.11"	240/9.45"
B	C
220/8.66"	300/11.81"
D	E
60/2.4"	130/5.12"
F	G
Ø1070/42.1"	420/16.54"

EASY



PRICES

ø 105
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF

EASY
INSTALL



33415
Body White/Blanco
Blades White/Blanco




33416
Body Grey/Gris
Blades Grey/Gris



Programmable from 1-3-6-9h
Programable de 1-3-6-9h

Material Body Steel+ABS/Acero+ABS
Material Blades ABS
W 11-23-68
RPM 105-185-285
Airflow 159.76 m3 min
V/Hz 220V-240V/50Hz

Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463
Diff ABS



A	A1
460/18.11"	320/12.6"
B	C
100/3.94"	210/8.27"
D	E
75/3"	140/5.51"
F	G
ø1050/41.3"	420/16.54"




<p>ø102 CM</p>	<p>< 13 M2 < 140 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
--------------------	--------------------------------------	--------------------------	---------------------------	---------------------------



33606
Body Shiny White/Blanco Brillo
Blades White/Blanco
 +Maple/Arce



Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	8-22-38	Rec. Bulb	17461
RPM	84-140-180	Diff	Glass/Cristal
Airflow	109 m3 min		
V/Hz	220V-240V/50Hz		
Accesories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
410/16.14"	270/10.63"
B	C
300/11.81"	180/7.09"
D	E
60/2.4"	140/5.51"
F	G
ø1020/40.2"	420/16.54"

HVAR



PRICES

ø97
CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

DIM

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Adjustable intensity
Intensidad regulable



Programmable from 1-2-4-8h
Programable de 1-2-4-8h




Smart option
Opción inteligente



34300
34300WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	SMD LED 24W 6500K 1600lm
Material Blades	ABS	Dimmable K	3000 - 4500 - 6500K
W	5.5-8.8-14-20.6-27.5-34.8	CRI	>80
RPM	139-172-206-245-268-300	Driver incl.	Yes
Airflow	130 m3 min	Diff	PMMA
V/Hz	220V-240V/50Hz		
Downrods	127mm		



A	A1
549/21.61"	447/17.6"
B	C
295/11.61"	
D	E
80/3.1"	165/6.5"
F	G
ø914/36"	328/12.91"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-25 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-25 del receptor. El precio del receptor es con el descuento PRO35.



33011
Body White/Blanco
Blades White/Blanco




ø1400
714



ø1200
788

Material Body Steel/Acero
Material Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74.56 m3 min
V/Hz 220V-240V/50Hz




A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	120/4.72"
D	E
120/4.7"	145/5.71"
F	G
ø920/36.2"	320/12.6"



33703
Body Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body	Steel/Acero	Light	1 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	15-26-49	Rec. Bulb	17463
RPM	136-192-225		
Airflow	96.71 m3 min		
V/Hz	220V-240V/50-60Hz		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
475/18.7"	295/11.61"
B	C
295/11.61"	140/5.51"
D	E
50/2"	150/5.91"
F	G
Ø915/36"	380/14.96"



90 CM	< 13 M2 < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	SUMMER WINTER	WITH PROGRAMMER	INCLINING ROOF
-----------------	--	--------------------	--	----------------------	------------------------	-----------------------



Smart option
Opción inteligente




33806
33806WP *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Oak/Roble Oscuro



33805
33805WP *Smart Fan
Body Matt White/Blanco Mate
Blades Maple/Arce



Material Body Steel/Acero
Material Blades Wood/Madera
W 5.2-7.3-12.2-17.4-23.2-31.6
RPM 123-166-204-242-267-300
Airflow 117 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
268/10.55"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø900/35.4"	

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-33 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-33 del receptor. El precio del receptor es con el descuento PRO35.

MEDITERRÁNEO



PRICES

ø81
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

CONTROLLED
BY CHAINS




33704
Body White/Blanco
Blades White/Blanco
+Maple/Arce




33706
Body Matt Nickel/Níquel Mate
Blades Maple/Arce
+Mahogany/Caoba

Material Body	Steel/Acero	Light	1 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	14-23-47	Rec. Bulb	17461
RPM	198-232-280	Diff	Glass/Cristal
Airflow	85.38 m3 min		
V/Hz	220V-240V/50Hz		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
385/15.16"	
B	C
260/10.24"	190/7.48"
D	E
110/4.3"	130/5.12"
F	G
ø815/32.1"	310/12.2"



Smart option
Opción inteligente



2 downrods incl. 3.9" / 7.8"
2 tijas incl. 100mm / 200mm

JUSTFAN

— Conillas



ø81 CM	 < 13 M2 < 140 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	----------------------------	--------------------	---	----------------------	-----------------------	-----------------------



33426
33426WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33425
33425WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33428
33428WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal



33423
33423WP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



33424
33424WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



33429
33429WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate



33427
33427WP *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709lm >80 Driver incl. Yes
Diff Glass/Cristal



33426-9
33426WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33425-10
33425WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

33428-10
33428WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33423-10
33423WP-10 *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal

33424-10
33424WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

33429-10
33429WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate

33427-10
33427WP-10 *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate




ø1780
697



ø1280
775

Material Body	Steel/Acero
Material Blades	PC
W	2.8-3.2-4-5-6-7-9
RPM	51-86-122-158-195-235
Airflow	121.69 m3 min
V/Hz	220V-240V/50-60Hz
Downrods	100-200mm



A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150-02 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150-02 del receptor. El precio del receptor es con el descuento PRO35.



PALAO



PRICES

<p>ø81 CM</p>	<p>< 13 M2 < 140 SQ.FT</p>	<p>SUMMER WINTER</p>	<p>INCLINING ROOF</p>	<p>DIRECT CEILING MOUNTING</p>	<p>CONTROLLED BY CHAINS</p>
-------------------	--------------------------------------	--------------------------	---------------------------	--	---------------------------------



33179
Body Matt White/Blanco Mate
Blades Multicolor



33180
Body White/Blanco
Blades White/Blanco



33183
Body Satin Nickel/Níquel Satinado
Blades Maple/Arce




33185
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba



33186
Body Grey/Gris
Blades Grey/Gris

Material Body	Steel/Acero	Light	1 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	24-28-37	Rec. Bulb	17461
RPM	127-192-241	Diff	Glass/Cristal
Airflow	92.37 m3 min		
V/Hz	220V-240V/50Hz		
Accessories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 810		



A	A1
390/15.35"	260/10.24"
B	C
190/7.48"	170/6.69"
D	E
60/2.4"	130/5.12"
F	G
ø810/31.9"	350/13.78"

VEDRA



PRICES

ø46
CM

< 13 M2
< 140 SQ.FT

WALL
CONTROL

INCLINING
ROOF



33450
Body Old Gold/Oro Viejo
Blades Dark Walnut/Nogal Oscuro





33525
Body Black/Negro
Blades Dark Walnut/Nogal Oscuro



Adjustable inclination
Inclinación regulable



Material Body Steel/Acero
Material Blades MDF
W 19-22-34-37
RPM 327-369-495-515
Airflow 58.11 m3 min
V/Hz 220V-240V/50Hz



A	A1
540/21.26"	450/17.72"
B	C
D	E
60/2.4"	145/5.71"
F	G
ø460/18.1"	200/7.87"



<p>ø43 CM</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> WALL CONTROL</p>	<p> INCLINING ROOF</p>
-------------------	---------------------------------------	---------------------------	--------------------------	----------------------------




33715
Body Dark Brown/Marrón Oscuro
Blades Dark Walnut/Nogal Oscuro















33720
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades Plywood
W 10-19-28
RPM 380-640-890
Airflow 38.61 m3 min
V/Hz 220V-240V/50Hz



A	A1
505/19.88"	440/17.32"
B	C
D	E
55/2.2"	150/5.91"
F	G
ø430/16.9"	150/5.91"

Downrods / Tijas

	33904	● White/Blanco	Steel/Acero	/	ø21/0.8" / 300/11.81"
	33944	● Matt White/Blanco Mate	Steel/Acero	/	ø21/0.8" / 400/15.75"
	33948	● Satin Nickel/Níquel Satinado	Steel/Acero	/	ø21/0.8" / 400/15.75"
	33954	● Matt White/Blanco Mate	Steel/Acero	/	ø21/0.8" / 500/19.69"
	33957	● Old Gold/Oro Viejo	Steel/Acero	/	ø21/0.8" / 500/19.69"
	33958	● Grey/Gris	Steel/Acero	/	ø21/0.8" / 500/19.69"
	33959	● Grey/Gris	Steel/Acero	/	ø21/0.8" / 300/11.81"
	33960	● Old Gold/Oro Viejo	Steel/Acero	/	ø21/0.8" / 300/11.81"
	33962	● Dark Brown/Marrón Oscuro	Steel/Acero	/	ø21/0.8" / 300/11.81"
	33964	● Dark Brown/Marrón Oscuro	Steel/Acero	/	ø21/0.8" / 500/19.69"
	33965	● Satin Nickel/Níquel Satinado	Steel/Acero	/	ø21/0.8" / 300/11.81"
	33971	● Satin Nickel/Níquel Satinado	Steel/Acero	/	ø21/0.8" / 500/19.69"

Remote control / Mando a distancia

Remote control kit / Kit mando a distancia



33929

/50/60Hz

/ 120/4.72"

Remote control kit with programmer / Kit mando a distancia con programador



33937

/60Hz

/ 120/4.72"



AC Wall control / Regulador de pared AC



33928

Steel/Acero 220V-240V/50/60Hz / 90/3.54"

3 speeds *The wall control is not compatible with the remote control at same time / El regulador de pared no se puede usar al mismo tiempo que el mando a distancia

DC Wall control / Regulador de pared DC



33974

● White/Blanco

Steel/Acero 220V-240V/50Hz / 70/2.76"

6 speeds *Compatible with/con: GOTLAND/RODAS/HYDRA/SAMOS/POROS/LANTAU DC & All references ending in WP/Todas las referencias acabadas en WP

Light kits / Kits de luz

CIES



33513 white/blanco

JUSTFAN/ETERFAN/DECOFAN/TUBE



33390 chrome/cromo

33391 black/negro

NIAS



33472K matt nickel/níquel mate

YAKARTA



33714 dark brown/marrón oscuro

33716 white/blanco

33717 antique brass/oro envejecido

PEMBA



33471K white/blanco

33491K grey/gris

33492K brown/marrón

TYPHOON



33483 white/blanco **Indoor/Outdoor IP44**

33489K grey/gris **Indoor/Outdoor IP44**

33490K brown/marrón **Indoor/Outdoor IP44**

WINCHE




33484 black/negro **Indoor/Outdoor IP44**


33486 grey/gris





PRICES

Items with special discount conditions
Artículos con condiciones especiales de descuento

LED Bulb GU5.3		SOCKET	P	CRI		DIM	BEAM	FLUX	CCT
PARATHOM MR16									
	97686227	GU5.3	8W	92	40000 h	✓	24°	485lm	2700K
	97686230	GU5.3	8W	92	40000 h	✓	24°	500lm	3000K
	97686327	GU5.3	8W	92	40000 h	✓	36°	485lm	2700K
	97686330	GU5.3	8W	92	40000 h	✓	36°	500lm	3000K

LED bulb GU10									
MASTER LED Spot MV									
	97685327	SOCKET GU10	5W	90	25000 h	✓	36°	350lm	2700K
	97685330	SOCKET GU10	5W	90	25000 h	✓	36°	365lm	3000K
	97264	SOCKET GU10	5W	90	25000 h	✓	60°	355lm	2700K
	97404	SOCKET GU10	5W	90	25000 h	✓	60°	365lm	3000K
	97273	SOCKET GU10	5.5W	97	40000 h	✓	36°	355lm	2700K
	97402	SOCKET GU10	5.5W	97	40000 h	✓	36°	375lm	3000K


LED bulb GU10									
PARATHOM GU10									
	97166	SOCKET GU10	6.9W	80	15000 h		36°	575lm	2700K
	97291	SOCKET GU10	6.9W	80	15000 h		36°	575lm	3000K
	97403	SOCKET GU10	6.9W	80	15000 h		60°	575lm	2700K
	97292	SOCKET GU10	6.9W	80	15000 h		60°	575lm	3000K

QR111									
PARATHOM QR111									
	97411	SOCKET G53	15W	90	40000 h	✓	24°	800lm	2700K
	97412	SOCKET G53	15W	90	40000 h	✓	24°	800lm	3000K
	97413	SOCKET G53	15W	90	40000 h	✓	40°	800lm	2700K
	97414	SOCKET G53	15W	90	40000 h	✓	40°	800lm	3000K

PAR30									
PARATHOM PAR30									
	97687127	E27	10W	90	25000 h	✓	36°	633lm	2700K

SORAA

GU10



	SOCKET	P	CRI	BEAM	FLUX	CCT	Compatible CCT Shifter	Compat. Linear Louver System
97691327	SOCKET GU10	7.5W	95	25°	410lm	2700K	✓	✓
97691127	SOCKET GU10	7.5W	95	10°	390lm	2700K	✓	✓
97691227	SOCKET GU10	7.5W	95	36°	410lm	2700K	✓	✓
97691330	SOCKET GU10	7.5W	95	25°	410lm	3000K	✓	✓
97691130	SOCKET GU10	7.5W	95	10°	410lm	3000K	✓	✓
97691230	SOCKET GU10	7.5W	95	36°	435lm	3000K	✓	✓

MR16 - GU5.3



97690127	SOCKET GU5.3	7.5W	95	10°	390lm	2700K		✓
97690427	SOCKET GU5.3	7.5W	95	36°	410lm	2700K		✓
97690130	SOCKET GU5.3	7.5W	95	10°	410lm	3000K	✓	✓
97690430	SOCKET GU5.3	7.5W	95	36°	435lm	3000K	✓	✓

SNAP System - MR16 & PAR 20

97691695	CCT Shifter SNAP Lens - 2" Color Filter, 1/2 CTO, 3000K to 2400K							
97691696	CCT Shifter SNAP Lens - 2" Color Filter, 3/4 CTO, 3000K to 2200K							
97691697	SNAP Lens - 2" Linear Beam Spreader 10°x25°							
97691698	SNAP Lens - 2" Linear Beam Spreader 10°x36°							
97691701	SNAP Lens - 2" Beam Spreader 17°							
97691702	SNAP Lens - 2" Beam Spreader 25°							
97691703	SNAP Lens - 2" Beam Spreader 36°							
97691704	SNAP Lens - 2" Beam Spreader 60°							
97691699	SNAP Lens - 2" Louver 40°							







QR111 - 12V


















	SOCKET	P	CRI	BEAM	FLUX	CCT
97692327	SOCKET G53	12.5W	95	8°	575lm	2700K
97692427	SOCKET G53	12.5W	95	36°	575lm	2700K
97692330	SOCKET G53	12.5W	95	8°	620lm	3000K
97692430	SOCKET G53	12.5W	95	36°	620lm	3000K





SNAP System - Large Lamps




















97692595	CCT Shifter SNAP Lens - 4" Color Filter, 1/2 CTO, 3000K to 2700K							
97692596	CCT Shifter SNAP Lens - 4" Color Filter, 3/4 CTO, 3000K to 2200K							
97692597	SNAP Lens - 4" Linear Beam Spreader 10°x36°							
97692598	SNAP Lens - 4" Linear Beam Spreader 10°x60°							
97692601	SNAP Lens - 4" Beam Spreader 17°							
97692602	SNAP Lens - 4" Beam Spreader 25°							
97692603	SNAP Lens - 4" Beam Spreader 36°							
97692604	SNAP Lens - 4" Beam Spreader 60°							
97692599	SNAP Lens - 4" Louver 40°							

LED Module	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	DC Current	Hrs.	*Driver not incl.
	18030	—	2700	930	90	G	12W	12°	✓	350 mA	50.000	98310114C / 98310115
	18031	—	2700	1140	90	F	12W	36°	✓	350 mA	50.000	98310114C / 98310115
	18032	—	3000	1040	90	G	12W	12°	✓	350 mA	50.000	98310114C / 98310115
	18033	—	3000	1140	90	F	12W	36°	✓	350 mA	50.000	98310114C / 98310115
	18034	—	4000	1040	90	G	12W	12°	✓	350 mA	50.000	98310114C / 98310115
	18035	—	4000	1140	90	F	12W	36°	✓	350 mA	50.000	98310114C / 98310115






















SMART	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17498	E27	2700	806	≥80	E	7W	360°	APP	220-240	50/60	25.000	Filament	ø60/2,3" 102/4,5"

GU10	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17328	GU10	2700	560	80	F	7W	120°	—	220-240	50/60	15.000	—	ø50/1,9" 55/2,3"
	17329	GU10	4000	560	80	F	7W	120°	—	220-240	50/60	15.000	—	ø50/1,9" 55/2,3"
	17330	GU10	3000	500	80	E	7W	38°	—	220-240	50/60	15.000	Glass	ø50/1,9" 55/2,3"
	17309	GU10	3000	545	>90	G	7W	40°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17316	GU10	2700	632	80	F	8W	38°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17317	GU10	4000	737	80	F	8W	38°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17320	GU10	2700	604	80	G	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17321	GU10	4000	662	80	F	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17318	GU10	2700	563	80	G	8W	38°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17319	GU10	4000	717	80	G	8W	38°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17324	GU10	2700	629	80	G	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17325	GU10	4000	610	80	F	7W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17331	GU10	2700	482	80	G	7W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17332	GU10	4000	671	80	G	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"



















G45	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17472	E27	—	30	—	—	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17473	E27	—	30	—	—	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17474	E27	—	30	—	—	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17475	E27	—	30	—	—	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"

C35	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17460	E14	2700	400	80	F	4W	360°	—	220-240	50/60	15.000	Matt glass	ø35/1,3" 100/4"
G45														
	17461	E14	2700	400	80	F	4W	360°	—	220-240	50/60	15.000	Matt glass	ø45/1,7" 78/3,1"
	17462	E27	2700	400	80	F	4W	360°	—	220-240	50/60	15.000	Matt glass	ø45/1,7" 75/2,9"
T45														
	17437	E27	3000	550	80	E	5W	360°	—	220-240	50/60	15.000	Matt glass	ø45/1,7" 112/4,4"
A60														
	17463	E27	2700	850	80	F	8W	360°	—	220-240	50/60	15.000	Matt glass	ø60/2,3" 102/4"
	17485	E27	2700	900	80	F	8W	360°	✓	220-240	50/60	15.000	Matt glass	ø60/2,3" 102/4"
	17486	E27	4000	950	80	F	8W	360°	✓	220-240	50/60	15.000	Matt glass	ø60/2,3" 102/4"
	17064	E27	5000	720	80	F	8W	270°	—	220-240	50/60	15.000	Polycarbonate	ø60/2,3" 110/4,3"
	17067	E27	2700	850	80	F	9W	270°	✓	220-240	50/60	15.000	Polycarbonate	ø60/2,3" 120/4,7"
	17070 NEW	E27	2700	820	80	F	9W	270°	✓	220-240	50/60	15.000	Polycarbonate	ø60/2,3" 120/4,7"
G95														
	17464	E27	2700	800	80	F	8W	360°	—	220-240	50/60	15.000	Matt glass	ø95/3,7" 125/4,9"
	17482	E27	2700	900	80	F	8W	360°	✓	220-240	50/60	15.000	Matt glass	ø95/3,7" 130/5,1"
G120														
	17479	E27	2700	1600	80	F	18W	270°	✓	220-240	50/60	15.000	Polycarbonate	ø120/4,7" 155/6,1"
G125														
	17465	E27	2700	800	80	F	8W	360°	—	220-240	50/60	15.000	Matt glass	ø125/4,9" 175/6,8"
G45														
	17417	E27	2700	220	80	E	2W	360°	—	220-240	50/60	15.000	Filament	ø45/1,7" 75/2,9"
A60														
	17420	E27	2700	470	80	E	4W	360°	—	220-240	50/60	15.000	Filament	ø60/2,3" 102/4,6"
ST64														
	17422	E27	2700	470	80	E	4W	360°	—	220-240	50/60	15.000	Filament	ø64/2,5" 146/5,7"
G95														
	17415	E27	2700	470	80	E	4W	360°	—	220-240	50/60	15.000	Filament	ø95/3,7" 125/4,9"
G125														
	17423	E27	2700	470	80	E	4W	360°	—	220-240	50/60	15.000	Filament	ø125/4,9" 175/6,8"



T30	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17445	E27	2200	550	80	F	6W	360°	—	220-240	50/60	15.000	Filament Amber	ø28/1,1" 300/11,8"
C35														
	17427	E14	2200	160	—	G	2W	360°	—	220-240	50/60	15.000	Filament Amber	ø36/1,4" 100/3,9"
G45														
	17413	E14	2200	160	—	G	2W	360°	—	220-240	50/60	15.000	Filament Amber	ø45/1,7" 78/3,1"
	17414	E27	2200	160	—	G	2W	360°	—	220-240	50/60	15.000	Filament Amber	ø45/1,7" 75/2,9"
	17493	E27	2200	300	—	G	4W	360°	✓	220-240	50/60	15.000	Filament Amber	ø45/1,7" 75/2,9"
A60														
	17426	E27	2200	400	—	F	4W	360°	—	220-240	50/60	15.000	Filament Amber	ø56/2,2" 102/4"
	17432	E27	2200	440	—	F	5W	360°	✓	220-240	50/60	15.000	Filament Amber	ø56/2,2" 102/4"
ST64														
	17428	E27	2200	400	—	F	4W	360°	—	220-240	50/60	15.000	Filament Amber	ø64/2,5" 146/5,7"
	17433	E27	2200	440	—	G	5W	360°	✓	220-240	50/60	15.000	Filament Amber	ø64/2,5" 146/5,7"
SP64														
	17409	E27	2000	380	—	F	5W	360°	—	220-240	50/60	15.000	Filament Amber	ø64/2,5" 146/5,7"
G95														
	17429	E27	2200	400	—	F	4W	360°	—	220-240	50/60	15.000	Filament Amber	ø95/3,7" 138/5,3"
G125														
	17425	E27	2200	400	—	F	4W	360°	—	220-240	50/60	15.000	Filament Amber	ø125/4,9" 175/6,8"
	17434	E27	2200	440	—	G	5W	360°	✓	220-240	50/60	15.000	Filament Amber	ø125/4,9" 175/6,8"
A160														
	17447	E27	2000	280	—	G	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 300/11,8"
BT180														
	17449	E27	2000	400	—	G	8W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 390/15,3"
A60														
	17496	E27	2700	450	80	E	4W	360°	—	220-240	50/60	25.000	Filament Gold	ø60/2,3" 102/4"
	17071 NEW	E27	2700	400	80	F	4W	360°	✓	220-240	50/60	15.000	Filament Black	ø60/2,3" 102/4"
	17073 NEW	E27	2700	400	80	F	4W	360°	✓	220-240	50/60	15.000	Mirror	ø60/2,3" 102/4"
G95														
	17271	E27	2700	450	80	E	4W	360°	—	220-240	50/60	15.000	Mirror	ø95/3,7" 125/4,9"
A95														
	17072 NEW	E27	2700	400	80	F	4W	180°	✓	220-240	50/60	15.000	Filament Black	ø95/3,7" 125/4,9"
T26														
	17446	E14	2700	120	80	E	1W	360°	—	220-240	50/60	15.000	LED	ø25/0,1" 58/2,3"



R7S	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17497	JP117	2700	800	80	A++	8W	360°	—	220-240	50/60	25.000	LED	ø13,5/0,5" 118/4,6"
G4														
	17487	G4	3000	155	80	F	1,6W	360°	—	12 AC	—	15.000	LED	ø11/0,4" 41/1,6"
	17494	G4	3000	90	80	G	1,5W	360°	—	12 AC	50/60	25.000	LED	ø11/0,5" 33/1,3"
G9														
	17443	G9	2700	350	80	F	3,5W	360°	—	220-240	50/60	15.000	—	ø16/0,7" 50/1,9"
	17444	G9	4000	350	80	F	3,5W	360°	—	220-240	50/60	15.000	—	ø16/0,7" 50/1,9"
	17466	G9	2700	450	80	F	5W	360°	—	220-240	50/60	15.000	—	ø16/0,7" 60/2,3"
	17467	G9	4000	450	80	F	5W	360°	—	220-240	50/60	15.000	—	ø16/0,7" 60/2,3"
	17468	G9	2700	350	80	F	3,5W	360°	✓	220-240	50/60	15.000	—	ø16/0,7" 50/1,9"
	17495	G9	3000	470	80	E	4W	360°	—	220-240	50/60	15.000	—	ø14/0,5" 65/2,5"
PAR38														
	17400	E27	4000	850	80	F	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 140/5,5"
	17398	E27	3000	1052	80	F	11W	23°	—	100-240	50/60	25.000	IP65	ø120/4,7" 134/5,2"
	17399	E27	4000	400	—	—	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 134/5,2"
R80														
	17477	E27	2700	1050	80	F	12W	120°	—	220-240	50/60	15.000	LED	ø80/3,1" 110/4,3"
JP118														
	17490	R7s	2700	1000	80	F	10W	—	—	220-240	50/60	15.000	LED	ø23/0,9" 118/4,6"
	17491	R7s	4000	1000	80	F	10W	—	—	220-240	50/60	15.000	LED	ø23/0,9" 118/4,6"
JP78														
	17488	R7s	2700	600	80	F	6W	—	—	220-240	50/60	15.000	LED	ø23/0,9" 78/3,07"
	17499	R7s	2700	450	80	F	5W	—	—	220-240	50/60	15.000	LED	ø14/0,5" 78/3,07"
GX53														
	17340	GX53	3000	530	80	F	6W	—	—	220-240	50/60	25.000	LED	ø76/2,9" 26/1,2"



Drivers / Equipos

		mA	P	V	units		
FOX 3W	02101001 02101002	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX 5W	02101001 02101002	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX TRIMLESS 3W	02101101 02101102	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX TRIMLESS 5W	02101101 02101102	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX ORIENTABLE 3W	02101301 02101302	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX ORIENTABLE 5W	02101301 02101302	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX 7W	02101501	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
FOX 10W	02101601	500mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
AIM 3W	02100401	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	3-6 units	dali	98310536
				220/240V	3-6 units	casambi	98310538
CLEAR 7W	02100301	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
BOW 3W	02150101	350mA	3W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 10W	02150201	350mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 18W	02150301	350mA	18W	100/240V	only 1 unit	on/off	98310620
				220/240V	only 1 unit	triac	98310321LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
PLAS 1W	63281 63282 63283 63490	350mA	1W	100/240V	only 1 unit	on/off	98310103
				220/240V	2-3 units	triac	98310110LC
				220/240V	5-17 units	dali	98310536
				220/240V	5-17 units	casambi	98310538

		mA	P	V	units						
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110				
				220/240V	2-3 units	triac	98310110LC				
				220/240V	2-6 units	dali	98310536				
				220/240V	2-6 units	casambi	98310538				
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110				
				220/240V	2-3 units	triac	98310110LC				
				220/240V	2-6 units	dali	98310536				
				220/240V	2-6 units	casambi	98310538				
TRAS 4W	71701	24V DC	4W	100/240V	only 1 unit	on/off	98324015U				
TRAS 8W	71702	24V DC	8W	100/240V	1-2 units	on/off	98324015U				
TRAS 25W	71716/71717	24V DC	25W	100/240V	1-2 units	on/off	98324030				
DANG 3W	70446		3W	100/240V	1-2 units	on/off	98324006				
NAIS ORIENTABLE 7W	02111001 02111002		7W	100/240V	1-2 units	on/off	98310620				
				220/240V	2 units	triac	98310118LC				
				220/240V	1-2 units	dali	98310536				
				220/240V	1-2 units	casambi	98310538				
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110				
				220/240V	2-3 units	triac	98310110LC				
				220/240V	2-6 units	dali	98310536				
				220/240V	2-6 units	casambi	98310538				
WABI 10W	43900		10W	100/240V	only 1 unit	on/off	98310510C				
				220/240V	only 1 unit	triac	98310510C				
NORD 18W	63290		18W	100/240V	only 1 unit	on/off	98310118LC				
				220/240V	only 1 unit	triac	98310118LC				
NAIS 7W	02121001 02121002		7W	100/240V	1-2 units	on/off	98310620				
				220/240V	2 units	triac	98310118LC				
				220/240V	1-2 units	dali	98310536				
				220/240V	1-2 units	casambi	98310538				
GRUND 2W	70726 70730 70733 70735	700mA	2W	100/240V	1-2 units	on/off	98310206E				
				220/240V	2-4 units	triac	98310210				
				220/240V	4-16 units	dali	98310536				
				220/240V	4-16 units	casambi	98310538				
GRUND 7W	70728 70731 70734 70736	350mA	7W	100/240V	1-2 units	on/off	98310620				
				220/240V	2 units	triac	98310118LC				
				220/240V	2 units	dali	98310536				
				220/240V	2 units	casambi	98310538				
GRUND 13W	70729 70732	350mA	13W	100/240V	1-2 units	on/off	98310620				
				220/240V	only 1 unit	triac	98310118LC				
				220/240V	only 1 unit	dali	98310536				
				220/240V	only 1 unit	casambi	98310538				
				KANE 3W	70660 70661 70662	24V DC	3W	100/240V	1-2 units	on/off	98324006
								220/240V	1-3 units	triac	98311315
FALLS 6W	71734 71735		6W	100/240V	1-2 units	on/off	98324020U				
				220/240V	5-23 units	triac	97397				
				220/240V	1-14 units	dali	97308				
				220/240V	1-14 units	casambi	98324599				
FALLS 12W	71736 71737		12W	100/240V	only 1 unit	on/off	98324020U				
				220/240V	2-14 units	triac	97397				
				220/240V	1-6 units	dali	97308				
				220/240V	1-6 units	casambi	98324599				
FALLS ORIENTABLE 8W	71730 71731		8W	100/240V	1-2 units	on/off	98324020U				
				220/240V	5-23 units	triac	97397				
				220/240V	1-11 units	dali	97308				
				220/240V	1-11 units	casambi	98324599				
FALLS ORIENTABLE 16W	71732 71733		16W	100/240V	only 1 unit	on/off	98324020U				
				220/240V	2-10 units	triac	97397				
				220/240V	1-5 units	dali	97308				
				220/240V	1-5 units	casambi	98324599				
CROSBY 2W	70453		2W	100/240V	1-2 units	on/off	98324006				

Shades / Pantallas

Wall lamps Apliques

	2P0111 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0112 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0113 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 
	2P0211 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 		2P0212 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 		2P0213 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 
	2P0411 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 		2P0412 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 		2P0413 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 
	2P0311 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0312 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0313 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 
	2P0615 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0616 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0617 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 
	2P0710 $\frac{\text{ø}210/8.2''}{\text{ø}190/7.6''}$ 		2P0763 $\frac{\text{ø}210/8.3''}{\text{ø}120/4.7''}$ 		

Suspended
Suspensión




2P0141




2P0142



2P0143



2P0645




2P0646




2P0647



2P0710




2P0720




2P0730




2P0765




2P0766




2P0767




2P0768



2P0769



2P0764



Shades / Pantallas

Table lamps Sobremesas

	2P0121 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 		2P0122 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 		2P0123 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 
	2P0221 $\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$ 		2P0222 $\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$ 		2P0223 $\frac{\text{ø}270/10.6''}{\text{ø}160/6.3''}$ 
	2P0421 $\frac{220/8.6''}{\text{ø}190/7.5''}$ 		2P0422 $\frac{220/8.6''}{\text{ø}190/7.5''}$ 		2P0423 $\frac{220/8.6''}{\text{ø}190/7.5''}$ 
	2P0311 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0312 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0313 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 
	2P0625 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 		2P0626 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 		2P0627 $\frac{\text{ø}250/9.8''}{\text{ø}220/8.6''}$ 
	2P0720 $\frac{\text{ø}320/12.6''}{210/8.2''}$ 		2P0763 $\frac{\text{ø}210/8.3''}{\text{ø}120/4.7''}$ 		

Floor lamps
Luminarias de suelo



2P0131

Ø400/15.7"
Ø360/14.1"
300/11.8"



2P0132

Ø400/15.7"
Ø360/14.1"
300/11.8"



2P0133

Ø400/15.7"
Ø360/14.1"
300/11.8"



2P0231

Ø400/15.7"
Ø240/9.4"
290/11.4"




2P0232

Ø400/15.7"
Ø240/9.4"
290/11.4"



2P0233

Ø400/15.7"
Ø240/9.4"
290/11.4"



2P0431

320/12.6"
Ø270/10.6"
300/11.8"



2P0432

320/12.6"
Ø270/10.6"
300/11.8"



2P0433

320/12.6"
Ø270/10.6"
300/11.8"



2P0635

Ø400/15.7"
Ø360/14.1"
300/11.8"



2P0636

Ø400/15.7"
Ø360/14.1"
300/11.8"




2P0637

Ø400/15.7"
Ø360/14.1"
300/11.8"



2P0730

Ø450/17.7"
310/12.2"



Structures / Estructuras

ARTIS wall/aplique



68490 bronze/bronce

68491 chrome/cromo


ARTIS wall reader/aplique con lector



68492 bronze/bronce

68493 chrome/cromo

ARTIS wall extensible/aplique extensible



68494 bronze/bronce

68495 chrome/cromo

CONGA/MAMBO/SAMBA wall/aplique



64306 matt white/blanco mate

64307 matt black/negro mate

CONGA/MAMBO/SAMBA wall reader/aplique con lector



64308 matt white/blanco mate

64309 matt black/negro mate

CONGA/MAMBO/SAMBA suspended (turnbuckle)/colgante (tensor)



64314 matt black/negro mate

CONGA/MAMBO/SAMBA suspended/colgante



64315 matt black/negro mate

CONGA/MAMBO/SAMBA table (small)/sobremesa (pequeña)



64316 matt white/blanco mate

64317 matt black/negro mate

CONGA/MAMBO/SAMBA table/sobremesa



64310 matt white/blanco mate

64311 matt black/negro mate


CONGA/MAMBO/SAMBA floor/suelo



64312 matt white/blanco mate

64313 matt black/negro mate

ETERNA wall/aplique



24005 chrome/cromo

ETERNA wall reader/aplique con lector



24006 chrome/cromo (right)

24007 chrome/cromo (left)

ETERNA table/sobremesa



24008 chrome/cromo

FRAME wall/aplique



20170 matt nickel/níquel mate

20171 old gold/oro viejo

FRAME wall reader/aplique con lector



20172 matt nickel/níquel mate

20173 old gold/oro viejo

MONTREAL wall/aplique



24030 white/blanco

24031 chrome/cromo

MONTREAL wall reader/aplique con lector



24032 white/blanco

24033 chrome/cromo (left)

MONTREAL table/sobremesa



24034 white/blanco

24035 chrome/cromo

MONTREAL floor/suelo



24036 white/blanco

24037 chrome/cromo

REM wall/aplique



29680 matt nickel/níquel mate

29681 old gold/oro viejo

REM wall reader/aplique con lector



29682 matt nickel/níquel mate

29683 old gold/oro viejo

REM table/sobremesa



29684 matt nickel/níquel mate

29685 old gold/oro viejo

REM floor/suelo



29686 matt nickel/níquel mate

29687 old gold/oro viejo

RON wall/aplique



64400 dark grey/gris oscuro








General information / Información general

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπόρευμα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od společnosti PAXI, na základě poruchy nebo vady ověřené nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническая информация, представленная в нашій каталог, може да бъде променяна с цел да подобри представяното или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приети единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание чулено стъкло или липсващи части. В такива случаи моля свържете се с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymaniu i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>

Materials / Materiales

EN	ES	FR	ITA
ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrílico
Aluminium	Aluminio	Aluminium	Alluminio
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla
Brass	Latón	Laiton	Ottone
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro
Glass	Cristal	Verre	Vetro
Leather	Piel	Peau	Pelle
Linen	Lino	Lin	Biancheria
Marble	Mármol	Marbre	Marmo
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrilico opale
Opal Glass	Cristal Opal	Verre opale	Vetro opalino
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale
Opal PVC	PVC Opal	PVC opale	PVC opale
Papyrus	Papiro	Papyrus	Papiro
Parchment	Pergamino	Parchemin	Pergamena
PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato
Plaster	Yeso	Gypse	Gesso
PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato
Polyethylene	Polietileno	Polyéthylène	Polietilene
Polymer	Polímero	Polymères	Polimero
Polypropylene	Polipropileno	Polyéthylène	Polietilene
PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca
Resine	Resina	Résine	Resina
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico
Silicone	Silicona	Silicone	Silicone
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.
Steel	Acero	Acier	Acciaio
Teflon	Teflón	Teflon	Teflon
Textile	Téxtil	Textile	Tessile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente
Wood	Madera	Bois	Legno
Zinc	Zinc	Zinc	Zinco

Symbology / Simbología

	EN	ES	FR	ITA
	Switch / Double Switch	Interruptor / Doble Interruptor	Interrupteur / Double Interrupteur	Interruttore / Doppio Interruttore
	USB Charger	Cargador USB	Chargeur USB	Caricatore USB
	Adjustable	Orientable	Orientable	Regolabile
	Dimmable	Dimable	Réglable	Regolabile
	Recessed box	Caja empotrar	Boîte encastrée	Incasso box
	Passive Infrared sensor (PIR)	Detector de movimiento pasivo (PIR)	Capteur infrarouge passif (PIR)	SENSORE PASSIVO A INFRAROSSI (PIR)
	Leading & Trailing-edge dimming	Regulación con regulador de corte al inicio y/o al final de fase	Gradation avant et arrière	Dimmer iniziale e finale

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
01001	269	17319	814	18030	814	20161-5L	218	20340-116-5L	219	24037-07	116
01003	345	17320	814	18031	814	20161-7L	218	20340-116-7L	219	24037-08	116
01004	345	17321	814	18032	814	20164-95	140	20340-117-3L	219	24037-09	116
01005	345	17324	814	18033	814	20164-96	140	20340-117-5L	219	24502	268
01006	345	17325	814	18034	814	20165-95	266	20340-117-7L	219	24504	166
01007A	72	17328	814	18035	814	20165-96	266	20340-119-3L	219	24521	92
01009A	278	17329	814	20021	314	20166-95	170	20340-119-5L	219	24522	92
01014A	278	17330	814	20023	314	20166-96	170	20340-119-7L	219	24527	271
01015	45	17331	814	20024	314	20167	266	20340-120-3L	219	24528	271
01016	45	17332	814	20025	136	20168	266	20340-120-5L	219	28200	250
01017	45	17340	817	20026	136	20170	824	20340-120-7L	219	28202	90
01025A	72	17398	817	20029	136	20170-01	302	23001-57	88	28204	90
01026A	278	17399	817	20030	136	20170-02	302	23001-58	88	28205	90
01027A	278	17400	817	20031-80	272	20170-03	302	23002-57	88	28209	172
01040	370	17409	816	20031-81	272	20171	824	23002-58	88	28209-1L	174
01041	370	17413	816	20031-88	304	20171-01	302	23003-59	88	28209-2L	174
01045	270	17414	816	20032-80	272	20171-02	302	23003-60	88	28209-3L	174
01046	142	17415	815	20032-81	272	20171-03	302	23004-57	244	28209-4L	175
01205	368	17417	815	20032-88	304	20172	824	23004-58	244	28209-5L	175
01206	368	17420	815	20033-80	94	20172-01	302	24005	824	28210	172
01207	368	17422	815	20033-81	94	20172-02	302	24005-10	298	28210-1L	174
01208	368	17423	815	20034-80	94	20172-03	302	24005-11	298	28210-2L	174
02100101	410	17425	816	20034-81	94	20173	824	24005-12	298	28210-3L	174
02100101C	410	17426	816	20034-88	128	20173-01	302	24006	824	28210-4L	175
02100301	422	17427	816	20045	367	20173-02	302	24006-10	298	28210-5L	175
02100501	428	17428	816	20046	166	20173-03	302	24006-11	298	28211	73
02100502	428	17429	816	20046-3L	216	20201	150	24006-12	298	28212	73
02100503	428	17432	816	20046-5L	216	20203	150	24007	824	28365	48
02100601	430	17433	816	20046-7L	216	20204	254	24007-10	298	28366	48
02100602	430	17434	816	20047	166	20207	150	24007-11	298	28367	48
02100603	430	17437	815	20048	166	20208	46	24007-12	298	28368	48
02100701	428	17443	817	20049	367	20209	46	24008	824	28369	48
02100702	428	17444	817	20050	166	20210	46	24008-13	74	28370	106
02100801	422	17445	816	20050-3L	216	20300-92	286	24008-14	74	28371	106
02100901	427	17446	816	20050-5L	216	20301-93	286	24008-15	74	28372	68
02101001	426	17447	816	20050-7L	216	20301-94	286	24015	339	28373	175
02101002	426	17449	816	20051	166	20302-92	286	24016	339	28374	175
02101101	426	17460	815	20060	276	20303-93	286	24020-31	108	28375	172
02101102	426	17461	815	20061	276	20303-94	286	24020-32	108	28375-1L	174
02101301	426	17462	815	20062	276	20304-82	118	24023-33	108	28375-2L	174
02101302	426	17463	815	20065	274	20305-83	118	24023-34	108	28375-3L	174
02101401	430	17464	815	20066	274	20305-84	118	24030	824	28375-4L	175
02101402	430	17465	815	20094	228	20306-85	118	24030-01	288	28375-5L	175
02101501	427	17466	817	20095	228	20307-86	118	24030-02	288	28376	172
02101601	427	17467	817	20116	160	20307-87	118	24031	824	28376-1L	174
02111001	421	17468	817	20117	160	20308-89	196	24031-01	288	28376-2L	174
02111002	421	17472	814	20118	160	20309-90	196	24031-02	288	28376-3L	174
02121001	421	17473	814	20119	160	20309-91	196	24031-03	288	28376-4L	175
02121002	421	17474	814	20120	160	20330	265	24032	824	28376-5L	175
02200501	428	17475	814	20121	160	20331	265	24032-01	288	28378	73
02200502	428	17477	817	20122	160	20332	265	24032-02	288	28379	73
02200503	428	17479	815	20123	160	20335-116	257	24033	824	28380	74
02300101	430	17482	815	20124	160	20335-117	257	24033-01	288	28382	74
02400101	430	17485	815	20125	160	20336-119	84	24033-02	288	28383	74
02400102	430	17486	815	20126	160	20336-120	84	24033-03	288	28385	74
17064	815	17487	817	20127	160	20337-116	84	24034	824	28387	70
17067	815	17488	817	20128	160	20337-117	84	24034-04	116	28388	70
17070	815	17490	817	20129	160	20338-116	156	24034-05	116	28394	198
17071	816	17491	817	20130	160	20338-117	156	24035	824	28398	200
17072	816	17493	816	20131	160	20338-119	156	24035-04	116	28399	200
17073	816	17494	817	20160	170	20338-120	156	24035-05	116	28401	76
17271	816	17495	817	20160-3L	218	20339-116	156	24035-06	116	28413	322
17309	814	17496	816	20160-5L	218	20339-117	156	24036	824	28414	322
17316	814	17497	817	20160-7L	218	20339-119	156	24036-07	116	28415	322
17317	814	17498	814	20161	170	20339-120	156	24036-08	116	28480	251
17318	814	17499	817	20161-3L	218	20340-116-3L	219	24037	824	28481	251

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
29039	396	29687-08	120	29982	316	32000-9	771	32035WP-10	779	33374	779
29040	396	29687-09	120	29983	316	32000WP	771	32036	779	33374-9	779
29042	396	29690	264	29984	124	32000WP-9	771	32036-10	779	33374WP	779
29043	396	29691	168	29985	124	32001	771	32036WP	779	33374WP-9	779
29044	396	29692D	96	29986	196	32001-9	771	32036WP-10	779	33381	771
29047	104	29693D	96	29987	196	32001WP	771	32037	779	33381-9	771
29048	104	29694	168	29988	196	32001WP-9	771	32037-10	779	33381WP	771
29049	104	29695	264	29996	304	32002	771	32037WP	779	33381WP-9	771
29306	367	29696	168	29997	128	32002-10	771	32037WP-10	779	33382	769
29307	126	29697	96	29998	128	32002WP	771	32038	777	33382-9	769
29309	198	29698	96	2P0111	820	32002WP-10	771	32038-9	777	33382WP	769
29310	367	29699	168	2P0112	820	32003	771	32038WP	777	33382WP-9	769
29311	126	29764	146	2P0113	820	32003-10	771	32038WP-9	777	33385	753
29312	126	29844	280	2P0121	822	32003WP	771	32039	777	33386	753
29313	198	29845	280	2P0122	822	32003WP-10	771	32039-9	777	33390	811
29326	318	29846	100	2P0123	822	32004	771	32039WP	777	33391	811
29328	318	29847	100	2P0131	823	32004-10	771	32039WP-9	777	33393	777
29329	318	29848	162	2P0132	823	32004WP	771	32040	777	33393-9	777
29330	318	29849	162	2P0133	823	32004WP-10	771	32040-10	777	33393WP	777
29331	318	29864	198	2P0141	821	32005	771	32040WP	777	33393WP-9	777
29332	132	29865	198	2P0142	821	32005-9	771	32040WP-10	777	33394	773
29333	132	29866	130	2P0143	821	32005WP	771	32041	777	33394-9	773
29335	132	29867	130	2P0211	820	32005WP-9	771	32041-10	777	33394D	775
29336	132	29868	130	2P0212	820	32006	771	32041WP	777	33394D-9	775
29341	326	29869	130	2P0213	820	32006-10	771	32041WP-10	777	33394DWP	775
29395	282	29871	436	2P0221	822	32006WP	771	32042	777	33394DWP-9	775
29396	282	29872	436	2P0222	822	32006WP-10	771	32042-10	777	33394WP	773
29397	164	29873	404	2P0223	822	32020	769	32042WP	777	33394WP-9	773
29398	98	29874	404	2P0231	823	32020-9	769	32042WP-10	777	33395	773
29399	98	29875	404	2P0232	823	32020WP	769	32043	777	33395-10	773
29468	200	29876	404	2P0233	823	32020WP-9	769	32043-10	777	33395D	775
29565	282	29877	230	2P0311	820	32025	769	32043WP	777	33395D-10	775
29566	282	29878	230	2P0312	820	32025-9	769	32043WP-10	777	33395DWP	775
29567	164	29881	102	2P0313	820	32025WP	769	32060	779	33395DWP-10	775
29568	98	29882	102	2P0411	820	32025WP-9	769	32060-10	779	33395WP	773
29569	98	29883	102	2P0412	820	32026	769	32060WP	779	33395WP-10	773
29680	824	29884	102	2P0413	820	32026-10	769	32060WP-10	779	33398	773
29680-19	300	29888	372	2P0421	822	32026WP	769	32100	773	33398-10	773
29680-20	300	29894	208	2P0422	822	32026WP-10	769	32100-10	773	33398D	775
29680-21	300	29895	208	2P0423	822	32027	769	32100WP	773	33398D-10	775
29681	824	29896	436	2P0431	823	32027-10	769	32100WP-10	773	33398DWP	775
29681-19	300	29897	404	2P0432	823	32027WP	769	33001	714	33398DWP-10	775
29681-20	300	29898	102	2P0433	823	32027WP-10	769	33002	714	33398WP	773
29681-21	300	29899	102	2P0615	820	32028	769	33005	788	33398WP-10	773
29682	824	29935	320	2P0616	820	32028-10	769	33011	800	33399	773
29682-19	300	29936	320	2P0617	820	32028WP	769	33019	758	33399-10	773
29682-20	300	29940	310	2P0625	822	32028WP-10	769	33102	796	33399D	775
29682-21	300	29941	310	2P0626	822	32029	769	33110	715	33399D-10	775
29683	824	29942	134	2P0627	822	32029-9	769	33111	715	33399DWP	775
29683-19	300	29944	198	2P0635	823	32029WP	769	33179	807	33399DWP-10	775
29683-20	300	29945	310	2P0636	823	32029WP-9	769	33180	807	33399WP	773
29683-21	300	29946	310	2P0637	823	32030	769	33183	807	33399WP-10	773
29684	824	29947	134	2P0645	821	32030-10	769	33185	807	33414A	691
29684-04	120	29948	134	2P0646	821	32030WP	769	33186	807	33415	797
29684-05	120	29950	320	2P0647	821	32030WP-10	769	33284	756	33416	797
29684-06	120	29951	320	2P0710	820	32033	779	33346	749	33417	773
29685	824	29952	320	2P0720	821	32033-9	779	33346WP	749	33417-10	773
29685-04	120	29953	320	2P0730	821	32033WP	779	33349	695	33417WP	773
29685-05	120	29955	145	2P0763	820	32033WP-9	779	33350	757	33417WP-10	773
29685-06	120	29958	145	2P0764	821	32034	779	33351	757	33418	773
29686	824	29974	312	2P0765	821	32034-9	779	33352	760	33418-10	773
29686-07	120	29975	312	2P0766	821	32034WP	779	33352B	760	33418WP	773
29686-08	120	29976	312	2P0767	821	32034WP-9	779	33370DC	741	33418WP-10	773
29686-09	120	29979	124	2P0768	821	32035	779	33370DCWP	741	33423	805
29687	824	29980	316	2P0769	821	32035-10	779	33373DC	741	33423-10	805
29687-07	120	29981	316	32000	771	32035WP	779	33373DCWP	741	33423WP	805

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
33423WP-10	805	33483	811	33553WPA	703	33761WP-23	723	34009	691	40996	333
33424	805	33484	811	33554A	703	33761WP-26	725	34010	691	41019	333
33424-10	805	33486	811	33554WPA	703	33762	721	34011	691	41020	333
33424WP	805	33487	781	33560DC	741	33762-24	723	34012	691	41023	337
33424WP-10	805	33487WP	781	33560DCWP	741	33762-27	725	34013	691	41025N	334
33425	805	33488	781	33561DC	741	33762WP	721	34014	691	41026	336
33425-10	805	33489	765	33561DCWP	741	33762WP-24	723	34100	729	41028	336
33425WP	805	33489-15	765	33562DC	741	33762WP-27	725	34100WP	729	41029	336
33425WP-10	805	33489K	811	33562DCWP	741	33770	748	34200A	687	41030	336
33426	805	33489WP	765	33600	792	33770WP	748	34200WPA	687	41031	336
33426-9	805	33489WP-15	765	33604	793	33782	730	34250A	683	41032	336
33426WP	805	33490	765	33606	798	33802	735	34260	727	42919	424
33426WP-9	805	33490-16	765	33607	785	33802WP	735	34261	727	42921	421
33427	805	33490K	811	33608	785	33803	734	34300	799	42926	433
33427-10	805	33490WP	765	33695	791	33803WP	734	34300WP	799	42927	433
33427WP	805	33490WP-16	765	33696	791	33804	732	40070	364	42928	432
33427WP-10	805	33491K	811	33697	791	33804WP	732	40076	382	42929	432
33428	805	33492K	811	33698	791	33805	802	40077	240	42930	432
33428-10	805	33494	689	33699	791	33805WP	802	40078	202	42931	433
33428WP	805	33494WP	689	33700	755	33806	802	40085	382	43396	418
33428WP-10	805	33495	689	33701	755	33806WP	802	40086	382	43397	418
33429	805	33495WP	689	33702	755	33809	719	40087	382	43398	418
33429-10	805	33496	685	33703	801	33809WP	719	40088	382	43399	420
33429WP	805	33504DC	699	33704	803	33810	719	40090	262	43400	420
33429WP-10	805	33504DCWP	699	33705	755	33810WP	719	40091	262	43401	419
33430	697	33505DC	699	33706	803	33814	763	40092	262	43402	419
33430WP	697	33505DCWP	699	33710	759	33814-20	763	40093	262	43403	419
33432	697	33506	713	33710-13	759	33814WP	763	40095	260	43404	420
33432WP	697	33507	713	33711	787	33814WP-20	763	40096	260	43405	420
33446	731	33508DC	795	33711-11	787	33815	763	40097	260	43406	418
33446WP	731	33508DCWP	795	33712	787	33815-21	763	40098	260	43407	418
33447	731	33509DC	795	33712-12	787	33815WP	763	40099	260	43408	418
33447WP	731	33509DCWP	795	33713	787	33815WP-21	763	40102	256	43409	420
33450	808	33511	711	33713-13	787	33816	763	40103	256	43410	420
33451	767	33511WP	711	33714	811	33816-20	763	40104	256	43411	419
33451WP	767	33512A	693	33715	809	33816WP	763	40110	414	43412	419
33460	745	33512A-1	693	33716	811	33816WP-20	763	40111	414	43413	419
33461A	691	33512WPA	693	33717	811	33817	763	40112	415	43500	400
33462A	691	33512WPA-1	693	33718	705	33817-21	763	40113	415	43501	400
33463	699	33513	811	33719	705	33817WP	763	40114	414	43502	400
33464DC	699	33514	761	33720	809	33817WP-21	763	40115	414	43520	402
33464DCWP	699	33514WP	761	33721	743	33904	810	40116	415	43521	402
33465A	691	33516DC	741	33721WP	743	33928	811	40117	415	43522	402
33466A	701	33516DCWP	741	33722	743	33929	810	40118	414	43523	402
33470	751	33517DC	795	33722WP	743	33937	810	40119	414	43525	402
33471K	811	33517DCWP	795	33724	746	33944	810	40120	415	43527	402
33471N	750	33518DC	741	33724WP	746	33948	810	40121	415	43528	402
33471N-3	750	33518DCWP	741	33725	717	33954	810	40122	416	43529	230
33472K	811	33519	711	33726	717	33957	810	40123	416	43531	230
33472N	752	33519WP	711	33727	705	33958	810	40124	416	43533	230
33472N-6	752	33522	737	33728	705	33959	810	40125	416	43534	230
33478	781	33522WP	737	33729	733	33960	810	40126	416	43536	436
33478WP	781	33523	737	33729WP	733	33962	810	40127	416	43600	422
33479	781	33523WP	737	33750	747	33964	810	40135	348	43601	422
33480	765	33524	739	33756	789	33965	810	40136	348	43720	438
33480-14	765	33524WP	739	33756WP	789	33971	810	40550	404	43721	438
33480WP	765	33525	808	33760	721	33974	811	40551	404	43722	392
33480WP-14	765	33548	716	33760-22	723	34000	691	40660	398	43723	392
33481	783	33548WP	716	33760-25	725	34001	691	40661	398	43724	438
33481-7	783	33549	707	33760WP	721	34002	691	40662	398	43725	438
33481WP	783	33549WP	707	33760WP-22	723	34003	701	40663	398	43726	392
33481WP-7	783	33551	709	33760WP-25	725	34004	701	40664	398	43727	392
33482	783	33551WP	709	33761	721	34005	701	40665	398	43728	392
33482-8	783	33552	709	33761-23	723	34006	691	40666	398	43729	392
33482WP	783	33552WP	709	33761-26	725	34007	691	40667	398	43730	392
33482WP-8	783	33553A	703	33761WP	721	34008	691	40994	333	43731	392

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
43732	392	61081	380	62173-50	246	63124	234	63603	388	64255-113-5L	219
43740	394	61082	380	62173-51	246	63125	234	63604	388	64255-113-7L	219
43741	394	61083	380	62173-52	246	63156	381	63605	388	64255-114-3L	219
43742	394	61084	380	62173-69	258	63167	362	64026	350	64255-114-5L	219
43743	394	61085	380	62173-78	258	63173	376	64027	263	64255-114-7L	219
43744	394	61086	380	62174-50	246	63174	376	64028	263	64255-115-3L	219
43745	394	61087	380	62174-51	246	63175	376	64030	348	64255-115-5L	219
43746	235	61088	380	62174-52	246	63176	377	64096	228	64255-115-7L	219
43747	235	61101	158	62174-69	258	63177	377	64097	228	64256	154
43748	372	61103	158	62174-78	258	63178	377	64099	176	64257	154
43749	372	61104	158	62300	362	63184	379	64128	204	64258	154
43750	372	61105	158	62301	362	63225	379	64128-3L	217	64259	154
43751	372	61117	158	62302	362	63268	233	64128-5L	217	64260	176
43752	424	62099	307	62303	362	63269	233	64128-7L	217	64261	176
43753	424	62100	307	62350	338	63270	232	64133	205	64262	176
43754	208	62104	340	62351	338	63271	232	64133-3L	217	64263	176
43755	208	62105	350	62352	338	63272	232	64133-5L	217	64270	252
43756	208	62108	350	62353	338	63273	232	64133-7L	217	64271	252
43757	438	62111	340	62355	346	63274	232	64135-3L	217	64272	252
43758	235	62114	340	62360	344	63275	232	64135-5L	217	64273	252
43759	372	62115	330	62361	344	63276	232	64135-7L	217	64274	252
43760	372	62116	340	62703	337	63277	232	64137	204	64275-111	86
43761	424	62117	340	62704	337	63278	374	64137-3L	217	64275-112	86
43762	392	62118	340	62705	324	63279	378	64137-5L	217	64275-113	86
43900	424	62120	340	62706	324	63281	412	64137-7L	217	64275-114	86
51129	335	62121	340	62707	332	63282	412	64159	210	64275-115	86
51133	335	62122	342	62708	332	63283	412	64160	210	64276-111	86
51134	335	62123	342	62709	332	63284	374	64162	210	64276-112	86
51135	335	62124	342	62710	332	63285	378	64168	334	64276-113	86
51908	82	62125	342	62711	332	63286	410	64169	334	64276-114	86
51909	82	62126	340	62800	206	63290	410	64172	182	64276-115	86
51910	82	62128	340	62801	206	63291	239	64174	212	64277	224
51916	82	62129	340	62802	206	63311	379	64182	228	64278	224
51917	82	62130	347	62802-3L	218	63312	379	64183	228	64279	224
52057	80	62131	347	62802-5L	218	63313	408	64188	240	64280	224
52058	80	62132	226	62802-7L	218	63316	389	64188N	240	64281	224
52059	334	62133	226	62803	206	63317	389	64198	233	64282	224
52061	334	62134	226	62803-3L	218	63318	389	64199	233	64300	326
52064	80	62135	226	62803-5L	218	63319	389	64200	233	64301	326
52065	80	62138	183	62803-7L	218	63393	237	64201	233	64302	308
52071	78	62139	183	62804	206	63394	237	64202	438	64303	308
53415	78	62140	226	62804-3L	218	63395	237	64203	438	64304	308
53416	78	62141	226	62804-5L	218	63397	238	64204	234	64305	308
57211-01	138	62142	226	62804-7L	218	63398	238	64205	234	64306	824
57211-02	138	62143	226	62805	206	63399	239	64206	234	64306-01	290
57211-03	138	62144	226	62805-3L	218	63404	238	64207	234	64306-02	290
57300	248	62145	226	62805-5L	218	63408	238	64210A	439	64306-35	284
57301	248	62146	226	62805-7L	218	63410	238	64211A	439	64306-36	284
57302	248	62147	226	62806	207	63480	378	64212A	439	64306-37	284
57312	66	62150	361	62807	366	63481	411	64213A	439	64307	824
57313	66	62151	361	62809	363	63490	412	64214A	439	64307-03	290
57314	66	62152	361	62810	363	63502	384	64215A	439	64307-35	284
57315	66	62153	361	62819	374	63503	384	64223	210	64307-36	284
57316	66	62154	361	62820	374	63504	384	64224	210	64307-37	284
57317	66	62155	361	62821	374	63505	384	64231	220	64307-47	294
57318	248	62156	71	62822	374	63506	384	64232	220	64307-71	292
57319	248	62157	71	62965	239	63507	386	64250	228	64308	824
57320	248	62161	331	62966	239	63508	386	64251	228	64308-01	290
57400	80	62162	331	62968	240	63509	386	64255	154	64308-02	290
57401	80	62163	331	62969	240	63510	382	64255-111-3L	219	64308-35	284
57402	366	62164	331	62980	239	63512	386	64255-111-5L	219	64308-36	284
57403	366	62168	71	62981	239	63513	386	64255-111-7L	219	64308-37	284
60000	366	62169	71	62983	240	63514	386	64255-112-3L	219	64309	824
60004	205	62170	360	62986	381	63600	388	64255-112-5L	219	64309-03	290
60005	363	62171	360	62987	381	63601	388	64255-112-7L	219	64309-35	284
61080	380	62172	360	62988	324	63602	388	64255-113-3L	219	64309-36	284

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
64309-37	284	64315-45	194	66405	356	68504	327	70037	546	70396	642
64309-47	294	64315-46	194	66406	356	68505	327	70038	546	70397	643
64309-71	292	64315-47	190	66407	356	68506	327	70134	644	70398	642
64310	824	64315-48	190	66408	356	68507	327	70135	644	70399	642
64310-04	114	64315-49	190	66409	356	68508	332	70140	554	70402	648
64310-05	114	64315-54	194	66410	356	68509	332	70146	651	70403	648
64310-38	112	64315-55	194	66411	358	68544	324	70147	651	70405	620
64310-39	112	64315-56	194	66412	358	68561	200	70148	651	70406	620
64310-40	112	64316	824	66413	358	68562	200	70151	544	70408	632
64311	824	64316-01	114	66414	358	68563	200	70156	555	70409	632
64311-06	114	64316-02	114	66415	358	68564	200	70157	555	70446	643
64311-38	112	64316-35	112	66416	358	68569	207	70158	542	70449	662
64311-39	112	64316-36	112	68145	205	68590-69	184	70159	542	70453	655
64311-40	112	64316-37	112	68145-3L	216	68590-70	184	70161	554	70455	662
64311-48	110	64317	824	68145-5L	216	68591-1L	178	70162	648	70459N	655
64312	824	64317-03	114	68145-7L	216	68591-3L	215	70163	648	70462N	655
64312-07	115	64317-35	112	68146	205	68591-5L	215	70226	542	70469	544
64312-08	115	64317-36	112	68146-3L	216	68591-7L	215	70227	542	70496	52
64312-41	113	64317-37	112	68146-5L	216	68592-1L	178	70233	530	70498	60
64312-42	113	64317-47	110	68146-7L	216	68592-3L	215	70245	537	70499	60
64312-43	113	64317-71	76	68153	207	68592-5L	215	70246	537	70501	636
64313	824	64318	333	68283	212	68592-7L	215	70247	504	70508	636
64313-09	115	64319	333	68284	212	68593-1L	178	70248	540	70546	634
64313-41	113	64320	208	68298	236	68593-3L	215	70260	555	70547	634
64313-42	113	64321	208	68317	236	68593-5L	215	70264	624	70564	634
64313-43	113	64322	327	68323	236	68593-7L	215	70265	642	70566N	625
64313-49	111	64323	327	68334	82	68594-1L	178	70267	624	70567N	625
64314	824	64400-10	306	68423	76	68594-3L	215	70268	624	70573	607
64314-44	194	64400-11	306	68461	200	68594-5L	215	70269	625	70573B	607
64314-44-3L	216	64400-12	306	68462	146	68594-7L	215	70270	625	70575	577
64314-44-5L	216	64500	180	68463	146	68595-1L	178	70271	650	70576	486
64314-44-7L	216	64501	180	68467	328	68595-3L	215	70272	646	70579	615
64314-45	194	65071	204	68468	328	68595-5L	215	70272N	646	70586	660
64314-45-3L	216	65080	204	68488	122	68595-7L	215	70273	646	70587	660
64314-45-5L	216	65080-3L	217	68489	122	68596-1L	178	70273N	646	70588	660
64314-45-7L	216	65080-5L	217	68490	824	68596-3L	215	70274	646	70589	660
64314-46	194	65080-7L	217	68490-01	296	68596-5L	215	70275	646	70591	661
64314-46-3L	216	65081	202	68490-02	296	68596-7L	215	70276	646	70592N	660
64314-46-5L	216	65082	202	68490-03	296	68597-1L	178	70277	646	70593N	660
64314-46-7L	216	65133	364	68491	824	68597-3L	215	70277N	646	70634	624
64314-47	192	65134	204	68491-01	296	68597-5L	215	70278	646	70637	625
64314-47-3L	215	65134-72	186	68491-02	296	68597-7L	215	70278N	646	70638	650
64314-47-5L	215	65134-73	188	68491-03	296	68600-50	152	70279	646	70644	620
64314-47-7L	215	65134-74	188	68492	824	68600-51	152	70280	646	70645	620
64314-48	192	65134-75	188	68492-01	296	68600-52	152	70281	646	70646	620
64314-48-3L	215	65134-76	186	68492-02	296	68600-53	152	70283	618	70647	620
64314-48-5L	215	65134-77	186	68492-03	296	68602	220	70284	618	70655	636
64314-48-7L	215	65137	234	68493	824	68604-44	221	70285	633	70656	636
64314-49	192	66205	205	68493-01	296	68604-45	221	70286	633	70657	638
64314-49-3L	215	66400	824	68493-02	296	68604-46	221	70287	633	70658	638
64314-49-5L	215	66400-101	352	68493-03	296	68604-47	221	70290	584	70659	638
64314-49-7L	215	66400-102	352	68494	824	68604-48	221	70291	584	70660	656
64314-54	194	66400-105	352	68494-01	296	68604-49	221	70292	504	70660W	656
64314-54-3L	216	66400-106	352	68494-02	296	68604-54	221	70293	504	70661	656
64314-54-5L	216	66400-97	352	68494-03	296	68604-55	221	70294	583	70661W	656
64314-54-7L	216	66400-98	352	68495	824	68604-56	221	70295	464	70662	656
64314-55	194	66401-100	354	68495-01	296	68604-62	221	70302	659	70662W	656
64314-55-3L	216	66401-103	354	68495-02	296	68604-63	221	70303	659	70663	606
64314-55-5L	216	66401-104	354	68495-03	296	68604-64	221	70304	658	70664	606
64314-55-7L	216	66401-107	354	68496	332	68604-65	221	70305	658	70665	604
64314-56	194	66401-108	354	68497	332	68604-66	221	70306	659	70666	604
64314-56-3L	216	66401-109	354	68498	332	68604-67	221	70307	659	70667	606
64314-56-5L	216	66401-110	354	68499	332	68604-68	221	70308	659	70668	606
64314-56-7L	216	66401-99	354	68500	144	70025	550	70309	659	70682	604
64315	824	66403	358	68501	144	70035	546	70310	658	70683	604
64315-44	194	66404	358	68503	144	70036	546	70395	642	70686	625

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
70687	625	70906	637	71300	476	71575P-06	532	71903	616	74433S-03	482
70689	605	70907	637	71301	476	71575P-07	532	71904	616	74433S-04	482
70690	576	70908	637	71303	602	71575P-09	532	71905	616	74434B-01	484
70696	607	70909	637	71304	602	71576-01	451	71906	617	74434B-02	484
70697	607	70910	637	71305	602	71576-04	450	71907	617	74434B-03	484
70714	608	70911	637	71306	602	71576P-03	534	71908	617	74434B-04	484
70715	605	70912	554	71308	615	71576P-04	534	71909	616	74435F2-02	522
70720	606	70913	544	71309	615	71579-02	560	71910	616	74435F2-03	522
70722	574	70914	60	71352	500	71579C-03	560	71911	616	74435F2-04	522
70726	652	70992	600	71353	626	71579C-04	560	71912	54	74436F3-02	524
70728	652	70993	488	71362L	612	71579C-05	558	71913	54	74436F3-03	524
70729	652	70996	600	71363	627	71579C-06	558	71914	54	74436F3-04	524
70730	652	70997	600	71366	627	71579C-07	558	71915	618	74440	592
70731	652	70998	600	71367	627	71579C-09	558	71916	618	74441	472
70732	652	70999	600	71372	576	71579H-03	560	71917	618	74442	472
70733	654	71049	617	71374	576	71579H-04	560	71918	618	74444E	518
70734	654	71052	617	71383	550	71579H-05	558	72000	609	74450	614
70735	654	71106	571	71388	627	71579H-06	558	72001	609	74451	496
70736	654	71110	598	71389	550	71579H-07	558	72002	609	74452	496
70749	630	71116	526	71390	550	71579H-09	558	72010	609	74453	590
70753	498	71117	526	71424	597	71584-01	566	72011	609	74454	58
70754	498	71118	526	71480	645	71584-02	458	72092	644	74455	627
70755	498	71128	598	71481	645	71584-03	566	72093	644	74465	44
70756	498	71129	598	71482	645	71584-04	566	72094	645	74997	479
70761	479	71138	571	71489N	662	71584-05	564	72095	645	74998	596
70767	478	71139	571	71490	645	71584-06	564	72269	622	75000	596
70768	478	71140	599	71491	645	71584-07	564	72272	614	750000	508
70771	486	71141	599	71495	662	71584-08	564	72280	608	750000C	508
70772	488	71194	582	71496N	661	71584-09	562	72281	608	750000D	508
70773	602	71195	582	71498N	661	71584-10	562	72298	500	750001	508
70774	502	71196	582	71499N	661	71606	597	72310	488	750001C	508
70775	56	71198	498	71516	610	71613	544	72311	490	750001D	508
70776	56	71199	498	71517	610	71701	657	72312	490	750002	508
70777	56	71206	492	71519	612	71702	657	72330	632	750002C	508
70780	596	71208	492	71528	536	71703	657	72352	574	750002D	508
70782	500	71209	518	71536	586	71716	657	72353	574	75001	479
70783	500	71212	610	71537	586	71717	657	72354	574	750010	508
70784	58	71213	494	71538	580	71730	664	72355	574	750010C	508
70785	502	71214	494	71539	580	71731	664	73100	545	750010D	508
70786	56	71215	610	71546	548	71732	664	73111	545	750011	508
70787	540	71216	480	71547	548	71733	664	73150	545	750011C	508
70788	540	71217	481	71548	548	71734	665	74139	586	750011D	508
70790	50	71222	610	71549	548	71735	665	74141	466	750012	508
70799	576	71223	610	71556	458	71736	665	74142	466	750012C	508
70802	624	71224	466	71562	458	71737	665	74155	468	750012D	508
70806	577	71225	466	71563	458	71740	577	74156	468	75002	571
70811	623	71242	454	71564	458	71741	577	74261	599	750020	508
70812	623	71243	454	71565	60	71742	577	74400	628	750020C	508
70813	623	71244	454	71569-01	451	71743	592	74401	612	750020D	508
70821	577	71253	460	71569-04	450	71744	592	74407	630	750021	508
70823	604	71254	460	71569-05	448	71745	592	74408	630	750021C	508
70824	632	71256	460	71569-06	448	71746	474	74411	502	750021D	508
70825	632	71257	460	71569-07	446	71747	474	74419	626	750022	508
70826	632	71262	452	71569-08	446	71748	474	74422	456	750022C	508
70827	605	71263	452	71569-09	444	71749	474	74423	456	750022D	508
70828	623	71264	452	71569-10	444	71750	474	74424	456	75003	479
70829	606	71272	614	71575-01	451	71751	474	74427C-01	570	750100	508
70830	626	71273	614	71575-04	450	71770	552	74427C-02	570	750100C	508
70832	626	71274	605	71575-05	448	71770V	552	74427C-03	570	750100D	508
70833	650	71276	615	71575-06	448	71771	552	74427C-04	570	750101	508
70834	650	71277	615	71575-07	446	71771V	552	74432A-01	594	750101C	508
70887	607	71279	584	71575-09	444	71898	616	74432A-02	594	750101D	508
70888	622	71285	584	71575P-01	534	71899	616	74432A-03	594	750102	508
70899	622	71286	470	71575P-03	534	71900	616	74432A-04	594	750102C	508
70900	650	71287	470	71575P-04	534	71901	616	74433S-01	482	750102D	508
70901	650	71299	476	71575P-05	532	71902	616	74433S-02	482	750110	508

Ref	Page	Ref	Page	Ref	Page	Ref	Page	Ref	Page
750110C	508	750321C	510	751202C	514	75552	462	97692599	813
750110D	508	750321D	510	751202D	514	75553	462	97692601	813
750111	508	750322	510	751210	514	75556	538	97692602	813
750111C	508	750322C	510	751210C	514	75557	538	97692603	813
750111D	508	750322D	510	751210D	514	75602	520	97692604	813
750112	508	751000	512	751211	514	75603	478		
750112C	508	751000C	512	751211C	514	75604	478		
750112D	508	751000D	512	751211D	514	75605	481		
750120	508	751001	512	751212	514	75606	481		
750120C	508	751001C	512	751212C	514	75607	520		
750120D	508	751001D	512	751212D	514	75608	58		
750121	508	751002	512	751220	514	75700	590		
750121C	508	751002C	512	751220C	514	75701	590		
750121D	508	751002D	512	751220D	514	75750	588		
750122	508	751010	512	751221	514	75751	588		
750122C	508	751010C	512	751221C	514	75753	568		
750122D	508	751010D	512	751221D	514	75754	568		
750200	510	751011	512	751222	514	75755	568		
750200C	510	751011C	512	751222C	514	75800	545		
750200D	510	751011D	512	751222D	514	75801	545		
750201	510	751012	512	751300	514	97166	812		
750201C	510	751012C	512	751300C	514	97264	812		
750201D	510	751012D	512	751300D	514	97273	812		
750202	510	751020	512	751301	514	97291	812		
750202C	510	751020C	512	751301C	514	97292	812		
750202D	510	751020D	512	751301D	514	97402	812		
750210	510	751021	512	751302	514	97403	812		
750210C	510	751021C	512	751302C	514	97404	812		
750210D	510	751021D	512	751302D	514	97411	812		
750211	510	751022	512	751310	514	97412	812		
750211C	510	751022C	512	751310C	514	97413	812		
750211D	510	751022D	512	751310D	514	97414	812		
750212	510	751100	512	751311	514	97685327	812		
750212C	510	751100C	512	751311C	514	97685330	812		
750212D	510	751100D	512	751311D	514	97686227	812		
750220	510	751101	512	751312	514	97686230	812		
750220C	510	751101C	512	751312C	514	97686327	812		
750220D	510	751101D	512	751312D	514	97686330	812		
750221	510	751102	512	751320	514	97687127	812		
750221C	510	751102C	512	751320C	514	97690127	813		
750221D	510	751102D	512	751320D	514	97690130	813		
750222	510	751110	512	751321	514	97690427	813		
750222C	510	751110C	512	751321C	514	97690430	813		
750222D	510	751110D	512	751321D	514	97691127	813		
750300	510	751111	512	751322	514	97691130	813		
750300C	510	751111C	512	751322C	514	97691227	813		
750300D	510	751111D	512	751322D	514	97691230	813		
750301	510	751112	512	75500	628	97691327	813		
750301C	510	751112C	512	75501	628	97691330	813		
750301D	510	751112D	512	75502	628	97691695	813		
750302	510	751120	512	75503	628	97691696	813		
750302C	510	751120C	512	75519	496	97691697	813		
750302D	510	751120D	512	75520	496	97691698	813		
750310	510	751121	512	75521	486	97691699	813		
750310C	510	751121C	512	75522	480	97691701	813		
750310D	510	751121D	512	75523	480	97691702	813		
750311	510	751122	512	75524	520	97691703	813		
750311C	510	751122C	512	75531	472	97691704	813		
750311D	510	751122D	512	75532	518	97692327	813		
750312	510	751200	514	75533	586	97692330	813		
750312C	510	751200C	514	75537	470	97692427	813		
750312D	510	751200D	514	75538	470	97692430	813		
750320	510	751201	514	75540	612	97692595	813		
750320C	510	751201C	514	75541	472	97692596	813		
750320D	510	751201D	514	75550	462	97692597	813		
750321	510	751202	514	75551	462	97692598	813		

1968	Indoor	Table	68	Balder	Outdoor	Spike	544	Brot	Outdoor	Floor	460	Confetti	Indoor	Suspended	152
Academy	Indoor	Wall	250	Balic	Outdoor	Floor	464	Brow	Outdoor	Wall	632	Confetti	Indoor	Wall	246
Academy	Indoor	Floor	90	Balic	Outdoor	Wall	583	Bruc	Outdoor	Wall	623	Conga	Indoor	Table	114
Academy	Indoor	Table	90	Bambou	Outdoor	Spike	538	Brume	Indoor	Suspended	202	Conga	Indoor	Floor	115
Aday	Outdoor	Wall	620	Banker	Indoor	Table	82	Brume	Indoor	Ceiling	240	Conga	Indoor	Suspended	194
Agra	Outdoor	Floor	498	Baobab	Indoor	Table	82	Brume	Indoor	Wall	382	Conga	Indoor	Multiple	216
Agra	Outdoor	Post	498	Barth	Fan		727	Buddy	Portable	Portable	46	Conga	Indoor	Multiple	221
Aina	Indoor	Suspended	212	Bast	Outdoor	Post	504	Bu-Oh	Outdoor	Floor	494	Conga	Indoor	Wall	290
Akane	Indoor	Table	106	Bel	Indoor	Wall	336	Bu-Oh	Outdoor	Pole	518	Cooper	Fan		767
Akane	Outdoor	Floor	452	Beret	Outdoor	Floor	480	Bu-Oh	Outdoor	Wall	610	Corb	Indoor	Wall	348
Alfa	Outdoor	Projector	550	Beret	Outdoor	Pole	520	Cabo	Outdoor	Wall	600	Cosmos	Indoor	Suspended	210
Alo	Fan		705	Berni	Indoor	Table	132	Cadaques	Outdoor	Floor	454	Costas	Indoor	Suspended	184
Aloha	Fan		759	Berni	Indoor	Floor	132	Cage	Portable	Portable	58	Costas	Indoor	Wall	258
Alp	Outdoor	Floor	496	Berni	Indoor	Wall	318	Candela	Portable	Portable	50	Cotton	Indoor	Wall	356
Alp	Outdoor	Wall	614	Bezel	Outdoor	Floor	504	Canon	Outdoor	Wall	625	Cotton	Indoor	Wall	358
Amelia	Fan		721	Bezel	Outdoor	Spike	540	Carter	Outdoor	Recessed	648	Cove	Indoor	Wall	378
Amelia	Fan		723	Bianca	Indoor	Wall	382	Cast	Outdoor	Floor	468	Crater	Indoor	Suspended	200
Amelia	Fan		725	Bic	Indoor	Ceiling	238	Cat	Outdoor	Table	458	Crosby	Outdoor	Recessed	655
Ami	Indoor	Ceiling	238	Black	Indoor	Floor	146	Cebu	Fan		798	Cuba	Fan		760
Ancora	Outdoor	Wall	612	Blind	Outdoor	Wall	624	Cela	Outdoor	Wall	608	Curtis	Outdoor	Recessed	655
Andros	Fan		691	Bliss	Indoor	Table	76	Celia	Indoor	Wall	364	Dado	Outdoor	Wall	597
Andy	Outdoor	Spike	544	Block	Outdoor	Floor	466	Century	Fan		703	Dakron	Outdoor	Ceiling	574
Anga	Outdoor	Ceiling	574	Block	Outdoor	Wall	586	Chandra	Outdoor	Floor	500	Dang	Outdoor	Recessed	643
Anouk	Indoor	Table	78	Blome	Indoor	Wall	307	Charlotte	Indoor	Suspended	200	Danka	Indoor	Suspended	210
Aoba	Fan		695	Blubs	Outdoor	Post	482	Chera	Indoor	Wall	376	Danubio	Indoor	Wall	388
Argón	Indoor	Recessed	419	Blubs	Outdoor	Floor	484	Chicago	Fan		801	Dart	Outdoor	Recessed	646
Argot	Outdoor	Wall	597	Blubs	Outdoor	Pole	522	Cies	Fan		693	Das	Outdoor	Floor	496
Argus	Portable	Portable	58	Blubs	Outdoor	Pole	524	Claire	Indoor	Suspended	206	Datna	Outdoor	Floor	472
Art	Indoor	Suspended	204	Blubs	Outdoor	Suspended	570	Claire	Indoor	Multiple	218	Datna	Outdoor	Pole	518
Art	Indoor	Multiple	217	Blubs	Outdoor	Wall	594	Clara	Indoor	Suspended	204	Datna	Outdoor	Wall	592
Artis	Indoor	Table	122	Board	Indoor	Wall	370	Clara	Indoor	Multiple	217	Deco Fan	Fan		775
Artis	Indoor	Floor	122	Boc	Indoor	Wall	332	Clear	Indoor	Recessed	422	Derby	Outdoor	Wall	609
Artis	Indoor	Wall	296	Boken	Indoor	Wall	336	Click	Indoor	Recessed	422	Desliz	Indoor	Wall	251
Attos	Fan		689	Bonn	Outdoor	Wall	607	Coco	Indoor	Spot	398	Diula	Indoor	Wall	381
Aurea	Indoor	Wall	330	Borda	Outdoor	Wall	600	Cocos	Fan		716	Dolme	Indoor	Suspended	176
Axel	Outdoor	Wall	614	Bracket	Outdoor	Wall	614	Cocotte	Indoor	Suspended	176	Dolme	Indoor	Ceiling	228
Balda	Portable	Portable	60	Bronx	Outdoor	Wall	582	Cocotte	Indoor	Ceiling	228	Domino	Indoor	Recessed	408

Doro	Outdoor	Wall	616	Fraser	Fan		789	Haru	Indoor	Ceiling	234	Kasp	Portable	Portable	54
Doro	Outdoor	Wall	617	Fred	Outdoor	Wall	606	Heywood	Fan		719	Kauai	Fan		687
Dragma	Outdoor	Wall	612	Fred XL	Outdoor	Wall	606	Heywood	Fan		802	Kaula	Outdoor	Wall	620
Drak	Outdoor	Wall	632	Fresh	Indoor	Recessed	428	Hikari	Outdoor	Wall	605	Keenan	Outdoor	Wall	634
Drum	Indoor	Table	108	Fresh	Indoor	Recessed	430	Homs	Indoor	Wall	362	Keiki	Fan		809
Drum	Indoor	Floor	108	Frol	Outdoor	Recessed	644	Hook	Portable	Portable	48	Kera	Indoor	Wall	362
Duas	Indoor	Wall	328	Fuji	Portable	Portable	44	Hoshi	Indoor	Table	70	Kerala	Portable	Portable	58
Eaco	Indoor	Wall	377	Fusta	Indoor	Suspended	198	Hotel	Indoor	Floor	134	Kerala	Outdoor	Wall	590
Easy	Fan		797	Future	Outdoor	Wall	610	Hotel	Indoor	Table	134	Khios	Fan		683
Ebba	Indoor	Recessed	424	Gala	Indoor	Wall	384	Hotel	Indoor	Suspended	198	Kila	Outdoor	Floor	474
Eco indus	Fan		788	Galo	Outdoor	Recessed	642	Hotel	Indoor	Wall	310	Kila	Outdoor	Ceiling	577
Edel	Outdoor	Recessed	662	Garten	Outdoor	Spike	545	Hudson	Indoor	Wall	363	Kila	Outdoor	Wall	592
Edge	Indoor	Wall	384	Gas	Indoor	Recessed	420	Hvar	Fan		799	Klamp	Outdoor	Floor	502
Ele	Outdoor	Wall	626	Geiser	Outdoor	Recessed	658	Hyde	Indoor	Recessed	414	Klamp	Outdoor	Wall	630
Elsa	Indoor	Wall	378	Geiser	Outdoor	Recessed	658	Hydra	Fan		717	Klee	Indoor	Wall	274
Eres	Indoor	Wall	350	Gina	Outdoor	Floor	500	Ibiza	Fan		756	Koi-2	Indoor	Recessed	421
Esca	Outdoor	Recessed	645	Gina	Outdoor	Wall	627	Icaria	Fan		755	Kombo	Indoor	Suspended	178
Essential	Indoor	Wall	326	Giza	Outdoor	Floor	478	Ice	Fan		745	Kombo	Indoor	Multiple	215
Estay	Outdoor	Wall	609	Gotland	Fan		731	Indus	Fan		714	Kombo	Indoor	Multiple	221
Estoril	Outdoor	Wall	599	Goz	Outdoor	Ceiling	577	Inviting	Indoor	Wall	248	Kubick	Outdoor	Wall	605
Eterfan	Fan		771	Grada	Outdoor	Wall	637	Inviting	Indoor	Table	66	Lace	Outdoor	Wall	623
Eterna	Indoor	Wall	298	Grant	Outdoor	Wall	636	Iris	Indoor	Ceiling	237	Lacre	Outdoor	Wall	624
Eterna	Indoor	Table	74	Gron	Outdoor	Recessed	644	Ito	Indoor	Table	78	Lago	Indoor	Wall	384
Falls	Outdoor	Recessed	664	Grop	Outdoor	Pole	520	Izaro	Fan		761	Lako	Outdoor	Wall	616
Falls	Outdoor	Recessed	665	Grow	Outdoor	Floor	492	Janet	Indoor	Ceiling	234	Lama	Fan		713
Fedón	Outdoor	Wall	608	Gru	Indoor	Table	82	Jellyfish	Indoor	Floor	92	Lampanot	Portable	Portable	52
Feroe	Fan		792	Guadalupe	Indoor	Wall	272	Jellyfish	Indoor	Table	92	Lang	Indoor	Suspended	206
Flash	Indoor	Suspended	150	Guadalupe	Indoor	Table	94	Joy	Indoor	Wall	263	Lang	Indoor	Multiple	218
Flash	Indoor	Wall	254	Guadalupe	Indoor	Floor	94	Juliet	Indoor	Wall	334	Lantau	Fan		699
Flin	Indoor	Wall	333	Guest	Indoor	Floor	142	Just Fan	Fan		697	Lantau	Fan		741
Flow	Outdoor	Projector	548	Guest	Indoor	Wall	270	Just Fan	Fan		773	Lao	Indoor	Floor	104
Foc	Outdoor	Spike	542	Haka	Indoor	Suspended	188	Just Fan	Fan		805	Lao	Indoor	Table	104
Foc	Outdoor	Projector	555	Half	Outdoor	Wall	586	Kale	Indoor	Wall	337	Lao	Indoor	Spot	396
Fold	Indoor	Wall	308	Halita	Indoor	Suspended	204	Kamen	Indoor	Wall	379	Le Petit	Indoor	Wall	331
Foro	Indoor	Ceiling	238	Han	Indoor	Wall	269	Kane	Outdoor	Recessed	656	Lead	Indoor	Wall	337
Fox	Indoor	Recessed	426	Handy	Indoor	Wall	322	Kao	Indoor	Ceiling	239	Leaf	Outdoor	Spike	530
Frame	Indoor	Wall	302	Hanna	Indoor	Wall	326	Kasp	Portable	Portable	54	Led-18	Outdoor	Recessed	661

Lena	Indoor	Clip	334	Loth	Outdoor	Wall	633	May	Indoor	Wall	260	Morea	Fan	711
Lena	Indoor	Table	80	Lotus	Outdoor	Floor	466	Maya	Indoor	Wall	256	Mou	Indoor	Suspended 207
Leser	Indoor	Wall	336	Lotus	Outdoor	Wall	610	Mediterraneo	Fan		803	Moy	Indoor	Wall 262
Levita	Indoor	Suspended	168	Lou	Indoor	Suspended	206	Mega	Indoor	Ceiling	238	Muffin	Outdoor	Post 482
Levita	Indoor	Wall	264	Luan	Indoor	Recessed	433	Meno	Fan		730	Muffin	Outdoor	Floor 484
Levita	Indoor	Table	96	Luang	Indoor	Wall	244	Mila	Outdoor	Post	486	Muffin	Outdoor	Pole 522
Levita	Indoor	Floor	96	Luang	Indoor	Table	88	Milos	Fan		729	Muffin	Outdoor	Pole 524
Liana	Indoor	Suspended	207	Luang	Indoor	Table	88	Mine	Indoor	Suspended	172	Muffin	Outdoor	Suspended 570
Linda	Indoor	Floor	126	Luang	Indoor	Floor	88	Mine	Indoor	Suspended	174	Muffin	Outdoor	Wall 594
Linda	Indoor	Table	126	Lula	Indoor	Table	74	Mine	Indoor	Suspended	175	Muga	Outdoor	Floor 478
Linda	Indoor	Suspended	198	Luna	Indoor	Wall	379	Mine	Indoor	Table	73	Must	Outdoor	Wall 638
Linda	Indoor	Wall	367	Lupe	Indoor	Table	128	Mini Eterfan	Fan		769	Muur	Outdoor	Projector 552
Ling	Outdoor	Wall	623	Lupe	Indoor	Floor	128	Mini Icaria	Fan		791	Nahir	Outdoor	Wall 600
Link	Indoor	Table	102	Lupe	Indoor	Wall	304	Mini Indus	Fan		800	Nairobi	Outdoor	Wall 626
Link	Indoor	Floor	102	Lur	Outdoor	Wall	605	Mini Lantau	Fan		795	Nais	Indoor	Recessed 421
Link	Indoor	Ceiling	230	Luzon	Fan		747	Mini Mallorca	Fan		793	Nala	Outdoor	Post 488
Link	Indoor	Spot	404	Magma	Indoor	Suspended	200	Mini Tube	Fan		777	Nala	Outdoor	Wall 602
Link	Indoor	Track	436	Magos	Indoor	Wall	265	Mini-Project	Outdoor	Projector	550	Nanda	Outdoor	Floor 480
Lio	Outdoor	Recessed	662	Magritte	Indoor	Wall	380	Mistu	Outdoor	Post	482	Nanda	Outdoor	Floor 481
Liria	Indoor	Wall	381	Mallorca	Fan		757	Mistu	Outdoor	Floor	484	Naos	Indoor	Suspended 180
Lisboa	Fan		796	Malvinas	Fan		715	Mistu	Outdoor	Pole	522	Nase	Outdoor	Recessed 642
Lise	Indoor	Wall	372	Mambo	Indoor	Table	110	Mistu	Outdoor	Pole	524	Nash	Indoor	Wall 374
Liso	Outdoor	Recessed	645	Mambo	Indoor	Floor	111	Mistu	Outdoor	Suspended	570	Nassau	Fan	781
List	Indoor	Wall	366	Mambo	Indoor	Suspended	190	Mistu	Outdoor	Wall	594	Nat	Outdoor	Recessed 650
Lit	Outdoor	Projector	555	Mambo	Indoor	Suspended	192	Moist	Indoor	Recessed	427	Natron	Outdoor	Wall 607
Liz	Indoor	Suspended	204	Mambo	Indoor	Multiple	215	Mol	Outdoor	Wall	606	Natsu	Indoor	Ceiling 234
Liz	Indoor	Multiple	217	Mambo	Indoor	Multiple	221	Moma	Indoor	Table	144	Nautica	Outdoor	Pole 526
Loa	Indoor	Wall	363	Mambo	Indoor	Wall	294	Moma	Indoor	Floor	144	Nautica	Outdoor	Suspended 571
Log	Outdoor	Wall	624	Manhattan	Fan		685	Moma	Indoor	Wall	327	Nautica	Outdoor	Wall 598
Logar	Outdoor	Floor	481	Margot	Indoor	Suspended	200	Montreal	Indoor	Table	116	Navi	Indoor	Recessed 411
Logos	Indoor	Ceiling	239	Marina	Indoor	Suspended	205	Montreal	Indoor	Floor	116	Naya	Outdoor	Post 498
Loke	Indoor	Wall	333	Marina	Indoor	Wall	363	Montreal	Indoor	Wall	288	Naya	Outdoor	Floor 498
Lombok	Fan		758	Marlin	Indoor	Suspended	205	Mood	Indoor	Wall	276	Negus	Outdoor	Wall 607
Loop	Indoor	Suspended	164	Marlin	Indoor	Multiple	217	Moon	Outdoor	Post	482	Neon	Indoor	Recessed 420
Loop	Indoor	Wall	282	Marlin	Indoor	Wall	364	Moon	Outdoor	Floor	484	Neu	Indoor	Recessed 410
Loop	Indoor	Table	98	Mask	Outdoor	Wall	584	Moon	Outdoor	Suspended	570	Nias	Fan	752
Loop	Indoor	Floor	98	Mauren	Outdoor	Ceiling	488	Moon	Outdoor	Wall	594	Nidia	Indoor	Table 76

Nido	Indoor	Suspended	207	Pill	Outdoor	Wall	632	Ron	Indoor	Wall	306	Savoy	Indoor	Wall	286
Niko	Indoor	Wall	278	Pivot	Outdoor	Wall	602	Room	Indoor	Wall	312	Screen	Outdoor	Post	512
Niko	Indoor	Table	72	Pixie	Indoor	Wall	339	Rose	Indoor	Suspended	202	Screen	Outdoor	Floor	514
Niilo	Indoor	Wall	389	Plas	Indoor	Recessed	412	Rush	Outdoor	Post	508	Scuba	Outdoor	Suspended	568
Nit	Indoor	Wall	345	Plat	Indoor	Suspended	205	Rush	Outdoor	Floor	510	Sedna	Outdoor	Recessed	651
Noboru	Outdoor	Floor	486	Plat	Indoor	Multiple	216	Saba	Indoor	Wall	324	Sera	Indoor	Wall	362
Noon	Indoor	Wall	346	Plaza	Outdoor	Pole	520	Sabi	Indoor	Suspended	208	Sete	Outdoor	Post	486
Noray	Outdoor	Wall	600	Plim	Outdoor	Floor	476	Sahara	Indoor	Wall	324	Seth	Outdoor	Spike	542
Nord	Indoor	Recessed	410	Plom	Outdoor	Spike	544	Saigon	Indoor	Suspended	160	Seven	Indoor	Suspended	212
Nuu	Fan		743	Plom	Outdoor	Projector	554	Saigon	Outdoor	Floor	444	Seven	Indoor	Ceiling	236
Oko	Outdoor	Projector	554	Plot	Indoor	Track	438	Saigon	Outdoor	Floor	446	Shadow	Outdoor	Floor	490
Olaf	Indoor	Wall	374	Pluma	Indoor	Suspended	182	Saigon	Outdoor	Floor	448	Shelby	Outdoor	Floor	470
Olan	Outdoor	Wall	625	Pol	Outdoor	Wall	606	Saigon	Outdoor	Floor	450	Shoku	Indoor	Ceiling	224
Olot	Outdoor	Ceiling	576	Polaris	Fan		749	Saigon	Outdoor	Floor	451	Side	Indoor	Suspended	183
Onze	Outdoor	Floor	479	Polea	Fan		746	Saigon	Outdoor	Ceiling	458	Side	Indoor	Wall	226
Ora	Indoor	Suspended	208	Pomo	Outdoor	Wall	602	Saigon	Outdoor	Spike	532	Signal	Indoor	Recessed	410
Orleans	Indoor	Ceiling	230	Poros	Fan		739	Saigon	Outdoor	Spike	534	Sioux	Fan		748
Orleans	Indoor	Spot	402	Pote	Indoor	Ceiling	234	Saigon	Outdoor	Ceiling	558	Siros	Fan		732
Orleans	Indoor	Track	436	Press	Indoor	Wall	338	Saigon	Outdoor	Suspended	560	Slim	Indoor	Suspended	166
Orwell	Outdoor	Wall	590	Proa	Outdoor	Wall	628	Saigon	Outdoor	Suspended	562	Slim	Indoor	Wall	268
Oslo	Indoor	Wall	374	Project	Outdoor	Projector	550	Saigon	Outdoor	Suspended	564	Slot	Outdoor	Projector	546
Otto	Indoor	Table	80	Punt	Fan		763	Saigon	Outdoor	Suspended	566	Slot	Outdoor	Spike	546
Otton	Indoor	Wall	352	Pure	Indoor	Wall	271	Saipan	Indoor	Suspended	186	Smile	Indoor	Wall	347
Otton	Indoor	Wall	354	Quart	Outdoor	Wall	615	Salt	Outdoor	Recessed	661	Snap	Indoor	Wall	366
Oval	Outdoor	Wall	615	Racing	Outdoor	Recessed	648	Samba	Indoor	Table	112	Snap	Indoor	Table	80
Ovo	Indoor	Wall	350	Radón	Indoor	Recessed	418	Samba	Indoor	Floor	113	Snow	Indoor	Wall	378
Palao	Fan		807	Ras	Indoor	Wall	366	Samba	Indoor	Suspended	194	Sobek	Outdoor	Spike	544
Palk	Fan		751	Rel	Indoor	Ceiling	233	Samba	Indoor	Multiple	216	Soleil	Outdoor	Floor	502
Pals	Outdoor	Wall	584	Rem	Indoor	Table	120	Samba	Indoor	Multiple	221	Son	Indoor	Recessed	432
Pam	Indoor	Suspended	210	Rem	Indoor	Floor	120	Samba	Indoor	Wall	284	Soun	Outdoor	Recessed	650
Panay	Fan		785	Rem	Indoor	Wall	300	Sami	Indoor	Wall	337	Spark-1	Outdoor	Recessed	648
Papua	Indoor	Floor	146	Retro	Indoor	Suspended	166	Samos	Fan		733	Spy-1	Outdoor	Floor	500
Path	Outdoor	Wall	636	Retro	Indoor	Wall	367	Saona	Fan		734	Spy-1	Outdoor	Spike	540
Pemba	Fan		750	Ring	Indoor	Spot	404	Saura	Outdoor	Floor	502	Spy-2	Outdoor	Floor	500
Pepper	Indoor	Clip	334	Rob	Indoor	Wall	332	Savoy	Indoor	Table	118	Spy-2	Outdoor	Spike	540
Perla	Indoor	Wall	382	Roda	Indoor	Wall	324	Savoy	Indoor	Floor	118	Stan	Indoor	Suspended	208
Piccola	Outdoor	Spike	537	Rodas	Fan		737	Savoy	Indoor	Suspended	196	Stan	Indoor	Ceiling	235

Stan	Indoor	Wall	372	Tasa	Outdoor	Ceiling	577	Tram	Outdoor	Wall	586	Whizz	Indoor	Multiple	218
Stan	Indoor	Spot	392	Task	Portable	Portable	60	Tras	Outdoor	Recessed	657	Whizz	Indoor	Wall	266
Stan	Indoor	Spot	394	Tatawin	Indoor	Suspended	156	Tree	Indoor	Table	130	Wilma	Outdoor	Post	479
Stan	Indoor	Recessed	424	Tatawin	Indoor	Multiple	219	Tree	Indoor	Floor	130	Wilma	Outdoor	Floor	479
Stand Up	Indoor	Floor	138	Tatawin	Indoor	Wall	257	Tree	Indoor	Suspended	198	Wilma	Outdoor	Suspended	571
Steps	Outdoor	Wall	628	Tatawin	Indoor	Floor	84	Tube	Fan		779	Wilma	Outdoor	Wall	596
Sticker	Outdoor	Floor	472	Tecno	Outdoor	Recessed	662	Tupai	Indoor	Suspended	186	Winch	Indoor	Suspended	205
Sticker	Outdoor	Wall	612	Tecto	Indoor	Ceiling	232	Twist	Outdoor	Floor	470	Winche	Fan		783
Stone	Indoor	Spot	400	Ted	Indoor	Recessed	433	Twist	Outdoor	Wall	584	Wood	Outdoor	Wall	627
Stood	Indoor	Table	100	Tejo	Outdoor	Wall	607	Typhoon	Fan		765	Yakarta	Fan		787
Stood	Indoor	Floor	100	Ten	Indoor	Wall	361	Uve	Outdoor	Recessed	643	Yen	Outdoor	Ceiling	576
Stood	Indoor	Suspended	162	Ten	Indoor	Table	71	Vedra	Fan		808	Zon	Indoor	Ceiling	239
Stood	Indoor	Wall	280	Tender	Indoor	Ceiling	228	Venice	Indoor	Suspended	154				
Stood	Indoor	Table	280	Tera	Indoor	Wall	379	Venice	Indoor	Multiple	219				
Stripe-1	Outdoor	Recessed	645	Thon	Outdoor	Wall	618	Venice	Indoor	Wall	252				
Stripe-2	Outdoor	Recessed	644	Tila	Indoor	Wall	344	Venice	Indoor	Floor	86				
Studio	Indoor	Clip	335	Tilos	Fan		701	Venice	Indoor	Table	86				
Suau	Indoor	Wall	340	Timon	Outdoor	Wall	600	Versus	Outdoor	Floor	456				
Suau	Indoor	Wall	342	Tinia	Outdoor	Wall	626	Vesper	Indoor	Floor	124				
Suma	Outdoor	Wall	630	Tira	Indoor	Wall	327	Vesper	Indoor	Table	124				
Sumba	Indoor	Suspended	186	Toc	Portable	Portable	56	Vesper	Indoor	Suspended	196				
Sumba	Indoor	Wall	292	Toc	Portable	Portable	56	Vesper	Indoor	Wall	316				
Sumba	Indoor	Table	76	Toc	Outdoor	Wall	596	Vico	Indoor	Suspended	158				
Sun	Outdoor	Wall	604	Tod	Indoor	Recessed	433	View	Outdoor	Wall	612				
Sunset	Outdoor	Wall	625	Tola	Indoor	Ceiling	240	Voila	Portable	Portable	60				
Surat	Outdoor	Post	488	Toluca	Outdoor	Wall	617	Volga	Indoor	Wall	386				
Suria	Outdoor	Recessed	660	Tom	Outdoor	Wall	604	Volta	Indoor	Table	136				
Sven	Indoor	Ceiling	233	Tond	Outdoor	Wall	618	Volta	Indoor	Floor	136				
Sweet	Indoor	Floor	145	Tone	Outdoor	Wall	580	Volta	Indoor	Wall	314				
Sweet	Indoor	Wall	320	Toni	Outdoor	Spike	536	Vuk	Indoor	Ceiling	240				
Tacana	Outdoor	Wall	617	Tonic	Fan		709	Vulcano	Fan		707				
Taima	Outdoor	Wall	627	Tono	Outdoor	Spike	545	Wabi	Indoor	Recessed	424				
Take Away	Portable	Portable	45	Tonsay	Fan		753	Wally	Outdoor	Wall	599				
Takua	Outdoor	Wall	615	Toran	Outdoor	Projector	554	Well	Indoor	Wall	348				
Tamashi	Outdoor	Wall	602	Totem	Outdoor	Floor	462	West	Outdoor	Wall	622				
Tami	Outdoor	Ceiling	576	Tou	Indoor	Wall	368	Wet	Indoor	Recessed	422				
Tane	Outdoor	Wall	622	Tram	Outdoor	Floor	472	Whizz	Indoor	Floor	140				
Taro	Outdoor	Recessed	662	Tram	Outdoor	Pole	518	Whizz	Indoor	Suspended	170				

**Sustainability means
implementing new
models and behaviors
that respect the
delicate balance of the
planet and its vital
resources.**

Xavier Martin, CEO

